
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4983033/publications.pdf Version: 2024-02-01



Сниллен Мл

#	Article	IF	CITATIONS
1	A comprehensive review on food waste anaerobic digestion: Research updates and tendencies. Bioresource Technology, 2018, 247, 1069-1076.	9.6	432
2	Lignocellulosic biomass for bioethanol: an overview on pretreatment, hydrolysis and fermentation processes. Reviews on Environmental Health, 2019, 34, 57-68.	2.4	102
3	Catalytic performance and deactivation mechanism of a one-step sulfonated carbon-based solid-acid catalyst in an esterification reaction. Renewable Energy, 2021, 164, 824-832.	8.9	76
4	Remediation of wastewater contaminated by antibiotics. AÂreview. Environmental Chemistry Letters, 2020, 18, 345-360.	16.2	73
5	Effect of ethanol pre-fermentation and inoculum-to-substrate ratio on methane yield from food waste and distillers' grains. Applied Energy, 2015, 155, 846-853.	10.1	69
6	Effects of digestate recirculation on a two-stage anaerobic digestion system, particularly focusing on metabolite correlation analysis. Bioresource Technology, 2018, 251, 40-48.	9.6	67
7	Production of butanol from biomass: recent advances and future prospects. Environmental Science and Pollution Research, 2019, 26, 20164-20182.	5.3	60
8	Effect of ethanol pre-fermentation on organic load rate and stability of semi-continuous anaerobic digestion of food waste. Bioresource Technology, 2020, 299, 122587.	9.6	59
9	A review of root exudates and rhizosphere microbiome for crop production. Environmental Science and Pollution Research, 2021, 28, 54497-54510.	5.3	52
10	Ethanol prefermentation of food waste in sequencing batch methane fermentation for improved buffering capacity and microbial community analysis. Bioresource Technology, 2018, 248, 187-193.	9.6	43
11	Recent advances in the separation and purification of lactic acid from fermentation broth. Process Biochemistry, 2021, 104, 142-151.	3.7	38
12	Heavy metal leaching behaviour and long-term environmental risk assessment of cement-solidified municipal solid waste incineration fly ash in sanitary landfill. Chemosphere, 2022, 300, 134571.	8.2	37
13	The effect of different types of microâ€bubbles on the performance of the coagulation flotation process for coke wasteâ€water. Journal of Chemical Technology and Biotechnology, 2012, 87, 206-215.	3.2	36
14	Advanced treatment of wet-spun acrylic fiber manufacturing wastewater using three-dimensional electrochemical oxidation. Journal of Environmental Sciences, 2016, 50, 21-31.	6.1	36
15	Effect of co-digestion of tylosin fermentation dreg and food waste on anaerobic digestion performance. Bioresource Technology, 2021, 325, 124693.	9.6	34
16	Biodrying of biogas residue through a thermophilic bacterial agent inoculation: Insights into dewatering contribution and microbial mechanism. Bioresource Technology, 2022, 355, 127256.	9.6	27
17	Influence of aeration modes on leachate characteristic of landfills that adopt the aerobic–anaerobic landfill method. Waste Management, 2014, 34, 101-111.	7.4	25
18	Synergistic effect from anaerobic co-digestion of food waste and Sophora flavescens residues at different co-substrate ratios. Environmental Science and Pollution Research, 2019, 26, 37114-37124.	5.3	25

#	Article	IF	CITATIONS
19	Chloride removal from municipal solid waste incineration fly ash using lactic acid fermentation broth. Waste Management, 2021, 130, 23-29.	7.4	23
20	Enhanced Productions and Recoveries of Ethanol and Methane from Food Waste by a Three-Stage Process. Energy & Fuels, 2015, 29, 6494-6500.	5.1	22
21	Comparative study on inorganic Cl removal of municipal solid waste fly ash using different types and concentrations of organic acids. Chemosphere, 2020, 261, 127754.	8.2	20
22	Adding activated carbon to the system with added zero-valent iron further improves anaerobic digestion performance by alleviating ammonia inhibition and promoting DIET. Journal of Environmental Chemical Engineering, 2021, 9, 106616.	6.7	20
23	Effect of aeration modes on the characteristics of composting emissions and the NH3 removal efficiency by using biotrickling filter. Waste Management, 2011, 31, 1702-1710.	7.4	19
24	Comparison of denitrification performances using PLA/starch with different mass ratios as carbon source. Water Science and Technology, 2015, 71, 1019-1025.	2.5	19
25	Stimulation of waste decomposition in an old landfill by air injection. Bioresource Technology, 2016, 222, 66-74.	9.6	19
26	Kinetic modelling and synergistic impact evaluation for the anaerobic co-digestion of distillers' grains and food waste by ethanol pre-fermentation. Environmental Science and Pollution Research, 2018, 25, 30281-30291.	5.3	19
27	Methane production from food waste via mesophilic anaerobic digestion with ethanol pre-fermentation: Methanogenic pathway and microbial community analyses. Bioresource Technology, 2020, 297, 122450.	9.6	18
28	Effect of yeast addition on the biogas production performance of a food waste anaerobic digestion system. Royal Society Open Science, 2020, 7, 200443.	2.4	18
29	Effect of zero-valent iron addition on the biogas fermentation of food waste after anaerobic preservation. Journal of Environmental Chemical Engineering, 2021, 9, 106013.	6.7	18
30	Semi-continuous mesophilic-thermophilic two-phase anaerobic co-digestion of food waste and spent mushroom substance: Methanogenic performance, microbial, and metagenomic analysis. Bioresource Technology, 2022, 360, 127518.	9.6	18
31	Lactic acid production from Sophora flavescens residues pretreated with sodium hydroxide: Reutilization of the pretreated liquor during fermentation. Bioresource Technology, 2017, 241, 915-921.	9.6	17
32	A study towards minimising tylosin concentration and antibiotic resistance genes in tylosin fermentation dreg fertilizer. Journal of Environmental Chemical Engineering, 2020, 8, 104372.	6.7	16
33	Effect of liquid digestate recirculation on the ethanol-type two-phase semi-continuous anaerobic digestion system of food waste. Bioresource Technology, 2020, 313, 123534.	9.6	16
34	Pilot-scale experiments on multilevel contact oxidation treatment of poultry farm wastewater using saran lock carriers under different operation model. Journal of Environmental Sciences, 2019, 77, 336-345.	6.1	14
35	Phenol removal via activated carbon from co-pyrolysis of waste coal tar pitch and vinasse. Korean Journal of Chemical Engineering, 2021, 38, 64-71.	2.7	14
36	Responses of ammonia-oxidizing bacteria community composition to temporal changes in physicochemical parameters during food waste composting. RSC Advances, 2016, 6, 9541-9548.	3.6	13

#	Article	IF	CITATIONS
37	Re-using ammonium-rich wastewater as a moisture conditioning agent during composting thermophilic period improves composting performance. Bioresource Technology, 2021, 332, 125084.	9.6	13
38	Kinetics of nitrous oxide production by denitrification in municipal solid waste. Chemosphere, 2015, 125, 64-69.	8.2	12
39	Effective utilisation of trickling liquid discharged from a bio-trickling filter as a moisture conditioning agent for composting. Biosystems Engineering, 2015, 129, 378-387.	4.3	12
40	Microbial lipid production from food waste saccharified liquid under two-stage process. Bioresource Technology, 2019, 289, 121626.	9.6	12
41	Carbon release behaviour of polylactic acid/starch-based solid carbon and its influence on biodenitrification. Biochemical Engineering Journal, 2020, 155, 107468.	3.6	11
42	Wastewater-nitrogen removal using polylactic acid/starch as carbon source: Optimization of operating parameters using response surface methodology. Frontiers of Environmental Science and Engineering, 2016, 10, 1.	6.0	9
43	Stimulation of methane yield rate from food waste by aerobic pre-treatment. Bioresource Technology, 2018, 261, 279-287.	9.6	9
44	A newly isolated strain, <i>Lactobacillus paracasei</i> subsp. <i>paracasei</i> 2, produces <scp>l</scp> â€lactic acid from pilotâ€scale fermentation of food waste under sterile and nonsterile conditions. Journal of Chemical Technology and Biotechnology, 2020, 95, 3193-3201.	3.2	9
45	Microbial lipid production from banana straw hydrolysate and ethanol stillage. Environmental Science and Pollution Research, 2021, 28, 29357-29368.	5.3	9
46	Research trend analysis of composting based on Web of Science database. Environmental Science and Pollution Research, 2021, 28, 59528-59541.	5.3	8
47	Dechlorination of Municipal Solid Waste Incineration Fly Ash by Leaching with Fermentation Liquid of Food Waste. Sustainability, 2020, 12, 4389.	3.2	7
48	Metabolic analysis of efficient methane production from food waste with ethanol pre-fermentation using carbon isotope labeling. Bioresource Technology, 2019, 291, 121849.	9.6	6
49	Dechlorination of fly ash by hydrolysate of municipal solid waste leachate. RSC Advances, 2020, 10, 26397-26406.	3.6	6
50	Preliminary determination of antibacterial substances during anaerobic preservation of food waste and their effects on methanogenesis. Environmental Technology and Innovation, 2021, 24, 101813.	6.1	6
51	Mesophilic condition is more conducive to methane production yield and tylosin removal on tylosin fermentation dreg anaerobic digestion. Bioresource Technology, 2021, 341, 125806.	9.6	6
52	Estimation and prediction of the generation of waste organic solvents in China. Journal of Material Cycles and Waste Management, 2020, 22, 1094-1102.	3.0	5
53	Composting–a solution of eliminating a nitrite-rich wastewater by reusing it as a moisture conditioning agent. Chemosphere, 2021, 284, 131365.	8.2	5
54	Biological Nitrogen Removal Using the Supernatant of Ozonized Sludge as Extra Carbon Source. Ozone: Science and Engineering, 2011, 33, 410-416.	2.5	4

#	Article	IF	CITATIONS
55	Enhancement of Food Waste Thermophilic Anaerobic Digestion with Supplementing Spent Mushroom Substrate: Synergistic Effect and Stability. Waste and Biomass Valorization, 2022, 13, 2881-2888.	3.4	3
56	Removal of heavy metals in municipal solid waste incineration fly ash using lactic acid fermentation broth. Environmental Science and Pollution Research, 2021, 28, 62716-62725.	5.3	2
57	Nitrate-rich wastewater discharged from a bio-trickling filter can be reused as a moisture conditioning agent for organic waste composting. Environmental Technology and Innovation, 2021, 24, 101932.	6.1	2