Colin D Bingle

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4983816/publications.pdf

Version: 2024-02-01

126907 76900 5,985 105 33 74 citations h-index g-index papers 112 112 112 11216 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	SARS-CoV-2 Receptor ACE2 Is an Interferon-Stimulated Gene in Human Airway Epithelial Cells and Is Detected in Specific Cell Subsets across Tissues. Cell, 2020, 181, 1016-1035.e19.	28.9	1,956
2	Single nucleotide polymorphisms in the human interleukin-1B gene affect transcription according to haplotype context. Human Molecular Genetics, 2006, 15, 519-529.	2.9	274
3	PLUNC: A novel family of candidate host defence proteins expressed in the upper airways and nasopharynx. Human Molecular Genetics, 2002, 11, 937-943.	2.9	207
4	Induction of Neutrophil Apoptosis by the <i>Pseudomonas aeruginosa </i> Pseudomonas aeruginosa Potential Mechanism of Persistent Infection. Journal of Immunology, 2002, 168, 1861-1868.	0.8	190
5	The putative ovarian tumour marker gene HE4 (WFDC2), is expressed in normal tissues and undergoes complex alternative splicing to yield multiple protein isoforms. Oncogene, 2002, 21, 2768-2773.	5.9	189
6	Increased Risk of Fibrosing Alveolitis Associated with Interleukin-1 Receptor Antagonist and Tumor Necrosis Factor- $\hat{l}\pm$ Gene Polymorphisms. American Journal of Respiratory and Critical Care Medicine, 2000, 162, 755-758.	5.6	181
7	Acceleration of Human Neutrophil Apoptosis by TRAIL. Journal of Immunology, 2003, 170, 1027-1033.	0.8	164
8	Exon Skipping in Mcl-1 Results in a Bcl-2 Homology Domain 3 Only Gene Product That Promotes Cell Death. Journal of Biological Chemistry, 2000, 275, 22136-22146.	3.4	163
9	WFDC2 (HE4): A potential role in the innate immunity of the oral cavity and respiratory tract and the development of adenocarcinomas of the lung. Respiratory Research, 2006, 7, 61.	3.6	150
10	Thyroid transcription factor-1. International Journal of Biochemistry and Cell Biology, 1997, 29, 1471-1473.	2.8	131
11	Meet the relatives: a family of BPI- and LBP-related proteins. Trends in Immunology, 2004, 25, 53-55.	6.8	129
12	Novel innate immune functions of the whey acidic protein family. Trends in Immunology, 2008, 29, 444-453.	6.8	108
13	Inhibition of Neutrophil Apoptosis by ATP Is Mediated by the P2Y11 Receptor. Journal of Immunology, 2007, 179, 8544-8553.	0.8	106
14	Sp1 acetylation is associated with loss of DNA binding at promoters associated with cell cycle arrest and cell death in a colon cell line. Molecular Cancer, 2010, 9, 275.	19.2	98
15	Characterisation of the human plunc gene, a gene product with an upper airways and nasopharyngeal restricted expression pattern. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 2000, 1493, 363-367.	2.4	90
16	Dynamic changes in Mcl-1 expression regulate macrophage viability or commitment to apoptosis during bacterial clearance. Journal of Clinical Investigation, 2005, 115, 359-368.	8.2	88
17	Phylogenetic and evolutionary analysis of the PLUNC gene family. Protein Science, 2004, 13, 422-430.	7.6	79
18	Host defense in oral and airway epithelia: chromosome 20 contributes a new protein family. International Journal of Biochemistry and Cell Biology, 2004, 36, 2144-2152.	2.8	74

#	Article	IF	CITATIONS
19	De novo identification of mammalian ciliary motility proteins using cryo-EM. Cell, 2021, 184, 5791-5806.e19.	28.9	73
20	SPLUNC1 (PLUNC) is expressed in glandular tissues of the respiratory tract and in lung tumours with a glandular phenotype. Journal of Pathology, 2005, 205, 491-497.	4.5	69
21	Systematic nomenclature for the PLUNC/PSP/BSP30/SMGB proteins as a subfamily of the BPI fold-containing superfamily. Biochemical Society Transactions, 2011, 39, 977-983.	3.4	63
22	Inflammatory neutrophils retain susceptibility to apoptosis mediated via the Fas death receptor. Journal of Leukocyte Biology, 2000, 67, 662-668.	3.3	62
23	Dynamic changes in Mcl-1 expression regulate macrophage viability or commitment to apoptosis during bacterial clearance. Journal of Clinical Investigation, 2005, 115, 359-368.	8.2	62
24	Cytokine-Mediated Induction of the Human Elafin Gene in Pulmonary Epithelial Cells Is Regulated by Nuclear Factor- κ B. American Journal of Respiratory Cell and Molecular Biology, 2001, 25, 84-91.	2.9	61
25	The influence of mode of delivery, hormonal status and postnatal O 2 environment on epithelial sodium channel (ENaC) expression in perinatal guineaâ€pig lung. Journal of Physiology, 2000, 522, 147-157.	2.9	58
26	Apoptosis and the regulation of neutrophil lifespan. Biochemical Society Transactions, 1999, 27, 802-807.	3.4	57
27	Distribution of human PLUNC/BPI fold-containing (BPIF) proteins. Biochemical Society Transactions, 2011, 39, 1023-1027.	3.4	53
28	Differential epithelial expression of the putative innate immune molecule SPLUNC1 in Cystic Fibrosis. Respiratory Research, 2007, 8, 79.	3.6	52
29	Effective Caspase Inhibition Blocks Neutrophil Apoptosis and Reveals Mcl-1 as Both a Regulator and a Target of Neutrophil Caspase Activation. PLoS ONE, 2011, 6, e15768.	2.5	48
30	LPLUNC1 Modulates Innate Immune Responses to Vibrio cholerae. Journal of Infectious Diseases, 2011, 204, 1349-1357.	4.0	45
31	Genomic Organization of the Mouse plunc Gene and Expression in the Developing Airways and Thymus. Biochemical and Biophysical Research Communications, 2001, 284, 792-797.	2.1	44
32	Human LPLUNC1 is a secreted product of goblet cells and minor glands of the respiratory and upper aerodigestive tracts. Histochemistry and Cell Biology, 2010, 133, 505-515.	1.7	42
33	Alveolar Macrophage Apoptosis–associated Bacterial Killing Helps Prevent Murine Pneumonia. American Journal of Respiratory and Critical Care Medicine, 2019, 200, 84-97.	5.6	41
34	Design and Validation of Anti-inflammatory Peptides from Human Parotid Secretory Protein. Journal of Dental Research, 2005, 84, 149-153.	5.2	37
35	Characterisation and expression of SPLUNC2, the human orthologue of rodent parotid secretory protein. Histochemistry and Cell Biology, 2009, 132, 339-349.	1.7	37
36	Distant cousins: genomic and sequence diversity within the BPI fold-containing (BPIF)/PLUNC protein family. Biochemical Society Transactions, 2011, 39, 961-965.	3.4	36

#	Article	IF	Citations
37	Anti-Inflammatory Effect of Pre-Elafin in Lipopolysaccharide-Induced Acute Lung Inflammation. Biological Chemistry, 2002, 383, 1249-56.	2.5	34
38	<i>Mcidas</i> mutant mice reveal a two-step process for the specification and differentiation of multiciliated cells in mammals. Development (Cambridge), 2019, 146, .	2.5	33
39	Expression of PLUNC family members in benign and malignant salivary gland tumours. Oral Diseases, 2008, 14, 613-619.	3.0	32
40	Three Novel Bid Proteins Generated by Alternative Splicing of the Human Bid Gene. Journal of Biological Chemistry, 2004, 279, 2846-2855.	3.4	31
41	Post-Translational Control of Sp-Family Transcription Factors. Current Genomics, 2008, 9, 301-311.	1.6	31
42	Differential localisation of BPIFA1 (SPLUNC1) and BPIFB1 (LPLUNC1) in the nasal and oral cavities of mice. Cell and Tissue Research, 2012, 350, 455-464.	2.9	31
43	BPIFB1 (LPLUNC1) is upregulated in cystic fibrosis lung disease. Histochemistry and Cell Biology, 2012, 138, 749-758.	1.7	31
44	Identification and characterisation of the BPI/LBP/PLUNC-like gene repertoire in chickens reveals the absence of a LBP gene. Developmental and Comparative Immunology, 2011, 35, 285-295.	2.3	28
45	Differential patterns of antioxidant enzyme mRNA expression in guinea pig lung and liver during development. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1996, 1305, 163-171.	2.4	27
46	Association of innate defense proteins BPIFA1 and BPIFB1 with disease severity in COPD. International Journal of COPD, 2018, Volume 13, 11-27.	2.3	27
47	An <i>in vitro</i> model of murine middle ear epithelium. DMM Disease Models and Mechanisms, 2016, 9, 1405-1417.	2.4	26
48	Absence or mislocalization of DNAH5 is a characteristic marker for motile ciliary abnormality in nasal polyps. Laryngoscope, 2018, 128, E97-E104.	2.0	24
49	Expansion of the Bactericidal/Permeability Increasing-like (BPI-like) protein locus in cattle. BMC Genomics, 2007, 8, 75.	2.8	23
50	Polymorphisms Associated with Expression of BPIFA1/BPIFB1 and Lung Disease Severity in Cystic Fibrosis. American Journal of Respiratory Cell and Molecular Biology, 2015, 53, 607-614.	2.9	23
51	Oct-1 interacts with conserved motifs in the human thyroid transcription factor 1 gene minimal promoter. Biochemical Journal, 1996, 319, 669-674.	3.7	21
52	Cloning and expression of a mouse member of the PLUNC protein family exclusively expressed in tongue epithelium. Genomics, 2004, 83, 658-666.	2.9	19
53	Pulmonary Genomics, Proteomics, and PLUNCs. American Journal of Respiratory Cell and Molecular Biology, 2008, 38, 377-379.	2.9	19
54	Comparative analysis of the PLUNC (palate, lung and nasal epithelium clone) protein families. Biochemical Society Transactions, 2003, 31, 806-809.	3.4	18

#	Article	IF	CITATIONS
55	Expression of pro-apoptotic Bfk isoforms reduces during malignant transformation in the human gastrointestinal tract. FEBS Letters, 2005, 579, 3646-3650.	2.8	16
56	Towards defining the complement of mammalian WFDC-domain-containing proteins. Biochemical Society Transactions, 2011, 39, 1393-1397.	3.4	15
57	Cytokine responses in primary and secondary respiratory syncytial virus infections. Pediatric Research, 2016, 79, 946-950.	2.3	13
58	Macrophages Are Required for Dendritic Cell Uptake of Respiratory Syncytial Virus from an Infected Epithelium. PLoS ONE, 2014, 9, e91855.	2.5	13
59	Molecular cloning of the forkhead transcription factor HNF-3α from a human pulmonary adenocarcinoma cell line. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1996, 1307, 17-20.	2.4	11
60	What is top of the charts? BPIFB1/LPLUNC1 localises to the bronchiolised epithelium in the honeycomb cysts in UIP. Thorax, 2013, 68, 1167-1168.	5.6	11
61	The LEC Rat Possesses Reduced Hepatic Selenium, Contributing to the Severity of Spontaneous Hepatitis and Sensitivity to Carcinogenesis. Biochemical and Biophysical Research Communications, 1998, 244, 463-467.	2.1	10
62	Neonatal and Adult Copper-64 Metabolism in the Pig and the Possible Relationship between the Ontogeny of Copper Metabolism and Wilson's Disease. Neonatology, 1988, 54, 294-300.	2.0	9
63	Developmental changes in hepatic copper proteins in the guinea pig. Journal of Hepatology, 1990, 10, 138-143.	3.7	9
64	Loss of the homeostatic protein BPIFA1, leads to exacerbation of otitis media severity in the Junbo mouse model. Scientific Reports, 2018, 8, 3128.	3.3	9
65	Cloning of guinea pig surfactant protein A defines a distinct cellular distribution pattern within the lung. American Journal of Physiology - Lung Cellular and Molecular Physiology, 1997, 273, L900-L906.	2.9	8
66	Gammaherpesvirus infection modulates the temporal and spatial expression of SCGB1A1 (CCSP) and BPIFA1 (SPLUNC1) in the respiratory tract. Laboratory Investigation, 2015, 95, 610-624.	3.7	8
67	PLUNC protein expression in major salivary glands of HIVâ€infected patients. Oral Diseases, 2011, 17, 258-264.	3.0	7
68	Dysregulation of immune response in otitis media. Expert Reviews in Molecular Medicine, 2021, 23, e10.	3.9	7
69	Copper metabolism in hypercupremic human livers Studies of its subcellular distribution, association with binding proteins and expression of mRNAs. Journal of Hepatology, 1992, 15, 94-101.	3.7	6
70	Development of a physiological model of human middle ear epithelium. Laryngoscope Investigative Otolaryngology, 2021, 6, 1167-1174.	1.5	6
71	MUCking about in IPF: identification of a novel goblet cell phenotype in pulmonary fibrosis. Thorax, 2011, 66, 647-648.	5.6	4
72	Isolation and Culture of Primary Mouse Middle Ear Epithelial Cells. Methods in Molecular Biology, 2019, 1940, 157-168.	0.9	4

#	Article	IF	CITATIONS
73	LCAT mRNA in liver disease. Lancet, The, 1991, 338, 1531.	13.7	3
74	TrkB-Targeted Therapy for Mucoepidermoid Carcinoma. Biomedicines, 2020, 8, 531.	3.2	3
75	The transcriptional landscape of the cultured murine middle ear epithelium <i>in vitro</i> . Biology Open, 2021, 10, .	1.2	3
76	Transcriptional regulation of caeruloplasmin gene expression in the developing guinea pig liver. Journal of Hepatology, 1990, 11, S7.	3.7	2
77	Induction of hepatic and pulmonary caeruloplasmin gene expression in developing guinea pigs following premature delivery. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 1992, 1139, 217-221.	3.8	2
78	STRUCTURAL CHARACTERISATION OF HUMAN CAERULOPLASMIN IN SOLUTION BY FTIR SPECTROSCOPY. Biochemical Society Transactions, 1993, 21, 175S-175S.	3.4	1
79	Generation of a Rat Bronchiolar Epithelial Cell cDNA Library: Isolation of a Proline Rich Protein Highly Enriched in Bronchiolar Epithelial Cells. Biochemical and Biophysical Research Communications, 1996, 225, 877-882.	2.1	1
80	Mechanisms of Neutrophil Apoptosis and the Regulation of Inflammation. Biochemical Society Transactions, 1999, 27, A134-A134.	3.4	1
81	The putative ovarian tumour marker gene HE4 (WFDC2), is expressed in normal tissues and undergoes complex alternative splicing to yield multiple protein isoforms. , 0, .		1
82	An innate defence role for BPIFA1/SPLUNC1 against influenza-A virus infection. , 2015, , .		1
83	A developmental shift from low- to high- <i>M</i> r copper binders in guinea-pig serum. Biochemical Society Transactions, 1990, 18, 645-645.	3.4	0
84	Hepatic copper distribution in Wilson's disease and hepatic copper overload. Journal of Hepatology, 1990, 11, S8.	3.7	0
85	The regulation and role of caeruloplasmin expression in the lung. Respiratory Medicine, 1994, 88, 804-805.	2.9	0
86	Identification and Characterisation of 3 Novel Bid Isoforms. Clinical Science, 2002, 103, 54P-54P.	0.0	0
87	Acceleration of Human Neutrophil Apoptosis by Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand (TRAIL). Clinical Science, 2003, 104, 58P-58P.	0.0	0
88	Elevated Expression Of PLUNCs In Cystic Fibrosis Lung Disease. , 2011, , .		0
89	Vomeromodulin/RYF3: PLUNC's Most Distant Cousin. , 2011, , .		0
90	LPLUNC1 (BPIFB1) As A Novel Marker For The Abnormal Epithelium In Pulmonary Fibrosis., 2012, , .		0

#	Article	lF	CITATIONS
91	Salivary BPIFA proteins are altered in patients undergoing hematopoietic cell transplantation. Oral Diseases, 2022, 28, 1279-1288.	3.0	0
92	Pre-Existing Upregulation of Interferon Pathways in the Nasopharynx Impacts Viral Shedding Following Live Attenuated Influenza Vaccine Challenge in Children. SSRN Electronic Journal, 0, , .	0.4	0
93	LSC Abstract $\hat{a} \in ``The expression and function of BPIFA1 in the pulmonary innate immune response to influenza A virus infection., 2015,,.$		0
94	Elevated sputum BPIFB1 levels correlate with progression of chronic obstructive pulmonary disease. , 2015, , .		0
95	LSC Abstract – A systems biology approach to aid identification of the mechanisms employed by BPIFA1/SPLUNC1 to restrict influenza A virus infection in the lung. , 2016, , .		0
96	Interactions of BPIFA1 and BPIFB1 with <i>S. aureus </i>		0
97	Functional analysis of PIERCE1, in motile ciliogenesis. , 2018, , .		0
98	Host defence functions of BPIFA1 against Non-typeable Haemophilus influenzae. , 2018, , .		0
99	Mouse tracheal epithelial cells (mTECs) for the study of influenza A infectio>., 2020,,.		0
100	SPLUNC1 comes of age? Predicting acute exacerbations in cystic fibrosis. European Respiratory Journal, 2021, 58, 2101569.	6.7	0
101	PIERCEing ciliogenesis: defining a role for PIERCE1 and its' paralog C15ORF65 in multiciliogenesis. , 2020, , .		0
102	Using mouse tracheal epithelial cells (mTECs) to uncover an antiviral role for BPIFB1., 2020, , .		0
103	Comparative transcriptional analysis of differentiation in murine mucociliary epithelia., 2020,,.		0
104	Expression and function of murine WFDC2 in the respiratory tract., 2020,,.		0
105	Air liquid interface (ALI)-grown immortalized human cell lines: a promising tractable model for human airway. , 2020, , .		0