

Stella-Maria Paddick

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4985450/publications.pdf>

Version: 2024-02-01

68
papers

1,114
citations

393982

19
h-index

476904

29
g-index

70
all docs

70
docs citations

70
times ranked

1144
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence and 1-year incidence of HIV-associated neurocognitive disorder (HAND) in adults aged ≥50 years attending standard HIV clinical care in Kilimanjaro, Tanzania. <i>International Psychogeriatrics</i> , 2023, 35, 339-350.	0.6	10
2	Development of a brief screening method for identification of depression in older adults in Sub-Saharan Africa. <i>Aging and Mental Health</i> , 2022, 26, 40-47.	1.5	0
3	Proportions of Dementia Subtypes in Rural Tanzania. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 424-425.	0.6	1
4	Dementia in Africa: Current evidence, knowledge gaps, and future directions. <i>Alzheimer's and Dementia</i> , 2022, 18, 790-809.	0.4	34
5	Risk of conversion from mild cognitive impairment to dementia in low- and middle-income countries: A systematic review and meta-analysis. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2022, 8, e12267.	1.8	29
6	Screening for delirium and dementia in older hospitalised adults in Zambia. <i>Journal of the Neurological Sciences</i> , 2022, 436, 120186.	0.3	2
7	Development and acceptability of a brief, evidence-based Dementia Awareness for Caregivers course in low- and middle-income countries. <i>Dementia</i> , 2022, 21, 598-617.	1.0	4
8	Effectiveness of App-Based Cognitive Screening for Dementia by Lay Health Workers in Low Resource Settings. A Validation and Feasibility Study in Rural Tanzania. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021, 34, 613-621.	1.2	13
9	Feasibility and acceptability of a nutritional intervention testing the effects of nitrate-rich beetroot juice and folic acid on blood pressure in Tanzanian adults with elevated blood pressure. <i>International Journal of Food Sciences and Nutrition</i> , 2021, 72, 195-207.	1.3	3
10	Screening for HIV-Associated Neurocognitive Disorder (HAND) in Adults Aged 50 and Over Attending a Government HIV Clinic in Kilimanjaro, Tanzania. Comparison of the International HIV Dementia Scale (IHDS) and IDEA Six Item Dementia Screen. <i>AIDS and Behavior</i> , 2021, 25, 542-553.	1.4	15
11	Low levels of frailty in HIV-positive older adults on antiretroviral therapy in northern Tanzania. <i>Journal of NeuroVirology</i> , 2021, 27, 58-69.	1.0	11
12	Screening tools for common mental disorders in older adults in South Asia: a systematic scoping review. <i>International Psychogeriatrics</i> , 2021, , 1-12.	0.6	1
13	Prevalence and Risk of Mild Cognitive Impairment in Low and Middle-Income Countries: A Systematic Review. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 743-762.	1.2	20
14	Prevalence estimates of dementia in older adults in rural Kilimanjaro 2009–2010 and 2018–2019: is there evidence of changing prevalence?. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 950-959.	1.3	7
15	Prevalence and associated factors of depression among older adults in rural Tanzania. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1559-1566.	1.3	8
16	Instrumental Activities of Daily Living Scales to Detect Cognitive Impairment and Dementia in Low- and Middle-Income Countries: A Systematic Review. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 451-474.	1.2	3
17	Population normative data for three cognitive screening tools for older adults in sub-Saharan Africa. <i>Dementia E Neuropsychologia</i> , 2021, 15, 339-349.	0.3	3
18	Nitrate-Rich Beetroot Juice Reduces Blood Pressure in Tanzanian Adults with Elevated Blood Pressure: A Double-Blind Randomized Controlled Feasibility Trial. <i>Journal of Nutrition</i> , 2020, 150, 2460-2468.	1.3	29

#	ARTICLE	IF	CITATIONS
19	HIV-associated neurocognitive disorders (HAND) in a cART-treated cohort of adults aged 50 and over in Kilimanjaro, Tanzania: The first longitudinal follow-up study of HAND in an older population in sub-Saharan Africa. <i>Alzheimer's and Dementia</i> , 2020, 16, e041971.	0.4	1
20	A New Approach for Developing Implementation Plans for Cognitive Stimulation Therapy (CST) in Low and Middle-Income Countries: Results From the CST-International Study. <i>Frontiers in Public Health</i> , 2020, 8, 342.	1.3	4
21	Risk factors for symptomatic HIV-associated neurocognitive disorder in adults aged 50 and over attending a HIV clinic in Tanzania. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1198-1208.	1.3	13
22	Stroke, cerebrovascular diseases and vascular cognitive impairment in Africa. <i>Brain Research Bulletin</i> , 2019, 145, 97-108.	1.4	51
23	Effects of dietary nitrate and folate supplementation on blood pressure in hypertensive Tanzanians: Design and baseline characteristics of a feasibility trial. <i>Contemporary Clinical Trials Communications</i> , 2019, 16, 100472.	0.5	4
24	Conceptualization of depression amongst older adults in rural Tanzania: a qualitative study. <i>International Psychogeriatrics</i> , 2019, 31, 1473-1481.	0.6	8
25	Mediterranean diet adherence and cognitive function in older UK adults: the European Prospective Investigation into Cancer and Nutrition-Norfolk (EPIC-Norfolk) Study. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 938-948.	2.2	74
26	Dementia prevention in low-income and middle-income countries: a cautious step forward. <i>The Lancet Global Health</i> , 2019, 7, e538-e539.	2.9	12
27	Mixed methods implementation research of cognitive stimulation therapy (CST) for dementia in low and middle-income countries: study protocol for Brazil, India and Tanzania (CST-International). <i>BMJ Open</i> , 2019, 9, e030933.	0.8	15
28	Managing dementia in rural Nigeria: feasibility of cognitive stimulation therapy and exploration of clinical improvements. <i>Aging and Mental Health</i> , 2019, 23, 1377-1381.	1.5	9
29	Identification of delirium and dementia in older medical inpatients in Tanzania: A comparison of screening and diagnostic methods. <i>Journal of the Neurological Sciences</i> , 2018, 385, 156-163.	0.3	12
30	A longitudinal study of cognitive decline in rural Tanzania: rates and potentially modifiable risk factors. <i>International Psychogeriatrics</i> , 2018, 30, 1333-1343.	0.6	26
31	Cognitive stimulation therapy as a low-resource intervention for dementia in sub-Saharan Africa (CST-SSA): Adaptation for rural Tanzania and Nigeria. <i>Dementia</i> , 2018, 17, 515-530.	1.0	26
32	Screening for Instrumental Activities of Daily Living in Sub-Saharan Africa: A Balance Between Task Shifting, Simplicity, Brevity, and Training. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2018, 31, 248-255.	1.2	9
33	The role of traditional and faith healers in the treatment of dementia in Tanzania and the potential for collaboration with allopathic healthcare services: Table 1.. <i>Age and Ageing</i> , 2017, 46, 130-137.	0.7	25
34	Cognitive stimulation therapy as a sustainable intervention for dementia in sub-Saharan Africa: feasibility and clinical efficacy using a stepped-wedge design. <i>International Psychogeriatrics</i> , 2017, 29, 979-989.	0.6	35
35	Adaptation and validation of the Alzheimer's Disease Assessment Scale - Cognitive (ADAS-Cog) in a low-literacy setting in sub-Saharan Africa. <i>Acta Neuropsychiatrica</i> , 2017, 29, 244-251.	1.0	19
36	Identifying Frailty and its Outcomes in Older People in Rural Tanzania. <i>Experimental Aging Research</i> , 2017, 43, 257-273.	0.6	16

#	ARTICLE	IF	CITATIONS
37	Cognitive screening tools for identification of dementia in illiterate and low-educated older adults, a systematic review and meta-analysis. <i>International Psychogeriatrics</i> , 2017, 29, 897-929.	0.6	47
38	Prevalence and risk factors for hiv-associated neurocognitive impairment (hand) amongst adults aged 50 and over attending a hiv clinic in northern tanzania. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, A19.1-A19.	0.9	2
39	Risk Factors for Delirium in Older Medical Inpatients in Tanzania. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 44, 160-170.	0.7	5
40	[P3â€“275]: SYSTOLIC BLOOD PRESSURE AND COGNITIVE IMPAIRMENT IN A TANZANIAN POPULATION: IS HYPERTENSION PROTECTIVE AGAINST DEMENTIA IN THE ELDERLY?. <i>Alzheimer's and Dementia</i> , 2017, 13, P1048.	0.4	0
41	55EXTERNAL VALIDATION OF A SHORT SCREENING TOOL FOR DEMENTIA IN A RESOURCE POOR, LOW LITERACY SETTING. <i>Age and Ageing</i> , 2017, 46, ii20-ii20.	0.7	0
42	56PREDICTORS OF COGNITIVE DECLINE IN RURAL TANZANIA. <i>Age and Ageing</i> , 2017, 46, ii20-ii20.	0.7	0
43	Prevalence of HIV-associated neurocognitive impairment (hand) amongst adults aged 50 and over attending a HIV clinic in Northern Tanzania. <i>Journal of the Neurological Sciences</i> , 2017, 381, 118.	0.3	1
44	O4â€“12â€“04: EVALUATION OF THE IDEA (IDENTIFICATION AND INTERVENTIONS FOR DEMENTIA IN ELDERLY) Tj ETQq0 0 0 rgBT /Overlo ADULTS IN TANZANIA. <i>Alzheimer's and Dementia</i> , 2016, 12, P364.	0.4	0
45	Prevalence of Delirium in Older Medical Inpatients in Tanzania. <i>Journal of the American Geriatrics Society</i> , 2016, 64, e28-9.	1.3	5
46	Community validation of the IDEA study cognitive screen in rural Tanzania. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 1199-1207.	1.3	24
47	Levels of functional disability in elderly people in Tanzania with dementia, stroke and Parkinsonâ€™s disease. <i>Acta Neuropsychiatrica</i> , 2015, 27, 206-212.	1.0	17
48	79UTILITY OF THE MINI-MENTAL STATE EXAMINATION (MMSE) FOR IDENTIFICATION OF DEMENTIA IN A LOW-LITERACY SETTING IN RURAL TANZANIA. <i>Age and Ageing</i> , 2015, 44, ii25.2-ii25.	0.7	5
49	The prevalence and burden of behavioural and psychological symptoms of dementia in rural Tanzania. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 815-823.	1.3	14
50	PREVALENCE OF DELIRIUM IN OLDER HOSPITALISED ADULTS IN TANZANIA. THE IDEA (IDENTIFICATION AND) Tj ETQq0 0 0 rgBT /Overlo <i>Psychiatry</i> , 2015, 86, e3.22-e3.	0.9	2
51	Mortality rates in community-dwelling Tanzanians with dementia and mild cognitive impairment: a 4-year follow-up study. <i>Age and Ageing</i> , 2015, 44, 636-641.	0.7	20
52	P2-300: Cognitive stimulation therapy as a low-resource intervention for dementia in sub-saharan africa: Initial results of a controlled trial. , 2015, 11, P607-P607.		0
53	O5-04-01: Cognitive stimulation therapy (CST) as a sustainable intervention for dementia in low-resource settings: Results of a controlled trial in rural tanzania. , 2015, 11, P322-P322.		1
54	The association between disability and cognitive impairment in an elderly Tanzanian population. <i>Journal of Epidemiology and Global Health</i> , 2015, 5, 57.	1.1	15

#	ARTICLE	IF	CITATIONS
55	Mild Cognitive Impairment in Rural Tanzania: Prevalence, Profile, and Outcomes at 4-Year Follow-up. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 950-959.	0.6	19
56	Validation of the Identification and Intervention for Dementia in Elderly Africans (IDEA) cognitive screen in Nigeria and Tanzania. <i>BMC Geriatrics</i> , 2015, 15, 53.	1.1	44
57	The prevalence and clinical manifestations of delirium in sub-Saharan Africa: A systematic review with inferences. <i>Journal of the Neurological Sciences</i> , 2015, 348, 6-17.	0.3	16
58	Development and community-based validation of the IDEA study Instrumental Activities of Daily Living (IDEA-IADL) questionnaire. <i>Global Health Action</i> , 2014, 7, 25988.	0.7	29
59	The association between educational level and dementia in rural Tanzania. <i>Dementia E Neuropsychologia</i> , 2014, 8, 117-125.	0.3	23
60	A comparison of caregiver burden in older persons and persons with Parkinson's disease or dementia in sub-Saharan Africa. <i>International Psychogeriatrics</i> , 2014, 26, 687-692.	0.6	23
61	Development and Validation of the Identification and Intervention for Dementia in Elderly Africans (IDEA) Study Dementia Screening Instrument. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014, 27, 110-118.	1.2	31
62	The Prevalence of Dementia Subtypes in Rural Tanzania. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1613-1622.	0.6	18
63	Social representation and practices related to dementia in Hai District of Tanzania. <i>BMC Public Health</i> , 2014, 14, 260.	1.2	56
64	P1-197: VALIDATION OF A BRIEF DEMENTIA SCREENING INSTRUMENT IN 100 CONSECUTIVE ELDERLY INPATIENTS AND OUTPATIENTS IN NORTHERN TANZANIA: THE IDEA (IDENTIFICATION AND INTERVENTIONS FOR DEMENTIA) Tj ETQq0 0 0rgBT /Over		
65	The prevalence of dementia in rural Tanzania: a cross-sectional community-based study. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 728-737.	1.3	65
66	Dementia prevalence estimates in sub-Saharan Africa: comparison of two diagnostic criteria. <i>Global Health Action</i> , 2013, 6, 19646.	0.7	47
67	The prevalence of disability in older people in Hai, Tanzania. <i>Age and Ageing</i> , 2012, 41, 517-523.	0.7	26
68	An exploration of the undetected or concealed pregnancy. <i>British Journal of Midwifery</i> , 2009, 17, 647-651.	0.1	4