

Annika Rosengren

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4985726/annika-rosengren-publications-by-citations.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

300 papers	17,774 citations	64 h-index	126 g-index
345 ext. papers	22,800 ext. citations	9 avg, IF	6.48 L-index

#	Paper	IF	Citations
300	Association of psychosocial risk factors with risk of acute myocardial infarction in 11119 cases and 13648 controls from 52 countries (the INTERHEART study): case-control study. <i>Lancet, The</i> , 2004 , 364, 953-62	40	1504
299	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. <i>Lancet, The</i> , 2016 , 388, 761-75	40	903
298	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017 , 390, 2050-2062	40	583
297	Mortality and Cardiovascular Disease in Type 1 and Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2017 , 376, 1407-1418	59.2	563
296	Excess Mortality among Persons with Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2015 , 373, 1720-32	59.2	562
295	Risk Factors, Mortality, and Cardiovascular Outcomes in Patients with Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2018 , 379, 633-644	59.2	518
294	Glycemic control and excess mortality in type 1 diabetes. <i>New England Journal of Medicine</i> , 2014 , 371, 1972-82	59.2	513
293	Cardiovascular risk and events in 17 low-, middle-, and high-income countries. <i>New England Journal of Medicine</i> , 2014 , 371, 818-27	59.2	499
292	Risk factors for myocardial infarction in women and men: insights from the INTERHEART study. <i>European Heart Journal</i> , 2008 , 29, 932-40	9.5	487
291	Lipoprotein (a) and coronary heart disease: a prospective case-control study in a general population sample of middle aged men. <i>BMJ: British Medical Journal</i> , 1990 , 301, 1248-51		398
290	Modifiable risk factors, cardiovascular disease, and mortality in 155 722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020 , 395, 795-808	40	342
289	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017 , 390, 2037-2049	40	285
288	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020 , 395, 785-794	40	218
287	Age, clinical presentation, and outcome of acute coronary syndromes in the Euroheart acute coronary syndrome survey. <i>European Heart Journal</i> , 2006 , 27, 789-95	9.5	213
286	Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet, The</i> , 2016 , 387, 61-9	40	211
285	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>The Lancet Global Health</i> , 2016 , 4, e695-703	13.6	199
284	Decreasing one-year mortality and hospitalization rates for heart failure in Sweden; Data from the Swedish Hospital Discharge Registry 1988 to 2000. <i>European Heart Journal</i> , 2004 , 25, 300-7	9.5	186

283	Modelling the decreasing coronary heart disease mortality in Sweden between 1986 and 2002. <i>European Heart Journal</i> , 2009 , 30, 1046-56	9.5	184
282	Glycaemic control and incidence of heart failure in 20,985 patients with type 1 diabetes: an observational study. <i>Lancet, The</i> , 2011 , 378, 140-6	4.0	178
281	Stressful life events, social support, and mortality in men born in 1933. <i>BMJ: British Medical Journal</i> , 1993 , 307, 1102-5		174
280	Risk factors for stroke in middle-aged men in GÖteborg, Sweden. <i>Stroke</i> , 1990 , 21, 223-9	6.7	172
279	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. <i>Lancet, The</i> , 2018 , 392, 496-506	4.0	159
278	Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. <i>The Lancet Global Health</i> , 2019 , 7, e748-e760	13.6	153
277	Self-perceived psychological stress and incidence of coronary artery disease in middle-aged men. <i>American Journal of Cardiology</i> , 1991 , 68, 1171-5	3	145
276	Age at Diagnosis of Type 2 Diabetes Mellitus and Associations With Cardiovascular and Mortality Risks. <i>Circulation</i> , 2019 , 139, 2228-2237	16.7	143
275	The Swedish CARDioPulmonary BioImage Study: objectives and design. <i>Journal of Internal Medicine</i> , 2015 , 278, 645-59	10.8	141
274	Big men and atrial fibrillation: effects of body size and weight gain on risk of atrial fibrillation in men. <i>European Heart Journal</i> , 2009 , 30, 1113-20	9.5	139
273	Body mass index, other cardiovascular risk factors, and hospitalization for dementia. <i>Archives of Internal Medicine</i> , 2005 , 165, 321-6		138
272	Body weight and weight gain during adult life in men in relation to coronary heart disease and mortalityA prospective population study. <i>European Heart Journal</i> , 1999 , 20, 269-277	9.5	137
271	Hospitalizations for atrial fibrillation in the general male population: morbidity and risk factors. <i>Journal of Internal Medicine</i> , 2001 , 250, 382-9	10.8	136
270	Population impact of heart failure and the most common forms of cancer: a study of 1 162 309 hospital cases in Sweden (1988 to 2004). <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2010 , 3, 573-80	5.8	135
269	Impact of cardiovascular risk factors on coronary heart disease and mortality among middle aged diabetic men: a general population study. <i>BMJ: British Medical Journal</i> , 1989 , 299, 1127-31		133
268	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016 , 7, 535-546	10.3	129
267	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. <i>Lancet Diabetes and Endocrinology, the</i> , 2017 , 5, 774-787	18.1	125
266	Twenty-four-year trends in the incidence of ischemic stroke in Sweden from 1987 to 2010. <i>Stroke</i> , 2013 , 44, 2388-93	6.7	123

265	Coffee and incidence of diabetes in Swedish women: a prospective 18-year follow-up study. <i>Journal of Internal Medicine</i> , 2004 , 255, 89-95	10.8	120
264	Psychosocial factors and venous thromboembolism: a long-term follow-up study of Swedish men. <i>Journal of Thrombosis and Haemostasis</i> , 2008 , 6, 558-64	15.4	119
263	Trends in overweight and obesity from 1985 to 2002 in GÖteborg, West Sweden. <i>International Journal of Obesity</i> , 2005 , 29, 916-24	5.5	119
262	Sex, age, and clinical presentation of acute coronary syndromes. <i>European Heart Journal</i> , 2004 , 25, 663-70	9.5	118
261	Alcohol consumption and cardiovascular disease, cancer, injury, admission to hospital, and mortality: a prospective cohort study. <i>Lancet, The</i> , 2015 , 386, 1945-1954	40	116
260	Trends in out-of-hospital deaths due to coronary heart disease in Sweden (1991 to 2006). <i>Circulation</i> , 2011 , 123, 46-52	16.7	114
259	Social influences and cardiovascular risk factors as determinants of plasma fibrinogen concentration in a general population sample of middle aged men. <i>BMJ: British Medical Journal</i> , 1990 , 300, 634-8		107
258	Mortality and morbidity trends after the first year in survivors of acute myocardial infarction: a systematic review. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 53	2.3	106
257	Sex differences in survival after myocardial infarction in Sweden; data from the Swedish National Acute Myocardial Infarction Register. <i>European Heart Journal</i> , 2001 , 22, 314-22	9.5	105
256	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. <i>Diabetes Care</i> , 2016 , 39, 780-7	14.6	104
255	Cardiovascular Risk Factors Associated With Venous Thromboembolism. <i>JAMA Cardiology</i> , 2019 , 4, 163-173	16.2	102
254	Selection bias in a population survey with registry linkage: potential effect on socioeconomic gradient in cardiovascular risk. <i>European Journal of Epidemiology</i> , 2010 , 25, 163-72	12.1	100
253	Long-term effects of total and source-specific particulate air pollution on incident cardiovascular disease in Gothenburg, Sweden. <i>Environmental Research</i> , 2017 , 158, 61-71	7.9	98
252	Heart failure in young adults: 20-year trends in hospitalization, aetiology, and case fatality in Sweden. <i>European Heart Journal</i> , 2014 , 35, 25-32	9.5	95
251	Coronary disease in relation to social support and social class in Swedish men. A 15 year follow-up in the study of men born in 1933. <i>European Heart Journal</i> , 2004 , 25, 56-63	9.5	92
250	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet Public Health, The</i> , 2017 , 2, e411-e419	22.4	90
249	Education and risk for acute myocardial infarction in 52 high, middle and low-income countries: INTERHEART case-control study. <i>Heart</i> , 2009 , 95, 2014-22	5.1	88
248	Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. <i>American Heart Journal</i> , 2013 , 166, 636-646.e4	4.9	87

247	Coronary heart disease and mortality in middle aged men from different occupational classes in Sweden. <i>BMJ: British Medical Journal</i> , 1988 , 297, 1497-500		87
246	Self-reported leisure time physical activity: a useful assessment tool in everyday health care. <i>BMC Public Health</i> , 2012 , 12, 693	4.1	82
245	Association of estimated sleep duration and naps with mortality and cardiovascular events: a study of 116 632 people from 21 countries. <i>European Heart Journal</i> , 2019 , 40, 1620-1629	9.5	82
244	Survivorship in Children and Young Adults With Congenital Heart Disease in Sweden. <i>JAMA Internal Medicine</i> , 2017 , 177, 224-230	11.5	81
243	Survival trends in men and women with heart failure of ischaemic and non-ischaemic origin: data for the period 1987-2003 from the Swedish Hospital Discharge Registry. <i>European Heart Journal</i> , 2009 , 30, 671-8	9.5	74
242	The relationship between glycaemic control and heart failure in 83,021 patients with type 2 diabetes. <i>Diabetologia</i> , 2012 , 55, 2946-53	10.3	69
241	Perceived stress and incidence of Type 2 diabetes: a 35-year follow-up study of middle-aged Swedish men. <i>Diabetic Medicine</i> , 2013 , 30, e8-16	3.5	68
240	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 798-808	18.1	66
239	Job control, job demands and social support at work in relation to cardiovascular risk factors in MONICA 1995, G�teborg. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1999 , 6, 379-85		66
238	Male risk factors for hip fracture-a 30-year follow-up study in 7,495 men. <i>Osteoporosis International</i> , 2010 , 21, 409-16	5.3	64
237	Association Between Socioeconomic Status and Mortality, Cardiovascular Disease, and Cancer in Patients With Type 2 Diabetes. <i>JAMA Internal Medicine</i> , 2016 , 176, 1146-54	11.5	64
236	Low systolic blood pressure and self perceived wellbeing in middle aged men. <i>BMJ: British Medical Journal</i> , 1993 , 306, 243-6		63
235	Range of Risk Factor Levels: Control, Mortality, and Cardiovascular Outcomes in Type 1 Diabetes Mellitus. <i>Circulation</i> , 2017 , 135, 1522-1531	16.7	61
234	Variations between women and men in risk factors, treatments, cardiovascular disease incidence, and death in 27 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020 , 396, 97-109	4.0	59
233	Ischemic Stroke in Children and Young Adults With Congenital Heart Disease. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	58
232	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021 , 42, 2439-2454	9.5	58
231	"Nonspecific" chest pain associated with high long-term mortality: results from the primary prevention study in G�teborg, Sweden. <i>Clinical Cardiology</i> , 1998 , 21, 477-82	3.3	55
230	Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. <i>Lancet, The</i> , 2018 , 391, 2019-2027	4.0	55

229	Long-Term Exposure to Particulate Air Pollution, Black Carbon, and Their Source Components in Relation to Ischemic Heart Disease and Stroke. <i>Environmental Health Perspectives</i> , 2019 , 127, 107012	8.4	54
228	Coronary heart disease, cancer and mortality in male middle-aged light smokers. <i>Journal of Internal Medicine</i> , 1992 , 231, 357-62	10.8	54
227	Cardiorespiratory Fitness, Sedentary Behaviour and Physical Activity Are Independently Associated with the Metabolic Syndrome, Results from the SCAPIS Pilot Study. <i>PLoS ONE</i> , 2015 , 10, e0131586	3.7	53
226	Association between excessive BMI increase during puberty and risk of cardiovascular mortality in adult men: a population-based cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2016 , 4, 1017-1024	18.1	52
225	Separate and combined effects of smoking and alcohol abuse in middle-aged men. <i>Acta Medica Scandinavica</i> , 1988 , 223, 111-8		51
224	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. <i>BMJ</i> , 2019 , 364, l772	5.9	50
223	Modifiable lifestyle and social factors affect chronic kidney disease in high-risk individuals with type 2 diabetes mellitus. <i>Kidney International</i> , 2015 , 87, 784-91	9.9	50
222	Relative Prognostic Importance and Optimal Levels of Risk Factors for Mortality and Cardiovascular Outcomes in Type 1 Diabetes Mellitus. <i>Circulation</i> , 2019 , 139, 1900-1912	16.7	49
221	Blood Pressure Response to Losartan and Continuous Positive Airway Pressure in Hypertension and Obstructive Sleep Apnea. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 193, 310-20	10.2	49
220	Long-term excess risk of heart failure in people with type 1 diabetes: a prospective case-control study. <i>Lancet Diabetes and Endocrinology</i> , 2015 , 3, 876-85	18.1	48
219	Secular changes in cardiovascular risk factors over 30 years in Swedish men aged 50: the study of men born in 1913, 1923, 1933 and 1943. <i>Journal of Internal Medicine</i> , 2000 , 247, 111-8	10.8	48
218	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV (PURE): an international, community-based cohort study. <i>The Lancet Global Health</i> , 2019 , 7, e613-e623	13.6	47
217	Impact of Socioeconomic Status on Cardiovascular Disease and Mortality in 24,947 Individuals With Type 1 Diabetes. <i>Diabetes Care</i> , 2015 , 38, 1518-27	14.6	47
216	Global differences in lung function by region (PURE): an international, community-based prospective study. <i>Lancet Respiratory Medicine</i> , 2013 , 1, 599-609	35.1	46
215	Decreased fraction of exhaled nitric oxide in obese subjects with asthma symptoms: data from the population study INTERGENE/ADONIX. <i>Chest</i> , 2011 , 139, 1109-1116	5.3	46
214	Coffee, coronary heart disease and mortality in middle-aged Swedish men: findings from the Primary Prevention Study. <i>Journal of Internal Medicine</i> , 1991 , 230, 67-71	10.8	46
213	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. <i>International Journal for Equity in Health</i> , 2016 , 15, 199	4.6	45
212	Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. <i>The Lancet Global Health</i> , 2018 , 6, e292-e301	13.6	44

211	Trends in prevalence from 1990 to 2007 of patients hospitalized with heart failure in Sweden. <i>European Journal of Heart Failure</i> , 2014 , 16, 737-42	12.3	44
210	Cardiac arrest in COVID-19: characteristics and outcomes of in- and out-of-hospital cardiac arrest. A report from the Swedish Registry for Cardiopulmonary Resuscitation. <i>European Heart Journal</i> , 2021 , 42, 1094-1106	9.5	44
209	Cardiorespiratory fitness and muscle strength in late adolescence and long-term risk of early heart failure in Swedish men. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 876-884	3.9	42
208	Secular changes in cardiovascular risk factors and attack rate of myocardial infarction among men aged 50 in Gothenburg, Sweden. Accurate prediction using risk models. <i>Journal of Internal Medicine</i> , 2008 , 263, 636-43	10.8	42
207	Blood pressure and complications in individuals with type 2 diabetes and no previous cardiovascular disease: national population based cohort study. <i>BMJ, The</i> , 2016 , 354, i4070	5.9	41
206	Improving diagnosis and treatment of women with angina pectoris and microvascular disease: the iPOWER study design and rationale. <i>American Heart Journal</i> , 2014 , 167, 452-8	4.9	41
205	Decreasing trends in the incidence of heart failure after acute myocardial infarction from 1993-2004: a study of 175,216 patients with a first acute myocardial infarction in Sweden. <i>European Journal of Heart Failure</i> , 2011 , 13, 135-41	12.3	41
204	Body weight and weight gain during adult life in men in relation to coronary heart disease and mortality. A prospective population study. <i>European Heart Journal</i> , 1999 , 20, 269-77	9.5	41
203	Associations of outdoor fine particulate air pollution and cardiovascular disease in 157 436 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet Planetary Health, The</i> , 2020 , 4, e235-e245	9.8	40
202	Body weight in adolescence and long-term risk of early heart failure in adulthood among men in Sweden. <i>European Heart Journal</i> , 2017 , 38, 1926-1933	9.5	40
201	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. <i>New England Journal of Medicine</i> , 2021 , 384, 1312-1322	59.2	39
200	Atrial Fibrillation Burden in Young Patients With Congenital Heart Disease. <i>Circulation</i> , 2018 , 137, 928-936	36.7	38
199	Risk of atrial fibrillation in people with type 1 diabetes compared with matched controls from the general population: a prospective case-control study. <i>Lancet Diabetes and Endocrinology, the</i> , 2017 , 5, 799-807	18.1	38
198	Influence of Cardiovascular Fitness and Muscle Strength in Early Adulthood on Long-Term Risk of Stroke in Swedish Men. <i>Stroke</i> , 2015 , 46, 1769-76	6.7	36
197	Nitric oxide synthase (NOS) single nucleotide polymorphisms are associated with coronary heart disease and hypertension in the INTERGENE study. <i>Nitric Oxide - Biology and Chemistry</i> , 2014 , 39, 1-7	5	36
196	BMI increase through puberty and adolescence is associated with risk of adult stroke. <i>Neurology</i> , 2017 , 89, 363-369	6.5	36
195	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 795-803	7	35
194	Diabetes mellitus: clinical presentation and outcome in men and women with acute coronary syndromes. Data from the Euro Heart Survey ACS. <i>Diabetic Medicine</i> , 2005 , 22, 1542-50	3.5	35

193	The household economic burden of non-communicable diseases in 18 countries. <i>BMJ Global Health</i> , 2020 , 5, e002040	6.6	33
192	A longitudinal general population-based study of job strain and risk for coronary heart disease and stroke in Swedish men. <i>BMJ Open</i> , 2014 , 4, e004355	3	33
191	Cancer incidence, mortality from cancer and survival in men of different occupational classes. <i>European Journal of Epidemiology</i> , 2004 , 19, 533-40	12.1	32
190	Cardiovascular risk factors and clinical presentation in acute coronary syndromes. <i>Heart</i> , 2005 , 91, 1141-5	5.1	32
189	Obesity and trends in cardiovascular risk factors over 40 years in Swedish men aged 50. <i>Journal of Internal Medicine</i> , 2009 , 266, 268-76	10.8	31
188	Social gradients in cardiovascular risk factors and symptoms of Swedish men and women: the GÖteborg MONICA Study 1995. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2000 , 7, 359-68		31
187	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. <i>Heart</i> , 2018 , 104, 581-587	5.1	31
186	Survival in Children With Congenital Heart Disease: Have We Reached a Peak at 97%?. <i>Journal of the American Heart Association</i> , 2020 , 9, e017704	6	30
185	Risk of atrial fibrillation in persons with type 2 diabetes and the excess risk in relation to glycaemic control and renal function: a Swedish cohort study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 9	8.7	30
184	Continuing decrease in coronary heart disease mortality in Sweden. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 9	2.3	30
183	Low socioeconomic status of a patient's residential area is associated with worse prognosis after acute myocardial infarction in Sweden. <i>International Journal of Cardiology</i> , 2015 , 182, 141-7	3.2	30
182	Risk of Heart Failure in Obese Patients With and Without Bariatric Surgery in Sweden-A Registry-Based Study. <i>Journal of Cardiac Failure</i> , 2017 , 23, 530-537	3.3	29
181	Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. <i>JAMA Psychiatry</i> , 2020 , 77, 1052-1063	14.5	29
180	Relationship between overweight and obesity with hospitalization for heart failure in 20,985 patients with type 1 diabetes: a population-based study from the Swedish National Diabetes Registry. <i>Diabetes Care</i> , 2013 , 36, 2857-61	14.6	29
179	Alcoholic intemperance, coronary heart disease and mortality in middle-aged Swedish men. <i>Acta Medica Scandinavica</i> , 1987 , 222, 201-13		29
178	Interaction effects of long-term air pollution exposure and variants in the GSTP1, GSTT1 and GSTCD genes on risk of acute myocardial infarction and hypertension: a case-control study. <i>PLoS ONE</i> , 2014 , 9, e99043	3.7	29
177	Long term effects of residential NO(x) exposure on total and cause-specific mortality and incidence of myocardial infarction in a Swedish cohort. <i>Environmental Research</i> , 2015 , 142, 197-206	7.9	28
176	A cross-sectional study of the relationship between job demand-control, effort-reward imbalance and cardiovascular heart disease risk factors. <i>BMC Public Health</i> , 2012 , 12, 1102	4.1	28

175	Glycaemic control and excess risk of major coronary events in persons with type 1 diabetes. <i>Heart</i> , 2017 , 103, 1687-1695	5.1	27
174	Heart failure in different occupational classes in Sweden. <i>European Heart Journal</i> , 2007 , 28, 212-8	9.5	27
173	Heart Failure in Late Pregnancy and Postpartum: Incidence and Long-Term Mortality in Sweden From 1997 to 2010. <i>Journal of Cardiac Failure</i> , 2017 , 23, 370-378	3.3	26
172	Higher Body Mass Index in Adolescence Predicts Cardiomyopathy Risk in Midlife. <i>Circulation</i> , 2019 , 140, 117-125	16.7	25
171	Optimal risk factors in the population: prognosis, prevalence, and secular trends; data from GÖteborg population studies. <i>European Heart Journal</i> , 2001 , 22, 136-44	9.5	25
170	BMI, Mortality, and Cardiovascular Outcomes in Type 1 Diabetes: Findings Against an Obesity Paradox. <i>Diabetes Care</i> , 2019 , 42, 1297-1304	14.6	24
169	Secular changes in cardiovascular risk factors in Swedish 50-year-old men over a 50-year period: The study of men born in 1913, 1923, 1933, 1943, 1953 and 1963. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 612-620	3.9	24
168	Impact of ethnicity on progress of glycaemic control in 131,935 newly diagnosed patients with type 2 diabetes: a nationwide observational study from the Swedish National Diabetes Register. <i>BMJ Open</i> , 2015 , 5, e007599	3	24
167	The association between job strain and atrial fibrillation in Swedish men. <i>Occupational and Environmental Medicine</i> , 2015 , 72, 177-80	2.1	24
166	Respiratory symptoms and long-term risk of death from cardiovascular disease, cancer and other causes in Swedish men. <i>International Journal of Epidemiology</i> , 1998 , 27, 962-9	7.8	24
165	The risk of atrial fibrillation in the general male population: a lifetime follow-up of 50-year-old men. <i>Europace</i> , 2015 , 17, 1018-22	3.9	23
164	Longitudinal study of occupational noise exposure and joint effects with job strain and risk for coronary heart disease and stroke in Swedish men. <i>BMJ Open</i> , 2018 , 8, e019160	3	23
163	Long-Term Risk of Hemorrhagic Stroke in Young Patients With Congenital Heart Disease. <i>Stroke</i> , 2018 , 49, 1155-1162	6.7	23
162	BMI and Mortality in Patients With New-Onset Type 2 Diabetes: A Comparison With Age- and Sex-Matched Control Subjects From the General Population. <i>Diabetes Care</i> , 2018 , 41, 485-493	14.6	23
161	Vital capacity and COPD: the Swedish CARDioPulmonary bioImage Study (SCAPIS). <i>International Journal of COPD</i> , 2016 , 11, 927-33	3	23
160	An evaluation of the performance of SCORE Sweden 2015 in estimating cardiovascular risk: The Northern Sweden MONICA Study 1999-2014. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 103-110	3.9	22
159	Risk of Cancer Among Children and Young Adults With Congenital Heart Disease Compared With Healthy Controls. <i>JAMA Network Open</i> , 2019 , 2, e196762	10.4	22
158	Psychosocial factors and obesity in 17 high-, middle- and low-income countries: the Prospective Urban Rural Epidemiologic study. <i>International Journal of Obesity</i> , 2015 , 39, 1217-23	5.5	21

157	Resting heart rate in late adolescence and long term risk of cardiovascular disease in Swedish men. <i>International Journal of Cardiology</i> , 2018 , 259, 109-115	3.2	21
156	The association between BMI and hospitalization for heart failure in 83,021 persons with Type 2 diabetes: a population-based study from the Swedish National Diabetes Registry. <i>Diabetic Medicine</i> , 2014 , 31, 586-94	3.5	21
155	Coronary risk factors, diet and vitamins as possible explanatory factors of the Swedish north-south gradient in coronary disease: a comparison between two MONICA centres. <i>Journal of Internal Medicine</i> , 1999 , 246, 577-86	10.8	21
154	Association of anthropometry and weight change with risk of dementia and its major subtypes: A meta-analysis consisting 2.8 million adults with 57 294 cases of dementia. <i>Obesity Reviews</i> , 2020 , 21, e12989	10.6	21
153	Severe COVID-19 in people with type 1 and type 2 diabetes in Sweden: A nationwide retrospective cohort study. <i>Lancet Regional Health - Europe, The</i> , 2021 , 4, 100105		21
152	Physical activity pattern, cardiorespiratory fitness, and socioeconomic status in the SCAPIS pilot trial - A cross-sectional study. <i>Preventive Medicine Reports</i> , 2016 , 4, 44-9	2.6	21
151	Road traffic noise, air pollution and cardiovascular events in a Swedish cohort. <i>Environmental Research</i> , 2020 , 185, 109446	7.9	20
150	Excess risk of hospitalisation for heart failure among people with type 2 diabetes. <i>Diabetologia</i> , 2018 , 61, 2300-2309	10.3	20
149	Ischemic heart disease in children and young adults with congenital heart disease in Sweden. <i>International Journal of Cardiology</i> , 2017 , 248, 143-148	3.2	20
148	Living alone predicts mortality in patients with ischemic stroke before 70 years of age: a long-term prospective follow-up study. <i>BMC Neurology</i> , 2016 , 16, 80	3.1	20
147	Impact of changes in heart rate with age on all-cause death and cardiovascular events in 50-year-old men from the general population. <i>Open Heart</i> , 2019 , 6, e000856	3	19
146	Sex differences in survival after myocardial infarction in Sweden, 1987-2010. <i>Heart</i> , 2017 , 103, 1625-1630	9.1	19
145	Absolute lung size and the sex difference in breathlessness in the general population. <i>PLoS ONE</i> , 2018 , 13, e0190876	3.7	19
144	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. <i>Diabetes Care</i> , 2020 , 43, 2643-2650	14.6	19
143	Long-term exposure to outdoor and household air pollution and blood pressure in the Prospective Urban and Rural Epidemiological (PURE) study. <i>Environmental Pollution</i> , 2020 , 262, 114197	9.3	18
142	Decline in Coronary Mortality in Sweden between 1986 and 2002: Comparing Contributions from Primary and Secondary Prevention. <i>PLoS ONE</i> , 2015 , 10, e0124769	3.7	18
141	Fitness attenuates the prevalence of increased coronary artery calcium in individuals with metabolic syndrome. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 309-316	3.9	18
140	Non-alcoholic fatty liver disease is a strong predictor of coronary artery calcification in metabolically healthy subjects: A cross-sectional, population-based study in middle-aged subjects. <i>PLoS ONE</i> , 2018 , 13, e0202666	3.7	17

139	Predicting participation in the population-based Swedish cardiopulmonary bio-image study (SCAPIS) using register data. <i>Scandinavian Journal of Public Health</i> , 2017 , 45, 45-49	3	17
138	Body mass index, coronary heart disease and stroke in Swedish women. A prospective 19-year follow-up in the BEDA study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003 , 10, 443-50		17
137	Is hypertension changing? Blood pressure development in cohorts of 50-year-old men between 1963 and 1993. <i>Blood Pressure</i> , 1996 , 5, 134-8	1.7	17
136	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. <i>JAMA Internal Medicine</i> , 2021 , 181, 631-649	11.5	17
135	Prevalence of Subclinical Coronary Artery Atherosclerosis in the General Population. <i>Circulation</i> , 2021 , 144, 916-929	16.7	17
134	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1049-1058	7	16
133	BMI Change During Puberty Is an Important Determinant of Adult Type 2 Diabetes Risk in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1823-1832	5.6	15
132	Gender differences in the prevalence of metabolic syndrome in 50-year-old Swedish men and women with hypertension born in 1953. <i>Journal of Human Hypertension</i> , 2013 , 27, 56-61	2.6	15
131	Parental age and coronary disease in the general male population. <i>Journal of Internal Medicine</i> , 2002 , 251, 258-67	10.8	15
130	BMI change during puberty and the risk of heart failure. <i>Journal of Internal Medicine</i> , 2018 , 283, 558-567	10.8	14
129	Association between left atrial enlargement and obstructive sleep apnea in a general population of 71-year-old men. <i>Journal of Sleep Research</i> , 2018 , 27, 252-258	5.8	14
128	Occupational status and incidences of ischemic and hemorrhagic stroke in Swedish men: a population-based 35-year prospective follow-up study. <i>European Journal of Epidemiology</i> , 2013 , 28, 697-704	10.1	14
127	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. <i>BMJ, The</i> , 2021 , 372, m4948	5.9	14
126	Body Mass Index in Young Women and Risk of Cardiomyopathy: A Long-Term Follow-Up Study in Sweden. <i>Circulation</i> , 2020 , 141, 520-529	16.7	13
125	Trends in mortality risks among 94,328 patients surviving 30days after a first isolated coronary artery bypass graft procedure from 1987 to 2006: A population-based study. <i>International Journal of Cardiology</i> , 2017 , 244, 316-321	3.2	13
124	Stroke and coronary heart disease: predictive power of standard risk factors into old age--long-term cumulative risk study among men in Gothenburg, Sweden. <i>European Heart Journal</i> , 2013 , 34, 1068-74	9.5	13
123	Changing sex ratio in acute coronary heart disease: data from Swedish national registers 1984-99. <i>Journal of Internal Medicine</i> , 2003 , 253, 301-10	10.8	13
122	Long-term secondary prevention of acute myocardial infarction (SEPAT) - guidelines adherence and outcome. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 226	2.3	13

121	Adipose tissue morphology, imaging and metabolomics predicting cardiometabolic risk and family history of type 2 diabetes in non-obese men. <i>Scientific Reports</i> , 2020 , 10, 9973	4.9	12
120	Trends in risk of recurrence after the first ischemic stroke in adults younger than 55 years of age in Sweden. <i>International Journal of Stroke</i> , 2016 , 11, 52-61	6.3	12
119	Impact of socioeconomic status on coronary artery calcification. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1756-1764	3.9	12
118	Heart failure in the general population of men [morbidity, risk factors and prognosis. <i>Journal of Internal Medicine</i> , 2008 , 249, 253-261	10.8	12
117	Self-perceived psychological stress in relation to psychosocial factors and work in a random population sample of women. <i>Stress and Health</i> , 2003 , 19, 149-162	3.7	12
116	Changes in Dietary Fat Intake and Projections for Coronary Heart Disease Mortality in Sweden: A Simulation Study. <i>PLoS ONE</i> , 2016 , 11, e0160474	3.7	12
115	Glycaemic control and excess risk of ischaemic and haemorrhagic stroke in patients with type 1 diabetes: a cohort study of 33 453 patients. <i>Journal of Internal Medicine</i> , 2017 , 281, 261-272	10.8	11
114	Risk Factors for Atrial Fibrillation in People With Type 1 Diabetes: An Observational Cohort Study of 36,258 Patients From the Swedish National Diabetes Registry. <i>Diabetes Care</i> , 2019 , 42, 1530-1538	14.6	11
113	Association of nut intake with risk factors, cardiovascular disease, and mortality in 16 countries from 5 continents: analysis from the Prospective Urban and Rural Epidemiology (PURE) study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 208-219	7	11
112	FTO gene variation, macronutrient intake and coronary heart disease risk: a gene-diet interaction analysis. <i>European Journal of Nutrition</i> , 2016 , 55, 247-55	5.2	11
111	Effects of cold on ST amplitudes and blood pressure during exercise in angina pectoris. <i>European Heart Journal</i> , 1988 , 9, 1074-80	9.5	11
110	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. <i>Cardiovascular Research</i> , 2021 , 117, 1523-1531	9.9	11
109	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. <i>BMJ Global Health</i> , 2021 , 6,	6.6	11
108	Mental disorders and stress resilience in adolescence and long-term risk of early heart failure among Swedish men. <i>International Journal of Cardiology</i> , 2017 , 243, 326-331	3.2	10
107	Long-term excess risk of stroke in people with Type 2 diabetes in Sweden according to blood pressure level: a population-based case-control study. <i>Diabetic Medicine</i> , 2017 , 34, 522-530	3.5	10
106	Excess risk of lower extremity amputations in people with type 1 diabetes compared with the general population: amputations and type 1 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2019 , 7, e000602	4.5	10
105	Body weight in midlife and long-term risk of developing heart failure-a 35-year follow-up of the primary prevention study in Gothenburg, Sweden. <i>BMC Cardiovascular Disorders</i> , 2015 , 15, 19	2.3	10
104	Obesity, overweight and risk for cardiovascular disease and mortality in young women. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320908983	3.9	10

103	Occupational exposure to vapor, gas, dust, or fumes and chronic airflow limitation, COPD, and emphysema: the Swedish CARDiopulmonary BioImage Study (SCAPIS pilot). <i>International Journal of COPD</i> , 2017 , 12, 3407-3413	3	10
102	Although Coronary Mortality Has Decreased, Rates of Cardiovascular Disease Remain High: 21 Years of Follow-Up Comparing Cohorts of Men Born in 1913 With Men Born in 1943. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	10
101	Clinical course and symptomatology of angina pectoris in a population study. <i>Acta Medica Scandinavica</i> , 1986 , 220, 117-26		10
100	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. <i>Diabetes Care</i> , 2020 , 43, 3094-3101	14.6	10
99	Underlying contributing conditions to breathlessness among middle-aged individuals in the general population: a cross-sectional study. <i>BMJ Open Respiratory Research</i> , 2020 , 7,	5.6	10
98	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. <i>BMJ Global Health</i> , 2020 , 5,	6.6	10
97	Fitness, strength and severity of COVID-19: a prospective register study of 1 559 187 Swedish conscripts. <i>BMJ Open</i> , 2021 , 11, e051316	3	10
96	Absence of chest pain and long-term mortality in patients with acute myocardial infarction. <i>Open Heart</i> , 2018 , 5, e000909	3	10
95	The association of body mass index, weight gain and central obesity with activity-related breathlessness: the Swedish Cardiopulmonary Bioimage Study. <i>Thorax</i> , 2019 , 74, 958-964	7.3	9
94	Young women, body size and risk of atrial fibrillation. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 173-180	3.9	9
93	Risk factors for subarachnoid haemorrhage: a nationwide cohort of 950 000 adults. <i>International Journal of Epidemiology</i> , 2019 , 48, 2018-2025	7.8	9
92	Atrial natriuretic peptide as a predictor of atrial fibrillation in a male population study. The Study of Men Born in 1913 and 1923. <i>International Journal of Cardiology</i> , 2014 , 171, 44-8	3.2	9
91	The relationship between three eGFR formulas and hospitalization for heart failure in 54 486 individuals with type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2016 , 32, 730-735	7.5	9
90	Systematic Coronary Risk Evaluation estimated risk and prevalent subclinical atherosclerosis in coronary and carotid arteries: A population-based cohort analysis from the Swedish Cardiopulmonary Bioimage Study. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320909300	3.9	9
89	Women, men and heart failure: a review. <i>Heart Failure Monitor</i> , 2008 , 6, 34-40		9
88	Obesity in Middle Age Increases Risk of Later Heart Failure in Women-Results From the Prospective Population Study of Women and H70 Studies in Gothenburg, Sweden. <i>Journal of Cardiac Failure</i> , 2017 , 23, 363-369	3.3	8
87	Development of heart failure in young patients with congenital heart disease: a nation-wide cohort study. <i>Open Heart</i> , 2019 , 6, e000858	3	8
86	Type 1 diabetes in children born after assisted reproductive technology: a register-based national cohort study. <i>Human Reproduction</i> , 2020 , 35, 221-231	5.7	8

85	Obesity in adolescent men increases the risk of venous thromboembolism in adult life. <i>Journal of Internal Medicine</i> , 2020 , 287, 734-745	10.8	8
84	Measures of bronchodilator response of FEV, FVC and SVC in a Swedish general population sample aged 50-64 years, the SCAPIS Pilot Study. <i>International Journal of COPD</i> , 2017 , 12, 973-980	3	8
83	Association of diuretic treatment at hospital discharge in patients with heart failure with all-cause short- and long-term mortality: A propensity score-matched analysis from SwedeHF. <i>International Journal of Cardiology</i> , 2018 , 257, 118-124	3.2	8
82	Body mass index as a risk factor for coronary events and mortality in patients with type 1 diabetes. <i>Open Heart</i> , 2018 , 5, e000727	3	8
81	Cardiovascular fitness in late adolescent males and later risk of serious non-affective mental disorders: a prospective, population-based study. <i>Psychological Medicine</i> , 2018 , 48, 416-425	6.9	8
80	High validity of cardiomyopathy diagnoses in western Sweden (1989-2009). <i>ESC Heart Failure</i> , 2018 , 5, 233-240	3.7	8
79	Neuroendocrine and Inflammatory Responses to Losartan and Continuous Positive Airway Pressure in Patients with Hypertension and Obstructive Sleep Apnea. A Randomized Controlled Trial. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 2002-2011	4.7	8
78	Psychosocial job conditions, fear avoidance beliefs and expected return to work following acute coronary syndrome: a cross-sectional study of fear-avoidance as a potential mediator. <i>BMC Public Health</i> , 2015 , 15, 1263	4.1	8
77	Declining cardiovascular mortality and increasing obesity: a paradox. <i>Cmaj</i> , 2009 , 181, 127-8	3.5	8
76	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. <i>Heart</i> , 2020 ,	5.1	8
75	Social Factors, Sex, and Mortality Risk After Coronary Artery Bypass Grafting: A Population-Based Cohort Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e011490	6	7
74	Job strain and resting heart rate: a cross-sectional study in a Swedish random working sample. <i>BMC Public Health</i> , 2016 , 16, 228	4.1	7
73	Cardiovascular disease in diabetes type 2: current concepts. <i>Journal of Internal Medicine</i> , 2018 , 284, 240-253	25.3	7
72	Long-Term Exposure to Transportation Noise and Risk of Incident Stroke: A Pooled Study of Nine Scandinavian Cohorts. <i>Environmental Health Perspectives</i> , 2021 , 129, 107002	8.4	7
71	Validity of heart failure diagnoses made in 2000-2012 in western Sweden. <i>ESC Heart Failure</i> , 2020 , 7, 36-45	3.7	7
70	Contrasting Associations of Body Mass Index and Hemoglobin A1c on the Excess Risk of Acute Myocardial Infarction and Heart Failure in Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2019 , 8, e013871	6	7
69	Decreased eGFR as a Risk Factor for Heart Failure in 13 781 Individuals With Type 1 Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2015 , 10, 131-6	4.1	6
68	Cohort Profile: The INTERGENE Study. <i>International Journal of Epidemiology</i> , 2017 , 46, 1742-1743h	7.8	6

67	A Growing Social Divide in Body Mass Index, Strength, and Fitness of Swedish Male Conscripts. <i>Journal of Adolescent Health</i> , 2019 , 65, 232-238	5.8	6
66	Primary aldosteronism and thyroid disorders in atrial fibrillation: A Swedish nationwide case-control study. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 694-701	3.9	6
65	CETP TaqIB genotype modifies the association between alcohol and coronary heart disease: the INTERGENE case-control study. <i>Alcohol</i> , 2014 , 48, 695-700	2.7	6
64	Increasing evidence-based treatments to reduce coronary heart disease mortality in Sweden: quantifying the potential gains. <i>Journal of Internal Medicine</i> , 2011 , 269, 452-67	10.8	6
63	Alcoholic registration and cardiovascular morbidity and mortality--a prospective study in middle aged Swedish men. <i>Acta Medica Scandinavica</i> , 1987 , 717, 87-92		6
62	Prevalence and risk factors of aortic stenosis and aortic sclerosis: a 21-year follow-up of middle-aged men. <i>Scandinavian Cardiovascular Journal</i> , 2020 , 54, 115-123	2	6
61	Negative emotional states and negative life events: Consequences for cardiovascular health in a general population. <i>Journal of Psychosomatic Research</i> , 2020 , 129, 109888	4.1	6
60	Long-term outcomes after myocardial infarction in middle-aged and older patients with congenital heart disease-a nationwide study. <i>European Heart Journal</i> , 2021 , 42, 2577-2586	9.5	6
59	Long-term trends in the prevalence of patients hospitalized with ischemic stroke from 1995 to 2010 in Sweden. <i>PLoS ONE</i> , 2017 , 12, e0179658	3.7	5
58	Nonpsychotic Mental Disorders in Teenage Males and Risk of Early Stroke: A Population-Based Study. <i>Stroke</i> , 2016 , 47, 814-21	6.7	5
57	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. <i>BMJ Global Health</i> , 2017 , 2, e000443	6.6	5
56	Visit patterns at primary care centres and individual blood pressure level - a cross-sectional study. <i>Scandinavian Journal of Primary Health Care</i> , 2019 , 37, 53-59	2.7	4
55	Elevated resting heart rate in adolescent men and risk of heart failure and cardiomyopathy. <i>ESC Heart Failure</i> , 2020 , 7, 1178-1185	3.7	4
54	Cognitive performance in late adolescence and long-term risk of early heart failure in Swedish men. <i>European Journal of Heart Failure</i> , 2018 , 20, 989-997	12.3	4
53	Influence of calendar period on the association between BMI and coronary heart disease: a meta-analysis of 31 cohorts. <i>Obesity</i> , 2013 , 21, 865-80	8	4
52	Glycaemic control and excess risk of major coronary events in patients with type 2 diabetes: a population-based study. <i>Open Heart</i> , 2019 , 6, e000967	3	4
51	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Case-Control Study. <i>American Journal of Hypertension</i> , 2021 , 34, 414-425	2.3	4
50	Atrial fibrillation in the elderly general population: a 30-year follow-up from 70 to 100 years of age. <i>Scandinavian Cardiovascular Journal</i> , 2020 , 54, 232-238	2	3

49	Incidence of Type 1 diabetes mellitus and effect on mortality in young patients with congenital heart defect - A nationwide cohort study. <i>International Journal of Cardiology</i> , 2020 , 310, 58-63	3.2	3
48	High-normal blood pressure conferred higher risk of cardiovascular disease in a random population sample of 50-year-old men: A 21-year follow-up. <i>Medicine (United States)</i> , 2020 , 99, e19895	1.8	3
47	Validity of physician-diagnosed COPD in relation to spirometric definitions of COPD in a general population aged 50-64 years - the SCAPIS pilot study. <i>International Journal of COPD</i> , 2017 , 12, 2269-2275 ³		3
46	Natriuretic and Inflammatory Biomarkers as Risk Predictors of Heart Failure in Middle-Aged Men From the General Population: A 21-Year Follow-Up. <i>Journal of Cardiac Failure</i> , 2018 , 24, 594-600	3.3	3
45	Serum lipids in fathers and sons at middle age: the study of sons to men born in 1913. <i>Journal of Internal Medicine</i> , 2003 , 254, 126-31	10.8	3
44	Body mass index in women aged 18 to 45 and subsequent risk of heart failure. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 1165-1174	3.9	3
43	Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. <i>Sleep Medicine</i> , 2021 , 80, 265-272	4.6	3
42	The APOE Genotype in Idiopathic Normal Pressure Hydrocephalus. <i>PLoS ONE</i> , 2016 , 11, e0158985	3.7	3
41	Decrease in loop diuretic treatment from 2005 to 2014 in Swedish real-life patients with chronic heart failure. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 247-254	2.8	3
40	The incidence of atrial fibrillation and the added value of thumb ECG for detecting new cases. <i>Scandinavian Cardiovascular Journal</i> , 2018 , 52, 256-261	2	3
39	Young patients with heart failure: clinical characteristics and outcomes. Data from the Swedish Heart Failure, National Patient, Population and Cause of Death Registers. <i>European Journal of Heart Failure</i> , 2020 , 22, 1125-1132	12.3	2
38	Determinants of suboptimal long-term secondary prevention of acute myocardial infarction: the structural interview method and physical examinations. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 243	2.3	2
37	Weight gain and blood pressure. <i>Journal of Hypertension</i> , 2020 , 38, 387-394	1.9	2
36	Diverging trends for onset of acute myocardial infarction, heart failure, stroke and mortality in young males: role of changes in obesity and fitness. <i>Journal of Internal Medicine</i> , 2021 , 290, 373-385	10.8	2
35	Pubertal Body Mass Index Change Is Associated With Adult Coronary Atherosclerosis and Acute Coronary Events in Men. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021 , 41, 2318-2327	9.4	2
34	Social inequalities and trends in pre-pregnancy body mass index in Swedish women. <i>Scientific Reports</i> , 2021 , 11, 12056	4.9	2
33	Atrial fibrillation and risk of venous thromboembolism: a Swedish Nationwide Registry Study. <i>Europace</i> , 2021 , 23, 1913-1921	3.9	2
32	High prevalence of cardiac dysfunction or overt heart failure in 71-year-old men: A 21-year follow-up of "The Study of men born in 1943". <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 717-728 ²		2

31	Cardiovascular disease, obesity, and type 2 diabetes in children born after assisted reproductive technology: A population-based cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003723	11.6	2
30	Rationale for a Swedish cohort consortium. <i>Uppsala Journal of Medical Sciences</i> , 2019 , 124, 21-28	2.8	1
29	Negative life events predict weight gain in a 13-year follow-up of an adult Swedish population. <i>Journal of Psychosomatic Research</i> , 2020 , 132, 109973	4.1	1
28	Secular trends in cardiovascular risk factors among women aged 45-54 years in Gothenburg, Sweden, from 1980 to 2014. <i>BMC Public Health</i> , 2020 , 20, 1042	4.1	1
27	Trends in myocarditis incidence, complications and mortality in Sweden from 2000 to 2014.. <i>Scientific Reports</i> , 2022 , 12, 1810	4.9	1
26	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179 000 participants from 63 countries.. <i>The Lancet Global Health</i> , 2022 , 10, e216-e226 ¹	13.6	1
25	Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis.. <i>EClinicalMedicine</i> , 2022 , 44, 101284	11.3	1
24	Increasing home-time after a first diagnosis of heart failure in Sweden, 20 years trends. <i>ESC Heart Failure</i> , 2021 ,	3.7	1
23	Trends in survival of Swedish men and women with heart failure from 1987 to 2014: a population-based case-control study. <i>ESC Heart Failure</i> , 2021 ,	3.7	1
22	Risk of myocardial infarction in middle aged and older patients with coarctation of the aorta. <i>European Heart Journal</i> , 2020 , 41,	9.5	1
21	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. <i>JAMA Network Open</i> , 2021 , 4, e2113775	10.4	1
20	2372Causes of death and effect of co-morbidities on mortality in young patients with heart failure. Data from the Swedish Heart Failure, Cause of Death and National Patient Registers. <i>European Heart Journal</i> , 2019 , 40,	9.5	1
19	Cardiovascular Medicine in Sweden: Improvement by Continuous Measuring. <i>Circulation</i> , 2020 , 141, 1124-1126 ¹	16.1	1
18	Risk of stroke in patients with heart failure and sinus rhythm: data from the Swedish Heart Failure Registry. <i>ESC Heart Failure</i> , 2021 , 8, 85-94	3.7	1
17	Mortality burden in patients born with Ebstein's anomaly: a 40-year nationwide cohort study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 312-319	4.6	1
16	Renal Impairment and Risk of Acute Stroke: The INTERSTROKE Study. <i>Neuroepidemiology</i> , 2021 , 55, 206-215	3.1	1
15	Multi-modality biomarkers in the early prediction of ischaemic heart disease in middle-aged men during a 21-year follow-up. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 65	2.3	1
14	Fractures in children and young adults with and without congenital heart disease. <i>International Journal of Cardiology Congenital Heart Disease</i> , 2021 , 2, 100072	0.7	1

13	Long-term exposure to particulate air pollution and black carbon in relation to natural and cause-specific mortality: a multicohort study in Sweden. <i>BMJ Open</i> , 2021 , 11, e046040	3	1
12	Psychosocial Risk Factors and Cardiovascular Disease and Death in a Population-Based Cohort From 21 Low-, Middle-, and High-Income Countries.. <i>JAMA Network Open</i> , 2021 , 4, e2138920	10.4	1
11	Cumulative incidence and predictors of acquired aortic stenosis in a large population of men followed for up to 43 years.. <i>BMC Cardiovascular Disorders</i> , 2022 , 22, 43	2.3	0
10	Adherence to lipid-lowering guidelines for secondary prevention and potential reduction in CVD events in Swedish primary care: a cross-sectional study. <i>BMJ Open</i> , 2020 , 10, e036920	3	0
9	Proton Pump Inhibitor and Clopidogrel Use After Percutaneous Coronary Intervention and Risk of Major Cardiovascular Events. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 1	3.9	0
8	Treatment of hypertension in old patients without previous cardiovascular disease. <i>Journal of Hypertension</i> , 2019 , 37, 2269-2279	1.9	0
7	BMI, sex and outcomes in hospitalised patients in western Sweden during the COVID-19 pandemic.. <i>Scientific Reports</i> , 2022 , 12, 4918	4.9	0
6	Atrial fibrillation and type 1 diabetes - AuthorsPreply. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 937	18.1	
5	OP76 Saturated fat intake and future chd mortality in sweden. a modelling study. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, A42.2-A43	5.1	
4	Psychosocial job conditions and biomarkers of cardiovascular disease: A cross-sectional study in the Swedish CARDioPulmonary bioImage Study (SCAPIS).. <i>Scandinavian Journal of Public Health</i> , 2022 , 14034948211064097	3	
3	Psychosocial job exposure and risk of coronary artery calcification. <i>PLoS ONE</i> , 2021 , 16, e0252192	3.7	
2	Investigation of early signs of systolic and diastolic dysfunction among persons with type 1 diabetes. <i>Open Heart</i> , 2019 , 6, e001020	3	
1	Low Birth Weight as an Early-Life Risk Factor for Adult Stroke Among Men. <i>Journal of Pediatrics</i> , 2021 , 237, 162-167.e4	3.6	