
Paul Krabbe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/498635/publications.pdf Version: 2024-02-01



DALLI KDARRE

#	Article	IF	CITATIONS
1	Prostate Cancer Localization with Dynamic Contrast-enhanced MR Imaging and Proton MR Spectroscopic Imaging. Radiology, 2006, 241, 449-458.	3.6	506
2	The Dutch tariff: results and arguments for an effective design for national EQ-5D valuation studies. Health Economics (United Kingdom), 2006, 15, 1121-1132.	0.8	494
3	A single European currency for EQ-5D health states. European Journal of Health Economics, 2003, 4, 222-231.	1.4	388
4	Effect of folic or folinic acid supplementation on the toxicity and efficacy of methotrexate in rheumatoid arthritis: A forty-eight-week, multicenter, randomized, double-blind, placebo-controlled study. Arthritis and Rheumatism, 2001, 44, 1515-1524.	6.7	368
5	A Program of Methodological Research to Arrive at the New International EQ-5D-5L Valuation Protocol. Value in Health, 2014, 17, 445-453.	0.1	341
6	An Empirical Comparison of Four Generic Health Status Measures. Medical Care, 1997, 35, 522-537.	1.1	335
7	A Prospective Multicenter Study on Fever of Unknown Origin. Medicine (United States), 2007, 86, 26-38.	0.4	321
8	Test-retest reliability of health state valuations collected with the EuroQol questionnaire. Social Science and Medicine, 1994, 39, 1537-1544.	1.8	313
9	Development and application of a health-related quality-of-life instrument for adults with cochlear implants: The Nijmegen Cochlear Implant Questionnaire. Otolaryngology - Head and Neck Surgery, 2000, 123, 756-765.	1.1	293
10	The impact of fluor-18-deoxyglucose-positron emission tomography in the management of colorectal liver metastases. Cancer, 2005, 104, 2658-2670.	2.0	228
11	The development of new research methods for the valuation of EQ-5D-5L. European Journal of Health Economics, 2013, 14, 1-3.	1.4	205
12	The Effect of Adding a Cognitive Dimension to the EuroQol Multiattribute Health-Status Classification System. Journal of Clinical Epidemiology, 1999, 52, 293-301.	2.4	195
13	A prospective multi-centre study of the value of FDG-PET as part of a structured diagnostic protocol in patients with fever of unknown origin. European Journal of Nuclear Medicine and Molecular Imaging, 2007, 34, 694-703.	3.3	182
14	Screening of subclinical hepatic encephalopathy. Journal of Hepatology, 2000, 32, 748-753.	1.8	177
15	Biological correlates of FDG uptake in non-small cell lung cancer. Lung Cancer, 2007, 55, 79-87.	0.9	174
16	Improved Selection of Patients for Hepatic Surgery of Colorectal Liver Metastases with ¹⁸ F-FDG PET: A Randomized Study. Journal of Nuclear Medicine, 2009, 50, 1036-1041.	2.8	171
17	Quality of life as an outcome measure in surgical oncology. British Journal of Surgery, 2002, 88, 643-652.	0.1	133
18	Genotype–phenotype studies in nail-patella syndrome show that LMX1B mutation location is involved in the risk of developing nephropathy. European Journal of Human Genetics, 2005, 13, 935-946.	1.4	129

#	Article	IF	CITATIONS
19	The Development of the Older Persons and Informal Caregivers Survey Minimum DataSet (TOPICS-MDS): A Large-Scale Data Sharing Initiative. PLoS ONE, 2013, 8, e81673.	1.1	128
20	¹⁸ F-FDG PET/CT for Detection of Metastatic Infection in Gram-Positive Bacteremia. Journal of Nuclear Medicine, 2010, 51, 1234-1240.	2.8	121
21	Cochlear implantation and quality of life in postlingually deaf adults: Long-term follow-up. Otolaryngology - Head and Neck Surgery, 2007, 136, 597-604.	1.1	117
22	The comparability and reliability of five health-state valuation methods. Social Science and Medicine, 1997, 45, 1641-1652.	1.8	115
23	Chemotherapy Response Evaluation with 18F-FDG PET in Patients with Non-Small Cell Lung Cancer. Journal of Nuclear Medicine, 2007, 48, 1592-1598.	2.8	109
24	Discrete Choice Modeling for the Quantification of Health States: The Case of the EQ-5D. Value in Health, 2010, 13, 1005-1013.	0.1	107
25	Psychiatric Comorbidity Reduces Quality of Life in Chronic Methadone Maintained Patients. American Journal on Addictions, 2009, 18, 470-480.	1.3	103
26	Chemotherapy response evaluation with FDG–PET in patients with colorectal cancer. Annals of Oncology, 2008, 19, 348-352.	0.6	98
27	Value of routine follow-up for patients cured of laryngeal carcinoma. Cancer, 2004, 101, 1382-1389.	2.0	94
28	Metastatic Infectious Disease and Clinical Outcome in Staphylococcus aureus and Streptococcus species Bacteremia. Medicine (United States), 2012, 91, 86-94.	0.4	91
29	A prospective study on weight loss and energy intake in patients with head and neck cancer, during diagnosis, treatment and revalidation. Clinical Nutrition, 2006, 25, 765-772.	2.3	84
30	THE EFFECT OF COCHLEAR IMPLANT USE IN POSTLINGUALLY DEAF ADULTS. International Journal of Technology Assessment in Health Care, 2000, 16, 864-873.	0.2	81
31	Quality of life in dementia: a study on proxy bias. BMC Medical Research Methodology, 2013, 13, 110.	1.4	78
32	A controlled trial of methylphenidate in adults with attention deficit/hyperactivity disorder and substance use disorders. Addiction, 2005, 100, 1868-1874.	1.7	76
33	Comparison of Multiphase CT, FDG-PET and Intra-Operative Ultrasound in Patients with Colorectal Liver Metastases Selected for Surgery. Annals of Surgical Oncology, 2007, 14, 818-826.	0.7	70
34	The Impact of Migraine on Health Status. Headache, 1995, 35, 200-206.	1.8	67
35	Sequence Effects, Health Profiles, and the QALY Model. Medical Decision Making, 1998, 18, 178-186.	1.2	64
36	Responsiveness of the generic EQ-5D summary measure compared to the disease-specific EORTC QLQ C-30. Quality of Life Research, 2004, 13, 1247-1253.	1.5	64

#	Article	IF	CITATIONS
37	Comparison Between Local Ablative Therapy and Chemotherapy for Non-Resectable Colorectal Liver Metastases: A Prospective Study. Annals of Surgical Oncology, 2007, 14, 1161-1169.	0.7	62
38	Randomised controlled trial of the effect of ventilation tubes (grommets) on quality of life at age 1-2 years. Archives of Disease in Childhood, 2001, 84, 45-49.	1.0	61
39	The Bone-Anchored Hearing Aid. JAMA Otolaryngology, 2004, 130, 394.	1.5	59
40	Inconsistencies in TTO and VAS Values for EQ-5D Health States. Medical Decision Making, 2006, 26, 173-181.	1.2	59
41	Evaluation of the Traumatic Coma Data Bank Computed Tomography Classification for Severe Head Injury. Journal of Neurotrauma, 2001, 18, 649-655.	1.7	55
42	Complicating infectious foci in patients with Staphylococcus aureus or Streptococcus species bacteraemia. European Journal of Clinical Microbiology and Infectious Diseases, 2007, 26, 105-113.	1.3	50
43	Thurstone Scaling as a Measurement Method to Quantify Subjective Health Outcomes. Medical Care, 2008, 46, 357-365.	1.1	50
44	FDG-PET for prediction of survival of patients with metastatic colorectal carcinoma. Annals of Oncology, 2006, 17, 1650-1655.	0.6	48
45	An overview of the time trade-off method: concept, foundation, and the evaluation of distorting factors in putting a value on health. Expert Review of Pharmacoeconomics and Outcomes Research, 2020, 20, 331-342.	0.7	46
46	Quality of life after surgical treatment of colorectal liver metastases. British Journal of Surgery, 2006, 93, 1007-1014.	0.1	45
47	A Checklist for Reporting Valuation Studies of Multi-Attribute Utility-Based Instruments (CREATE). Pharmacoeconomics, 2015, 33, 867-877.	1.7	45
48	On the Assessment of Preferences for Health and Duration. Medical Care, 2007, 45, 835-841.	1.1	43
49	The paradoxical nature of sexuality in anorexia nervosa. Journal of Sex and Marital Therapy, 1993, 19, 259-275.	1.0	42
50	Quality of life in adults with childhood-onset of Complex Regional Pain Syndrome type I. Injury, 2009, 40, 901-904.	0.7	42
51	Are patients' judgments of health status really different from the general population?. Health and Quality of Life Outcomes, 2011, 9, 31.	1.0	42
52	The Bilirubin Albumin Ratio in the Management of Hyperbilirubinemia in Preterm Infants to Improve Neurodevelopmental Outcome: A Randomized Controlled Trial – BARTrial. PLoS ONE, 2014, 9, e99466.	1.1	42
53	Long-term global quality of life in patients treated for colorectal liver metastases. British Journal of Surgery, 2011, 98, 565-571.	0.1	39
54	Health-related quality of life in Indonesian type 2 diabetes mellitus outpatients measured with the Bahasa version of EQ-5D. Quality of Life Research, 2019, 28, 1179-1190.	1.5	39

#	Article	IF	CITATIONS
55	High Abstinence Rates in Heroin Addicts by a New Comprehensive Treatment Approach. American Journal on Addictions, 2007, 16, 124-130.	1.3	38
56	Multinational Evidence of the Applicability and Robustness of Discrete Choice Modeling for Deriving EQ-5D-5L Health-State Values. Medical Care, 2014, 52, 935-943.	1.1	38
57	General anaesthesia does not improve outcome in opioid antagonist detoxification treatment: a randomized controlled trial. Addiction, 2005, 100, 206-215.	1.7	37
58	On the Equivalence of Collectively and Individually Collected Responses. Medical Decision Making, 1996, 16, 120-132.	1.2	36
59	Cost-effectiveness of intestinal transplantation for adult patients with intestinal failure: a simulation study. American Journal of Clinical Nutrition, 2015, 101, 79-86.	2.2	36
60	Validation of a Frailty Index from The Older Persons and Informal Caregivers Survey Minimum Data Set. Journal of the American Geriatrics Society, 2013, 61, 1625-1627.	1.3	35
61	Added value of positron emission tomography imaging in the surgical treatment of colorectal liver metastases. Nuclear Medicine Communications, 2010, 31, 938-944.	0.5	33
62	Screening for Second Primary Lung Cancer After Treatment of Laryngeal Cancer. Laryngoscope, 2002, 112, 2002-2008.	1.1	32
63	The Role of FDG-PET in the Selection of Patients with Colorectal Liver Metastases. Annals of Surgical Oncology, 2007, 14, 771-779.	0.7	32
64	Measurement properties of the EQ-5D across four major geriatric conditions: Findings from TOPICS-MDS. Health and Quality of Life Outcomes, 2017, 15, 45.	1.0	32
65	Rapid detoxification from opioid dependence under general anaesthesia versus standard methadone tapering: abstinence rates and withdrawal distress experiences. Addiction Biology, 2003, 8, 351-358.	1.4	31
66	The Usher lifestyle survey: maintaining independence: a multi-centre study. International Journal of Rehabilitation Research, 2005, 28, 309-320.	0.7	30
67	Optimised PET reconstruction of the head and neck area: improved diagnostic accuracy. European Journal of Nuclear Medicine and Molecular Imaging, 2005, 32, 1276-1282.	3.3	30
68	Eliciting preferences to the EQ-5D-5L health states: discrete choice experiment or multiprofile case of best–worst scaling?. European Journal of Health Economics, 2014, 15, 281-288.	1.4	30
69	A multi-center blinded study on the efficiency of phenotypic screening methods to detect glycopeptide intermediately susceptible Staphylococcus aureus (GISA) and heterogeneous GISA (h-GISA). Annals of Clinical Microbiology and Antimicrobials, 2007, 6, 9.	1.7	29
70	Chemotherapy Response Monitoring of Colorectal Liver Metastases by Dynamic Gd-DTPA–Enhanced MRI Perfusion Parameters and 18F-FDG PET Metabolic Rate. Journal of Nuclear Medicine, 2009, 50, 1777-1784.	2.8	29
71	Testing the interval-level measurement property of multi-item visual analogue scales. Quality of Life Research, 2006, 15, 1651-1661.	1.5	28
72	Head-to-Head Comparison of EQâ€5Dâ€3L and EQâ€5Dâ€5L Health Values. Pharmacoeconomics, 2018, 36, 71.	5-7 25 .	27

#	Article	IF	CITATIONS
73	NHP or SIP—A comparative study in renal insufficiency associated anemia. Quality of Life Research, 1996, 5, 91-100.	1.5	26
74	Percutaneous tracheostomy with the guide wire dilating forceps technique: Presentation of 171 consecutive patients. Head and Neck, 2002, 24, 625-631.	0.9	26
75	Effect of routine follow-up after treatment for laryngeal cancer on life expectancy and mortality. Cancer, 2007, 109, 239-247.	2.0	26
76	Evaluating interventions to improve somatic health in severe mental illness: a systematic review. Acta Psychiatrica Scandinavica, 2013, 128, n/a-n/a.	2.2	26
77	Translation, Revision, and Validation of the Diabetes Distress Scale for Indonesian Type 2 Diabetic Outpatients with Various Types of Complications. Value in Health Regional Issues, 2017, 12, 63-73.	0.5	26
78	The gap effect: discontinuities of preferences around dead. Health Economics (United Kingdom), 2005, 14, 679-685.	0.8	25
79	A Generalized Measurement Model to Quantify Health: The Multi-Attribute Preference Response Model. PLoS ONE, 2013, 8, e79494.	1.1	25
80	Evaluation of the Parental Perspective instrument for pediatric cochlear implantation to arrive at a short version. International Journal of Pediatric Otorhinolaryngology, 2007, 71, 425-433.	0.4	24
81	Efficacy of follow-up after surgical treatment of colorectal liver metastases. European Journal of Surgical Oncology, 2009, 35, 180-186.	0.5	24
82	Quantification of Health States with Rank-Based Nonmetric Multidimensional Scaling. Medical Decision Making, 2007, 27, 395-405.	1.2	23
83	Screening for local and regional cancer recurrence in patients curatively treated for laryngeal cancer: Definition of a high-risk group and estimation of the lead time. Head and Neck, 2007, 29, 431-438.	0.9	23
84	Does naltrexone affect craving in abstinent opioid-dependent patients?. Addiction Biology, 2007, 12, 176-182.	1.4	22
85	Validation study of the prototype of a disease-specific index measure for health-related quality of life in dementia. Health and Quality of Life Outcomes, 2012, 10, 118.	1.0	22
86	Assessment of vaccine candidates for persons aged 50 and older: a review. BMC Geriatrics, 2013, 13, 32.	1.1	22
87	Comment on the use of self-reporting instruments to assess patients with rheumatoid arthritis: The longitudinal association between the DAS28 and the VAS general health. Arthritis and Rheumatism, 2006, 55, 745-750.	6.7	21
88	Oral squamous cell carcinoma and a clinically negative neck: The value of followâ€up. Head and Neck, 2011, 33, 1400-1405.	0.9	21
89	Probabilistic choice models in health-state valuation research: background, theories, assumptions and applications. Expert Review of Pharmacoeconomics and Outcomes Research, 2013, 13, 93-108.	0.7	21
90	A comparison of EQ-5D time trade-off values obtained in Germany, The United Kingdom and Spain. , 2003,		

6

#	Article	IF	CITATIONS
91	Gadopentetate Dimeglumine and FDG Uptake in Liver Metastases of Colorectal Carcinoma as Determined with MR Imaging and PET. Radiology, 2005, 237, 181-188.	3.6	20
92	â€~Diabetes is a gift from god' a qualitative study coping with diabetes distress by Indonesian outpatients. Quality of Life Research, 2020, 29, 109-125.	1.5	20
93	Stress, serotonergic function, and mood in users of oral contraceptives. Psychoneuroendocrinology, 1995, 20, 323-334.	1.3	19
94	Cancer recurrence after total laryngectomy: Treatment options, survival, and complications. Head and Neck, 2006, 28, 383-388.	0.9	19
95	Rasch analysis reveals comparative analyses of activities of daily living/instrumental activities of daily living summary scores fromÂdifferent residential settings is inappropriate. Journal of Clinical Epidemiology, 2016, 74, 207-217.	2.4	19
96	Multivariate Meta-Analysis of Preference-Based Quality of Life Values in Coronary Heart Disease. PLoS ONE, 2016, 11, e0152030.	1.1	19
97	Psychometric Evaluation of the Dutch Version of the Subjective Opiate Withdrawal Scale (SOWS). European Addiction Research, 2007, 13, 81-88.	1.3	18
98	Decision for reconstructive interventions of the upper limb in individuals with tetraplegia: the effect of treatment characteristics. Spinal Cord, 2008, 46, 228-233.	0.9	18
99	Prediction of Abstinence in Opioid-Dependent Patients. Journal of Addiction Medicine, 2008, 2, 194-201.	1.4	18
100	Rapid Heroin Detoxification Under General Anesthesia. JAMA - Journal of the American Medical Association, 2000, 283, 1143-1143.	3.8	18
101	A two-step procedure to generate utilities for the Infant health-related Quality of life Instrument (IQI). PLoS ONE, 2020, 15, e0230852.	1.1	17
102	Evaluation of different normalization procedures for the calculation of the standardized uptake value in therapy response monitoring studies. Nuclear Medicine Communications, 2009, 30, 550-557.	0.5	16
103	Computer-based decision making in medicine: A model for surgery of colorectal liver metastases. European Journal of Surgical Oncology, 2007, 33, S111-S117.	0.5	15
104	Attitudes of Dutch general practitioners towards vaccinating the elderly: less is more?. BMC Family Practice, 2015, 16, 158.	2.9	15
105	Individual patient information to select patients for different radiation techniques. European Journal of Cancer, 2016, 62, 18-27.	1.3	15
106	A preference-based item response theory model to measure health: concept and mathematics of the multi-attribute preference response model. BMC Medical Research Methodology, 2018, 18, 62.	1.4	15
107	Improving Model Validation in Health Technology Assessment: Comments on Guidelines of the ISPOR-SMDM Modeling Good Research Practices Task Force. Value in Health, 2013, 16, 1106-1107.	0.1	14
108	Understanding drug preferences, different perspectives. British Journal of Clinical Pharmacology, 2015, 79, 978-987.	1.1	14

#	Article	IF	CITATIONS
109	Do individuals with and without depression value depression differently? And if so, why?. Quality of Life Research, 2015, 24, 2565-2575.	1.5	14
110	Tapering Off Benzodiazepines in Long-Term Users. Pharmacoeconomics, 2006, 24, 683-694.	1.7	13
111	Motives of Dutch persons aged 50Âyears and older to accept vaccination: a qualitative study. BMC Public Health, 2015, 15, 493.	1.2	13
112	Development of the Endoscopic Endonasal Sinus and Skull Base Surgery Questionnaire. International Forum of Allergy and Rhinology, 2017, 7, 1076-1084.	1.5	13
113	A Scoping Review of Key Health Items in Self-Report Instruments Used Among Solid Organ Transplant Recipients. Patient, 2019, 12, 171-181.	1.1	13
114	Comparing the EQ-5D-3 L and EQ-5D-5 L: studying measurement and scores in Indonesian type 2 diabet mellitus patients. Health and Quality of Life Outcomes, 2020, 18, 22.	^{es} 1.0	13
115	Values for health states with different life durations. European Journal of Health Economics, 2015, 16, 917-925.	1.4	12
116	A descriptive system for the Infant health-related Quality of life Instrument (IQI): Measuring health with a mobile app. PLoS ONE, 2018, 13, e0203276.	1.1	12
117	Fecal Bile Salts and the Development of Necrotizing Enterocolitis in Preterm Infants. PLoS ONE, 2017, 12, e0168633.	1.1	12
118	Patients First: Toward a Patient-Centered Instrument to Measure Impact of Chronic Pain. Physical Therapy, 2018, 98, 616-625.	1.1	11
119	Valuing Health Status in the First Year of Life: The Infant Health-Related Quality of Life Instrument. Value in Health, 2019, 22, 721-727.	0.1	11
120	Assessing the Preferences for Criteria in Multi-Criteria Decision Analysis in Treatments for Rare Diseases. Frontiers in Public Health, 2020, 8, 162.	1.3	11
121	Valuation Structures of Health States Revealed with Singular Value Decomposition. Medical Decision Making, 2006, 26, 30-37.	1.2	10
122	Lack of Anatomical Concordance between Preablation and Postablation CT Images: A Risk Factor Related to Ablation Site Recurrence. International Journal of Hepatology, 2012, 2012, 1-9.	0.4	10
123	Visual analogue scales: scale recalibration by patients with dementia and their proxies. Quality of Life Research, 2013, 22, 979-986.	1.5	10
124	A Simple and Practical Index to Measure Dementia-Related Quality of Life. Value in Health, 2016, 19, 60-65.	0.1	10
125	Evaluation of the psychometric properties of the endoscopic endonasal sinus and skull base surgery questionnaire (EESâ \in Q) in a prospective cohort study. Clinical Otolaryngology, 2019, 44, 565-571.	0.6	10
126	The Effect of Treatment on Quality of Life in Psoriasis Patients. Acta Dermato-Venereologica, 2005, -1, 1-1.	0.6	9

#	Article	IF	CITATIONS
127	Thurstone scaling revealed systematic health-state valuation differences between patients with dementia and proxies. Journal of Clinical Epidemiology, 2012, 65, 897-905.	2.4	9
128	Does Inclusion of Interactions Result in Higher Precision of Estimated Health State Values?. Value in Health, 2018, 21, 1437-1444.	0.1	9
129	Value judgment of health interventions from different perspectives: arguments and criteria. Cost Effectiveness and Resource Allocation, 2018, 16, 16.	0.6	9
130	Patient-Centered Item Selection for a New Preference-Based Generic Health Status Instrument: CS-Base. Value in Health, 2019, 22, 467-473.	0.1	9
131	The impact of gastrointestinal symptoms on health status in patients with cardiovascular disease. Alimentary Pharmacology and Therapeutics, 2003, 17, 881-885.	1.9	8
132	THE CHALLENGES OF ACCURATE MEASUREMENT OF HEALTHâ€RELATED QUALITY OF LIFE IN FRAIL ELDERLY PEOPLE AND DEMENTIA. Journal of the American Geriatrics Society, 2009, 57, 2356-2357.	1.3	8
133	Head-to-head comparison of health-state values derived by a probabilistic choice model and scores on a visual analogue scale. European Journal of Health Economics, 2017, 18, 967-977.	1.4	8
134	Value judgment of new medical treatments: Societal and patient perspectives to inform priority setting in The Netherlands. PLoS ONE, 2020, 15, e0235666.	1.1	8
135	Health items with a novel patient-centered approach provided information for preference-based transplant outcome measure. Journal of Clinical Epidemiology, 2020, 126, 93-105.	2.4	8
136	Opioid Detoxification: From Controlled Clinical Trial to Clinical Practice. American Journal on Addictions, 2010, 19, 283-290.	1.3	6
137	Evaluation of health promotion programmes in severe mental illness: theory and practice. International Journal of Methods in Psychiatric Research, 2015, 24, 83-97.	1.1	6
138	Eye tracking to explore attendance in health-state descriptions. PLoS ONE, 2018, 13, e0190111.	1.1	6
139	Quantification of Health by Scaling Similarity Judgments. PLoS ONE, 2014, 9, e89091.	1.1	5
140	Survey Mode Biases Reporting of Activities of Daily Living and Instrumental Activities of Daily Living. Journal of the American Geriatrics Society, 2015, 63, 2419-2421.	1.3	5
141	Utilities of Patients with Hypertension in Northern Vietnam. PLoS ONE, 2015, 10, e0139560.	1.1	5
142	Improving the Measurement of QALYs in Dementia: Some Important Considerations. Value in Health, 2012, 15, 785-787.	0.1	4
143	Towards assessing the preferred usage features of upper limb prostheses: most important items regarding prosthesis use in people with major unilateral upper limb absence—a Dutch national survey. Disability and Rehabilitation, 2022, 44, 7554-7565.	0.9	4
144	What Matters Most for the Dutch Public in Palliative Care: A Survey. Journal of Pain and Symptom Management, 2018, 56, e107.	0.6	3

#	Article	IF	Citations
145	Exploring patient satisfaction after operative and nonoperative treatment for midshaft clavicle fractures: a focus group analysis. BMC Musculoskeletal Disorders, 2020, 21, 560.	0.8	3
146	Test-retest reliability of health state valuations collected with the EuroQol questionnaire. , 2005, , 109-123.		2
147	A generalized measurement model to quantify health: The multiattribute preference response model. Industrial Innovation Series, 2015, , 239-260.	0.2	1
148	Letter to the Editor. Medical Decision Making, 2003, 23, 542-543.	1.2	0
149	DE JONG, KRABBE, LAHEIJ & VAN CAUTER REFUTED: EVIDENCE-BASED NON-EFFECTIVENESS CAN HARDLY BE PATIENT-FRIENDLY. Addiction, 2005, 100, 1884-1885.	1.7	0
150	OP07 Towards Better Outcomes: New Standard For Placing A Value On Health. International Journal of Technology Assessment in Health Care, 2017, 33, 5-5.	0.2	0
151	What really matters: a patient-centered instrument to evaluate health-related quality of life in cardiovascular disease. European Heart Journal Quality of Care & Clinical Outcomes, 2021, , .	1.8	0
152	Title is missing!. , 2020, 15, e0230852.		0
153	Title is missing!. , 2020, 15, e0230852.		0
154	Title is missing!. , 2020, 15, e0230852.		0