Paul Krabbe

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/498635/paul-krabbe-publications-by-year.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

7,478
papers

7,478
citations

42
h-index

83
g-index

85.66
ext. papers

8,441
ext. citations

4 5.66
L-index

#	Paper	IF	Citations
155	Towards assessing the preferred usage features of upper limb prostheses: most important items regarding prosthesis use in people with major unilateral upper limb absence-a Dutch national survey. <i>Disability and Rehabilitation</i> , 2021 , 1-12	2.4	1
154	Health items with a novel patient-centered approach provided information for preference-based transplant outcome measure. <i>Journal of Clinical Epidemiology</i> , 2020 , 126, 93-105	5.7	4
153	An overview of the time trade-off method: concept, foundation, and the evaluation of distorting factors in putting a value on health. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2020 , 20, 331-342	2.2	11
152	Comparing the EQ-5D-3 L and EQ-5D-5 L: studying measurement and scores in Indonesian type 2 diabetes mellitus patients. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 22	3	10
151	A two-step procedure to generate utilities for the Infant health-related Quality of life Instrument (IQI). <i>PLoS ONE</i> , 2020 , 15, e0230852	3.7	7
150	Assessing the Preferences for Criteria in Multi-Criteria Decision Analysis in Treatments for Rare Diseases. <i>Frontiers in Public Health</i> , 2020 , 8, 162	6	6
149	Value judgment of new medical treatments: Societal and patient perspectives to inform priority setting in The Netherlands. <i>PLoS ONE</i> , 2020 , 15, e0235666	3.7	2
148	Exploring patient satisfaction after operative and nonoperative treatment for midshaft clavicle fractures: a focus group analysis. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 560	2.8	1
147	Qiabetes is a gift from godQ qualitative study coping with diabetes distress by Indonesian outpatients. <i>Quality of Life Research</i> , 2020 , 29, 109-125	3.7	3
146	A two-step procedure to generate utilities for the Infant health-related Quality of life Instrument (IQI) 2020 , 15, e0230852		
145	A two-step procedure to generate utilities for the Infant health-related Quality of life Instrument (IQI) 2020 , 15, e0230852		
144	A two-step procedure to generate utilities for the Infant health-related Quality of life Instrument (IQI) 2020 , 15, e0230852		
143	Valuing Health Status in the First Year of Life: The Infant Health-Related Quality of Life Instrument. <i>Value in Health</i> , 2019 , 22, 721-727	3.3	4
142	Patient-Centered Item Selection for a New Preference-Based Generic Health Status Instrument: CS-Base. <i>Value in Health</i> , 2019 , 22, 467-473	3.3	4
141	Evaluation of the psychometric properties of the endoscopic endonasal sinus and skull base surgery questionnaire (EES-Q) in a prospective cohort study. <i>Clinical Otolaryngology</i> , 2019 , 44, 565-571	1.8	5
140	Health-related quality of life in Indonesian type 2 diabetes mellitus outpatients measured with the Bahasa version of EQ-5D. <i>Quality of Life Research</i> , 2019 , 28, 1179-1190	3.7	24
139	A Scoping Review of Key Health Items in Self-Report Instruments Used Among Solid Organ Transplant Recipients. <i>Patient</i> , 2019 , 12, 171-181	3.7	8

138	Head-to-Head Comparison of EQ-5D-3L and EQ-5D-5L Health Values. <i>Pharmacoeconomics</i> , 2018 , 36, 71	5 <i>-</i> 7 . 4 5	19	
137	Patients First: Toward a Patient-Centered Instrument to Measure Impact of Chronic Pain. <i>Physical Therapy</i> , 2018 , 98, 616-625	3.3	9	
136	A preference-based item response theory model to measure health: concept and mathematics of the multi-attribute preference response model. <i>BMC Medical Research Methodology</i> , 2018 , 18, 62	4.7	9	
135	Value judgment of health interventions from different perspectives: arguments and criteria. <i>Cost Effectiveness and Resource Allocation</i> , 2018 , 16, 16	2.4	9	
134	Eye tracking to explore attendance in health-state descriptions. <i>PLoS ONE</i> , 2018 , 13, e0190111	3.7	6	
133	What Matters Most for the Dutch Public in Palliative Care: A Survey. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, e107	4.8	3	
132	Does Inclusion of Interactions Result in Higher Precision of Estimated Health State Values?. <i>Value in Health</i> , 2018 , 21, 1437-1444	3.3	3	
131	A descriptive system for the Infant health-related Quality of life Instrument (IQI): Measuring health with a mobile app. <i>PLoS ONE</i> , 2018 , 13, e0203276	3.7	7	
130	Translation, Revision, and Validation of the Diabetes Distress Scale for Indonesian Type 2 Diabetic Outpatients with Various Types of Complications. <i>Value in Health Regional Issues</i> , 2017 , 12, 63-73	1.6	15	
129	Development of the Endoscopic Endonasal Sinus and Skull Base Surgery Questionnaire. <i>International Forum of Allergy and Rhinology</i> , 2017 , 7, 1076-1084	6.3	6	
128	Head-to-head comparison of health-state values derived by a probabilistic choice model and scores on a visual analogue scale. <i>European Journal of Health Economics</i> , 2017 , 18, 967-977	3.6	6	
127	Measurement properties of the EQ-5D across four major geriatric conditions: Findings from TOPICS-MDS. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 45	3	16	
126	OP07 Towards Better Outcomes: New Standard For Placing A Value On Health. <i>International Journal of Technology Assessment in Health Care</i> , 2017 , 33, 5-5	1.8		
125	Fecal Bile Salts and the Development of Necrotizing Enterocolitis in Preterm Infants. <i>PLoS ONE</i> , 2017 , 12, e0168633	3.7	8	
124	Individual patient information to select patients for different radiation techniques. <i>European Journal of Cancer</i> , 2016 , 62, 18-27	7.5	14	
123	A Simple and Practical Index to Measure Dementia-Related Quality of Life. <i>Value in Health</i> , 2016 , 19, 60-5	3.3	10	
122	Rasch analysis reveals comparative analyses of activities of daily living/instrumental activities of daily living summary scores from different residential settings is inappropriate. <i>Journal of Clinical Epidemiology</i> , 2016 , 74, 207-17	5.7	12	
121	Multivariate Meta-Analysis of Preference-Based Quality of Life Values in Coronary Heart Disease. <i>PLoS ONE</i> , 2016 , 11, e0152030	3.7	13	

120	Values for health states with different life durations. <i>European Journal of Health Economics</i> , 2015 , 16, 917-25	3.6	12
119	Understanding drug preferences, different perspectives. <i>British Journal of Clinical Pharmacology</i> , 2015 , 79, 978-87	3.8	13
118	Evaluation of health promotion programmes in severe mental illness: theory and practice. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 83-97	4.3	6
117	Motives of Dutch persons aged 50 years and older to accept vaccination: a qualitative study. <i>BMC Public Health</i> , 2015 , 15, 493	4.1	10
116	Do individuals with and without depression value depression differently? And if so, why?. <i>Quality of Life Research</i> , 2015 , 24, 2565-75	3.7	13
115	A Checklist for Reporting Valuation Studies of Multi-Attribute Utility-Based Instruments (CREATE). <i>Pharmacoeconomics</i> , 2015 , 33, 867-77	4.4	31
114	Attitudes of Dutch general practitioners towards vaccinating the elderly: less is more?. <i>BMC Family Practice</i> , 2015 , 16, 158	2.6	11
113	Survey Mode Biases Reporting of Activities of Daily Living and Instrumental Activities of Daily Living. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2419-21	5.6	2
112	Utilities of Patients with Hypertension in Northern Vietnam. <i>PLoS ONE</i> , 2015 , 10, e0139560	3.7	5
111	Cost-effectiveness of intestinal transplantation for adult patients with intestinal failure: a simulation study. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 79-86	7	30
110	A generalized measurement model to quantify health: The multiattribute preference response model. <i>Industrial Innovation Series</i> , 2015 , 239-260		
109	A program of methodological research to arrive at the new international EQ-5D-5L valuation protocol. <i>Value in Health</i> , 2014 , 17, 445-53	3.3	258
108	Eliciting preferences to the EQ-5D-5L health states: discrete choice experiment or multiprofile case of best-worst scaling?. <i>European Journal of Health Economics</i> , 2014 , 15, 281-8	3.6	21
108		3.6 3.7	21
	of best-worst scaling?. European Journal of Health Economics, 2014, 15, 281-8		
107	of best-worst scaling?. European Journal of Health Economics, 2014, 15, 281-8 Quantification of health by scaling similarity judgments. PLoS ONE, 2014, 9, e89091 Multinational evidence of the applicability and robustness of discrete choice modeling for deriving	3.7	5
107	of best-worst scaling?. European Journal of Health Economics, 2014, 15, 281-8 Quantification of health by scaling similarity judgments. PLoS ONE, 2014, 9, e89091 Multinational evidence of the applicability and robustness of discrete choice modeling for deriving EQ-5D-5L health-state values. Medical Care, 2014, 52, 935-43 The bilirubin albumin ratio in the management of hyperbilirubinemia in preterm infants to improve	3.7	33

(2010-2013)

102	Improving model validation in health technology assessment: comments on guidelines of the ISPOR-SMDM modeling good research practices task force. <i>Value in Health</i> , 2013 , 16, 1106-7	3.3	12
101	Quality of life in dementia: a study on proxy bias. BMC Medical Research Methodology, 2013, 13, 110	4.7	64
100	Probabilistic choice models in health-state valuation research: background, theories, assumptions and applications. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2013 , 13, 93-108	2.2	20
99	Evaluating interventions to improve somatic health in severe mental illness: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 251-60	6.5	20
98	Validation of a frailty index from the older persons and informal caregivers survey minimum data set. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1625-7	5.6	25
97	A generalized measurement model to quantify health: the multi-attribute preference response model. <i>PLoS ONE</i> , 2013 , 8, e79494	3.7	21
96	The development of the Older Persons and Informal Caregivers Survey Minimum DataSet (TOPICS-MDS): a large-scale data sharing initiative. <i>PLoS ONE</i> , 2013 , 8, e81673	3.7	101
95	Thurstone scaling revealed systematic health-state valuation differences between patients with dementia and proxies. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 897-905	5.7	9
94	Validation study of the prototype of a disease-specific index measure for health-related quality of life in dementia. <i>Health and Quality of Life Outcomes</i> , 2012 , 10, 118	3	18
93	Improving the measurement of QALYs in dementia: some important considerations. <i>Value in Health</i> , 2012 , 15, 785-7; author reply 787-8	3.3	4
92	Lack of Anatomical Concordance between Preablation and Postablation CT Images: A Risk Factor Related to Ablation Site Recurrence. <i>International Journal of Hepatology</i> , 2012 , 2012, 870306	2.7	6
91	Metastatic infectious disease and clinical outcome in Staphylococcus aureus and Streptococcus species bacteremia. <i>Medicine (United States)</i> , 2012 , 91, 86-94	1.8	65
90	Are patients Qudgments of health status really different from the general population?. <i>Health and Quality of Life Outcomes</i> , 2011 , 9, 31	3	38
89	Oral squamous cell carcinoma and a clinically negative neck: the value of follow-up. <i>Head and Neck</i> , 2011 , 33, 1400-5	4.2	16
88	Long-term global quality of life in patients treated for colorectal liver metastases. <i>British Journal of Surgery</i> , 2011 , 98, 565-71; discussion 571-2	5.3	27
87	Opioid detoxification: from controlled clinical trial to clinical practice. <i>American Journal on Addictions</i> , 2010 , 19, 283-90	3.7	4
86	Discrete choice modeling for the quantification of health states: the case of the EQ-5D. <i>Value in Health</i> , 2010 , 13, 1005-13	3.3	94
85	18F-FDG PET/CT for detection of metastatic infection in gram-positive bacteremia. <i>Journal of Nuclear Medicine</i> , 2010 , 51, 1234-40	8.9	96

84	Added value of positron emission tomography imaging in the surgical treatment of colorectal liver metastases. <i>Nuclear Medicine Communications</i> , 2010 , 31, 938-44	1.6	28
83	Improved selection of patients for hepatic surgery of colorectal liver metastases with (18)F-FDG PET: a randomized study. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 1036-41	8.9	138
82	Chemotherapy response monitoring of colorectal liver metastases by dynamic Gd-DTPA-enhanced MRI perfusion parameters and 18F-FDG PET metabolic rate. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 1777	-849	25
81	Quality of life in adults with childhood-onset of Complex Regional Pain Syndrome type I. <i>Injury</i> , 2009 , 40, 901-4	2.5	31
80	The challenges of accurate measurement of health-related quality of life in frail elderly people and dementia. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 2356-7	5.6	6
79	Psychiatric comorbidity reduces quality of life in chronic methadone maintained patients. <i>American Journal on Addictions</i> , 2009 , 18, 470-80	3.7	84
78	Efficacy of follow-up after surgical treatment of colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2009 , 35, 180-6	3.6	16
77	Evaluation of different normalization procedures for the calculation of the standardized uptake value in therapy response monitoring studies. <i>Nuclear Medicine Communications</i> , 2009 , 30, 550-7	1.6	13
76	Decision for reconstructive interventions of the upper limb in individuals with tetraplegia: the effect of treatment characteristics. <i>Spinal Cord</i> , 2008 , 46, 228-33	2.7	17
75	Chemotherapy response evaluation with FDG-PET in patients with colorectal cancer. <i>Annals of Oncology</i> , 2008 , 19, 348-52	10.3	86
74	Prediction of abstinence in opioid-dependent patients. <i>Journal of Addiction Medicine</i> , 2008 , 2, 194-201	3.8	14
73	Thurstone scaling as a measurement method to quantify subjective health outcomes. <i>Medical Care</i> , 2008 , 46, 357-65	3.1	44
72	Uitkomstenonderzoek. TSG: Tijdschrift Voor Gezondheidswetenschappen, 2008, 86, 76-77	0.2	
71	Quantification of health states with rank-based nonmetric multidimensional scaling. <i>Medical Decision Making</i> , 2007 , 27, 395-405	2.5	21
70	Biological correlates of FDG uptake in non-small cell lung cancer. Lung Cancer, 2007, 55, 79-87	5.9	146
69	The role of FDG-PET in the selection of patients with colorectal liver metastases. <i>Annals of Surgical Oncology</i> , 2007 , 14, 771-9	3.1	24
68	Comparison of multiphase CT, FDG-PET and intra-operative ultrasound in patients with colorectal liver metastases selected for surgery. <i>Annals of Surgical Oncology</i> , 2007 , 14, 818-26	3.1	59
67	Screening for local and regional cancer recurrence in patients curatively treated for laryngeal cancer: definition of a high-risk group and estimation of the lead time. <i>Head and Neck</i> , 2007 , 29, 431-8	4.2	18

(2006-2007)

66	Effect of routine follow-up after treatment for laryngeal cancer on life expectancy and mortality: results of a Markov model analysis. <i>Cancer</i> , 2007 , 109, 239-47	6.4	17
65	A multi-center blinded study on the efficiency of phenotypic screening methods to detect glycopeptide intermediately susceptible Staphylococcus aureus (GISA) and heterogeneous GISA (h-GISA). <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2007 , 6, 9	6.2	21
64	Does naltrexone affect craving in abstinent opioid-dependent patients?. <i>Addiction Biology</i> , 2007 , 12, 176-82	4.6	19
63	Comparison between local ablative therapy and chemotherapy for non-resectable colorectal liver metastases: a prospective study. <i>Annals of Surgical Oncology</i> , 2007 , 14, 1161-9	3.1	50
62	High abstinence rates in heroin addicts by a new comprehensive treatment approach. <i>American Journal on Addictions</i> , 2007 , 16, 124-30	3.7	29
61	A prospective multi-centre study of the value of FDG-PET as part of a structured diagnostic protocol in patients with fever of unknown origin. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007 , 34, 694-703	8.8	152
60	Complicating infectious foci in patients with Staphylococcus aureus or Streptococcus species bacteraemia. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2007 , 26, 105-13	5.3	40
59	Chemotherapy response evaluation with 18F-FDG PET in patients with non-small cell lung cancer. <i>Journal of Nuclear Medicine</i> , 2007 , 48, 1592-8	8.9	99
58	A prospective multicenter study on fever of unknown origin: the yield of a structured diagnostic protocol. <i>Medicine (United States)</i> , 2007 , 86, 26-38	1.8	230
57	Psychometric evaluation of the Dutch version of the Subjective Opiate Withdrawal Scale (SOWS). <i>European Addiction Research</i> , 2007 , 13, 81-8	4.6	13
56	On the assessment of preferences for health and duration: maximal endurable time and better than dead preferences. <i>Medical Care</i> , 2007 , 45, 835-41	3.1	35
55	Cochlear implantation and quality of life in postlingually deaf adults: long-term follow-up. Otolaryngology - Head and Neck Surgery, 2007 , 136, 597-604	5.5	82
54	Computer-based decision making in medicine: A model for surgery of colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2007 , 33 Suppl 2, S111-7	3.6	15
53	Evaluation of the Parental Perspective instrument for pediatric cochlear implantation to arrive at a short version. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2007 , 71, 425-33	1.7	19
52	A prospective study on weight loss and energy intake in patients with head and neck cancer, during diagnosis, treatment and revalidation. <i>Clinical Nutrition</i> , 2006 , 25, 765-72	5.9	70
51	Quality of life after surgical treatment of colorectal liver metastases. <i>British Journal of Surgery</i> , 2006 , 93, 1007-14	5.3	36
50	Comment on the use of self-reporting instruments to assess patients with rheumatoid arthritis: the longitudinal association between the DAS28 and the VAS general health. <i>Arthritis and Rheumatism</i> , 2006 , 55, 745-50		20
49	The Dutch tariff: results and arguments for an effective design for national EQ-5D valuation studies. <i>Health Economics (United Kingdom)</i> , 2006 , 15, 1121-32	2.4	439

48	Cancer recurrence after total laryngectomy: treatment options, survival, and complications. <i>Head and Neck</i> , 2006 , 28, 383-8	4.2	15
47	FDG-PET for prediction of survival of patients with metastatic colorectal carcinoma. <i>Annals of Oncology</i> , 2006 , 17, 1650-5	10.3	42
46	Valuation structures of health states revealed with singular value decomposition. <i>Medical Decision Making</i> , 2006 , 26, 30-7	2.5	10
45	Inconsistencies in TTO and VAS values for EQ-5D health states. <i>Medical Decision Making</i> , 2006 , 26, 173-	8 1 5	54
44	Tapering off benzodiazepines in long-term users: an economic evaluation. <i>Pharmacoeconomics</i> , 2006 , 24, 683-94	4.4	12
43	Prostate cancer localization with dynamic contrast-enhanced MR imaging and proton MR spectroscopic imaging. <i>Radiology</i> , 2006 , 241, 449-58	20.5	444
42	Testing the interval-level measurement property of multi-item visual analogue scales. <i>Quality of Life Research</i> , 2006 , 15, 1651-61	3.7	25
41	The Usher lifestyle survey: maintaining independence: a multi-centre study. <i>International Journal of Rehabilitation Research</i> , 2005 , 28, 309-20	1.8	28
40	General anaesthesia does not improve outcome in opioid antagonist detoxification treatment: a randomized controlled trial. <i>Addiction</i> , 2005 , 100, 206-15	4.6	31
39	A controlled trial of methylphenidate in adults with attention deficit/hyperactivity disorder and substance use disorders. <i>Addiction</i> , 2005 , 100, 1868-74	4.6	70
38	De Jong, Krabbe, Laheij & Van Cauter refuted: evidence-based non-effectiveness can hardly be patient-friendly. <i>Addiction</i> , 2005 , 100, 1884-5	4.6	
37	Genotype-phenotype studies in nail-patella syndrome show that LMX1B mutation location is involved in the risk of developing nephropathy. <i>European Journal of Human Genetics</i> , 2005 , 13, 935-46	5.3	104
36	The gap effect: discontinuities of preferences around dead. <i>Health Economics (United Kingdom)</i> , 2005 , 14, 679-85	2.4	24
35	The impact of fluor-18-deoxyglucose-positron emission tomography in the management of colorectal liver metastases. <i>Cancer</i> , 2005 , 104, 2658-70	6.4	199
34	Optimised PET reconstruction of the head and neck area: improved diagnostic accuracy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005 , 32, 1276-82	8.8	28
33	The effect of treatment on quality of life in psoriasis patients. <i>Acta Dermato-Venereologica</i> , 2005 , 85, 304-10	2.2	5
32	Gadopentetate dimeglumine and FDG uptake in liver metastases of colorectal carcinoma as determined with MR imaging and PET. <i>Radiology</i> , 2005 , 237, 181-8	20.5	18
31	Some considerations concerning negative values for EQ-5D health states 2005 , 171-179		3

(2000-2005)

30	Test-retest reliability of health state valuations collected with the EuroQol questionnaire 2005 , 109-12	3	2
29	The bone-anchored hearing aid: quality-of-life assessment. <i>JAMA Otolaryngology</i> , 2004 , 130, 394-9		48
28	Responsiveness of the generic EQ-5D summary measure compared to the disease-specific EORTC QLQ C-30. <i>Quality of Life Research</i> , 2004 , 13, 1247-53	3.7	57
27	Value of routine follow-up for patients cured of laryngeal carcinoma. <i>Cancer</i> , 2004 , 101, 1382-9	6.4	74
26	Rapid detoxification from opioid dependence under general anaesthesia versus standard methadone tapering: abstinence rates and withdrawal distress experiences. <i>Addiction Biology</i> , 2003 , 8, 351-8	4.6	22
25	A single European currency for EQ-5D health states. Results from a six-country study. <i>European Journal of Health Economics</i> , 2003 , 4, 222-31	3.6	320
24	The impact of gastrointestinal symptoms on health status in patients with cardiovascular disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2003 , 17, 881-5	6.1	6
23	Health-state valuations have been core issues in the field of medical decision making. <i>Medical Decision Making</i> , 2003 , 23, 542; author reply 543	2.5	
22	Guidelines for analysing and reporting EQ-5D outcomes 2003 , 7-19		23
21	A comparison of EQ-5D time trade-off values obtained in Germany, The United Kingdom and Spain 2003 , 143-165		17
20	Percutaneous tracheostomy with the guide wire dilating forceps technique: presentation of 171 consecutive patients. <i>Head and Neck</i> , 2002 , 24, 625-31	4.2	24
19	Screening for second primary lung cancer after treatment of laryngeal cancer. <i>Laryngoscope</i> , 2002 , 112, 2002-8	3.6	30
18	Quality of life as an outcome measure in surgical oncology. <i>British Journal of Surgery</i> , 2001 , 88, 643-52	5.3	113
17	Effect of folic or folinic acid supplementation on the toxicity and efficacy of methotrexate in rheumatoid arthritis: a forty-eight week, multicenter, randomized, double-blind, placebo-controlled study. <i>Arthritis and Rheumatism</i> , 2001 , 44, 1515-24		297
16	Randomised controlled trial of the effect of ventilation tubes (grommets) on quality of life at age 1-2 years. <i>Archives of Disease in Childhood</i> , 2001 , 84, 45-49	2.2	53
15	Evaluation of the traumatic coma data bank computed tomography classification for severe head injury. <i>Journal of Neurotrauma</i> , 2001 , 18, 649-55	5.4	45
14	The effect of cochlear implant use in postlingually deaf adults. <i>International Journal of Technology Assessment in Health Care</i> , 2000 , 16, 864-73	1.8	56
13	Development and application of a health-related quality-of-life instrument for adults with cochlear implants: the Nijmegen cochlear implant questionnaire. <i>Otolaryngology - Head and Neck Surgery</i> , 2000 , 123, 756-65	5.5	208

12	Screening of subclinical hepatic encephalopathy. <i>Journal of Hepatology</i> , 2000 , 32, 748-53	13.4	142
11	Rapid heroin detoxification under general anesthesia. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 283, 1143	27.4	15
10	The effect of adding a cognitive dimension to the EuroQol multiattribute health-status classification system. <i>Journal of Clinical Epidemiology</i> , 1999 , 52, 293-301	5.7	169
9	Sequence effects, health profiles, and the QALY model: in search of realistic modeling. <i>Medical Decision Making</i> , 1998 , 18, 178-86	2.5	57
8	The comparability and reliability of five health-state valuation methods. <i>Social Science and Medicine</i> , 1997 , 45, 1641-52	5.1	108
7	An empirical comparison of four generic health status measures. The Nottingham Health Profile, the Medical Outcomes Study 36-item Short-Form Health Survey, the COOP/WONCA charts, and the EuroQol instrument. <i>Medical Care</i> , 1997 , 35, 522-37	3.1	300
6	NHP or SIPa comparative study in renal insufficiency associated anemia. <i>Quality of Life Research</i> , 1996 , 5, 91-100	3.7	24
5	On the equivalence of collectively and individually collected responses: standard-gamble and time-tradeoff judgments of health states. <i>Medical Decision Making</i> , 1996 , 16, 120-32	2.5	32
4	Stress, serotonergic function, and mood in users of oral contraceptives. <i>Psychoneuroendocrinology</i> , 1995 , 20, 323-34	5	17
3	The impact of migraine on health status. <i>Headache</i> , 1995 , 35, 200-6	4.2	57
2	Test-retest reliability of health state valuations collected with the EuroQol questionnaire. <i>Social Science and Medicine</i> , 1994 , 39, 1537-44	5.1	285
1	The paradoxical nature of sexuality in anorexia nervosa. <i>Journal of Sex and Marital Therapy</i> , 1993 , 19, 259-75	2.7	36