

# Jung-Ik Ha

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4986396/jung-ik-ha-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135  
papers

2,155  
citations

21  
h-index

43  
g-index

194  
ext. papers

2,890  
ext. citations

5  
avg. IF

5.41  
L-index

#	Paper	IF	Citations
135	Control Method in Minimum Infinity-Norm Approach for Multi-Coil Magnetic Manipulation system. <i>IEEE Transactions on Magnetics</i> , <b>2021</b> , 1-1	2	
134	Efficient and Reconfigurable Multi-cell Battery Pack for Portable Electronic Devices with Simultaneous Charging and Discharging Capability <b>2021</b> ,		1
133	Design and Control Method for Interior Permanent Magnet Synchronous Machine Drive With Capacitor Power Network. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , <b>2021</b> , 9, 259-273	5.6	
132	Design and Analysis of Single-Inductor Power Converter for Both Battery Balancing and Voltage Regulation. <i>IEEE Transactions on Industrial Electronics</i> , <b>2021</b> , 1-1	8.9	3
131	A Battery Charging Method with Natural Synchronous Rectification Features for Full-bridge CLLC Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 1-1	7.2	5
130	Impedance Compressing Matching Network Based on Two-Port Network Analysis for Wireless Power Transfer System. <i>IEEE Journal of Emerging and Selected Topics in Industrial Electronics</i> , <b>2021</b> , 1-1	2.6	1
129	Cost-Effective High-Performance Digital Control Method in Series-Series Compensated Wireless Power Transfer System. <i>Electronics (Switzerland)</i> , <b>2020</b> , 9, 1772	2.6	1
128	Analysis and Design of 4-to-1 Capacitor-Stacking Balancer for Stacked Voltage Domain. <i>IEEE Access</i> , <b>2020</b> , 8, 110252-110263	3.5	1
127	Power Capability Improvement of Interior Permanent Magnet Synchronous Motor Drives Using Capacitive Network. <i>IEEE Transactions on Industrial Electronics</i> , <b>2020</b> , 67, 10109-10120	8.9	1
126	Dynamic current control using synchronous pulse-width modulation for permanent magnet machines. <i>Journal of Power Electronics</i> , <b>2020</b> , 20, 501-510	0.9	0
125	Magnetically Actuated Forward-Looking Interventional Ultrasound Imaging: Feasibility Studies. <i>IEEE Transactions on Biomedical Engineering</i> , <b>2020</b> , 67, 1797-1805	5	2
124	Design and Control Method for a Surface-Mounted Permanent Magnet Motor Drive System With Passive Output Power Network. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 3891-3905	7.2	2
123	High Reliable Power Conversion System with Active Battery Balancing Capability <b>2020</b> ,		2
122	Temperature Estimation of PMSM Using a Difference-Estimating Feedforward Neural Network. <i>IEEE Access</i> , <b>2020</b> , 8, 130855-130865	3.5	11
121	Analysis and Suppression of Slotting and Cross-Coupling Effects on Current Control in PM Synchronous Motor Drives. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 9942-9956	7.2	14
120	Resonant Switching Cell Model for High-Frequency Single-Ended Resonant Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 11897-11911	7.2	5
119	Droop Control Using Impedance of Grid-Integrated DFIG within Microgrid. <i>IEEE Transactions on Energy Conversion</i> , <b>2019</b> , 34, 88-97	5.4	12

118	Inner Supply Data Transmission in Quasi-Resonant Flyback Converters for Li-Ion Battery Applications Using Multiplexing Mode. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 64-73	7.2	8
117	Fault-Tolerant Operation Under Single-Phase Open in Mono Inverter Dual Parallel SMPMSM With Single Shaft. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 12064-12079	7.2	15
116	Power Capability Improvement of Interior Permanent Magnet Synchronous Motor Drives Using Capacitive Network <b>2019</b> ,		2
115	Design Method of Capacitor Network for Interior Permanent Magnet Synchronous Machine Drive <b>2019</b> ,		1
114	Resonant network design methodology based on two-port network analysis considering load impedance variation <b>2019</b> ,		2
113	Hydrogen Production via Water Electrolysis: The Benefits of a Solar Cell-Powered Process. <i>IEEE Electrification Magazine</i> , <b>2018</b> , 6, 19-25	2.6	8
112	Variable Time Step Control for Six-Step Operation in Surface-Mounted Permanent Magnet Machine Drives. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 1501-1513	7.2	23
111	Dynamic Matching System for Radio-Frequency Plasma Generation. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 1940-1951	7.2	19
110	Control Area Expansion Using Null Space Vector Injection Under Current Limit in Magnetic Manipulation System <b>2018</b> ,		1
109	Harmonic Torque Reduction Using Adaptive Sector-Based Torque Feedforward Method for PMSM <b>2018</b> ,		2
108	Single-Phase Inverter Scheme for Permanent Magnet Synchronous Motor Drive with Resonant Capacitor <b>2018</b> ,		1
107	Design and Control Method for Synchronous Permanent Magnet Motor Drive System with Series Capacitor <b>2018</b> ,		4
106	Design and Control of Single-Phase Grid-Connected Photovoltaic Microinverter with Reactive Power Support Capability <b>2018</b> ,		4
105	Resonant Converter Design Using Two-Port Passive Network: Single Frequency Design <b>2018</b> ,		3
104	Fault-tolerant operation with 1-phase open in parallel-connected motor <b>2018</b> ,		1
103	Single-Phase Grid-Connected Motor Drive System With DC-Link Shunt Compensator and Small DC-Link Capacitor. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 1268-1278	7.2	18
102	Single-Switch High-Frequency DCDC Converter Using Parasitic Components. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 3651-3661	7.2	18
101	Single-Phase Inverter Drive for Interior Permanent Magnet Machines. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 1355-1366	7.2	11

100	Discontinuous Grid Current Control of Motor Drive System With Single-Phase Diode Rectifier and Small DC-Link Capacitor. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 1324-1334	7.2	14
99	Grid Current Shaping Method with DC-Link Shunt Compensator for Three-Phase Diode Rectifier-Fed Motor Drive System. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 1279-1288	7.2	19
98	A Family of High-Frequency Single-Switch DCDC Converters With Low Switch Voltage Stress Based on Impedance Networks. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 2913-2924	7.2	25
97	Direction Priority Control Method for Magnetic Manipulation System in Current and Voltage Limits. <i>IEEE Transactions on Industrial Electronics</i> , <b>2017</b> , 64, 2914-2923	8.9	7
96	Control Method of Double Inverter Fed Wound Machine for Minimizing Copper Loss in Maximized Operating Area. <i>IEEE Transactions on Industrial Electronics</i> , <b>2017</b> , 64, 7700-7710	8.9	6
95	Dynamic decoupling control method for PMSM drive with cross-coupling inductances <b>2017</b> ,		5
94	Analysis and design of resonant rectifier for high-frequency dc-dc converters <b>2017</b> ,		3
93	Design Principle and Loss Engineering for Photovoltaic-Electrolysis Cell System. <i>ACS Omega</i> , <b>2017</b> , 2, 1009-1018	3.9	39
92	Active cell balancing algorithm for serially connected li-ion batteries based on power to energy ratio <b>2017</b> ,		8
91	Output voltage control for series-series compensated wireless power transfer system without direct feedback from measurement or communication <b>2017</b> ,		4
90	Decoupled current control with novel anti-windup for PMSM drives <b>2017</b> ,		1
89	Variable time step control with synchronous PWM in flux weakening region of PMSM <b>2016</b> ,		2
88	Direct energy recovery system for membrane capacitive deionization. <i>Desalination</i> , <b>2016</b> , 398, 144-150	10.3	78
87	Nonlinearity analysis and linear modulation method for two level voltage source inverter with low switching to operating frequency ratio <b>2016</b> ,		1
86	Dual voltage regulations of single switch flyback converter using variable switching frequency <b>2016</b> ,		1
85	Series arc fault detection method based on statistical analysis for dc Microgrids <b>2016</b> ,		8
84	Cell Balancing Method in Flyback Converter without Cell Selection Switch of Multi-Winding Transformer. <i>Journal of Electrical Engineering and Technology</i> , <b>2016</b> , 11, 367-376	1.4	5
83	Accuracy Enhancement of Parameter Estimation and Sensorless Algorithms Based on Current Shaping. <i>Journal of Power Electronics</i> , <b>2016</b> , 16, 1-8	0.9	2

82	Consideration of the Carrier Based Signal Injection Method in Three Shunt Sensing Inverters for Sensorless Motor Control. <i>Journal of Power Electronics</i> , <b>2016</b> , 16, 1791-1801	0.9	1
81	Variable time step control with synchronous PWM in low frequency modulation index for AC machine drive <b>2016</b> ,		2
80	Seamless black start and reconnection of LCL-filtered solid state transformer based on droop control <b>2016</b> ,		3
79	Data transmission method without additional circuits in bidirectional wireless power transfer system <b>2016</b> ,		4
78	Model-based MTPA control of permanent magnet synchronous machine drives under one-phase open-circuit fault <b>2016</b> ,		1
77	Wound Rotor Machine With Single-Phase Stator and Three-Phase Rotor Windings Controlled by Isolated Three-Phase Inverter. <i>IEEE Transactions on Energy Conversion</i> , <b>2015</b> , 30, 558-568	5.4	0
76	Control Method for Mono Inverter Dual Parallel Surface-Mounted Permanent-Magnet Synchronous Machine Drive System. <i>IEEE Transactions on Industrial Electronics</i> , <b>2015</b> , 62, 6096-6107	8.9	30
75	The Electric Variable Transmission without slip ring for the Hybrid Electric Vehicle driving structure <b>2015</b> ,		4
74	Enhancement of parameter estimation accuracy using current shaping in PM machine drive <b>2015</b> ,		1
73	Low voltage modulation method in six-step operation of three phase inverter <b>2015</b> ,		3
72	DC-link shunt compensator for three-phase system with small DC-link capacitor <b>2015</b> ,		4
71	Single-Phase Active Power Filtering Method Using Diode-Rectifier-Fed Motor Drive. <i>IEEE Transactions on Industry Applications</i> , <b>2015</b> , 51, 2227-2236	4.3	19
70	Direct Power Control of a Three-Phase Inverter for Grid Input Current Shaping of a Single-Phase Diode Rectifier With a Small DC-Link Capacitor. <i>IEEE Transactions on Power Electronics</i> , <b>2015</b> , 30, 3794-3803	7.3	52
69	Variable time step control for six-step operation in SMPMSM <b>2015</b> ,		4
68	Analog Filtering Method for Sensorless AC Machine Control With Carrier-Frequency Signal Injection. <i>IEEE Transactions on Industrial Electronics</i> , <b>2015</b> , 62, 5348-5358	8.9	23
67	Design of GaN transistor-based class E DC-DC converter with resonant rectifier circuit <b>2015</b> ,		3
66	Synchronous PWM with single voltage vector per sector in voltage source inverter <b>2015</b> ,		3
65	Control Method of Monoinverter Dual Parallel Drive System With Interior Permanent Magnet Synchronous Machines. <i>IEEE Transactions on Power Electronics</i> , <b>2015</b> , 1-1	7.2	14

64	Analysis of parameter variations on mono inverter dual parallel SPMSM drive system <b>2015,</b>		3
63	Control method for mono inverter dual parallel interior permanent magnet synchronous machine drive system <b>2015,</b>		2
62	Design of single switch DC-DC converter with parasitic parameters <b>2015,</b>		4
61	<b>2015,</b>		6
60	Hybrid Modulation of Dual Inverter for Open-End Permanent Magnet Synchronous Motor. <i>IEEE Transactions on Power Electronics</i> , <b>2015</b> , 30, 3286-3299	7.2	38
59	Cell balancing control of single switch flyback converter using generalized filters <b>2014,</b>		4
58	Reduced sampling rate for cell voltage sensing in high-level Modular Multilevel Converter <b>2014,</b>		3
57	Minimum copper loss control of doubly-fed induction generator for wind turbines <b>2014,</b>		1
56	Efficiency control of multi-string PV system considering switching losses analysis <b>2014,</b>		3
55	Individual MPPTs of single-phase three-level split DC-bus inverter <b>2014,</b>		3
54	Wound Rotor Machine Fed by a Single-Phase Grid and Controlled by an Isolated Inverter. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 4843-4854	7.2	4
53	Grid current shaping of single phase diode rectifier with small DC-link capacitor for three phase motor drive <b>2014,</b>		4
52	Novel topology and control of single inverter system for two permanent magnet synchronous machines <b>2014,</b>		1
51	Analysis and control of mono inverter dual parallel SPMSM drive system <b>2014,</b>		8
50	Enhancement of output voltage using current shaping in sensorless AC machine drive <b>2014,</b>		1
49	Active DC-link circuit for single-phase diode rectifier system with small capacitance <b>2014,</b>		5
48	System conditions monitoring method for a wireless cellular phone charger <b>2014,</b>		6
47	Carrier signal injection method in three shunt sensing inverter for sensorless AC machine drive <b>2014,</b>		3

46	Phase Current Reconstructions from DC-Link Currents in Three-Phase Three-Level PWM Inverters. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 582-593	7.2	22
45	Active power control for minimum switching of three-phase electrolytic capacitor-less PWM converter <b>2013</b> ,		7
44	Cell balancing control using adjusted filters in flyback converter with single switch <b>2013</b> ,		9
43	Low-Common Mode Voltage H-Bridge Converter with Additional Switch Legs. <i>IEEE Transactions on Power Electronics</i> , <b>2013</b> , 28, 1773-1782	7.2	38
42	. <i>IEEE Transactions on Energy Conversion</i> , <b>2013</b> , 28, 413-424	5.4	14
41	Analysis of the Phase Current Measurement Boundary of Three Shunt Sensing PWM Inverters and an Expansion Method. <i>Journal of Power Electronics</i> , <b>2013</b> , 13, 232-242	0.9	12
40	Single external source control of doubly-fed induction machine using dual inverter <b>2013</b> ,		7
39	Single-phase active power filtering method using diode-rectifier-fed motor drive <b>2013</b> ,		6
38	Power enhancement of dual inverter for open-end permanent magnet synchronous motor <b>2013</b> ,		18
37	Six step phase modulation of dual inverter for open-end permanent magnet synchronous motor <b>2013</b> ,		2
36	Sensorless displacement estimation of a shape memory alloy coil spring actuator using inductance. <i>Smart Materials and Structures</i> , <b>2013</b> , 22, 025001	3.4	22
35	A low-common mode noise and high-efficiency buck-buck-boost inverter <b>2013</b> ,		1
34	Sensorless vector control of doubly fed induction machine using a reduced order observer estimating <b>2012</b> ,		2
33	Control of a Synchronous Motor With an Inverter Integrated Rotor. <i>IEEE Transactions on Industry Applications</i> , <b>2012</b> , 48, 1993-2001	4.3	5
32	<b>2012</b> ,		2
31	A low common mode noise bridgeless boost-buck-boost power factor correction rectifier <b>2012</b> ,		2
30	High efficiency dual inverter drives for a PMSM considering field weakening region <b>2012</b> ,		2
29	PWM Switching Frequency Signal Injection Sensorless Method in IPMSM. <i>IEEE Transactions on Industry Applications</i> , <b>2012</b> , 48, 1576-1587	4.3	122

28	Initial voltage angle detection method of a PWM converter without any grid voltage measurement using conduction state of diodes for smooth starting <b>2012</b> ,		4
27	Evaluation of Back-EMF Estimators for Sensorless Control of Permanent Magnet Synchronous Motors. <i>Journal of Power Electronics</i> , <b>2012</b> , 12, 604-614	0.9	29
26	Thermal design of hot plate for 300-mm wafer heating in post-exposure bake. <i>Microelectronic Engineering</i> , <b>2011</b> , 88, 3195-3198	2.5	4
25	PWM switching frequency signal injection sensorless method in IPMSM <b>2011</b> ,		3
24	Voltage injection method for boundary expansion of output voltages in three shunt sensing PWM inverters <b>2011</b> ,		4
23	Current Prediction in Vector-Controlled PWM Inverters Using Single DC-Link Current Sensor. <i>IEEE Transactions on Industrial Electronics</i> , <b>2010</b> , 57, 716-726	8.9	63
22	Fabrication and Characterization of AZ91/CNT Magnesium Matrix Composites. <i>Materials Science Forum</i> , <b>2009</b> , 620-622, 271-274	0.4	2
21	Voltage Injection Method for Three-Phase Current Reconstruction in PWM Inverters Using a Single Sensor. <i>IEEE Transactions on Power Electronics</i> , <b>2009</b> , 24, 767-775	7.2	74
20	Analysis of Inherent Magnetic Position Sensors in Symmetric AC Machines for Zero or Low Speed Sensorless Drives. <i>IEEE Transactions on Magnetics</i> , <b>2008</b> , 44, 4689-4696	2	14
19	Intracortical lipoma of the femur. <i>Skeletal Radiology</i> , <b>2007</b> , 36 Suppl 1, S77-81	2.7	12
18	Carrier-Based Signal Injection Method for Harmonic Suppression in PWM Inverter Using Single DC-link Current Sensor. <i>Industrial Electronics Society (IECON), Annual Conference of IEEE</i> , <b>2006</b> ,		4
17	A hybrid speed estimator of flux observer for induction motor drives. <i>IEEE Transactions on Industrial Electronics</i> , <b>2006</b> , 53, 130-137	8.9	28
16	Analysis of permanent-magnet machine for sensorless control based on high-frequency signal injection. <i>IEEE Transactions on Industry Applications</i> , <b>2004</b> , 40, 1595-1604	4.3	171
15	Sensorless rotor position estimation of an interior permanent-magnet motor from initial states. <i>IEEE Transactions on Industry Applications</i> , <b>2003</b> , 39, 761-767	4.3	144
14	Sensorless drive of surface-mounted permanent-magnet motor by high-frequency signal injection based on magnetic saliency. <i>IEEE Transactions on Industry Applications</i> , <b>2003</b> , 39, 1031-1039	4.3	288
13	A novel hybrid speed estimator of flux observer for induction motor drives <b>2002</b> ,		9
12	Controller Design of Sensorless Induction Machine by High Frequency Voltage Injection. <i>IEEJ Transactions on Industry Applications</i> , <b>2000</b> , 120, 1257-1264	0.2	3
11	Position-controlled synchronous reluctance motor without rotational transducer. <i>IEEE Transactions on Industry Applications</i> , <b>1999</b> , 35, 1393-1398	4.3	60



10	Sensorless field-orientation control of an induction machine by high-frequency signal injection. <i>IEEE Transactions on Industry Applications</i> , <b>1999</b> , 35, 45-51	4-3	185
9	Sensorless field orientation control of an induction machine by high frequency signal injection		4
8	Analysis of permanent magnet machine for sensorless control based on high frequency signal injection		4
7	High frequency injection method improved by flux observer for sensorless control of an induction motor		2
6	Design and selection of AC machines for saliency-based sensorless control		6
5	Sensorless drive of SMPM motor by high frequency signal injection		8
4	A new sensorless thrust control of linear induction motor		1
3	Physical understanding of high frequency injection method to sensorless drives of an induction machine		11
2	Sensorless position control and initial position estimation of an interior permanent magnet motor		1
1	Advanced control strategy of parallel hybrid low emission electric vehicle		6