
## John Strang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4987382/publications.pdf Version: 2024-02-01



IOHN STRANC

#	Article	IF	CITATIONS
1	The Severity of Dependence Scale (SDS): psychometric properties of the SDS in English and Australian samples of heroin, cocaine and amphetamine users. Addiction, 1995, 90, 607-614.	3.3	762
2	The Maudsley Addiction Profile (MAP): a brief instrument for assessing treatment outcome. Addiction, 1998, 93, 1857-1867.	3.3	399
3	The efficacy of single-session motivational interviewing in reducing drug consumption and perceptions of drug-related risk and harm among young people: results from a multi-site cluster randomized trial. Addiction, 2004, 99, 39-52.	3.3	384
4	Fortnightly Review: Methadone maintenance treatment in opiate dependence: a review. BMJ: British Medical Journal, 1994, 309, 997-1001.	2.3	345
5	Global, regional, and country-level coverage of interventions to prevent and manage HIV and hepatitis C among people who inject drugs: a systematic review. The Lancet Global Health, 2017, 5, e1208-e1220.	6.3	334
6	Brief Report: Increased Addictive Internet and Substance Use Behavior During the COVIDâ€19 Pandemic in China. American Journal on Addictions, 2020, 29, 268-270.	1.4	334
7	Are takeâ€home naloxone programmes effective? Systematic review utilizing application of the Bradford Hill criteria. Addiction, 2016, 111, 1177-1187.	3.3	333
8	Prevention, early intervention, harm reduction, and treatment of substance use in young people. Lancet Psychiatry,the, 2016, 3, 280-296.	7.4	296
9	Opioid use disorder. Nature Reviews Disease Primers, 2020, 6, 3.	30.5	278
10	Severity of dependence and route of administration of heroin, cocaine and amphetamines. Addiction, 1992, 87, 1527-1536.	3.3	275
11	Loss of tolerance and overdose mortality after inpatient opiate detoxification: follow up study. BMJ: British Medical Journal, 2003, 326, 959-960.	2.3	270
12	Risk of death during and after opiate substitution treatment in primary care: prospective observational study in UK General Practice Research Database. BMJ: British Medical Journal, 2010, 341, c5475-c5475.	2.3	250
13	Reaching hidden populations of drug users by privileged access interviewers: methodological and practical issues. Addiction, 1993, 88, 1617-1626.	3.3	238
14	Randomized controlled effectiveness trial of executive function intervention for children on the autism spectrum. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 374-383.	5.2	230
15	Estimating the burden of disease attributable to injecting drug use as a risk factor for HIV, hepatitis C, and hepatitis B: findings from the Global Burden of Disease Study 2013. Lancet Infectious Diseases, The, 2016, 16, 1385-1398.	9.1	223
16	Brief, Personality-Targeted Coping Skills Interventions and Survival as a Non–Drug User Over a 2-Year Period During Adolescence. Archives of General Psychiatry, 2010, 67, 85.	12.3	220
17	Drug policy and the public good: evidence for effective interventions. Lancet, The, 2012, 379, 71-83.	13.7	205
18	Heroin on trial: Systematic review and meta-analysis of randomised trials of diamorphine-prescribing as treatment for refractory heroin addiction. British Journal of Psychiatry, 2015, 207, 5-14.	2.8	191

#	Article	IF	CITATIONS
19	Adverse effects of stimulant drugs in a community sample of drug users. Drug and Alcohol Dependence, 1997, 44, 87-94.	3.2	168
20	Supervised injectable heroin or injectable methadone versus optimised oral methadone as treatment for chronic heroin addicts in England after persistent failure in orthodox treatment (RIOTT): a randomised trial. Lancet, The, 2010, 375, 1885-1895.	13.7	166
21	Medication Treatment of Opioid Use Disorder. Biological Psychiatry, 2020, 87, 82-88.	1.3	165
22	A review of biological indicators of illicit drug use, practical considerations and clinical usefulness. Addiction, 1999, 94, 1279-1298.	3.3	154
23	Overdose training and takeâ€home naloxone for opiate users: prospective cohort study of impact on knowledge and attitudes and subsequent management of overdoses. Addiction, 2008, 103, 1648-1657.	3.3	152
24	Preventing opiate overdose fatalities with take-home naloxone: pre-launch study of possible impact and acceptability. Addiction, 1999, 94, 199-204.	3.3	147
25	Transitions in patterns of heroin administration: a study of heroin chasers and heroin injectors. Addiction, 1994, 89, 301-309.	3.3	146
26	Cocaine: Patterns of Use, Route of Administration, and Severity of Dependence. British Journal of Psychiatry, 1994, 164, 660-664.	2.8	139
27	Heroin overdose: the case for take-home naloxone. BMJ: British Medical Journal, 1996, 312, 1435-1436.	2.3	138
28	Development of Opioid Overdose Knowledge (OOKS) and Attitudes (OOAS) Scales for take-home naloxone training evaluation. Drug and Alcohol Dependence, 2013, 132, 383-386.	3.2	136
29	Selfâ€reported overdose among injecting drug users in London: extent and nature of the problem. Addiction, 1999, 94, 471-478.	3.3	131
30	Prescribing injectable and oral methadone to opiate addicts: results from the 1995 national postal survey of community pharmacies in England and Wales. BMJ: British Medical Journal, 1996, 313, 270-272.	2.3	129
31	The Differences between Male and Female Drug Users: Community Samples of Heroin and Cocaine Users Compared. Substance Use and Misuse, 1996, 31, 529-543.	1.4	126
32	Effects of methadone on cognition, mood and craving in detoxifying opiate addicts: a dose-response study. Psychopharmacology, 2001, 154, 153-160.	3.1	122
33	Fidelity to Motivational Interviewing and subsequent cannabis cessation among adolescents. Addictive Behaviors, 2011, 36, 749-754.	3.0	122
34	Impact of supervision of methadone consumption on deaths related to methadone overdose (1993-2008): analyses using OD4 index in England and Scotland. BMJ: British Medical Journal, 2010, 341, c4851-c4851.	2.3	114
35	Test-retest reliability of the Severity of Dependence Scale. Addiction, 1997, 92, 353-353.	3.3	114
36	Twenty years of take-home naloxone for the prevention of overdose deaths from heroin and other opioids—Conception and maturation. Drug and Alcohol Dependence, 2017, 178, 176-187.	3.2	111

#	Article	IF	CITATIONS
37	Heroin-assisted Treatment (HAT) a Decade Later: A Brief Update on Science and Politics. Journal of Urban Health, 2007, 84, 552-562.	3.6	107
38	Heroin smoking by †̃chasing the dragon': origins and history. Addiction, 1997, 92, 673-683.	3.3	105
39	Randomised double-blind comparison of lofexidine and methadone in the in-patient treatment of opiate withdrawal. Drug and Alcohol Dependence, 1996, 43, 87-91.	3.2	99
40	Does postâ€withdrawal cue exposure improve outcome in opiate addiction? A controlled trial. Addiction, 1993, 88, 1233-1245.	3.3	98
41	Deterioration over time in effect of Motivational Interviewing in reducing drug consumption and related risk among young people. Addiction, 2005, 100, 470-478.	3.3	98
42	Internet Addiction Increases in the General Population During COVIDâ€19: Evidence From China. American Journal on Addictions, 2021, 30, 389-397.	1.4	98
43	Diversion of prescribed drugs by drug users in treatment: analysis of the UK market and new data from London. Addiction, 2000, 95, 393-406.	3.3	96
44	DEVELOPMENT AND VALIDATION OF â€~SURE': A PATIENT REPORTED OUTCOME MEASURE (PROM) FOR RECOVERY FROM DRUG AND ALCOHOL DEPENDENCE. Drug and Alcohol Dependence, 2016, 165, 159-167.	3.2	94
45	Opiate Withdrawal Symptoms in Response to 10-Day and 21-Day Methadone Withdrawal Programmes. British Journal of Psychiatry, 1989, 154, 360-363.	2.8	93
46	Pharmacodynamics of diazepam co-administered with methadone or buprenorphine under high dose conditions in opioid dependent patients. Drug and Alcohol Dependence, 2007, 91, 187-194.	3.2	92
47	High risk of overdose death following release from prison: variations in mortality during a 15-year observation period. Addiction, 2017, 112, 1432-1439.	3.3	92
48	Double-blind randomised controlled trial of lofexidine versus clonidine in the treatment of heroin withdrawal. Drug and Alcohol Dependence, 1997, 48, 127-133.	3.2	89
49	"You're all going to hate the word â€~recovery' by the end of this― Service users' views of meas addiction recovery. Drugs: Education, Prevention and Policy, 2015, 22, 26-34.	uring 1.9	88
50	Role of community pharmacies in relation to HIV prevention and drug misuse: findings from the 1995 national survey in England and Wales. BMJ: British Medical Journal, 1996, 313, 272-274.	2.3	86
51	Randomized controlled trial of motivational interviewing compared with drug information and advice for early intervention among young cannabis users. Addiction, 2008, 103, 1809-1818.	3.3	84
52	Training family members to manage heroin overdose and administer naloxone: randomized trial of effects on knowledge and attitudes. Addiction, 2014, 109, 250-259.	3.3	84
53	IS ATTENDANCE AT ALCOHOLICS ANONYMOUS MEETINGS AFTER INPATIENT TREATMENT RELATED TO IMPROVED OUTCOMES? A 6-MONTH FOLLOW-UP STUDY. Alcohol and Alcoholism, 2003, 38, 421-426.	1.6	83
54	The impact of buprenorphine and methadone on mortality: a primary care cohort study in the United Kingdom. Addiction, 2018, 113, 1461-1476.	3.3	83

#	Article	IF	CITATIONS
55	Substance use among young people: the relationship between perceived functions and intentions. Addiction, 1999, 94, 1043-1050.	3.3	82
56	Does prescribing for opiate addiction change after national guidelines? Methadone and buprenorphine prescribing to opiate addicts by general practitioners and hospital doctors in England, 1995-2005. Addiction, 2007, 102, 761-770.	3.3	82
57	Mobile phone ownership, usage and readiness to use by patients in drug treatment. Drug and Alcohol Dependence, 2015, 146, 111-115.	3.2	81
58	Illicit drugs and driving: prevalence, beliefs and accident involvement among a cohort of current out-of-treatment drug users. Drug and Alcohol Dependence, 2000, 58, 197-204.	3.2	80
59	Chasing the Dragon: characteristics of heroin chasers. Addiction, 1988, 83, 1159-1162.	3.3	79
60	Route of drug use and its implications for drug effect, risk of dependence and health consequences. Drug and Alcohol Review, 1998, 17, 197-211.	2.1	78
61	The study of transitions in the route of drug use: the route from one route to another. Addiction, 1992, 87, 473-483.	3.3	77
62	Excessive drinking and other problem behaviours among 14–16 year old schoolchildren. Addictive Behaviors, 2006, 31, 1424-1435.	3.0	77
63	The Heroin Prescribing Debate: Integrating Science and Politics. Science, 1999, 284, 1277-1278.	12.6	76
64	Naloxone-does over-antagonism matter? Evidence of iatrogenic harm after emergency treatment of heroin/opioid overdose. Addiction, 2015, 110, 1644-1652.	3.3	76
65	Eating Too Little, Smoking and Drinking Too Much: Wider Lifestyle Problems Among Methadone Maintenance Patients. Addiction Research, 1998, 6, 489-498.	0.6	75
66	What Influences Young People's Use of Drugs? A qualitative study of decision-making. Drugs: Education, Prevention and Policy, 1999, 6, 373-387.	1.3	75
67	Longâ€ŧerm safety of a weekly and monthly subcutaneous buprenorphine depot (CAM2038) in the treatment of adult outâ€patients with opioid use disorder. Addiction, 2019, 114, 1416-1426.	3.3	75
68	Use of contingency management incentives to improve completion of hepatitis B vaccination in people undergoing treatment for heroin dependence: a cluster randomised trial. Lancet, The, 2014, 384, 153-163.	13.7	74
69	Smoking and its treatment in addiction services: Clients' and staff behaviour and attitudes. BMC Health Services Research, 2014, 14, 304.	2.2	74
70	Sexual behaviour and its relationship to drug-taking among prostitutes in south London. Addiction, 1994, 89, 961-970.	3.3	71
71	Assessing Client Satisfaction with Treatment for Substance Use Problems and the Development of the Treatment Perceptions Questionnaire (TPQ). Addiction Research, 2000, 8, 455-470.	0.6	71
72	Crime and Expenditure amongst Polydrug Misusers Seeking Treatment : The Connection between Prescribed Methadone and Crack Use, and Criminal Involvement. British Journal of Criminology, 2001, 41, 119-126.	2.1	70

#	Article	IF	CITATIONS
73	Heroin Chasers and Heroin Injectors: Differences Observed in a Community Sample in London, UK. American Journal on Addictions, 1999, 8, 148-160.	1.4	69
74	Assessment of a Concentrated, High-Profile Police Operation. No Discernible Impact on Drug Availability, Price or Purity. British Journal of Criminology, 2001, 41, 738-745.	2.1	69
75	Double trouble: Psychiatric comorbidity and opioid addiction—All-cause and cause-specific mortality. Drug and Alcohol Dependence, 2015, 148, 85-92.	3.2	69
76	ABUSE OF BUPRENORPHINE. Lancet, The, 1985, 326, 725.	13.7	68
77	Editorial: Challenges to Opioid Use Disorders During COVIDâ€19. American Journal on Addictions, 2020, 29, 174-175.	1.4	68
78	The effects of exposure to drug-related cues in detoxified opiate addicts: A theoretical review and some new data. Addictive Behaviors, 1990, 15, 339-354.	3.0	67
79	Take-Home Emergency Naloxone to Prevent Heroin Overdose Deaths after Prison Release: Rationale and Practicalities for the N-ALIVE Randomized Trial. Journal of Urban Health, 2013, 90, 983-996.	3.6	67
80	Take-Home Naloxone for the Emergency Interim Management of Opioid Overdose: The Public Health Application of an Emergency Medicine. Drugs, 2019, 79, 1395-1418.	10.9	67
81	UNPLANNED VERSUS PLANNED DISCHARGES FROM IN-PATIENT ALCOHOL DETOXIFICATION: RETROSPECTIVE ANALYSIS OF 470 FIRST-EPISODE ADMISSIONS. Alcohol and Alcoholism, 2002, 37, 277-281.	1.6	66
82	Cost-effectiveness of injectable opioid treatment <i>v</i> . oral methadone for chronic heroin addiction. British Journal of Psychiatry, 2013, 203, 341-349.	2.8	66
83	Pharmacokinetics of concentrated naloxone nasal spray for opioid overdose reversal: Phase I healthy volunteer study. Addiction, 2018, 113, 484-493.	3.3	65
84	Computerized Tomography and Neuropsychological Assessment in Long-term High-dose Heroin Addicts. Addiction, 1989, 84, 1011-1019.	3.3	64
85	Peer-initiated overdose resuscitation: fellow drug users could be mobilised to implement resuscitation. International Journal of Drug Policy, 2000, 11, 437-445.	3.3	63
86	Interactions on Mixing Diazepam With Methadone or Buprenorphine in Maintenance Patients. Journal of Clinical Psychopharmacology, 2006, 26, 274-283.	1.4	63
87	How should we measure addiction recovery? Analysis of service provider perspectives using online Delphi groups. Drugs: Education, Prevention and Policy, 2014, 21, 310-323.	1.3	63
88	Persistence of drug use during imprisonment: relationship of drug type, recency of use and severity of dependence to use of heroin, cocaine and amphetamine in prison. Addiction, 2006, 101, 1125-1132.	3.3	62
89	Prescription of benzodiazepines, z-drugs, and gabapentinoids and mortality risk in people receiving opioid agonist treatment: Observational study based on the UK Clinical Practice Research Datalink and Office for National Statistics death records. PLoS Medicine, 2019, 16, e1002965.	8.4	62
90	Preventing and curtailing injecting drug use: a review of opportunities for developing and delivering â€route transition interventions'. Drug and Alcohol Review, 1999, 18, 441-451.	2.1	60

#	Article	IF	CITATIONS
91	Does active referral by a doctor or 12-Step peer improve 12-Step meeting attendance? Results from a pilot randomised control trial. Drug and Alcohol Dependence, 2012, 126, 131-137.	3.2	60
92	Drinking and smoking as concurrent predictors of illicit drug use and positive drug attitudes in adolescents. Drug and Alcohol Dependence, 2000, 60, 319-321.	3.2	59
93	Survey of use of injected benzodiazepines among drug users in Britain. BMJ: British Medical Journal, 1994, 308, 1082-1082.	2.3	59
94	Female prostitutes in south London: Use of heroin, cocaine and alcohol, and their relationship to health risk behaviours. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 1995, 7, 253-260.	1.2	58
95	Low detection rates, negative attitudes and the failure to meet the "Health of the Nation―alcohol targets: findings from a national survey of GPs in England and Wales. Drug and Alcohol Review, 1998, 17, 249-258.	2.1	57
96	Accelerated lofexidine treatment regimen compared with conventional lofexidine and methadone treatment for in-patient opiate detoxification. Drug and Alcohol Dependence, 1998, 50, 227-232.	3.2	57
97	Methadone maintenance, QTc and torsade de pointes: Who needs an electrocardiogram and what is the prevalence of QTc prolongation?. Drug and Alcohol Review, 2011, 30, 388-396.	2.1	57
98	Randomized trial of supervised injectable versus oral methadone maintenance: report of feasibility and 6-month outcome. Addiction, 2000, 95, 1631-1645.	3.3	56
99	Randomized controlled pilot trial of naloxone-on-release to prevent post-prison opioid overdose deaths. Addiction, 2017, 112, 502-515.	3.3	56
100	Psychosocial interventions and opioid detoxification for drug misuse: summary of NICE guidance. BMJ: British Medical Journal, 2007, 335, 203-205.	2.3	54
101	Contingency Management interventions for non-prescribed drug use during treatment for opiate addiction: A systematic review and meta-analysis. Drug and Alcohol Dependence, 2017, 178, 318-339.	3.2	54
102	The prescribing of methadone and other opioids to addicts: national survey of GPs in England and Wales. British Journal of General Practice, 2005, 55, 444-51.	1.4	54
103	Severity of heroin dependence and HIV risk. II. Sharing injecting equipment. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 1993, 5, 159-168.	1.2	53
104	HIV prevention and drug treatment services for drug misusers: a national study of community pharmacists' attitudes and their involvement in service specific training. Addiction, 1997, 92, 1737-1748.	3.3	53
105	Can the practitioner correctly predict outcome in motivational interviewing?. Journal of Substance Abuse Treatment, 2004, 27, 83-88.	2.8	53
106	Drug and Alcohol Use and the Link with Homelessness: Results from a Survey of Homeless People in London. Addiction Research and Theory, 2003, 11, 245-256.	1.9	52
107	Cognitive impairment in dual diagnosis inpatients with schizophrenia and alcohol use disorder. Schizophrenia Research, 2009, 114, 98-104.	2.0	52
108	Understanding Heroin Overdose: A Study of the Acute Respiratory Depressant Effects of Injected Pharmaceutical Heroin. PLoS ONE, 2015, 10, e0140995.	2.5	52

#	Article	IF	CITATIONS
109	Effectiveness of treatment for opioid use disorder: A national, five-year, prospective, observational study in England. Drug and Alcohol Dependence, 2017, 176, 139-147.	3.2	52
110	Can opiate addicts tell us about their relapse risk? Subjective predictors of clinical prognosis. Addictive Behaviors, 1993, 18, 473-490.	3.0	51
111	Excessive alcohol consumption and drinking expectations among clients in methadone maintenance. Journal of Substance Abuse Treatment, 2001, 21, 155-160.	2.8	51
112	Major disruptions of sleep during treatment of the opiate withdrawal syndrome: differences between methadone and lofexidine detoxification treatments. Addiction Biology, 2003, 8, 49-57.	2.6	50
113	Changes in Neuropsychological Functioning during Alcohol Detoxification. European Addiction Research, 2008, 14, 226-233.	2.4	50
114	Global opioid agonist treatment: a review of clinical practices by country. Addiction, 2020, 115, 2243-2254.	3.3	50
115	Suicide and overdose among opiate addicts. Addiction, 1996, 91, 321-323.	3.3	50
116	Absinthe: what's your poison?. BMJ: British Medical Journal, 1999, 319, 1590-1592.	2.3	49
117	Randomized trial of nicotine replacement therapy ( <scp>NRT)</scp> , bupropion and <scp>NRT</scp> plus bupropion for smoking cessation: effectiveness in clinical practice. Addiction, 2013, 108, 2193-2201.	3.3	49
118	The Clinical Effectiveness of Electrostimulation vs Oral Methadone in Managing Opiate Withdrawal. British Journal of Psychiatry, 1984, 144, 203-208.	2.8	48
119	A Short Alcohol Withdrawal Scale (SAWS): development and psychometric properties. Addiction Biology, 2002, 7, 37-43.	2.6	48
120	Drug Policy and the Public Good. , 2018, , .		48
121	Persistence of heroin use despite methadone treatment: Poor coping selfâ€efficacy predicts continued heroin use. Drug and Alcohol Review, 2009, 28, 608-615.	2.1	47
122	The Application of the SODQ to the Measurement of the Severity of Opiate Dependence in a British Sample. Addiction, 1987, 82, 691-699.	3.3	45
123	Severity of heroin dependence and HIV risk. I. Sexual behaviour. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 1993, 5, 149-157.	1.2	45
124	Factors associated with the prescribing of buprenorphine or methadone for treatment of opiate dependence. Journal of Substance Abuse Treatment, 2009, 37, 95-100.	2.8	45
125	Neural Correlates of Setâ€Shifting in Children With Autism. Autism Research, 2015, 8, 386-397.	3.8	45
126	Onset of opportunity to use cannabis and progression from opportunity to dependence: Are influences consistent across transitions?. Drug and Alcohol Dependence, 2016, 160, 57-64.	3.2	45

#	Article	IF	CITATIONS
127	Self-detoxification by Opiate Addicts. British Journal of Psychiatry, 1991, 159, 208-212.	2.8	44
128	Improving the quality of the cannabis debate: defining the different domains. BMJ: British Medical Journal, 2000, 320, 108-110.	2.3	44
129	Ethnic and Gender Differences in Drinking and Smoking among London Adolescents. Ethnicity and Health, 2001, 6, 51-57.	2.5	44
130	Extent and nature of transitions of route among heroin addicts in treatment-preliminary data from the Drug Transitions Study. Addiction, 1992, 87, 485-491.	3.3	43
131	Cocaine in the UK-1991. British Journal of Psychiatry, 1993, 162, 1-13.	2.8	43
132	How constant is an individual's route of heroin administration?. Drug and Alcohol Dependence, 1997, 46, 115-118.	3.2	43
133	Lofexidine for Opiate Detoxification: Review of Recent Randomised and Open Controlled Trials. American Journal on Addictions, 1999, 8, 337-348.	1.4	43
134	Outpatient versus inpatient opioid detoxification: A randomized controlled trial. Journal of Substance Abuse Treatment, 2011, 40, 56-66.	2.8	43
135	Sex Differences in Patterns of Drug Taking Behaviour. British Journal of Psychiatry, 1994, 164, 101-104.	2.8	43
136	A Comparison of the Withdrawal Responses of Heroin and Methadone Addicts during Detoxification. British Journal of Psychiatry, 1991, 158, 697-699.	2.8	42
137	Benzodiazepinesin Polydrug-using Repertoires: the impact of the decreased availability of temazepam gel-filled capsules. Drugs: Education, Prevention and Policy, 1999, 6, 61-69.	1.3	42
138	Take-home naloxone to prevent fatalities from opiate-overdose: Protocol for Scotland's public health policy evaluation, and a new measure to assess impact. Drugs: Education, Prevention and Policy, 2015, 22, 66-76.	1.3	42
139	Comparison of linear versus inverse exponential methadone reduction curves in the detoxification of opiate addicts. Addictive Behaviors, 1990, 15, 541-547.	3.0	41
140	Heroin in the United Kingdom: different forms, different origins, and the relationship to different routes of administration. Drug and Alcohol Review, 1997, 16, 329-337.	2.1	41
141	Heroin overdose among a treatment sample of injecting drug misusers: accident or suicidal behaviour?. Journal of Substance Use, 1999, 4, 88-91.	0.7	41
142	Methodology for the Randomised Injecting Opioid Treatment Trial (RIOTT): evaluating injectable methadone and injectable heroin treatment versus optimised oral methadone treatment in the UK. Harm Reduction Journal, 2006, 3, 28.	3.2	41
143	Solving the problem of nonâ€attendance in substance abuse services. Drug and Alcohol Review, 2014, 33, 625-636.	2.1	41
144	Death matters: understanding heroin/opiate overdose risk and testing potential to prevent deaths. Addiction, 2015, 110, 27-35.	3.3	41

#	Article	IF	CITATIONS
145	Type of hospital setting and treatment outcome with heroin addicts. British Journal of Psychiatry, 1997, 171, 335-339.	2.8	40
146	Takeâ€home naloxone and the politics of care. Sociology of Health and Illness, 2019, 41, 427-443.	2.1	40
147	Opportunities and Obstacles for Effective Treatment of Drug Misusers in the Criminal Justice System in England and Wales. British Journal of Criminology, 2002, 42, 412-432.	2.1	39
148	THE EFFECTIVENESS OF MOTIVATIONAL INTERVIEWING DELIVERED BY YOUTH WORKERS IN REDUCING DRINKING, CIGARETTE AND CANNABIS SMOKING AMONG YOUNG PEOPLE: QUASI-EXPERIMENTAL PILOT STUDY. Alcohol and Alcoholism, 2005, 40, 535-539.	1.6	39
149	Rising opioid-related deaths in England and Scotland must be recognised as a public health crisis. Lancet Psychiatry,the, 2019, 6, 639-640.	7.4	39
150	Heroin smoking by 'chasing the dragon': origins and history. Addiction, 1997, 92, 673-684.	3.3	39
151	Use of nonâ€prescribed methadone and other illicit drugs during methadone maintenance treatment. Drug and Alcohol Review, 2000, 19, 9-16.	2.1	38
152	Development of a structured generic drug intervention model for public health purposes: a brief application of motivational interviewing with young people. Drug and Alcohol Review, 2003, 22, 391-399.	2.1	38
153	Measuring therapeutic attitude among drug workers. Addictive Behaviors, 2003, 28, 995-1005.	3.0	38
154	Take-home emergency naloxone to prevent deaths from heroin overdose. BMJ, The, 2014, 349, g6580-g6580.	6.0	38
155	Naloxone without the needle â^' systematic review of candidate routes for non-injectable naloxone for opioid overdose reversal. Drug and Alcohol Dependence, 2016, 163, 16-23.	3.2	38
156	Implants and depot injections for treating opioid dependence: Qualitative study of people who use or have used heroin. Drug and Alcohol Dependence, 2018, 189, 1-7.	3.2	38
157	How competent are people who use opioids at responding to overdoses? Qualitative analyses of actions and decisions taken during overdose emergencies. Addiction, 2019, 114, 708-718.	3.3	38
158	Factors Associated with Relapse Among Opiate Addicts in an Out-patient Detoxification Programme. British Journal of Psychiatry, 1992, 161, 654-657.	2.8	37
159	Alcohol Consumption, Early-Onset Drinking, and Health-Related Consequences in Adolescents Presenting at Emergency Departments in England. Journal of Adolescent Health, 2017, 60, 438-446.	2.5	37
160	Intravenous and other novel abuses of benzodiazepines: the opening of Pandora's box?. Addiction, 1992, 87, 1373-1375.	3.3	36
161	Functional magnetic resonance imaging of the acute effect of intravenous heroin administration on visual activation in long-term heroin addicts: results from a feasibility study. Drug and Alcohol Dependence, 1997, 49, 55-60.	3.2	36
162	Multiple drug use: patterns and practices of heroin and crack use in a population of opiate addicts in treatment. Drug and Alcohol Review, 2001, 20, 201-204.	2.1	36

#	Article	IF	CITATIONS
163	Prior Alcoholics Anonymous (AA) affiliation and the acceptability of the Twelve Steps to patients entering UK statutory addiction treatment Journal of Studies on Alcohol and Drugs, 2003, 64, 257-261.	2.3	36
164	Naltrexone and lofexidine combination treatment compared with conventional lofexidine treatment for in-patient opiate detoxification. Drug and Alcohol Dependence, 2000, 59, 183-188.	3.2	35
165	Emergency naloxone for heroin overdose. BMJ: British Medical Journal, 2006, 333, 614-615.	2.3	35
166	Clinical provision of improvised nasal naloxone without experimental testing and without regulatory approval: imaginative shortcut or dangerous bypass of essential safety procedures?. Addiction, 2016, 111, 574-582.	3.3	35
167	Opioid users' willingness to receive prolonged-release buprenorphine depot injections for opioid use disorder. Journal of Substance Abuse Treatment, 2019, 104, 64-71.	2.8	35
168	Missed problems and missed opportunities for addicted doctors. BMJ: British Medical Journal, 1998, 316, 405-406.	2.3	35
169	Relationship between Prescribing and Risk of Opiate Overdose among Drug Users in and out of Maintenance Treatment. European Addiction Research, 2004, 10, 35-40.	2.4	34
170	Cannabis use in adolescents: the impact of risk and protective factors and social functioning. Drug and Alcohol Review, 2005, 24, 483-488.	2.1	34
171	Family carers and the prevention of heroin overdose deaths: Unmet training need and overlooked intervention opportunity of resuscitation training and supply of naloxone. Drugs: Education, Prevention and Policy, 2008, 15, 211-218.	1.3	34
172	Alcohol Harm Reduction: Corporate Capture of a Key Concept. PLoS Medicine, 2014, 11, e1001767.	8.4	34
173	Methadone Treatment for Opiate Addiction: Benefits in the First Month. Addiction Research, 1997, 5, 71-76.	0.6	33
174	Heroin prescribing in the "British System―of the mid 1990s: data from the 1995 national survey of community pharmacies in England and Wales. Drug and Alcohol Review, 1997, 16, 7-16.	2.1	33
175	Are practice nurses an unexplored resource in the indentification and management of alcohol misuse? Results from a study of practice nurses in England and Wales in 1995. Journal of Advanced Nursing, 1998, 28, 592-597.	3.3	33
176	Accidental and deliberate overdose among opiate addicts in methadone maintenance treatment: are deliberate overdoses systematically different?. Drug and Alcohol Review, 2000, 19, 213-216.	2.1	33
177	Prolonged-release opioid agonist therapy: qualitative study exploring patients' views of 1-week, 1-month, and 6-month buprenorphine formulations. Harm Reduction Journal, 2019, 16, 25.	3.2	33
178	Mania Secondary to Procyclidine (â€~Kemadrin') Abuse. British Journal of Psychiatry, 1982, 141, 81-84.	2.8	32
179	Validation of techniques to detect illicit heroin use in patients prescribed pharmaceutical heroin for the management of opioid dependence. Addiction, 2005, 100, 1832-1839.	3.3	32
180	Crack and cocaine use in South London drug addicts: 1987-1989. Addiction, 1990, 85, 193-196.	3.3	31

#	ARTICLE	IF	CITATIONS
181	Community pharmacies and the provision of opioid substitution services for drug misusers: changes in activity and attitudes of community pharmacists across England 1995–2005. Addiction, 2007, 102, 1824-1830.	3.3	31
182	Comparisons of polydrug use at national and inner city levels in England: associations with demographic and socioeconomic factors. Annals of Epidemiology, 2013, 23, 636-645.	1.9	31
183	Do women with complex alcohol and other drug use histories want womenâ€only residential treatment?. Addiction, 2018, 113, 989-997.	3.3	31
184	Establishment of a liaison service for pregnant opiate-dependent women. Addiction, 1992, 87, 867-871.	3.3	30
185	DIFFERENT FORMS OF HEROIN AND THEIR RELATIONSHIP TO COOK-UP TECHNIQUES: DATA ON, AND EXPLANATION OF, USE OF LEMON JUICE AND OTHER ACIDS. Substance Use and Misuse, 2001, 36, 573-588.	1.4	30
186	The regulation of research by funding bodies: An emerging ethical issue for the alcohol and other drug sector?. International Journal of Drug Policy, 2006, 17, 12-16.	3.3	30
187	Variation between and within Drug Treatment Modalities: Data from the National Treatment Outcome Research Study (UK). European Addiction Research, 2000, 6, 106-114.	2.4	29
188	â€~Horse trading': prescribing injectable opiates to opiate addicts. A descriptive study. Drug and Alcohol Review, 1992, 11, 35-42.	2.1	28
189	Continuing drug risk behaviour: Shared use of injecting paraphernalia among London heroin injectors. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 1997, 9, 651-660.	1.2	28
190	Cannabis use in relation to illicit drug use and health problems among opiate misusers in treatment. Drug and Alcohol Review, 1999, 18, 31-38.	2.1	28
191	In-patient detoxification procedures, treatment retention, and post-treatment opiate use: Comparison of lofexidine+naloxone, lofexidine+placebo, and methadone. Drug and Alcohol Dependence, 2007, 88, 91-95.	3.2	28
192	Retrospective recall of heroin initiation and the impact on peer networks. Addiction Research and Theory, 2007, 15, 397-410.	1.9	28
193	Price, cost and value of opiate detoxification treatments. British Journal of Psychiatry, 2000, 177, 262-266.	2.8	27
194	Treatment of nicotine dependence with bupropion SR: review of its efficacy, safety and pharmacological profile. Addiction Biology, 2003, 8, 13-21.	2.6	27
195	Drugs and pregnancy—outcomes of women engaged with a specialist perinatal outreach addictions service. Drug and Alcohol Review, 2008, 27, 497-503.	2.1	27
196	Addiction stigma and the production of impediments to take-home naloxone uptake. Health (United) Tj ETQq0 (	0 0 <sub>1</sub> gBT /0	Overlock 10 Tf
197	Heroin Prescribing in the British System: Historical Review. European Addiction Research, 1996, 2, 185-193.	2.4	26

198	Pharmacy-based needle exchange (PBNX) schemes in South East England: a survey of service providers. Addiction, 2000, 95, 1551-1560.	3.3	26
-----	--	-----	----

#	Article	IF	CITATIONS
199	The effect of tobacco smoking on subjective symptoms of inadequacy ("not holdingâ€ <del>)</del> of methadone dose among opiate addicts in methadone maintenance treatment. Addiction Biology, 2001, 6, 137-145.	2.6	26
200	The relative impact of waiting time and treatment entry on drug and alcohol use. Addiction Biology, 2002, 7, 67-74.	2.6	26
201	Inpatient versus other settings for detoxification for opioid dependence. The Cochrane Library, 2005, , CD004580.	2.8	26
202	The Brazilian â€~Cracolândia' open drug scene and the challenge of implementing a comprehensive and effective drug policy. Addiction, 2016, 111, 571-573.	3.3	26
203	Opiate detoxification under anaesthesia. BMJ: British Medical Journal, 1997, 315, 1249-1250.	2.3	26
204	â€~The British System': past, present and future. International Review of Psychiatry, 1989, 1, 109-120.	2.8	25
205	Which drugs cause overdose among opiate misusers? Study of personal and witnessed overdoses. Drug and Alcohol Review, 1999, 18, 253-261.	2.1	25
206	Are the Twelve Steps More Acceptable to Drug Users than to Drinkers?. European Addiction Research, 2001, 7, 69-77.	2.4	25
207	What difference does training make? A randomized trial with waitingâ€list control of general practitioners seeking advanced training in drug misuse. Addiction, 2007, 102, 1637-1647.	3.3	25
208	Blending qualitative and quantitative research methods to optimize patient reported outcome measures (PROMs). Addiction, 2015, 110, 1215-1216.	3.3	25
209	Philosophical ruminations on measurement: methodological orientations of patient reported outcome measures (PROMS). Journal of Mental Health, 2015, 24, 123-125.	1.9	25
210	Qualitative exploration of relationships between peers in residential addiction treatment. Health and Social Care in the Community, 2018, 26, e39-e46.	1.6	25
211	Should opiate addicts be involved in controlling their own detoxification? A comparison of fixed versus negotiable schedules. Addiction, 1991, 86, 977-982.	3.3	24
212	Getting by with a little help from your friends. Addictive Behaviors, 2003, 28, 597-603.	3.0	24
213	Changes in route of drug administration among continuing heroin users: Outcomes 1 year after intake to treatment. Addictive Behaviors, 2004, 29, 1085-1094.	3.0	24
214	Substance misuse training among psychiatric doctors, psychiatric nurses, medical students and nursing students in a South London psychiatric teaching hospital. Drugs: Education, Prevention and Policy, 2005, 12, 327-336.	1.3	24
215	Screening for hepatitis B and vaccination of injecting drug users in NHS drug treatment services. Addiction, 1990, 85, 1657-1659.	3.3	23
216	Self-detoxification attempts among methadone maintenance patients. Addictive Behaviors, 2002, 27, 575-584.	3.0	23

#	Article	IF	CITATIONS
217	Drug use, health and social outcomes of hard-to-treat heroin addicts receiving supervised injectable opiate treatment: secondary outcomes from the Randomized Injectable Opioid Treatment Trial (RIOTT). Addiction, 2015, 110, 479-490.	3.3	23
218	Emerging consensus on measuring addiction recovery: Findings from a multi-stakeholder consultation exercise. Drugs: Education, Prevention and Policy, 2016, 23, 31-40.	1.3	23
219	Depot buprenorphine injections for opioid use disorder: Patient information needs and preferences. Drug and Alcohol Review, 2019, 38, 510-518.	2.1	23
220	The community drug team. Addiction, 1992, 87, 169-178.	3.3	22
221	Radioimmunoassay of drugs of abuse in hair Part 2: The determination of methadone in the hair of known drug users. Journal of Pharmaceutical and Biomedical Analysis, 1995, 13, 829-839.	2.8	22
222	Continued heroin use during methadone treatment: relationships between frequency of use and reasons reported for heroin use. Drug and Alcohol Dependence, 1999, 53, 191-195.	3.2	22
223	Identifying young people who drink too much: the clinical utility of the five-item Alcohol Use Disorders Identification Test (AUDIT). Drug and Alcohol Review, 2000, 20, 9-18.	2.1	22
224	Peer overdose resuscitation: multiple intervention strategies and time to response by drug users who witness overdose. Drug and Alcohol Review, 2002, 21, 269-274.	2.1	22
225	Cluster randomised trial of the effectiveness of Motivational Interviewing for universal prevention. Drug and Alcohol Dependence, 2010, 114, 177-84.	3.2	22
226	Impact of training for healthcare professionals on how to manage an opioid overdose with naloxone: Effective, but dissemination is challenging. International Journal of Drug Policy, 2011, 22, 9-15.	3.3	22
227	A prospective, randomized, multicenter acceptability and safety study of direct buprenorphine/naloxone induction in heroinâ€dependent individuals. Addiction, 2012, 107, 142-151.	3.3	22
228	Conflict and communication: managing the multiple affordances of take-home naloxone administration events in Australia. Addiction Research and Theory, 2020, 28, 29-37.	1.9	22
229	Effect of government recommendations on methadone prescribing in south east England: comparison of 1995Aand 1997Asurveys. BMJ: British Medical Journal, 1998, 317, 1489-1490.	2.3	21
230	Why Say No? Reasons Given by Young People for Not Using Drugs. Addiction Research, 1999, 7, 339-353.	0.6	21
231	Drug use functions predict cocaineâ€related problems in young people. Drug and Alcohol Review, 2000, 19, 181-190.	2.1	21
232	Methadone prescribing to opiate addicts by private doctors: comparison with NHS practice in south east England. Addiction, 2001, 96, 567-576.	3.3	21
233	The Fine Line between Harm Reduction and Harm Production – Development of a Clinical Policy on Femoral (Groin) Injecting. European Addiction Research, 2008, 14, 213-218.	2.4	21
234	Improving recruitment to pharmacological trials for illicit opioid use: findings from a qualitative focus group study. Addiction, 2018, 113, 1066-1076.	3.3	21

#	Article	IF	CITATIONS
235	Continuous opioid substitution treatment over five years: Heroin use trajectories and outcomes. Drug and Alcohol Dependence, 2018, 188, 200-208.	3.2	21
236	Association of Symptoms of Attention Deficit and Hyperactivity with Problematic Internet Use among University Students in Wuhan, China During the COVID-19 Pandemic. Journal of Affective Disorders, 2021, 286, 220-227.	4.1	21
237	Hair analysis for drugs of abuse. Lancet, The, 1990, 335, 740.	13.7	20
238	How do general practitioners manage alcohol-misusing patients? Results from a national survey of GPs in England and Wales. Drug and Alcohol Review, 1998, 17, 259-266.	2.1	20
239	Therapeutic Drug Monitoring for Methadone: Scanning the Horizon. European Addiction Research, 1999, 5, 36-42.	2.4	20
240	The global burden of drug use and mental disorders. Lancet, The, 2013, 382, 1540-1542.	13.7	20
241	Pharmacokinetics of concentrated naloxone nasal spray over first 30Âminutes post-dosing: analysis of suitability for opioid overdose reversal. Addiction, 2017, 112, 1647-1652.	3.3	20
242	A mapping review of take-home naloxone for people released from correctional settings. International Journal of Drug Policy, 2017, 46, 7-16.	3.3	20
243	Gambling in COVID-19 Lockdown in the UK: Depression, Stress, and Anxiety. Frontiers in Psychiatry, 2021, 12, 621497.	2.6	20
244	Measuring Met and Unmet Need of Drug Misusers: Integration of Quantitative and Qualitative Data. European Addiction Research, 2000, 6, 97-103.	2.4	19
245	The impact of naloxone/lofexidine combination treatment on the opiate withdrawal syndrome. Addiction Biology, 2001, 6, 147-156.	2.6	19
246	The Effectiveness of Combined Naloxone/Lofexidine in Opiate Detoxification: Results from a Doubleâ€blind Randomized and Placeboâ€controlled Trial. American Journal on Addictions, 2003, 12, 295-305.	1.4	19
247	Effect of national guidelines on prescription of methadone: analysis of NHS prescription data, England 1990-2001. BMJ: British Medical Journal, 2003, 327, 321-322.	2.3	19
248	Incidence and treatment costs of severe bacterial infections among people who inject heroin: A cohort study in South London, England. Drug and Alcohol Dependence, 2020, 212, 108057.	3.2	19
249	Heroinâ€induced respiratory depression and the influence of dose variation: withinâ€subject betweenâ€session changes following dose reduction. Addiction, 2020, 115, 1954-1959.	3.3	19
250	Pharmacological Treatment of Mood Disorders and Comorbid Addictions: A Systematic Review and Meta-Analysis: Traitement Pharmacologique des Troubles de L'humeur et des Dépendances Comorbides: Une Revue Systématique et une Méta-Analyse. Canadian Journal of Psychiatry, 2020, 65, 749-769.	1.9	19
251	Changing Injecting Practices: blunting the needle habit. Addiction, 1988, 83, 237-239.	3.3	18
252	Hair analysis for drugs: technological breakthrough or ethical quagmire?. Addiction, 1993, 88, 163-166.	3.3	18

#	Article	IF	CITATIONS
253	Prescribing amphetamines to drug misusers: data from the 1995 national survey of community pharmacies in England and Wales. Addiction, 1997, 92, 833-838.	3.3	18
254	Hair analysis. British Journal of Psychiatry, 1998, 173, 287-290.	2.8	18
255	Rapid opiate detoxification treatments. Drug and Alcohol Review, 1999, 18, 75-81.	2.1	18
256	Changes in cigarette smoking among alcohol and drug misusers during inpatient detoxification. Addiction Biology, 2000, 5, 443-450.	2.6	18
257	Safety and tolerability of as-needed nalmefene in the treatment of alcohol dependence: results from the Phase III clinical programme. Expert Opinion on Drug Safety, 2015, 14, 495-504.	2.4	18
258	Linked randomised controlled trials of face-to-face and electronic brief intervention methods to prevent alcohol related harm in young people aged 14–17 years presenting to Emergency Departments (SIPS junior). BMC Public Health, 2015, 15, 345.	2.9	18
259	Treatment and Intervention for Opiate Dependence in the United Kingdom: Lessons from Triumph and Failure. European Journal on Criminal Policy and Research, 2018, 24, 183-200.	1.9	18
260	Change in alcohol and other drug use during five years of continuous opioid substitution treatment. Drug and Alcohol Dependence, 2019, 194, 438-446.	3.2	18
261	Substance Use and Misuse in Childhood and Adolescence. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1991, 32, 109-128.	5.2	17
262	Poppy Tea Dependence. British Journal of Psychiatry, 1993, 163, 813-814.	2.8	17
263	Diversion tactics: how a sample of drug misusers in treatment obtained surplus drugs to sell on the illicit market. International Journal of Drug Policy, 1998, 9, 159-167.	3.3	17
264	Age of First Use and Ongoing Patterns of Legal and Illegal Drug Use in a Sample of Young Londoners. Substance Use and Misuse, 2005, 40, 313-319.	1.4	17
265	Alcohol: a missed opportunity. A survey of all accident and emergency departments in England. Emergency Medicine Journal, 2007, 24, 529-531.	1.0	17
266	Quantitative Data Analysis. , 0, , 163-183.		17
267	The Response of Out-Patient Opiate Addicts to the Provision of a Temporary Increase in their Prescribed Drugs. British Journal of Psychiatry, 1982, 141, 338-343.	2.8	16
268	Drug Use and Offending Behaviour Among Young People Excluded from School. Drugs: Education, Prevention and Policy, 1998, 5, 245-256.	1.3	16
269	Drug users' experiences of witnessing overdoses: what do they know and what do they need to know?. Drug and Alcohol Review, 2000, 19, 407-412.	2.1	16
270	Identifying young people who drink too much: the clinical utility of the five-item Alcohol Use Disorders Identification Test (AUDIT). Drug and Alcohol Review, 2001, 20, 9-18.	2.1	16

#	Article	IF	CITATIONS
271	Unmet Drug and Alcohol Service Needs of Homeless People in London: A Complex Issue. Substance Use and Misuse, 2003, 38, 377-393.	1.4	16
272	Feasibility and Acceptability of an Intranasal Diamorphine Spray as an Alternative to Injectable Diamorphine for Maintenance Treatment. European Addiction Research, 2006, 12, 91-95.	2.4	16
273	After the randomised injectable opiate treatment trial: Postâ€ŧrial investigation of slowâ€ŧelease oral morphine as an alternative opiate maintenance medication. Drug and Alcohol Review, 2012, 31, 492-498.	2.1	16
274	Qualitative evaluation of a novel contingency managementâ€related intervention for patients receiving supervised injectable opioid treatment. Addiction, 2016, 111, 665-674.	3.3	16
275	The relationship between initial route of heroin administration and speed of transition to daily heroin use. Drug and Alcohol Review, 2017, 36, 633-638.	2.1	16
276	Clinical and cost-effectiveness of contingency management for cannabis use in early psychosis: the CIRCLE randomised clinical trial. BMC Medicine, 2019, 17, 161.	5.5	16
277	A contingency management intervention to reduce cannabis use and time to relapse in early psychosis: the CIRCLE RCT. Health Technology Assessment, 2019, 23, 1-108.	2.8	16
278	Training primary health care workers about drugs: a national survey of UK trainers' perceptions towards training. Drug and Alcohol Review, 1996, 15, 343-355.	2.1	15
279	Treatment expectations and satisfaction of treatmentâ€refractory opioidâ€dependent patients in RIOTT, the <scp>R</scp> andomised <scp>I</scp> njectable <scp>O</scp> piate <scp>T</scp> reatment <scp>T</scp> rial, the <scp>UK</scp> 's first supervised injectable maintenance clinics. Drug and Alcohol Review. 2013. 32. 566-573.	2.1	15
280	The association between speed of transition from initiation to subsequent use of cannabis and later problematic cannabis use, abuse and dependence. Addiction, 2015, 110, 1311-1320.	3.3	15
281	Why we should conduct research in collaboration with people who use alcohol and other drugs. Addiction, 2017, 112, 2084-2085.	3.3	15
282	Memory-Focused Cognitive Therapy for Cocaine Use Disorder: Theory, Procedures and Preliminary Evidence From an External Pilot Randomised Controlled Trial. EBioMedicine, 2018, 29, 177-189.	6.1	15
283	Opioid overdose reversals using naloxone in New York City by people who use opioids: Implications for public health and overdose harm reduction approaches from a qualitative study. International Journal of Drug Policy, 2020, 79, 102751.	3.3	15
284	Heterosexual Vaginal and Anal Intercourse Amongst London Heroin and Cocaine Users. International Journal of STD and AIDS, 1994, 5, 133-136.	1.1	14
285	Client Perceptions of Inpatient Treatment: a qualitative account with implications for service delivery. Drugs: Education, Prevention and Policy, 1999, 6, 87-97.	1.3	14
286	Supervised fixing rooms, supervised injectable maintenance clinicsunderstanding the difference. BMJ: British Medical Journal, 2004, 328, 102-103.	2.3	14
287	Engaging the reluctant GP in care of the opiate misuser: Pilot study of change-orientated reflective listening (CORL). Family Practice, 2004, 21, 150-154.	1.9	14
288	Injecting drug use via femoral vein puncture: preliminary findings of a point-of-care ultrasound service for opioid-dependent groin injectors in treatment. Harm Reduction Journal, 2012, 9, 6.	3.2	14

#	Article	IF	CITATIONS
289	Pharmacological treatments for drug misuse and dependence. Expert Opinion on Pharmacotherapy, 2015, 16, 325-333.	1.8	14
290	Supervised Injectable Heroin: A Clinical Perspective. Canadian Journal of Psychiatry, 2017, 62, 451-456.	1.9	14
291	International patent applications for nonâ€injectable naloxone for opioid overdose reversal: Exploratory search and retrieve analysis of the PatentScope database. Drug and Alcohol Review, 2018, 37, 205-215.	2.1	14
292	Opportunistic screening for alcohol use problems in adolescents attending emergency departments: an evaluation of screening tools. Journal of Public Health, 2019, 41, e53-e60.	1.8	14
293	Notification of Addicts and the Medical Practitioner:. British Journal of Psychiatry, 1985, 147, 195-198.	2.8	13
294	HIV among south London heroin users in 1991. Lancet, The, 1992, 339, 1060-1061.	13.7	13
295	Test-retest reliability of the Severity of Dependence Scale. Addiction, 1997, 92, 353-353.	3.3	13
296	Cocaine in Britain: Prevalence, Problems, and Treatment Responses. Journal of Drug Issues, 1998, 28, 225-241.	1.2	13
297	AIDS and Drug Misuse in the UK-10 Years on: Achievements, failings and new harm reduction opportunities. Drugs: Education, Prevention and Policy, 1998, 5, 293-304.	1.3	13
298	From Salt Injection to Naloxone: Accuracy and Myths in Peer Resuscitation Methods for Opiate Overdose. Journal of Drug Issues, 2002, 32, 1103-1114.	1.2	13
299	'Rich Man's Speed': a qualitative study of young cocaine users. Drugs: Education, Prevention and Policy, 2002, 9, 195-210.	1.3	13
300	Does Anyone Care about Names? How Attendees at Substance Misuse Services Like to Be Addressed by Health Professionals. European Addiction Research, 2004, 10, 75-79.	2.4	13
301	Promoting recovery and preventing drug-related mortality: competing risks?. Journal of Public Health, 2011, 33, 332-334.	1.8	13
302	Amorphous Formulation and <i>in Vitro</i> Performance Testing of Instantly Disintegrating Buccal Tablets for the Emergency Delivery of Naloxone. Molecular Pharmaceutics, 2016, 13, 1688-1698.	4.6	13
303	Poor implementation of naloxone needs to be better understood in order to save lives. Addiction, 2017, 112, 911-912.	3.3	13
304	Multiple risks for HIV and hepatitis B infection among heroin users. Drug and Alcohol Review, 1994, 13, 293-300.	2.1	12
305	ls prison tattooing a risk behaviour for HIV and other viruses? Results from a national survey of prisoners in England and Wales. Criminal Behaviour and Mental Health, 2000, 10, 60-65.	0.8	12
306	Hepatitis B and C in alcohol-dependent patients admitted to a UK alcohol inpatient treatment unit. Addiction Biology, 2001, 6, 363-372.	2.6	12

#	Article	IF	CITATIONS
307	Patterns of drug use in a sample of 200 young drug users in London. Drugs: Education, Prevention and Policy, 2004, 11, 101-112.	1.3	12
308	The needle and the damage done: Clinical and behavioural markers of severe femoral vein damage among groin injectors. Drug and Alcohol Dependence, 2011, 119, 161-165.	3.2	12
309	Methods for delivering the UK's multiâ€centre prisonâ€based naloxoneâ€onâ€release pilot randomised trial (Nâ€ALIVE): Europe's largest prisonâ€based randomised controlled trial. Drug and Alcohol Review, 2018, 37, 487-498.	2.1	12
310	Toxicity: exploring and expanding the concept. Addiction, 2018, 113, 592-594.	3.3	12
311	Drunken detainees in police custody: is brief intervention by the forensic medical examiner feasible?. Criminal Behaviour and Mental Health, 1998, 8, 214-221.	0.8	11
312	Ethnicity and Drug Use: exploring the nature of particular relationships among diverse populations in the United Kingdom. Drugs: Education, Prevention and Policy, 2003, 10, 39-55.	1.3	11
313	ENCOURAGING GP ALCOHOL INTERVENTION: PILOT STUDY OF CHANGE-ORIENTATED REFLECTIVE LISTENING (CORL). Alcohol and Alcoholism, 2004, 39, 146-149.	1.6	11
314	Randomised Comparison of a Novel Buprenorphine Oral Lyophilisate versus Existing Buprenorphine Sublingual Tablets in Opioid-Dependent Patients: A First-in-Patient Phase II Randomised Open Label Safety Study. European Addiction Research, 2017, 23, 61-70.	2.4	11
315	Overlap of heritable influences between cannabis use disorder, frequency of use and opportunity to use cannabis: trivariate twin modelling and implications for genetic design. Psychological Medicine, 2018, 48, 2786-2793.	4.5	11
316	Assessment of an Urgent Admission Procedure to an In-Patient Drug Dependence Unit. Addiction, 1982, 77, 311-318.	3.3	10
317	Social and drug-taking behaviour of 'maintained' opiate addicts. Addiction, 1990, 85, 771-774.	3.3	10
318	Heterosexual anal intercourse, health risks and drug use: a review with special attention to drug users. Drug and Alcohol Review, 1995, 14, 223-229.	2.1	10
319	Heroin is More Than Just Diamorphine. Addiction Research, 1997, 5, iii-vii.	0.6	10
320	Time of day of methadone consumption and illicit heroin use. Drug and Alcohol Dependence, 1997, 49, 49-54.	3.2	10
321	Pathways to Abstinence: Two-Year Follow-Up Data on 60 Abstinent Former Opiate Addicts Who Had Been Turned Away from Treatment. European Addiction Research, 2000, 6, 141-147.	2.4	10
322	Drugs, alcohol and pregnant women—changing characteristics of women engaging with a specialist perinatal outreach addictions service. Drug and Alcohol Review, 2008, 27, 490-496.	2.1	10
323	Hepatitis B vaccination in prisons: a muchâ€needed targeted universal intervention. Addiction, 2010, 105, 189-190.	3.3	10
324	Should we worry that takeâ€home naloxone availability may increase opioid use?. Addiction, 2019, 114, 1723-1725.	3.3	10

#	Article	IF	CITATIONS
325	Factors associated with withdrawal symptoms and anger among people resuscitated from an opioid overdose by take-home naloxone: Exploratory mixed methods analysis. Journal of Substance Abuse Treatment, 2020, 117, 108099.	2.8	10
326	Patient views of opioid pharmacotherapy biodelivery systems: Qualitative study to assist treatment decision making Experimental and Clinical Psychopharmacology, 2018, 26, 570-581.	1.8	10
327	Opioid Substitution: Critical Issues and Future Directions. Journal of Drug Issues, 1998, 28, 243-263.	1.2	10
328	Illicit Drug Dependence. , 2016, , 109-125.		10
329	Psychotherapy by nurses ? some special characteristics. Journal of Advanced Nursing, 1982, 7, 167-171.	3.3	9
330	Compressed opiate withdrawal syndrome and naltrexone. Journal of Psychopharmacology, 1995, 9, 383-385.	4.0	9
331	The role of the community pharmacist in drug abuse: a comparison of service provision between Northern Ireland and England/Wales. International Journal of Clinical Pharmacy, 2001, 23, 13-16.	1.4	9
332	Risk of overdose: do those who witness most overdoses also experience most overdoses?. Journal of Substance Use, 2002, 7, 136-140.	0.7	9
333	Adolescent psychological health problems and delinquency among volatile substance users in a school sample in South London. Drugs: Education, Prevention and Policy, 2004, 11, 473-482.	1.3	9
334	The reliability of drug use data collected in the classroom: what is the problem, why does it matter and how should it be approached?. Drug and Alcohol Review, 2006, 25, 413-418.	2.1	9
335	Spice and all things nasty: the challenge of synthetic cannabinoids. BMJ, The, 2016, 355, i5639.	6.0	9
336	Identifying mortality risks in patients with opioid use disorder using brief screening assessment: Secondary mental health clinical records analysis. Drug and Alcohol Dependence, 2016, 164, 82-88.	3.2	9
337	Randomised controlled trial of the short-term effects of OROS-methylphenidate on ADHD symptoms and behavioural outcomes in young male prisoners with attention-deficit/hyperactivity disorder (CIAO-II). Trials, 2019, 20, 663.	1.6	9
338	Norbuprenorphine and respiratory depression: Exploratory analyses with new lyophilized buprenorphine and sublingual buprenorphine. International Journal of Clinical Pharmacology and Therapeutics, 2018, 56, 81-85.	0.6	9
339	Patients' preferences and randomised trials. Lancet, The, 1994, 344, 688-689.	13.7	8
340	Have Drug Workers in England Received Appropriate Training?: 1995 baseline data from a national survey. Drugs: Education, Prevention and Policy, 1997, 4, 297-304.	1.3	8
341	Multiple drug use: patterns and practices of heroin and crack use in a population of opiate addicts in treatment. Drug and Alcohol Review, 2001, 20, 201-204.	2.1	8
342	Looking beyond death: paying attention to other important consequences of heroin overdose. Addiction, 2002, 97, 927-928.	3.3	8

#	Article	IF	CITATIONS
343	From the deal to the needle: Drug purchasing and preparation among heroin users in drug treatment in South London. Addiction Research and Theory, 2004, 12, 539-548.	1.9	8
344	Late responders and non-responders to a postal survey questionnaire: analysis of potential further response and non-response bias. International Journal of Pharmacy Practice, 2011, 6, 170-175.	0.6	8
345	An economic evaluation of contingency management for completion of hepatitis B vaccination in those on treatment for opiate dependence. Addiction, 2016, 111, 1616-1627.	3.3	8
346	Paying participants in addiction research: Is cash king?. Journal of Substance Use, 2017, 22, 531-533.	0.7	8
347	Memory-focused cognitive therapy for cocaine use disorder: Rationale, design and protocol for an external pilot randomised controlled trial. Contemporary Clinical Trials Communications, 2017, 8, 264-273.	1.1	8
348	Contingency management for tobacco smoking during opioid addiction treatment: a randomised pilot study. BMJ Open, 2017, 7, e017467.	1.9	8
349	Development and early validation of a patient-reported outcome measure to assess sleep amongst people experiencing problems with alcohol or other drugs. Sleep, 2018, 41, .	1.1	8
350	Substance use, sleep and intervention design: insights from qualitative data. Journal of Mental Health, 2019, 28, 482-489.	1.9	8
351	Policy on drug misuse in Europe. BMJ: British Medical Journal, 1994, 308, 609-610.	2.3	8
352	Specific laboratory investigations for assessments and management of drug problems. Advances in Psychiatric Treatment, 1999, 5, 180-191.	0.5	8
353	Cannabis use and the GP: brief motivational intervention increases clinical enquiry by GPs in a pilot study. British Journal of General Practice, 2003, 53, 637-9.	1.4	8
354	Conducting rapid qualitative research amongst people with experience of rough sleeping in London during the COVID-19 pandemic. Research Methods in Medicine & Health Sciences, 2021, 2, 124-139.	1.2	8
355	Responding flexibly but not gullibly to drug addiction BMJ: British Medical Journal, 1987, 295, 1364-1364.	2.3	7
356	What is AIDS doing to the drug research agenda?. Addiction, 1992, 87, 343-346.	3.3	7
357	Sexual and injecting behaviours in prisons: from disciplinary problem to public health conundrum. Criminal Behaviour and Mental Health, 1993, 3, 393-402.	0.8	7
358	Opiates: are there under-utilized and unexplored areas of prevention?. Addiction, 1994, 89, 1511-1516.	3.3	7
359	Reliability and validity of self-report: on the importance of considering context. Drug and Alcohol Dependence, 1998, 51, 269.	3.2	7
360	Who uses services for homeless people? An investigation amongst people sleeping rough in London. Journal of Community and Applied Social Psychology, 2002, 12, 71-75.	2.4	7

#	Article	IF	CITATIONS
361	Patterns of alcohol consumption and problems among the Irish in London: A preliminary comparison of pub drinkers in London and Dublin. Addiction Research and Theory, 2004, 12, 373-384.	1.9	7
362	Heroin overdose resuscitation with naloxone: patient uses own prescribed supply to save the life of a peer. BMJ Case Reports, 2015, 2015, bcr2015210391.	0.5	7
363	A randomised controlled trial of the clinical and cost-effectiveness of a contingency management intervention compared to treatment as usual for reduction of cannabis use and of relapse in early psychosis (CIRCLE): a study protocol for a randomised controlled trial. Trials, 2016, 17, 515.	1.6	7
364	<i>Drug Policy and the Public Good</i> : a summary of the second edition. Addiction, 2019, 114, 1941-1950.	3.3	7
365	Factors influencing recruitment to a randomised placebo-controlled trial of oral naltrexone and extended release implant naltrexone: Qualitative study. Journal of Substance Abuse Treatment, 2019, 99, 52-60.	2.8	7
366	Gambling and COVID-19: Initial Findings from a UK Sample. International Journal of Mental Health and Addiction, 2021, , 1-12.	7.4	7
367	We should push for evidence based sentencing in criminal justice. BMJ: British Medical Journal, 2011, 342, d612-d612.	2.3	7
368	Screening and brief interventions for adolescent alcohol use disorders presenting through emergency departments: a research programme including two RCTs. Programme Grants for Applied Research, 2020, 8, 1-144.	1.0	7
369	Cue exposure as an assessment technique in the management of a heroin addict: case report. Drug and Alcohol Dependence, 1989, 24, 161-167.	3.2	6
370	A Ratio Estimation Method for Determining the Prevalence of Cocaine Use. British Journal of Psychiatry, 1994, 164, 676-679.	2.8	6
371	Methadone maintenance clients and the acceptability of supervised consumption of methadone. Journal of Substance Use, 1999, 4, 92-97.	0.7	6
372	Increasing practice nurse access to alcohol training. Drug and Alcohol Review, 2002, 21, 281-286.	2.1	6
373	Are cannabis users exposed to other drug use opportunities? Investigation of high-risk drug exposure opportunities among young cannabis users in London. Drug and Alcohol Review, 2005, 24, 185-191.	2.1	6
374	Can it really be this black and white? An analysis of the relative importance of ethnic group and other sociodemographic factors to patterns of drug use and related risk among young Londoners. Drugs: Education, Prevention and Policy, 2005, 12, 149-159.	1.3	6
375	Dying for heroin: the increasing opioid-related mortality in the Republic of Ireland, 1980–1999. European Journal of Public Health, 2005, 15, 589-592.	0.3	6
376	Cessation of groin injecting behaviour among patients on oral opioid substitution treatment. Addiction, 2011, 106, 376-382.	3.3	6
377	Phenotypic heterogeneity in study populations may significantly confound the results of genetic association studies on alcohol dependence. Psychiatric Genetics, 2015, 25, 234-240.	1.1	6
378	Excess overdose mortality immediately following transfer of patients and their care as well as after cessation of opioid substitution therapy. Addiction, 2018, 113, 946-951.	3.3	6

#	Article	IF	CITATIONS
379	Modifying and Evaluating the Opioid Overdose Knowledge Scale for Prescription Opioids: A Pilot Study of the Rx-OOKS. Pain Medicine, 2020, 21, 2244-2252.	1.9	6
380	Treatment of heroin users. BMJ: British Medical Journal, 1994, 308, 718-719.	2.3	6
381	Could COVID expand the future of addiction research? Longâ€ŧerm implications in the pandemic era. Addiction, 2022, , .	3.3	6
382	Take-Home Naloxone and the Prevention of Deaths from Heroin Overdose: Pursuing Strong Science, Fuller Understanding, Greater Impact. European Addiction Research, 2022, 28, 161-175.	2.4	6
383	Randomised controlled trial of the short-term effects of osmotic-release oral system methylphenidate on symptoms and behavioural outcomes in young male prisoners with attention deficit hyperactivity disorder: CIAO-II study. British Journal of Psychiatry, 2023, 222, 7-17.	2.8	6
384	Different Gender and Age Characteristics of the UK Heroin Epidemic of the 1990s Compared with the 1980s. European Addiction Research, 1997, 3, 43-48.	2.4	5
385	Turned Away from Treatment: Maintenance-Seeking Opiate Addicts at Two-Year Follow-Up. Addiction Research, 1998, 6, 71-81.	0.6	5
386	Alternative ways of using and abusing drugs and complicity of doctors. British Journal of Hospital Medicine, 1999, 60, 165-168.	0.2	5
387	Understanding the Developmental Relationship Between Drug Use and Crime: Are Drug Users the Best People to Ask?. Addiction Research and Theory, 2001, 9, 151-164.	1.9	5
388	The relative influence of friends and functions: modelling frequency of substance use in a nonâ€treatment sample of 16â€22 year olds. Health Education, 2002, 102, 280-288.	0.9	5
389	Sentenced to Treatment: Early Experience of Drug Treatment and Testing Orders in England. European Addiction Research, 2003, 9, 131-137.	2.4	5
390	The risk of drug swallowing at the point of arrest: An analysis of 24 cocaine-related deaths following police care or custody in England and Wales. Policing and Society, 2004, 14, 380-391.	2.5	5
391	Substance misuse. , 2007, , 242-254.		5
392	Follow-up of Provision of Inpatient Treatment for UK Healthcare Professionals with Alcohol Dependence: Snapshot of a Pilot Specialist National Health Service. Substance Use and Misuse, 2009, 44, 1916-1925.	1.4	5
393	Value for money in reducing opioid-related deaths. Lancet Public Health, The, 2017, 2, e124-e125.	10.0	5
394	Development of a proto-typology of opiate overdose onset. Addiction, 2017, 112, 168-175.	3.3	5
395	Qualitative study of welcome houses: a recent initiative designed to improve retention in therapeutic communities. Addiction Research and Theory, 2017, 25, 168-175.	1.9	5
396	Challenges in delivering personalised support to people with multiple and complex needs: qualitative study. Journal of Interprofessional Care, 2019, 33, 734-743.	1.7	5

#	Article	IF	CITATIONS
397	Open letter from UK based academic scientists to the secretaries of state for digital, culture, media and sport and for health and social care regarding the need for independent funding for the prevention and treatment of gambling harms. BMJ, The, 2020, 370, m2613.	6.0	5
398	A qualitative study of repeat naloxone administrations during opioid overdose intervention by people who use opioids in New York City International Journal of Drug Policy, 2021, 87, 102968.	3.3	5
399	Abuseâ€deterrent extendedâ€release oxycodone and risk of opioidâ€related harm. Addiction, 2021, 116, 2409-2415.	3.3	5
400	Using a pragmatically adapted, low-cost contingency management intervention to promote heroin abstinence in individuals undergoing treatment for heroin use disorder in UK drug services (PRAISE): a cluster randomised trial. BMJ Open, 2021, 11, e046371.	1.9	5
401	Brief interventions to prevent excessive alcohol use in adolescents at low-risk presenting to Emergency Departments: Three-arm, randomised trial of effectiveness and cost-effectiveness. International Journal of Drug Policy, 2021, 93, 103113.	3.3	5
402	Rethinking â€~carriage' of take-home naloxone. International Journal of Drug Policy, 2021, 95, 103253.	3.3	5
403	Sampling Strategies for Addiction Research. , 0, , 27-42.		5
404	A randomized clinical trial of the effects of brief versus extended opioid overdose education on naloxone utilization outcomes by individuals with opioid use disorder. Drug and Alcohol Dependence, 2022, 237, 109505.	3.2	5
405	Lessons from an English Opium Eater: Thomas De Quincey Reconsidered. Substance Use and Misuse, 1990, 25, 1455-1465.	0.6	4
406	The Fifth Thomas James Okey Memorial Lecture: Research and practice: the necessary symbiosis. Addiction, 1992, 87, 967-986.	3.3	4
407	Drug transitions: uncoupling drug and route. Addiction, 1999, 94, 1787-1788.	3.3	4
408	Evaluation of a Service to Strengthen Primary Care Responses to Substance-misusing Patients: welcomed, but little impact. Drugs: Education, Prevention and Policy, 2002, 9, 21-33.	1.3	4
409	Heroin and Methadone Prescriptions From a London Drug Clinic Over the First 15 Years of Operation (1968–1983): Old Records Examined. Substance Use and Misuse, 2006, 41, 1227-1238.	1.4	4
410	Commentary: Decline in methadone-related deaths probably relates to increased supervision of methadone in UK. International Journal of Epidemiology, 2006, 35, 1586-1587.	1.9	4
411	The community impact of RIOTT, a medically supervised injectable maintenance clinic in south London. Mental Health and Substance Use: Dual Diagnosis, 2010, 3, 248-259.	0.5	4
412	Alcohol problems need more attention in patients receiving long-term opioid substitution therapy. Lancet Psychiatry,the, 2017, 4, 265-266.	7.4	4
413	The acceptability and feasibility of a brief psychosocial intervention to reduce blood-borne virus risk behaviours among people who inject drugs: a randomised control feasibility trial of a psychosocial intervention (the PROTECT study) versus treatment as usual. Harm Reduction Journal, 2017, 14, 14.	3.2	4
414	Adolescent perspectives about their participation in alcohol intervention research in emergency care: A qualitative exploration using ethical principles as an analytical framework. PLoS ONE, 2019, 14, e0217855.	2.5	4

#	Article	IF	CITATIONS
415	Factors associated with crack-cocaine early initiation: a Brazilian multicenter study. BMC Public Health, 2021, 21, 781.	2.9	4
416	The hospital admission profile of people presenting to specialist addiction services with problematic use of alcohol or opioids: A national retrospective cohort study in England. Lancet Regional Health - Europe, The, 2021, 3, 100036.	5.6	4
417	DRUG USERS AND URINE TESTING. Lancet, The, 1983, 322, 400-401.	13.7	3
418	Breaking Out of Procrustes' Bed—Services for Problem Drug Takers. Bulletin of the Royal College of Psychiatrists, 1985, 9, 150-152.	0.0	3
419	INTRAPROFESSIONAL COMPETITIVE PRESCRIBING FOR THE DRUG ADDICT. Lancet, The, 1987, 330, 1401.	13.7	3
420	DRUG ABUSE STRATEGIES. Lancet, The, 1988, 331, 187.	13.7	3
421	Obstetric liaison. British Journal of Psychiatry, 1989, 155, 264-265.	2.8	3
422	The lure of masterstrokes: drug legalization. Addiction, 1990, 85, 5-7.	3.3	3
423	Pharmaceutical heroin and 'chasing the dragon' From Malcolm Battersby, Michael Farrell & John Strong. Addiction, 1990, 85, 151-151.	3.3	3
424	Training Primary Health Care Staff about Alcohol: A study of alcohol trainers in the UK. Drugs: Education, Prevention and Policy, 1997, 4, 173-186.	1.3	3
425	The Effectiveness of Combined Naloxone/Lofexidine in Opiate Detoxification: Results from a Double-blind Randomized and Placebo-controlled Trial. American Journal on Addictions, 2003, 12, 295-305.	1.4	3
426	Drug problem – What problems? Concurrent predictors of selected types of drug problems in a london community sample of young people who use drugs. Addiction Research and Theory, 2004, 12, 55-66.	1.9	3
427	They Do Things Differently over There: Doctors, Drugs, and the "British System―of Treating Opiate Addiction. Journal of Drug Issues, 2005, 35, 779-797.	1.2	3
428	"Let's Talk About Drugs― Health Education, 2007, 107, 276-289.	0.9	3
429	The virtual disappearance of injectable opioids for heroin addiction under the †British System'. Drugs: Education, Prevention and Policy, 2010, 17, 496-506.	1.3	3
430	National and local guidance on services for drug misusers: do they influence current practice?— results of a survey of community pharmacists in South East England. International Journal of Pharmacy Practice, 2011, 7, 100-106.	0.6	3
431	Evaluation of Femoral Ultrasonography as a Tool for Promoting Cessation of Groin-Injecting Behaviour. European Addiction Research, 2015, 21, 204-210.	2.4	3
432	External data required timely response by the Trial Steering-Data Monitoring Committee for the NALoxone InVEstigation (N-ALIVE) pilot trial. Contemporary Clinical Trials Communications, 2017, 5, 100-106.	1.1	3

#	Article	IF	CITATIONS
433	Does craving for cocaine mediate cocaine use? Analysis of a randomized controlled pilot trial of memory-focused cognitive therapy. Journal of Experimental Psychopathology, 2019, 10, 204380871986071.	0.8	3
434	A study protocol to assess the feasibility of conducting an evaluation trial of the ADVANCE integrated intervention to address both substance use and intimate partner abuse perpetration to men in substance use treatment. Pilot and Feasibility Studies, 2020, 6, 62.	1.2	3
435	Courses of Drug Use: The Concepts of Career and Natural History. , 1990, , 80-97.		3
436	Drug users in prison. BMJ: British Medical Journal, 1994, 309, 271-272.	2.3	3
437	Mistake in report: hepatitis B vaccination for drug misusers is recommended. BMJ: British Medical Journal, 1997, 315, 61-61.	2.3	3
438	Potential collaborators saw various problems with study of detoxification under anaesthesia. BMJ: British Medical Journal, 1999, 318, 264-264.	2.3	3
439	The impact of opiate substitution treatment on mortality risk in drug addicts: a natural experiment study. Health Services and Delivery Research, 2019, 7, 1-92.	1.4	3
440	Preventing blood-borne virus infection in people who inject drugs in the UK: systematic review, stakeholder interviews, psychosocial intervention development and feasibility randomised controlled trial. Health Technology Assessment, 2017, 21, 1-312.	2.8	3
441	Extended-release naltrexone versus standard oral naltrexone versus placebo for opioid use disorder: the NEAT three-arm RCT. Health Technology Assessment, 2019, 23, 1-72.	2.8	3
442	CONFIDENTIALITY AND THE DRUG ADDICT. Lancet, The, 1984, 323, 682.	13.7	2
443	The Drug Dependence Clinical Research and Treatment Unit, The Maudsley and Bethlem Royal Hospitals. Addiction, 1988, 83, 1387-1394.	3.3	2
444	DRUG USERS, AIDS, AND THE GOVERNMENT RESPONSE. Lancet, The, 1988, 332, 41.	13.7	2
445	The Drug Advisory Service of England and Wales-the first 2 years. Addiction, 1990, 85, 1335-1343.	3.3	2
446	Confusion between the drug legalization and the drug prescribing debate. Drug and Alcohol Review, 1990, 9, 364-368.	2.1	2
447	Chasing the elusive dragon: the need for better definition. Addiction, 1997, 92, 692-695.	3.3	2
448	Alcohol and drug policy: why the clinician is important to public policy. Psychiatry (Abingdon,) Tj ETQq0 0 0 rgBT	Overlock	₹ 10 Tf 50 142
449	Groin injecting in injectable opioid treatment service users in South London. Addiction Research and Theory, 2009, 17, 381-389.	1.9	2

Treating Opioid Dependence with Opioids. , 2012, , 57-74.

2

#	Article	IF	CITATIONS
451	What would an evidence based drug policy be like?. BMJ, The, 2014, 349, g7493-g7493.	6.0	2
452	New approved nasal naloxone welcome, but unlicensed improvised naloxone spray kits remain a concern: proper scientific study must accompany innovation. Addiction, 2016, 111, 590-592.	3.3	2
453	Telephone delivered incentives for encouraging adherence to supervised methadone consumption (TIES): Study protocol for a feasibility study for an RCT of clinical and cost effectiveness. Contemporary Clinical Trials Communications, 2020, 17, 100506.	1.1	2
454	Contingency management for tobacco smoking during opioid addiction treatment: Implementation challenges. Drug and Alcohol Review, 2021, 40, 658-661.	2.1	2
455	Emotional Reactions of Trained Overdose Responders who use Opioids following Intervention in an Overdose Event. Substance Abuse, 2022, 43, 581-591.	2.3	2
456	Surveys and Questionnaire Design. , 0, , 95-107.		2
457	Methadone maintenance treatment. BMJ: British Medical Journal, 1995, 310, 1408-1408.	2.3	2
458	Effectiveness and costâ€effectiveness of faceâ€ŧoâ€face and electronic brief interventions versus screening alone to reduce alcohol consumption among highâ€risk adolescents presenting to Emergency Departments: threeâ€arm pragmatic randomised trial (SIPS Junior High Risk Trial). Addiction, 2022, , .	3.3	2
459	The Bethlem Study on NET: putting the record straight. Addiction, 1989, 84, 818-819.	3.3	1
460	HIV and AIDS: a clinician's response. Addiction, 1990, 85, 344-348.	3.3	1
461	Pharmacotherapy in the treatment of drug dependence: options to strengthen effectiveness. Advances in Psychiatric Treatment, 1999, 5, 427-434.	0.5	1
462	Alternative ways of using drugs. Practice Nursing, 2000, 11, 12-14.	0.1	1
463	Factors surrounding long-term benzodiazepine prescribing in methadone maintenance clients. Journal of Substance Use, 2002, 7, 175-179.	0.7	1
464	Identifying Alcohol Problems Among Methadone Maintenance Patients. Journal of Maintenance in the Addictions, 2002, 2, 87-101.	0.1	1
465	Positive or negative history of childhood sexual abuse among problem drinkers: relationship to substance use disorders and psychiatric co-morbidity. Journal of Substance Use, 2002, 7, 34-40.	0.7	1
466	Investigating the effect on public behaviour of patients of a Medically Supervised Injectable Maintenance Clinic. Drugs and Alcohol Today, 2011, 11, 204-209.	0.7	1
467	Authors' reply. British Journal of Psychiatry, 2014, 204, 241-242.	2.8	1
468	Building the connections between science, practice and policy: Griffith Edwards and the UK National Addiction Centre. Addiction, 2015, 110, 1-3.	3.3	1

#	Article	IF	CITATIONS
469	Drug-related mortality in psychiatric patients. Lancet Psychiatry,the, 2015, 2, 767-769.	7.4	1
470	What matters is more than just the choice of pharmaceutical agent. Addiction, 2016, 111, 779-781.	3.3	1
471	Untreated help seekers in addiction services: an opportunity to reach under-served groups in research. Lancet Psychiatry,the, 2020, 7, 116-117.	7.4	1
472	HIV prevention and drug treatment services for drug misusers: a national study of community pharmacists' attitudes and their involvement in service specific training. Addiction, 1997, 92, 1737-1748.	3.3	1
473	Assessing alcoholintoxicated patients. Psychiatric Bulletin, 2002, 26, 468-468.	0.3	1
474	Hazardous drinking and the NHS: the costs of pessimism and the benefits of optimism. British Journal of General Practice, 2006, 56, 247-8.	1.4	1
475	Service Users' Views and Experiences of Alcohol Relapse Prevention Treatment and Adherence: New Role for Pharmacists?. Alcohol and Alcoholism, 2022, 57, 602-608.	1.6	1
476	OROS-methylphenidate to reduce ADHD symptoms in male prisoners aged 16–25 years: a RCT. Efficacy and Mechanism Evaluation, 2022, 9, 1-114.	0.7	1
477	Drug abuse: a new problem. BMJ: British Medical Journal, 1987, 295, 852-852.	2.3	0
478	URINE TESTING AND DRUG ABUSE. Lancet, The, 1987, 329, 1146.	13.7	0
479	Helping the Problem Drinker: New Initiatives in Community CareTim Stockwell and Sue Clement (Eds.), Beckenham, Kent: Croom Helm, 1987, pp. 298, £22.50 hardback Behavioural Psychotherapy, 1988, 16, 147-148.	0.5	0
480	Cocaine: New Directions in Treatment and Research. Edited by H. I. Spitz and J. S. Rosencan. (Pp. 338;) Tj ETQqO	0 Q rgBT /0 4.9	Overlock 10 1
481	Should opiate addicts be involved in controlling their own detoxification? A comparison of fixed versus negotiable schedules. Addiction, 1992, 87, 1221-1221.	3.3	0
482	A reply to the Liverpool Drug Clinic Pregnancy Support Group. Addiction, 1993, 88, 422-422.	3.3	0
483	Methadone-maintenance and the prognosis paradox. Addiction, 1994, 89, 812-813.	3.3	0
484	The feasibility of substance misuse screening in referrals from Accident and Emergency to an inner-city fracture clinic: results from a pilot study. Journal of Substance Use, 2002, 7, 65-70.	0.7	0
485	Exploring the associations between social class, binge drinking, and other risk behaviors among brazilian young people. International Perspectives on Child and Adolescent Mental Health, 2002, , 501-517.	0.0	0
496	Major disruptions of sleep during treatment of the opiate withdrawal syndrome: differences between	9.6	0

486 methadone and lofexidine detoxification treatments. Addiction Biology, 2003, 8, 367-367.
2.6 0

#	Article	IF	CITATIONS
487	Beyond the end of the line: Case reports of conversion from dextromoramide to other opiates within addiction maintenance treatment. Drugs: Education, Prevention and Policy, 2006, 13, 473-480.	1.3	0
488	Do psychiatrists make a difference? Impact of levels of medical input to the range of treatment provided in in-patient drug detoxification services. Drugs: Education, Prevention and Policy, 2006, 13, 577-585.	1.3	0
489	In pursuit of more effective drug policy. Mental Health and Substance Use: Dual Diagnosis, 2013, 6, 1-3.	0.5	0
490	Griffith Edwards, the Addiction Research Unit and research on the criminal justice system. Addiction, 2015, 110, 54-58.	3.3	0
491	Hepatitis B vaccination for people who inject drugs – Authors' reply. Lancet, The, 2015, 385, 116.	13.7	0
492	Letters to <i>Addiction</i> from Coffin <i>et al.</i> and Doe-Simpkins <i>et al.</i> re: â€~For Debate' on clinical use of improvised nasal naloxone sprays: authors' response. Addiction, 2016, 111, 1881-1883.	3.3	0
493	Building on feminist achievements to enhance choice for women seeking treatment. Addiction, 2018, 113, 1001-1002.	3.3	0
494	Drugs policy will not change as long as UK government refuses to acknowledge the need for change. BMJ: British Medical Journal, 2018, 361, k2604.	2.3	0
495	Characterising opportunity to use heroin reveals new avenues for intervention: context, outcomes, and latency to initiation. Drugs: Education, Prevention and Policy, 2019, 26, 469-474.	1.3	0
496	Clarification re naloxone administered to study subject versus other overdose victim in the Nâ€ALIVE pilot randomized trial. Addiction, 2019, 114, 1325-1325.	3.3	0
497	Understanding preferences for type of take-home naloxone device: international qualitative analysis of the views of people who use opioids. Drugs: Education, Prevention and Policy, 0, , 1-12.	1.3	0
498	Psychological Treatments. , 1990, , 131-148.		0
499	Treatment of Cocaine Abuse: Exploring the Condition and Selecting the Response. , 1993, , 146-172.		0
500	"Get the message― Psychiatric Bulletin, 1993, 17, 166-167.	0.3	0
501	Opiate detoxification under anaesthesia. BMJ: British Medical Journal, 1999, 319, 321-321.	2.3	0
502	Title is missing!. , 2019, 16, e1002965.		0
503	Title is missing!. , 2019, 16, e1002965.		0
504	Title is missing!. , 2019, 16, e1002965.		0

#	Article	IF	CITATIONS
505	Title is missing!. , 2019, 16, e1002965.		0
506	Title is missing!. , 2019, 16, e1002965.		0
507	Reliability and Validity. , 0, , 9-25.		Ο
508	Scales for Research in the Addictions. , 0, , 127-145.		0