

John Strang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4987382/publications.pdf>

Version: 2024-02-01

508
papers

19,760
citations

13099

68
h-index

21540

114
g-index

535
all docs

535
docs citations

535
times ranked

12507
citing authors

#	ARTICLE	IF	CITATIONS
1	Randomised controlled trial of the short-term effects of osmotic-release oral system methylphenidate on symptoms and behavioural outcomes in young male prisoners with attention deficit hyperactivity disorder: CIAO-II study. British Journal of Psychiatry, 2023, 222, 7-17.	2.8	6
2	Addiction stigma and the production of impediments to take-home naloxone uptake. Health (United Kingdom) 2023; 15(1): 1-7.	1.5	27
3	Emotional Reactions of Trained Overdose Responders who use Opioids following Intervention in an Overdose Event. Substance Abuse, 2022, 43, 581-591.	2.3	2
4	Could COVID expand the future of addiction research? Long-term implications in the pandemic era. Addiction, 2022, , .	3.3	6
5	Service Users' Views and Experiences of Alcohol Relapse Prevention Treatment and Adherence: New Role for Pharmacists?. Alcohol and Alcoholism, 2022, 57, 602-608.	1.6	1
6	Effectiveness and cost-effectiveness of face-to-face and electronic brief interventions versus screening alone to reduce alcohol consumption among high-risk adolescents presenting to Emergency Departments: three-arm pragmatic randomised trial (SIPS Junior High Risk Trial). Addiction, 2022, , .	3.3	2
7	Take-Home Naloxone and the Prevention of Deaths from Heroin Overdose: Pursuing Strong Science, Fuller Understanding, Greater Impact. European Addiction Research, 2022, 28, 161-175.	2.4	6
8	A randomized clinical trial of the effects of brief versus extended opioid overdose education on naloxone utilization outcomes by individuals with opioid use disorder. Drug and Alcohol Dependence, 2022, 237, 109505.	3.2	5
9	OROS-methylphenidate to reduce ADHD symptoms in male prisoners aged 16-25 years: a RCT. Efficacy and Mechanism Evaluation, 2022, 9, 1-114.	0.7	1
10	Contingency management for tobacco smoking during opioid addiction treatment: Implementation challenges. Drug and Alcohol Review, 2021, 40, 658-661.	2.1	2
11	A qualitative study of repeat naloxone administrations during opioid overdose intervention by people who use opioids in New York City.. International Journal of Drug Policy, 2021, 87, 102968.	3.3	5
12	Abuse-deterrent extended-release oxycodone and risk of opioid-related harm. Addiction, 2021, 116, 2409-2415.	3.3	5
13	Gambling in COVID-19 Lockdown in the UK: Depression, Stress, and Anxiety. Frontiers in Psychiatry, 2021, 12, 621497.	2.6	20
14	Internet Addiction Increases in the General Population During COVID-19: Evidence From China. American Journal on Addictions, 2021, 30, 389-397.	1.4	98
15	Factors associated with crack-cocaine early initiation: a Brazilian multicenter study. BMC Public Health, 2021, 21, 781.	2.9	4
16	The hospital admission profile of people presenting to specialist addiction services with problematic use of alcohol or opioids: A national retrospective cohort study in England. Lancet Regional Health - Europe, The, 2021, 3, 100036.	5.6	4
17	Association of Symptoms of Attention Deficit and Hyperactivity with Problematic Internet Use among University Students in Wuhan, China During the COVID-19 Pandemic. Journal of Affective Disorders, 2021, 286, 220-227.	4.1	21
18	Gambling and COVID-19: Initial Findings from a UK Sample. International Journal of Mental Health and Addiction, 2021, , 1-12.	7.4	7

#	ARTICLE	IF	CITATIONS
19	Using a pragmatically adapted, low-cost contingency management intervention to promote heroin abstinence in individuals undergoing treatment for heroin use disorder in UK drug services (PRAISE): a cluster randomised trial. <i>BMJ Open</i> , 2021, 11, e046371.	1.9	5
20	Brief interventions to prevent excessive alcohol use in adolescents at low-risk presenting to Emergency Departments: Three-arm, randomised trial of effectiveness and cost-effectiveness. <i>International Journal of Drug Policy</i> , 2021, 93, 103113.	3.3	5
21	Rethinking "carriage" of take-home naloxone. <i>International Journal of Drug Policy</i> , 2021, 95, 103253.	3.3	5
22	Conducting rapid qualitative research amongst people with experience of rough sleeping in London during the COVID-19 pandemic. <i>Research Methods in Medicine & Health Sciences</i> , 2021, 2, 124-139.	1.2	8
23	Conflict and communication: managing the multiple affordances of take-home naloxone administration events in Australia. <i>Addiction Research and Theory</i> , 2020, 28, 29-37.	1.9	22
24	Medication Treatment of Opioid Use Disorder. <i>Biological Psychiatry</i> , 2020, 87, 82-88.	1.3	165
25	Opioid use disorder. <i>Nature Reviews Disease Primers</i> , 2020, 6, 3.	30.5	278
26	Telephone delivered incentives for encouraging adherence to supervised methadone consumption (TIES): Study protocol for a feasibility study for an RCT of clinical and cost effectiveness. <i>Contemporary Clinical Trials Communications</i> , 2020, 17, 100506.	1.1	2
27	Untreated help seekers in addiction services: an opportunity to reach under-served groups in research. <i>Lancet Psychiatry</i> , 2020, 7, 116-117.	7.4	1
28	Open letter from UK based academic scientists to the secretaries of state for digital, culture, media and sport and for health and social care regarding the need for independent funding for the prevention and treatment of gambling harms. <i>BMJ</i> , 2020, 370, m2613.	6.0	5
29	Factors associated with withdrawal symptoms and anger among people resuscitated from an opioid overdose by take-home naloxone: Exploratory mixed methods analysis. <i>Journal of Substance Abuse Treatment</i> , 2020, 117, 108099.	2.8	10
30	Modifying and Evaluating the Opioid Overdose Knowledge Scale for Prescription Opioids: A Pilot Study of the Rx-OOKS. <i>Pain Medicine</i> , 2020, 21, 2244-2252.	1.9	6
31	A study protocol to assess the feasibility of conducting an evaluation trial of the ADVANCE integrated intervention to address both substance use and intimate partner abuse perpetration to men in substance use treatment. <i>Pilot and Feasibility Studies</i> , 2020, 6, 62.	1.2	3
32	Incidence and treatment costs of severe bacterial infections among people who inject heroin: A cohort study in South London, England. <i>Drug and Alcohol Dependence</i> , 2020, 212, 108057.	3.2	19
33	Brief Report: Increased Addictive Internet and Substance Use Behavior During the COVID-19 Pandemic in China. <i>American Journal on Addictions</i> , 2020, 29, 268-270.	1.4	334
34	Heroin-induced respiratory depression and the influence of dose variation: within-subject between-session changes following dose reduction. <i>Addiction</i> , 2020, 115, 1954-1959.	3.3	19
35	Editorial: Challenges to Opioid Use Disorders During COVID-19. <i>American Journal on Addictions</i> , 2020, 29, 174-175.	1.4	68
36	Opioid overdose reversals using naloxone in New York City by people who use opioids: Implications for public health and overdose harm reduction approaches from a qualitative study. <i>International Journal of Drug Policy</i> , 2020, 79, 102751.	3.3	15

#	ARTICLE	IF	CITATIONS
37	Global opioid agonist treatment: a review of clinical practices by country. <i>Addiction</i> , 2020, 115, 2243-2254.	3.3	50
38	Pharmacological Treatment of Mood Disorders and Comorbid Addictions: A Systematic Review and Meta-Analysis: Traitement Pharmacologique des Troubles de L'Âme et des Dépendances Comorbides: Une Revue Systématique et une Méta-Analyse. <i>Canadian Journal of Psychiatry</i> , 2020, 65, 749-769.	1.9	19
39	Screening and brief interventions for adolescent alcohol use disorders presenting through emergency departments: a research programme including two RCTs. <i>Programme Grants for Applied Research</i> , 2020, 8, 1-144.	1.0	7
40	Does craving for cocaine mediate cocaine use? Analysis of a randomized controlled pilot trial of memory-focused cognitive therapy. <i>Journal of Experimental Psychopathology</i> , 2019, 10, 204380871986071.	0.8	3
41	Drug Policy and the Public Good: a summary of the second edition. <i>Addiction</i> , 2019, 114, 1941-1950.	3.3	7
42	Take-Home Naloxone for the Emergency Interim Management of Opioid Overdose: The Public Health Application of an Emergency Medicine. <i>Drugs</i> , 2019, 79, 1395-1418.	10.9	67
43	Rising opioid-related deaths in England and Scotland must be recognised as a public health crisis. <i>Lancet Psychiatry</i> , 2019, 6, 639-640.	7.4	39
44	How competent are people who use opioids at responding to overdoses? Qualitative analyses of actions and decisions taken during overdose emergencies. <i>Addiction</i> , 2019, 114, 708-718.	3.3	38
45	Characterising opportunity to use heroin reveals new avenues for intervention: context, outcomes, and latency to initiation. <i>Drugs: Education, Prevention and Policy</i> , 2019, 26, 469-474.	1.3	0
46	Clinical and cost-effectiveness of contingency management for cannabis use in early psychosis: the CIRCLE randomised clinical trial. <i>BMC Medicine</i> , 2019, 17, 161.	5.5	16
47	Challenges in delivering personalised support to people with multiple and complex needs: qualitative study. <i>Journal of Interprofessional Care</i> , 2019, 33, 734-743.	1.7	5
48	Take-home naloxone and the politics of care. <i>Sociology of Health and Illness</i> , 2019, 41, 427-443.	2.1	40
49	Depot buprenorphine injections for opioid use disorder: Patient information needs and preferences. <i>Drug and Alcohol Review</i> , 2019, 38, 510-518.	2.1	23
50	Opioid users' willingness to receive prolonged-release buprenorphine depot injections for opioid use disorder. <i>Journal of Substance Abuse Treatment</i> , 2019, 104, 64-71.	2.8	35
51	Clarification re naloxone administered to study subject versus other overdose victim in the NALIVE pilot randomized trial. <i>Addiction</i> , 2019, 114, 1325-1325.	3.3	0
52	Should we worry that take-home naloxone availability may increase opioid use?. <i>Addiction</i> , 2019, 114, 1723-1725.	3.3	10
53	Adolescent perspectives about their participation in alcohol intervention research in emergency care: A qualitative exploration using ethical principles as an analytical framework. <i>PLoS ONE</i> , 2019, 14, e0217855.	2.5	4
54	Long-term safety of a weekly and monthly subcutaneous buprenorphine depot (CAM2038) in the treatment of adult outpatients with opioid use disorder. <i>Addiction</i> , 2019, 114, 1416-1426.	3.3	75

#	ARTICLE	IF	CITATIONS
55	Prolonged-release opioid agonist therapy: qualitative study exploring patients' views of 1-week, 1-month, and 6-month buprenorphine formulations. Harm Reduction Journal, 2019, 16, 25.	3.2	33
56	Factors influencing recruitment to a randomised placebo-controlled trial of oral naltrexone and extended release implant naltrexone: Qualitative study. Journal of Substance Abuse Treatment, 2019, 99, 52-60.	2.8	7
57	Prescription of benzodiazepines, z-drugs, and gabapentinoids and mortality risk in people receiving opioid agonist treatment: Observational study based on the UK Clinical Practice Research Datalink and Office for National Statistics death records. PLoS Medicine, 2019, 16, e1002965.	8.4	62
58	Randomised controlled trial of the short-term effects of OROS-methylphenidate on ADHD symptoms and behavioural outcomes in young male prisoners with attention-deficit/hyperactivity disorder (CIAO-II). Trials, 2019, 20, 663.	1.6	9
59	Change in alcohol and other drug use during five years of continuous opioid substitution treatment. Drug and Alcohol Dependence, 2019, 194, 438-446.	3.2	18
60	Substance use, sleep and intervention design: insights from qualitative data. Journal of Mental Health, 2019, 28, 482-489.	1.9	8
61	Opportunistic screening for alcohol use problems in adolescents attending emergency departments: an evaluation of screening tools. Journal of Public Health, 2019, 41, e53-e60.	1.8	14
62	The impact of opiate substitution treatment on mortality risk in drug addicts: a natural experiment study. Health Services and Delivery Research, 2019, 7, 1-92.	1.4	3
63	Extended-release naltrexone versus standard oral naltrexone versus placebo for opioid use disorder: the NEAT three-arm RCT. Health Technology Assessment, 2019, 23, 1-72.	2.8	3
64	A contingency management intervention to reduce cannabis use and time to relapse in early psychosis: the CIRCLE RCT. Health Technology Assessment, 2019, 23, 1-108.	2.8	16
65	Title is missing!. , 2019, 16, e1002965.		0
66	Title is missing!. , 2019, 16, e1002965.		0
67	Title is missing!. , 2019, 16, e1002965.		0
68	Title is missing!. , 2019, 16, e1002965.		0
69	Title is missing!. , 2019, 16, e1002965.		0
70	The impact of buprenorphine and methadone on mortality: a primary care cohort study in the United Kingdom. Addiction, 2018, 113, 1461-1476.	3.3	83
71	Improving recruitment to pharmacological trials for illicit opioid use: findings from a qualitative focus group study. Addiction, 2018, 113, 1066-1076.	3.3	21
72	Memory-Focused Cognitive Therapy for Cocaine Use Disorder: Theory, Procedures and Preliminary Evidence From an External Pilot Randomised Controlled Trial. EBioMedicine, 2018, 29, 177-189.	6.1	15

#	ARTICLE	IF	CITATIONS
73	Development and early validation of a patient-reported outcome measure to assess sleep amongst people experiencing problems with alcohol or other drugs. <i>Sleep</i> , 2018, 41, .	1.1	8
74	Treatment and Intervention for Opiate Dependence in the United Kingdom: Lessons from Triumph and Failure. <i>European Journal on Criminal Policy and Research</i> , 2018, 24, 183-200.	1.9	18
75	Methods for delivering the UK's multi-centre prison-based naloxone-on-release pilot randomised trial (N-ALIVE): Europe's largest prison-based randomised controlled trial. <i>Drug and Alcohol Review</i> , 2018, 37, 487-498.	2.1	12
76	Do women with complex alcohol and other drug use histories want women-only residential treatment?. <i>Addiction</i> , 2018, 113, 989-997.	3.3	31
77	Overlap of heritable influences between cannabis use disorder, frequency of use and opportunity to use cannabis: trivariate twin modelling and implications for genetic design. <i>Psychological Medicine</i> , 2018, 48, 2786-2793.	4.5	11
78	International patent applications for non-injectable naloxone for opioid overdose reversal: Exploratory search and retrieve analysis of the PatentScope database. <i>Drug and Alcohol Review</i> , 2018, 37, 205-215.	2.1	14
79	Excess overdose mortality immediately following transfer of patients and their care as well as after cessation of opioid substitution therapy. <i>Addiction</i> , 2018, 113, 946-951.	3.3	6
80	Toxicity: exploring and expanding the concept. <i>Addiction</i> , 2018, 113, 592-594.	3.3	12
81	Pharmacokinetics of concentrated naloxone nasal spray for opioid overdose reversal: Phase I healthy volunteer study. <i>Addiction</i> , 2018, 113, 484-493.	3.3	65
82	Qualitative exploration of relationships between peers in residential addiction treatment. <i>Health and Social Care in the Community</i> , 2018, 26, e39-e46.	1.6	25
83	Building on feminist achievements to enhance choice for women seeking treatment. <i>Addiction</i> , 2018, 113, 1001-1002.	3.3	0
84	Continuous opioid substitution treatment over five years: Heroin use trajectories and outcomes. <i>Drug and Alcohol Dependence</i> , 2018, 188, 200-208.	3.2	21
85	Implants and depot injections for treating opioid dependence: Qualitative study of people who use or have used heroin. <i>Drug and Alcohol Dependence</i> , 2018, 189, 1-7.	3.2	38
86	Drugs policy will not change as long as UK government refuses to acknowledge the need for change. <i>BMJ: British Medical Journal</i> , 2018, 361, k2604.	2.3	0
87	Patient views of opioid pharmacotherapy biodelivery systems: Qualitative study to assist treatment decision making.. <i>Experimental and Clinical Psychopharmacology</i> , 2018, 26, 570-581.	1.8	10
88	Drug Policy and the Public Good. , 2018, , .		48
89	Norbuprenorphine and respiratory depression: Exploratory analyses with new lyophilized buprenorphine and sublingual buprenorphine. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2018, 56, 81-85.	0.6	9
90	Paying participants in addiction research: Is cash king?. <i>Journal of Substance Use</i> , 2017, 22, 531-533.	0.7	8

#	ARTICLE	IF	CITATIONS
91	Alcohol Consumption, Early-Onset Drinking, and Health-Related Consequences in Adolescents Presenting at Emergency Departments in England. <i>Journal of Adolescent Health</i> , 2017, 60, 438-446.	2.5	37
92	Poor implementation of naloxone needs to be better understood in order to save lives. <i>Addiction</i> , 2017, 112, 911-912.	3.3	13
93	Alcohol problems need more attention in patients receiving long-term opioid substitution therapy. <i>Lancet Psychiatry</i> , 2017, 4, 265-266.	7.4	4
94	Pharmacokinetics of concentrated naloxone nasal spray over first 30 minutes post-dosing: analysis of suitability for opioid overdose reversal. <i>Addiction</i> , 2017, 112, 1647-1652.	3.3	20
95	Randomised Comparison of a Novel Buprenorphine Oral Lyophilisate versus Existing Buprenorphine Sublingual Tablets in Opioid-Dependent Patients: A First-in-Patient Phase II Randomised Open Label Safety Study. <i>European Addiction Research</i> , 2017, 23, 61-70.	2.4	11
96	The relationship between initial route of heroin administration and speed of transition to daily heroin use. <i>Drug and Alcohol Review</i> , 2017, 36, 633-638.	2.1	16
97	Effectiveness of treatment for opioid use disorder: A national, five-year, prospective, observational study in England. <i>Drug and Alcohol Dependence</i> , 2017, 176, 139-147.	3.2	52
98	Twenty years of take-home naloxone for the prevention of overdose deaths from heroin and other opioids – Conception and maturation. <i>Drug and Alcohol Dependence</i> , 2017, 178, 176-187.	3.2	111
99	A mapping review of take-home naloxone for people released from correctional settings. <i>International Journal of Drug Policy</i> , 2017, 46, 7-16.	3.3	20
100	External data required timely response by the Trial Steering-Data Monitoring Committee for the NALoxone InVEstigation (N-ALIVE) pilot trial. <i>Contemporary Clinical Trials Communications</i> , 2017, 5, 100-106.	1.1	3
101	High risk of overdose death following release from prison: variations in mortality during a 15-year observation period. <i>Addiction</i> , 2017, 112, 1432-1439.	3.3	92
102	Value for money in reducing opioid-related deaths. <i>Lancet Public Health</i> , 2017, 2, e124-e125.	10.0	5
103	Why we should conduct research in collaboration with people who use alcohol and other drugs. <i>Addiction</i> , 2017, 112, 2084-2085.	3.3	15
104	Memory-focused cognitive therapy for cocaine use disorder: Rationale, design and protocol for an external pilot randomised controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2017, 8, 264-273.	1.1	8
105	Global, regional, and country-level coverage of interventions to prevent and manage HIV and hepatitis C among people who inject drugs: a systematic review. <i>The Lancet Global Health</i> , 2017, 5, e1208-e1220.	6.3	334
106	Contingency Management interventions for non-prescribed drug use during treatment for opiate addiction: A systematic review and meta-analysis. <i>Drug and Alcohol Dependence</i> , 2017, 178, 318-339.	3.2	54
107	The acceptability and feasibility of a brief psychosocial intervention to reduce blood-borne virus risk behaviours among people who inject drugs: a randomised control feasibility trial of a psychosocial intervention (the PROTECT study) versus treatment as usual. <i>Harm Reduction Journal</i> , 2017, 14, 14.	3.2	4
108	Development of a proto-typology of opiate overdose onset. <i>Addiction</i> , 2017, 112, 168-175.	3.3	5

#	ARTICLE	IF	CITATIONS
109	Randomized controlled pilot trial of naloxone-on-release to prevent post-prison opioid overdose deaths. <i>Addiction</i> , 2017, 112, 502-515.	3.3	56
110	Supervised Injectable Heroin: A Clinical Perspective. <i>Canadian Journal of Psychiatry</i> , 2017, 62, 451-456.	1.9	14
111	Qualitative study of welcome houses: a recent initiative designed to improve retention in therapeutic communities. <i>Addiction Research and Theory</i> , 2017, 25, 168-175.	1.9	5
112	Contingency management for tobacco smoking during opioid addiction treatment: a randomised pilot study. <i>BMJ Open</i> , 2017, 7, e017467.	1.9	8
113	Preventing blood-borne virus infection in people who inject drugs in the UK: systematic review, stakeholder interviews, psychosocial intervention development and feasibility randomised controlled trial. <i>Health Technology Assessment</i> , 2017, 21, 1-312.	2.8	3
114	An economic evaluation of contingency management for completion of hepatitis B vaccination in those on treatment for opiate dependence. <i>Addiction</i> , 2016, 111, 1616-1627.	3.3	8
115	Qualitative evaluation of a novel contingency management-related intervention for patients receiving supervised injectable opioid treatment. <i>Addiction</i> , 2016, 111, 665-674.	3.3	16
116	Spice and all things nasty: the challenge of synthetic cannabinoids. <i>BMJ, The</i> , 2016, 355, i5639.	6.0	9
117	Letters to <i>Addiction</i> from Coffin et al. and Doe-Simpkins et al. re: "For Debate" on clinical use of improvised nasal naloxone sprays: authors' response. <i>Addiction</i> , 2016, 111, 1881-1883.	3.3	0
118	Emerging consensus on measuring addiction recovery: Findings from a multi-stakeholder consultation exercise. <i>Drugs: Education, Prevention and Policy</i> , 2016, 23, 31-40.	1.3	23
119	DEVELOPMENT AND VALIDATION OF "SURE": A PATIENT REPORTED OUTCOME MEASURE (PROM) FOR RECOVERY FROM DRUG AND ALCOHOL DEPENDENCE. <i>Drug and Alcohol Dependence</i> , 2016, 165, 159-167.	3.2	94
120	Estimating the burden of disease attributable to injecting drug use as a risk factor for HIV, hepatitis C, and hepatitis B: findings from the Global Burden of Disease Study 2013. <i>Lancet Infectious Diseases, The</i> , 2016, 16, 1385-1398.	9.1	223
121	The Brazilian "Cracolândia" open drug scene and the challenge of implementing a comprehensive and effective drug policy. <i>Addiction</i> , 2016, 111, 571-573.	3.3	26
122	New approved nasal naloxone welcome, but unlicensed improvised naloxone spray kits remain a concern: proper scientific study must accompany innovation. <i>Addiction</i> , 2016, 111, 590-592.	3.3	2
123	Are take-home naloxone programmes effective? Systematic review utilizing application of the Bradford Hill criteria. <i>Addiction</i> , 2016, 111, 1177-1187.	3.3	333
124	Clinical provision of improvised nasal naloxone without experimental testing and without regulatory approval: imaginative shortcut or dangerous bypass of essential safety procedures?. <i>Addiction</i> , 2016, 111, 574-582.	3.3	35
125	What matters is more than just the choice of pharmaceutical agent. <i>Addiction</i> , 2016, 111, 779-781.	3.3	1
126	A randomised controlled trial of the clinical and cost-effectiveness of a contingency management intervention compared to treatment as usual for reduction of cannabis use and of relapse in early psychosis (CIRCLE): a study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 515.	1.6	7

#	ARTICLE	IF	CITATIONS
127	Identifying mortality risks in patients with opioid use disorder using brief screening assessment: Secondary mental health clinical records analysis. Drug and Alcohol Dependence, 2016, 164, 82-88.	3.2	9
128	Naloxone without the needle – systematic review of candidate routes for non-injectable naloxone for opioid overdose reversal. Drug and Alcohol Dependence, 2016, 163, 16-23.	3.2	38
129	Amorphous Formulation and <i>in Vitro</i> Performance Testing of Instantly Disintegrating Buccal Tablets for the Emergency Delivery of Naloxone. Molecular Pharmaceutics, 2016, 13, 1688-1698.	4.6	13
130	Prevention, early intervention, harm reduction, and treatment of substance use in young people. Lancet Psychiatry, the, 2016, 3, 280-296.	7.4	296
131	Onset of opportunity to use cannabis and progression from opportunity to dependence: Are influences consistent across transitions?. Drug and Alcohol Dependence, 2016, 160, 57-64.	3.2	45
132	Illicit Drug Dependence. , 2016, , 109-125.		10
133	Blending qualitative and quantitative research methods to optimize patient reported outcome measures (PROMs). Addiction, 2015, 110, 1215-1216.	3.3	25
134	Griffith Edwards, the Addiction Research Unit and research on the criminal justice system. Addiction, 2015, 110, 54-58.	3.3	0
135	Building the connections between science, practice and policy: Griffith Edwards and the UK National Addiction Centre. Addiction, 2015, 110, 1-3.	3.3	1
136	The association between speed of transition from initiation to subsequent use of cannabis and later problematic cannabis use, abuse and dependence. Addiction, 2015, 110, 1311-1320.	3.3	15
137	Naloxone-does over-antagonism matter? Evidence of iatrogenic harm after emergency treatment of heroin/opioid overdose. Addiction, 2015, 110, 1644-1652.	3.3	76
138	Phenotypic heterogeneity in study populations may significantly confound the results of genetic association studies on alcohol dependence. Psychiatric Genetics, 2015, 25, 234-240.	1.1	6
139	Understanding Heroin Overdose: A Study of the Acute Respiratory Depressant Effects of Injected Pharmaceutical Heroin. PLoS ONE, 2015, 10, e0140995.	2.5	52
140	Heroin overdose resuscitation with naloxone: patient uses own prescribed supply to save the life of a peer. BMJ Case Reports, 2015, 2015, bcr2015210391.	0.5	7
141	Heroin on trial: Systematic review and meta-analysis of randomised trials of diamorphine-prescribing as treatment for refractory heroin addiction. British Journal of Psychiatry, 2015, 207, 5-14.	2.8	191
142	Evaluation of Femoral Ultrasonography as a Tool for Promoting Cessation of Groin-Injecting Behaviour. European Addiction Research, 2015, 21, 204-210.	2.4	3
143	Double trouble: Psychiatric comorbidity and opioid addiction – All-cause and cause-specific mortality. Drug and Alcohol Dependence, 2015, 148, 85-92.	3.2	69
144	Safety and tolerability of as-needed nalmefene in the treatment of alcohol dependence: results from the Phase III clinical programme. Expert Opinion on Drug Safety, 2015, 14, 495-504.	2.4	18

#	ARTICLE	IF	CITATIONS
145	Pharmacological treatments for drug misuse and dependence. Expert Opinion on Pharmacotherapy, 2015, 16, 325-333.	1.8	14
146	Neural Correlates of Set-shifting in Children With Autism. Autism Research, 2015, 8, 386-397.	3.8	45
147	Hepatitis B vaccination for people who inject drugs – Authors' reply. Lancet, The, 2015, 385, 116.	13.7	0
148	Take-home naloxone to prevent fatalities from opiate-overdose: Protocol for Scotland's public health policy evaluation, and a new measure to assess impact. Drugs: Education, Prevention and Policy, 2015, 22, 66-76.	1.3	42
149	“You’re all going to hate the word ‘recovery’ by the end of this” Service users’ views of measuring addiction recovery. Drugs: Education, Prevention and Policy, 2015, 22, 26-34.	1.3	88
150	Linked randomised controlled trials of face-to-face and electronic brief intervention methods to prevent alcohol related harm in young people aged 14–17 years presenting to Emergency Departments (SIPS junior). BMC Public Health, 2015, 15, 345.	2.9	18
151	Drug use, health and social outcomes of hard-to-treat heroin addicts receiving supervised injectable opiate treatment: secondary outcomes from the Randomized Injectable Opioid Treatment Trial (RIOTT). Addiction, 2015, 110, 479-490.	3.3	23
152	Death matters: understanding heroin/opiate overdose risk and testing potential to prevent deaths. Addiction, 2015, 110, 27-35.	3.3	41
153	Philosophical ruminations on measurement: methodological orientations of patient reported outcome measures (PROMS). Journal of Mental Health, 2015, 24, 123-125.	1.9	25
154	Drug-related mortality in psychiatric patients. Lancet Psychiatry, the, 2015, 2, 767-769.	7.4	1
155	Mobile phone ownership, usage and readiness to use by patients in drug treatment. Drug and Alcohol Dependence, 2015, 146, 111-115.	3.2	81
156	How should we measure addiction recovery? Analysis of service provider perspectives using online Delphi groups. Drugs: Education, Prevention and Policy, 2014, 21, 310-323.	1.3	63
157	Alcohol Harm Reduction: Corporate Capture of a Key Concept. PLoS Medicine, 2014, 11, e1001767.	8.4	34
158	Solving the problem of non-attendance in substance abuse services. Drug and Alcohol Review, 2014, 33, 625-636.	2.1	41
159	What would an evidence based drug policy be like?. BMJ, The, 2014, 349, g7493-g7493.	6.0	2
160	Training family members to manage heroin overdose and administer naloxone: randomized trial of effects on knowledge and attitudes. Addiction, 2014, 109, 250-259.	3.3	84
161	Use of contingency management incentives to improve completion of hepatitis B vaccination in people undergoing treatment for heroin dependence: a cluster randomised trial. Lancet, The, 2014, 384, 153-163.	13.7	74
162	Take-home emergency naloxone to prevent deaths from heroin overdose. BMJ, The, 2014, 349, g6580-g6580.	6.0	38

#	ARTICLE	IF	CITATIONS
163	Randomized controlled effectiveness trial of executive function intervention for children on the autism spectrum. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 374-383.	5.2	230
164	Smoking and its treatment in addiction services: Clients' and staff behaviour and attitudes. <i>BMC Health Services Research</i> , 2014, 14, 304.	2.2	74
165	Authors' reply. <i>British Journal of Psychiatry</i> , 2014, 204, 241-242.	2.8	1
166	Take-Home Emergency Naloxone to Prevent Heroin Overdose Deaths after Prison Release: Rationale and Practicalities for the N-ALIVE Randomized Trial. <i>Journal of Urban Health</i> , 2013, 90, 983-996.	3.6	67
167	The global burden of drug use and mental disorders. <i>Lancet, The</i> , 2013, 382, 1540-1542.	13.7	20
168	Development of Opioid Overdose Knowledge (OOKS) and Attitudes (OOAS) Scales for take-home naloxone training evaluation. <i>Drug and Alcohol Dependence</i> , 2013, 132, 383-386.	3.2	136
169	Comparisons of polydrug use at national and inner city levels in England: associations with demographic and socioeconomic factors. <i>Annals of Epidemiology</i> , 2013, 23, 636-645.	1.9	31
170	Randomized trial of nicotine replacement therapy (NRT), bupropion and NRT plus bupropion for smoking cessation: effectiveness in clinical practice. <i>Addiction</i> , 2013, 108, 2193-2201.	3.3	49
171	In pursuit of more effective drug policy. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2013, 6, 1-3.	0.5	0
172	Treatment expectations and satisfaction of treatment-refractory opioid-dependent patients in RIOTT, the Randomised Injectable Opiate Treatment Trial, the UK's first supervised injectable maintenance clinics. <i>Drug and Alcohol Review</i> , 2013, 32, 566-573.	2.1	15
173	Cost-effectiveness of injectable opioid treatment vs. oral methadone for chronic heroin addiction. <i>British Journal of Psychiatry</i> , 2013, 203, 341-349.	2.8	66
174	Treating Opioid Dependence with Opioids. , 2012, , 57-74.		2
175	Drug policy and the public good: evidence for effective interventions. <i>Lancet, The</i> , 2012, 379, 71-83.	13.7	205
176	Does active referral by a doctor or 12-Step peer improve 12-Step meeting attendance? Results from a pilot randomised control trial. <i>Drug and Alcohol Dependence</i> , 2012, 126, 131-137.	3.2	60
177	A prospective, randomized, multicenter acceptability and safety study of direct buprenorphine/naloxone induction in heroin-dependent individuals. <i>Addiction</i> , 2012, 107, 142-151.	3.3	22
178	After the randomised injectable opiate treatment trial: Post-trial investigation of slow-release oral morphine as an alternative opiate maintenance medication. <i>Drug and Alcohol Review</i> , 2012, 31, 492-498.	2.1	16
179	Injecting drug use via femoral vein puncture: preliminary findings of a point-of-care ultrasound service for opioid-dependent groin injectors in treatment. <i>Harm Reduction Journal</i> , 2012, 9, 6.	3.2	14
180	Fidelity to Motivational Interviewing and subsequent cannabis cessation among adolescents. <i>Addictive Behaviors</i> , 2011, 36, 749-754.	3.0	122

#	ARTICLE	IF	CITATIONS
181	The needle and the damage done: Clinical and behavioural markers of severe femoral vein damage among groin injectors. <i>Drug and Alcohol Dependence</i> , 2011, 119, 161-165.	3.2	12
182	Outpatient versus inpatient opioid detoxification: A randomized controlled trial. <i>Journal of Substance Abuse Treatment</i> , 2011, 40, 56-66.	2.8	43
183	Late responders and non-responders to a postal survey questionnaire: analysis of potential further response and non-response bias. <i>International Journal of Pharmacy Practice</i> , 2011, 6, 170-175.	0.6	8
184	National and local guidance on services for drug misusers: do they influence current practice?â€” results of a survey of community pharmacists in South East England. <i>International Journal of Pharmacy Practice</i> , 2011, 7, 100-106.	0.6	3
185	Investigating the effect on public behaviour of patients of a Medically Supervised Injectable Maintenance Clinic. <i>Drugs and Alcohol Today</i> , 2011, 11, 204-209.	0.7	1
186	Methadone maintenance, QTc and torsade de pointes: Who needs an electrocardiogram and what is the prevalence of QTc prolongation?. <i>Drug and Alcohol Review</i> , 2011, 30, 388-396.	2.1	57
187	Cessation of groin injecting behaviour among patients on oral opioid substitution treatment. <i>Addiction</i> , 2011, 106, 376-382.	3.3	6
188	Impact of training for healthcare professionals on how to manage an opioid overdose with naloxone: Effective, but dissemination is challenging. <i>International Journal of Drug Policy</i> , 2011, 22, 9-15.	3.3	22
189	Promoting recovery and preventing drug-related mortality: competing risks?. <i>Journal of Public Health</i> , 2011, 33, 332-334.	1.8	13
190	We should push for evidence based sentencing in criminal justice. <i>BMJ: British Medical Journal</i> , 2011, 342, d612-d612.	2.3	7
191	Brief, Personality-Targeted Coping Skills Interventions and Survival as a Nonâ€”Drug User Over a 2-Year Period During Adolescence. <i>Archives of General Psychiatry</i> , 2010, 67, 85.	12.3	220
192	Hepatitis B vaccination in prisons: a muchâ€”needed targeted universal intervention. <i>Addiction</i> , 2010, 105, 189-190.	3.3	10
193	The community impact of RIOTT, a medically supervised injectable maintenance clinic in south London. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2010, 3, 248-259.	0.5	4
194	The virtual disappearance of injectable opioids for heroin addiction under the â€”British Systemâ€”™. <i>Drugs: Education, Prevention and Policy</i> , 2010, 17, 496-506.	1.3	3
195	Impact of supervision of methadone consumption on deaths related to methadone overdose (1993-2008): analyses using OD4 index in England and Scotland. <i>BMJ: British Medical Journal</i> , 2010, 341, c4851-c4851.	2.3	114
196	Risk of death during and after opiate substitution treatment in primary care: prospective observational study in UK General Practice Research Database. <i>BMJ: British Medical Journal</i> , 2010, 341, c5475-c5475.	2.3	250
197	Cluster randomised trial of the effectiveness of Motivational Interviewing for universal prevention. <i>Drug and Alcohol Dependence</i> , 2010, 114, 177-84.	3.2	22
198	Supervised injectable heroin or injectable methadone versus optimised oral methadone as treatment for chronic heroin addicts in England after persistent failure in orthodox treatment (RIOTT): a randomised trial. <i>Lancet, The</i> , 2010, 375, 1885-1895.	13.7	166

#	ARTICLE	IF	CITATIONS
199	Groin injecting in injectable opioid treatment service users in South London. <i>Addiction Research and Theory</i> , 2009, 17, 381-389.	1.9	2
200	Persistence of heroin use despite methadone treatment: Poor coping self-efficacy predicts continued heroin use. <i>Drug and Alcohol Review</i> , 2009, 28, 608-615.	2.1	47
201	Factors associated with the prescribing of buprenorphine or methadone for treatment of opiate dependence. <i>Journal of Substance Abuse Treatment</i> , 2009, 37, 95-100.	2.8	45
202	Cognitive impairment in dual diagnosis inpatients with schizophrenia and alcohol use disorder. <i>Schizophrenia Research</i> , 2009, 114, 98-104.	2.0	52
203	Follow-up of Provision of Inpatient Treatment for UK Healthcare Professionals with Alcohol Dependence: Snapshot of a Pilot Specialist National Health Service. <i>Substance Use and Misuse</i> , 2009, 44, 1916-1925.	1.4	5
204	Drugs, alcohol and pregnant womenâ€”changing characteristics of women engaging with a specialist perinatal outreach addictions service. <i>Drug and Alcohol Review</i> , 2008, 27, 490-496.	2.1	10
205	Drugs and pregnancyâ€”outcomes of women engaged with a specialist perinatal outreach addictions service. <i>Drug and Alcohol Review</i> , 2008, 27, 497-503.	2.1	27
206	Overdose training and take-home naloxone for opiate users: prospective cohort study of impact on knowledge and attitudes and subsequent management of overdoses. <i>Addiction</i> , 2008, 103, 1648-1657.	3.3	152
207	Randomized controlled trial of motivational interviewing compared with drug information and advice for early intervention among young cannabis users. <i>Addiction</i> , 2008, 103, 1809-1818.	3.3	84
208	Changes in Neuropsychological Functioning during Alcohol Detoxification. <i>European Addiction Research</i> , 2008, 14, 226-233.	2.4	50
209	The Fine Line between Harm Reduction and Harm Production â€” Development of a Clinical Policy on Femoral (Groin) Injecting. <i>European Addiction Research</i> , 2008, 14, 213-218.	2.4	21
210	Family carers and the prevention of heroin overdose deaths: Unmet training need and overlooked intervention opportunity of resuscitation training and supply of naloxone. <i>Drugs: Education, Prevention and Policy</i> , 2008, 15, 211-218.	1.3	34
211	Alcohol: a missed opportunity. A survey of all accident and emergency departments in England. <i>Emergency Medicine Journal</i> , 2007, 24, 529-531.	1.0	17
212	Psychosocial interventions and opioid detoxification for drug misuse: summary of NICE guidance. <i>BMJ: British Medical Journal</i> , 2007, 335, 203-205.	2.3	54
213	â€œLet's Talk About Drugsâ€”, <i>Health Education</i> , 2007, 107, 276-289.	0.9	3
214	In-patient detoxification procedures, treatment retention, and post-treatment opiate use: Comparison of lofexidine+naloxone, lofexidine+placebo, and methadone. <i>Drug and Alcohol Dependence</i> , 2007, 88, 91-95.	3.2	28
215	Pharmacodynamics of diazepam co-administered with methadone or buprenorphine under high dose conditions in opioid dependent patients. <i>Drug and Alcohol Dependence</i> , 2007, 91, 187-194.	3.2	92
216	Retrospective recall of heroin initiation and the impact on peer networks. <i>Addiction Research and Theory</i> , 2007, 15, 397-410.	1.9	28

#	ARTICLE	IF	CITATIONS
217	Substance misuse. , 2007, , 242-254.		5
218	Does prescribing for opiate addiction change after national guidelines? Methadone and buprenorphine prescribing to opiate addicts by general practitioners and hospital doctors in England, 1995-2005. <i>Addiction</i> , 2007, 102, 761-770.	3.3	82
219	What difference does training make? A randomized trial with waiting list control of general practitioners seeking advanced training in drug misuse. <i>Addiction</i> , 2007, 102, 1637-1647.	3.3	25
220	Community pharmacies and the provision of opioid substitution services for drug misusers: changes in activity and attitudes of community pharmacists across England 1995-2005. <i>Addiction</i> , 2007, 102, 1824-1830.	3.3	31
221	Heroin-assisted Treatment (HAT) a Decade Later: A Brief Update on Science and Politics. <i>Journal of Urban Health</i> , 2007, 84, 552-562.	3.6	107
222	Excessive drinking and other problem behaviours among 14-16 year old schoolchildren. <i>Addictive Behaviors</i> , 2006, 31, 1424-1435.	3.0	77
223	Interactions on Mixing Diazepam With Methadone or Buprenorphine in Maintenance Patients. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 274-283.	1.4	63
224	Methodology for the Randomised Injecting Opioid Treatment Trial (RIOTT): evaluating injectable methadone and injectable heroin treatment versus optimised oral methadone treatment in the UK. <i>Harm Reduction Journal</i> , 2006, 3, 28.	3.2	41
225	Persistence of drug use during imprisonment: relationship of drug type, recency of use and severity of dependence to use of heroin, cocaine and amphetamine in prison. <i>Addiction</i> , 2006, 101, 1125-1132.	3.3	62
226	The reliability of drug use data collected in the classroom: what is the problem, why does it matter and how should it be approached?. <i>Drug and Alcohol Review</i> , 2006, 25, 413-418.	2.1	9
227	The regulation of research by funding bodies: An emerging ethical issue for the alcohol and other drug sector?. <i>International Journal of Drug Policy</i> , 2006, 17, 12-16.	3.3	30
228	Emergency naloxone for heroin overdose. <i>BMJ: British Medical Journal</i> , 2006, 333, 614-615.	2.3	35
229	Beyond the end of the line: Case reports of conversion from dextromoramide to other opiates within addiction maintenance treatment. <i>Drugs: Education, Prevention and Policy</i> , 2006, 13, 473-480.	1.3	0
230	Heroin and Methadone Prescriptions From a London Drug Clinic Over the First 15 Years of Operation (1968-1983): Old Records Examined. <i>Substance Use and Misuse</i> , 2006, 41, 1227-1238.	1.4	4
231	Commentary: Decline in methadone-related deaths probably relates to increased supervision of methadone in UK. <i>International Journal of Epidemiology</i> , 2006, 35, 1586-1587.	1.9	4
232	Feasibility and Acceptability of an Intranasal Diamorphine Spray as an Alternative to Injectable Diamorphine for Maintenance Treatment. <i>European Addiction Research</i> , 2006, 12, 91-95.	2.4	16
233	Do psychiatrists make a difference? Impact of levels of medical input to the range of treatment provided in in-patient drug detoxification services. <i>Drugs: Education, Prevention and Policy</i> , 2006, 13, 577-585.	1.3	0
234	Hazardous drinking and the NHS: the costs of pessimism and the benefits of optimism. <i>British Journal of General Practice</i> , 2006, 56, 247-8.	1.4	1

#	ARTICLE	IF	CITATIONS
235	Are cannabis users exposed to other drug use opportunities? Investigation of high-risk drug exposure opportunities among young cannabis users in London. <i>Drug and Alcohol Review</i> , 2005, 24, 185-191.	2.1	6
236	Cannabis use in adolescents: the impact of risk and protective factors and social functioning. <i>Drug and Alcohol Review</i> , 2005, 24, 483-488.	2.1	34
237	Deterioration over time in effect of Motivational Interviewing in reducing drug consumption and related risk among young people. <i>Addiction</i> , 2005, 100, 470-478.	3.3	98
238	Validation of techniques to detect illicit heroin use in patients prescribed pharmaceutical heroin for the management of opioid dependence. <i>Addiction</i> , 2005, 100, 1832-1839.	3.3	32
239	THE EFFECTIVENESS OF MOTIVATIONAL INTERVIEWING DELIVERED BY YOUTH WORKERS IN REDUCING DRINKING, CIGARETTE AND CANNABIS SMOKING AMONG YOUNG PEOPLE: QUASI-EXPERIMENTAL PILOT STUDY. <i>Alcohol and Alcoholism</i> , 2005, 40, 535-539.	1.6	39
240	Age of First Use and Ongoing Patterns of Legal and Illegal Drug Use in a Sample of Young Londoners. <i>Substance Use and Misuse</i> , 2005, 40, 313-319.	1.4	17
241	Can it really be this black and white? An analysis of the relative importance of ethnic group and other sociodemographic factors to patterns of drug use and related risk among young Londoners. <i>Drugs: Education, Prevention and Policy</i> , 2005, 12, 149-159.	1.3	6
242	They Do Things Differently over There: Doctors, Drugs, and the "British System" of Treating Opiate Addiction. <i>Journal of Drug Issues</i> , 2005, 35, 779-797.	1.2	3
243	Dying for heroin: the increasing opioid-related mortality in the Republic of Ireland, 1980-1999. <i>European Journal of Public Health</i> , 2005, 15, 589-592.	0.3	6
244	Substance misuse training among psychiatric doctors, psychiatric nurses, medical students and nursing students in a South London psychiatric teaching hospital. <i>Drugs: Education, Prevention and Policy</i> , 2005, 12, 327-336.	1.3	24
245	Inpatient versus other settings for detoxification for opioid dependence. <i>The Cochrane Library</i> , 2005, , CD004580.	2.8	26
246	The prescribing of methadone and other opioids to addicts: national survey of GPs in England and Wales. <i>British Journal of General Practice</i> , 2005, 55, 444-51.	1.4	54
247	The risk of drug swallowing at the point of arrest: An analysis of 24 cocaine-related deaths following police care or custody in England and Wales. <i>Policing and Society</i> , 2004, 14, 380-391.	2.5	5
248	Relationship between Prescribing and Risk of Opiate Overdose among Drug Users in and out of Maintenance Treatment. <i>European Addiction Research</i> , 2004, 10, 35-40.	2.4	34
249	Does Anyone Care about Names? How Attendees at Substance Misuse Services Like to Be Addressed by Health Professionals. <i>European Addiction Research</i> , 2004, 10, 75-79.	2.4	13
250	Supervised fixing rooms, supervised injectable maintenance clinics--understanding the difference. <i>BMJ: British Medical Journal</i> , 2004, 328, 102-103.	2.3	14
251	Drug problem "What problems? Concurrent predictors of selected types of drug problems in a london community sample of young people who use drugs. <i>Addiction Research and Theory</i> , 2004, 12, 55-66.	1.9	3
252	Engaging the reluctant GP in care of the opiate misuser: Pilot study of change-orientated reflective listening (CORL). <i>Family Practice</i> , 2004, 21, 150-154.	1.9	14

#	ARTICLE	IF	CITATIONS
253	ENCOURAGING GP ALCOHOL INTERVENTION: PILOT STUDY OF CHANGE-ORIENTATED REFLECTIVE LISTENING (CORL). Alcohol and Alcoholism, 2004, 39, 146-149.	1.6	11
254	Patterns of alcohol consumption and problems among the Irish in London: A preliminary comparison of pub drinkers in London and Dublin. Addiction Research and Theory, 2004, 12, 373-384.	1.9	7
255	The efficacy of single-session motivational interviewing in reducing drug consumption and perceptions of drug-related risk and harm among young people: results from a multi-site cluster randomized trial. Addiction, 2004, 99, 39-52.	3.3	384
256	Alcohol and drug policy: why the clinician is important to public policy. Psychiatry (Abingdon, England), 2004, 107, 10-12.	0.2	2
257	Adolescent psychological health problems and delinquency among volatile substance users in a school sample in South London. Drugs: Education, Prevention and Policy, 2004, 11, 473-482.	1.3	9
258	Patterns of drug use in a sample of 200 young drug users in London. Drugs: Education, Prevention and Policy, 2004, 11, 101-112.	1.3	12
259	From the deal to the needle: Drug purchasing and preparation among heroin users in drug treatment in South London. Addiction Research and Theory, 2004, 12, 539-548.	1.9	8
260	Can the practitioner correctly predict outcome in motivational interviewing?. Journal of Substance Abuse Treatment, 2004, 27, 83-88.	2.8	53
261	Changes in route of drug administration among continuing heroin users: Outcomes 1 year after intake to treatment. Addictive Behaviors, 2004, 29, 1085-1094.	3.0	24
262	Treatment of nicotine dependence with bupropion SR: review of its efficacy, safety and pharmacological profile. Addiction Biology, 2003, 8, 13-21.	2.6	27
263	Development of a structured generic drug intervention model for public health purposes: a brief application of motivational interviewing with young people. Drug and Alcohol Review, 2003, 22, 391-399.	2.1	38
264	Major disruptions of sleep during treatment of the opiate withdrawal syndrome: differences between methadone and lofexidine detoxification treatments. Addiction Biology, 2003, 8, 49-57.	2.6	50
265	Major disruptions of sleep during treatment of the opiate withdrawal syndrome: differences between methadone and lofexidine detoxification treatments. Addiction Biology, 2003, 8, 367-367.	2.6	0
266	The Effectiveness of Combined Naloxone/Lofexidine in Opiate Detoxification: Results from a Double-blind Randomized and Placebo-controlled Trial. American Journal on Addictions, 2003, 12, 295-305.	1.4	19
267	Getting by with a little help from your friends. Addictive Behaviors, 2003, 28, 597-603.	3.0	24
268	Measuring therapeutic attitude among drug workers. Addictive Behaviors, 2003, 28, 995-1005.	3.0	38
269	Drug and Alcohol Use and the Link with Homelessness: Results from a Survey of Homeless People in London. Addiction Research and Theory, 2003, 11, 245-256.	1.9	52
270	Ethnicity and Drug Use: exploring the nature of particular relationships among diverse populations in the United Kingdom. Drugs: Education, Prevention and Policy, 2003, 10, 39-55.	1.3	11

#	ARTICLE	IF	CITATIONS
271	Sentenced to Treatment: Early Experience of Drug Treatment and Testing Orders in England. European Addiction Research, 2003, 9, 131-137.	2.4	5
272	The Effectiveness of Combined Naloxone/Lofexidine in Opiate Detoxification: Results from a Double-blind Randomized and Placebo-controlled Trial. American Journal on Addictions, 2003, 12, 295-305.	1.4	3
273	Unmet Drug and Alcohol Service Needs of Homeless People in London: A Complex Issue. Substance Use and Misuse, 2003, 38, 377-393.	1.4	16
274	IS ATTENDANCE AT ALCOHOLICS ANONYMOUS MEETINGS AFTER INPATIENT TREATMENT RELATED TO IMPROVED OUTCOMES? A 6-MONTH FOLLOW-UP STUDY. Alcohol and Alcoholism, 2003, 38, 421-426.	1.6	83
275	Loss of tolerance and overdose mortality after inpatient opiate detoxification: follow up study. BMJ: British Medical Journal, 2003, 326, 959-960.	2.3	270
276	Effect of national guidelines on prescription of methadone: analysis of NHS prescription data, England 1990-2001. BMJ: British Medical Journal, 2003, 327, 321-322.	2.3	19
277	Prior Alcoholics Anonymous (AA) affiliation and the acceptability of the Twelve Steps to patients entering UK statutory addiction treatment.. Journal of Studies on Alcohol and Drugs, 2003, 64, 257-261.	2.3	36
278	Cannabis use and the GP: brief motivational intervention increases clinical enquiry by GPs in a pilot study. British Journal of General Practice, 2003, 53, 637-9.	1.4	8
279	Opportunities and Obstacles for Effective Treatment of Drug Misusers in the Criminal Justice System in England and Wales. British Journal of Criminology, 2002, 42, 412-432.	2.1	39
280	Factors surrounding long-term benzodiazepine prescribing in methadone maintenance clients. Journal of Substance Use, 2002, 7, 175-179.	0.7	1
281	UNPLANNED VERSUS PLANNED DISCHARGES FROM IN-PATIENT ALCOHOL DETOXIFICATION: RETROSPECTIVE ANALYSIS OF 470 FIRST-EPISEODE ADMISSIONS. Alcohol and Alcoholism, 2002, 37, 277-281.	1.6	66
282	Risk of overdose: do those who witness most overdoses also experience most overdoses?. Journal of Substance Use, 2002, 7, 136-140.	0.7	9
283	Evaluation of a Service to Strengthen Primary Care Responses to Substance-misusing Patients: welcomed, but little impact. Drugs: Education, Prevention and Policy, 2002, 9, 21-33.	1.3	4
284	Identifying Alcohol Problems Among Methadone Maintenance Patients. Journal of Maintenance in the Addictions, 2002, 2, 87-101.	0.1	1
285	From Salt Injection to Naloxone: Accuracy and Myths in Peer Resuscitation Methods for Opiate Overdose. Journal of Drug Issues, 2002, 32, 1103-1114.	1.2	13
286	Positive or negative history of childhood sexual abuse among problem drinkers: relationship to substance use disorders and psychiatric co-morbidity. Journal of Substance Use, 2002, 7, 34-40.	0.7	1
287	The feasibility of substance misuse screening in referrals from Accident and Emergency to an inner-city fracture clinic: results from a pilot study. Journal of Substance Use, 2002, 7, 65-70.	0.7	0
288	Exploring the associations between social class, binge drinking, and other risk behaviors among brazilian young people. International Perspectives on Child and Adolescent Mental Health, 2002, , 501-517.	0.0	0

#	ARTICLE	IF	CITATIONS
289	The relative influence of friends and functions: modelling frequency of substance use in a non-treatment sample of 16-22 year olds. Health Education, 2002, 102, 280-288.	0.9	5
290	'Rich Man's Speed': a qualitative study of young cocaine users. Drugs: Education, Prevention and Policy, 2002, 9, 195-210.	1.3	13
291	Self-detoxification attempts among methadone maintenance patients. Addictive Behaviors, 2002, 27, 575-584.	3.0	23
292	Who uses services for homeless people? An investigation amongst people sleeping rough in London. Journal of Community and Applied Social Psychology, 2002, 12, 71-75.	2.4	7
293	Looking beyond death: paying attention to other important consequences of heroin overdose. Addiction, 2002, 97, 927-928.	3.3	8
294	Increasing practice nurse access to alcohol training. Drug and Alcohol Review, 2002, 21, 281-286.	2.1	6
295	Peer overdose resuscitation: multiple intervention strategies and time to response by drug users who witness overdose. Drug and Alcohol Review, 2002, 21, 269-274.	2.1	22
296	A Short Alcohol Withdrawal Scale (SAWS): development and psychometric properties. Addiction Biology, 2002, 7, 37-43.	2.6	48
297	The relative impact of waiting time and treatment entry on drug and alcohol use. Addiction Biology, 2002, 7, 67-74.	2.6	26
298	Assessing alcoholintoxicated patients. Psychiatric Bulletin, 2002, 26, 468-468.	0.3	1
299	Identifying young people who drink too much: the clinical utility of the five-item Alcohol Use Disorders Identification Test (AUDIT). Drug and Alcohol Review, 2001, 20, 9-18.	2.1	16
300	Excessive alcohol consumption and drinking expectations among clients in methadone maintenance. Journal of Substance Abuse Treatment, 2001, 21, 155-160.	2.8	51
301	Ethnic and Gender Differences in Drinking and Smoking among London Adolescents. Ethnicity and Health, 2001, 6, 51-57.	2.5	44
302	Understanding the Developmental Relationship Between Drug Use and Crime: Are Drug Users the Best People to Ask?. Addiction Research and Theory, 2001, 9, 151-164.	1.9	5
303	Effects of methadone on cognition, mood and craving in detoxifying opiate addicts: a dose-response study. Psychopharmacology, 2001, 154, 153-160.	3.1	122
304	Methadone prescribing to opiate addicts by private doctors: comparison with NHS practice in south east England. Addiction, 2001, 96, 567-576.	3.3	21
305	The role of the community pharmacist in drug abuse: a comparison of service provision between Northern Ireland and England/Wales. International Journal of Clinical Pharmacy, 2001, 23, 13-16.	1.4	9
306	Multiple drug use: patterns and practices of heroin and crack use in a population of opiate addicts in treatment. Drug and Alcohol Review, 2001, 20, 201-204.	2.1	8

#	ARTICLE	IF	CITATIONS
307	The effect of tobacco smoking on subjective symptoms of inadequacy (‘‘not holding’’) of methadone dose among opiate addicts in methadone maintenance treatment. <i>Addiction Biology</i> , 2001, 6, 137-145.	2.6	26
308	The impact of naloxone/lofexidine combination treatment on the opiate withdrawal syndrome. <i>Addiction Biology</i> , 2001, 6, 147-156.	2.6	19
309	Hepatitis B and C in alcohol-dependent patients admitted to a UK alcohol inpatient treatment unit. <i>Addiction Biology</i> , 2001, 6, 363-372.	2.6	12
310	Multiple drug use: patterns and practices of heroin and crack use in a population of opiate addicts in treatment. <i>Drug and Alcohol Review</i> , 2001, 20, 201-204.	2.1	36
311	Are the Twelve Steps More Acceptable to Drug Users than to Drinkers?. <i>European Addiction Research</i> , 2001, 7, 69-77.	2.4	25
312	Assessment of a Concentrated, High-Profile Police Operation. No Discernible Impact on Drug Availability, Price or Purity. <i>British Journal of Criminology</i> , 2001, 41, 738-745.	2.1	69
313	DIFFERENT FORMS OF HEROIN AND THEIR RELATIONSHIP TO COOK-UP TECHNIQUES: DATA ON, AND EXPLANATION OF, USE OF LEMON JUICE AND OTHER ACIDS. <i>Substance Use and Misuse</i> , 2001, 36, 573-588.	1.4	30
314	Crime and Expenditure amongst Polydrug Misusers Seeking Treatment : The Connection between Prescribed Methadone and Crack Use, and Criminal Involvement. <i>British Journal of Criminology</i> , 2001, 41, 119-126.	2.1	70
315	Price, cost and value of opiate detoxification treatments. <i>British Journal of Psychiatry</i> , 2000, 177, 262-266.	2.8	27
316	Alternative ways of using drugs. <i>Practice Nursing</i> , 2000, 11, 12-14.	0.1	1
317	Is prison tattooing a risk behaviour for HIV and other viruses? Results from a national survey of prisoners in England and Wales. <i>Criminal Behaviour and Mental Health</i> , 2000, 10, 60-65.	0.8	12
318	Pharmacy-based needle exchange (PBNX) schemes in South East England: a survey of service providers. <i>Addiction</i> , 2000, 95, 1551-1560.	3.3	26
319	Randomized trial of supervised injectable versus oral methadone maintenance: report of feasibility and 6-month outcome. <i>Addiction</i> , 2000, 95, 1631-1645.	3.3	56
320	Diversion of prescribed drugs by drug users in treatment: analysis of the UK market and new data from London. <i>Addiction</i> , 2000, 95, 393-406.	3.3	96
321	Changes in cigarette smoking among alcohol and drug misusers during inpatient detoxification. <i>Addiction Biology</i> , 2000, 5, 443-450.	2.6	18
322	Peer-initiated overdose resuscitation: fellow drug users could be mobilised to implement resuscitation. <i>International Journal of Drug Policy</i> , 2000, 11, 437-445.	3.3	63
323	Use of non-prescribed methadone and other illicit drugs during methadone maintenance treatment. <i>Drug and Alcohol Review</i> , 2000, 19, 9-16.	2.1	38
324	Drug use functions predict cocaine-related problems in young people. <i>Drug and Alcohol Review</i> , 2000, 19, 181-190.	2.1	21

#	ARTICLE	IF	CITATIONS
325	Accidental and deliberate overdose among opiate addicts in methadone maintenance treatment: are deliberate overdoses systematically different?. Drug and Alcohol Review, 2000, 19, 213-216.	2.1	33
326	Drug users' experiences of witnessing overdoses: what do they know and what do they need to know?. Drug and Alcohol Review, 2000, 19, 407-412.	2.1	16
327	Improving the quality of the cannabis debate: defining the different domains. BMJ: British Medical Journal, 2000, 320, 108-110.	2.3	44
328	Measuring Met and Unmet Need of Drug Misusers: Integration of Quantitative and Qualitative Data. European Addiction Research, 2000, 6, 97-103.	2.4	19
329	Variation between and within Drug Treatment Modalities: Data from the National Treatment Outcome Research Study (UK). European Addiction Research, 2000, 6, 106-114.	2.4	29
330	Pathways to Abstinence: Two-Year Follow-Up Data on 60 Abstinent Former Opiate Addicts Who Had Been Turned Away from Treatment. European Addiction Research, 2000, 6, 141-147.	2.4	10
331	Identifying young people who drink too much: the clinical utility of the five-item Alcohol Use Disorders Identification Test (AUDIT). Drug and Alcohol Review, 2000, 20, 9-18.	2.1	22
332	Drinking and smoking as concurrent predictors of illicit drug use and positive drug attitudes in adolescents. Drug and Alcohol Dependence, 2000, 60, 319-321.	3.2	59
333	Illicit drugs and driving: prevalence, beliefs and accident involvement among a cohort of current out-of-treatment drug users. Drug and Alcohol Dependence, 2000, 58, 197-204.	3.2	80
334	Naltrexone and lofexidine combination treatment compared with conventional lofexidine treatment for in-patient opiate detoxification. Drug and Alcohol Dependence, 2000, 59, 183-188.	3.2	35
335	Assessing Client Satisfaction with Treatment for Substance Use Problems and the Development of the Treatment Perceptions Questionnaire (TPQ). Addiction Research, 2000, 8, 455-470.	0.6	71
336	Pharmacotherapy in the treatment of drug dependence: options to strengthen effectiveness. Advances in Psychiatric Treatment, 1999, 5, 427-434.	0.5	1
337	Therapeutic Drug Monitoring for Methadone: Scanning the Horizon. European Addiction Research, 1999, 5, 36-42.	2.4	20
338	Client Perceptions of Inpatient Treatment: a qualitative account with implications for service delivery. Drugs: Education, Prevention and Policy, 1999, 6, 87-97.	1.3	14
339	Heroin overdose among a treatment sample of injecting drug misusers: accident or suicidal behaviour?. Journal of Substance Use, 1999, 4, 88-91.	0.7	41
340	What Influences Young People's Use of Drugs? A qualitative study of decision-making. Drugs: Education, Prevention and Policy, 1999, 6, 373-387.	1.3	75
341	Why Say No? Reasons Given by Young People for Not Using Drugs. Addiction Research, 1999, 7, 339-353.	0.6	21
342	Preventing opiate overdose fatalities with take-home naloxone: pre-launch study of possible impact and acceptability. Addiction, 1999, 94, 199-204.	3.3	147

#	ARTICLE	IF	CITATIONS
343	Self-reported overdose among injecting drug users in London: extent and nature of the problem. <i>Addiction</i> , 1999, 94, 471-478.	3.3	131
344	Substance use among young people: the relationship between perceived functions and intentions. <i>Addiction</i> , 1999, 94, 1043-1050.	3.3	82
345	A review of biological indicators of illicit drug use, practical considerations and clinical usefulness. <i>Addiction</i> , 1999, 94, 1279-1298.	3.3	154
346	Preventing and curtailing injecting drug use: a review of opportunities for developing and delivering "route transition interventions". <i>Drug and Alcohol Review</i> , 1999, 18, 441-451.	2.1	60
347	Which drugs cause overdose among opiate misusers? Study of personal and witnessed overdoses. <i>Drug and Alcohol Review</i> , 1999, 18, 253-261.	2.1	25
348	Cannabis use in relation to illicit drug use and health problems among opiate misusers in treatment. <i>Drug and Alcohol Review</i> , 1999, 18, 31-38.	2.1	28
349	Rapid opiate detoxification treatments. <i>Drug and Alcohol Review</i> , 1999, 18, 75-81.	2.1	18
350	Drug transitions: uncoupling drug and route. <i>Addiction</i> , 1999, 94, 1787-1788.	3.3	4
351	Lofexidine for Opiate Detoxification: Review of Recent Randomised and Open Controlled Trials. <i>American Journal on Addictions</i> , 1999, 8, 337-348.	1.4	43
352	Heroin Chasers and Heroin Injectors: Differences Observed in a Community Sample in London, UK. <i>American Journal on Addictions</i> , 1999, 8, 148-160.	1.4	69
353	The Heroin Prescribing Debate: Integrating Science and Politics. <i>Science</i> , 1999, 284, 1277-1278.	12.6	76
354	Benzodiazepines in Polydrug-using Repertoires: the impact of the decreased availability of temazepam gel-filled capsules. <i>Drugs: Education, Prevention and Policy</i> , 1999, 6, 61-69.	1.3	42
355	Methadone maintenance clients and the acceptability of supervised consumption of methadone. <i>Journal of Substance Use</i> , 1999, 4, 92-97.	0.7	6
356	Continued heroin use during methadone treatment: relationships between frequency of use and reasons reported for heroin use. <i>Drug and Alcohol Dependence</i> , 1999, 53, 191-195.	3.2	22
357	Absinthe: what's your poison?. <i>BMJ: British Medical Journal</i> , 1999, 319, 1590-1592.	2.3	49
358	Alternative ways of using and abusing drugs and complicity of doctors. <i>British Journal of Hospital Medicine</i> , 1999, 60, 165-168.	0.2	5
359	Potential collaborators saw various problems with study of detoxification under anaesthesia. <i>BMJ: British Medical Journal</i> , 1999, 318, 264-264.	2.3	3
360	Specific laboratory investigations for assessments and management of drug problems. <i>Advances in Psychiatric Treatment</i> , 1999, 5, 180-191.	0.5	8

#	ARTICLE	IF	CITATIONS
361	Opiate detoxification under anaesthesia. BMJ: British Medical Journal, 1999, 319, 321-321.	2.3	0
362	Route of drug use and its implications for drug effect, risk of dependence and health consequences. Drug and Alcohol Review, 1998, 17, 197-211.	2.1	78
363	Low detection rates, negative attitudes and the failure to meet the "Health of the Nation" alcohol targets: findings from a national survey of GPs in England and Wales. Drug and Alcohol Review, 1998, 17, 249-258.	2.1	57
364	How do general practitioners manage alcohol-misusing patients? Results from a national survey of GPs in England and Wales. Drug and Alcohol Review, 1998, 17, 259-266.	2.1	20
365	Diversion tactics: how a sample of drug misusers in treatment obtained surplus drugs to sell on the illicit market. International Journal of Drug Policy, 1998, 9, 159-167.	3.3	17
366	Drunken detainees in police custody: is brief intervention by the forensic medical examiner feasible?. Criminal Behaviour and Mental Health, 1998, 8, 214-221.	0.8	11
367	Are practice nurses an unexplored resource in the identification and management of alcohol misuse? Results from a study of practice nurses in England and Wales in 1995. Journal of Advanced Nursing, 1998, 28, 592-597.	3.3	33
368	The Maudsley Addiction Profile (MAP): a brief instrument for assessing treatment outcome. Addiction, 1998, 93, 1857-1867.	3.3	399
369	Accelerated lofexidine treatment regimen compared with conventional lofexidine and methadone treatment for in-patient opiate detoxification. Drug and Alcohol Dependence, 1998, 50, 227-232.	3.2	57
370	Reliability and validity of self-report: on the importance of considering context. Drug and Alcohol Dependence, 1998, 51, 269.	3.2	7
371	Eating Too Little, Smoking and Drinking Too Much: Wider Lifestyle Problems Among Methadone Maintenance Patients. Addiction Research, 1998, 6, 489-498.	0.6	75
372	Turned Away from Treatment: Maintenance-Seeking Opiate Addicts at Two-Year Follow-Up. Addiction Research, 1998, 6, 71-81.	0.6	5
373	Cocaine in Britain: Prevalence, Problems, and Treatment Responses. Journal of Drug Issues, 1998, 28, 225-241.	1.2	13
374	Effect of government recommendations on methadone prescribing in south east England: comparison of 1995 and 1997 surveys. BMJ: British Medical Journal, 1998, 317, 1489-1490.	2.3	21
375	AIDS and Drug Misuse in the UK-10 Years on: Achievements, failings and new harm reduction opportunities. Drugs: Education, Prevention and Policy, 1998, 5, 293-304.	1.3	13
376	Drug Use and Offending Behaviour Among Young People Excluded from School. Drugs: Education, Prevention and Policy, 1998, 5, 245-256.	1.3	16
377	Hair analysis. British Journal of Psychiatry, 1998, 173, 287-290.	2.8	18
378	Missed problems and missed opportunities for addicted doctors. BMJ: British Medical Journal, 1998, 316, 405-406.	2.3	35

#	ARTICLE	IF	CITATIONS
379	Opioid Substitution: Critical Issues and Future Directions. <i>Journal of Drug Issues</i> , 1998, 28, 243-263.	1.2	10
380	Continuing drug risk behaviour: Shared use of injecting paraphernalia among London heroin injectors. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 1997, 9, 651-660.	1.2	28
381	Heroin is More Than Just Diamorphine. <i>Addiction Research</i> , 1997, 5, iii-vii.	0.6	10
382	Methadone Treatment for Opiate Addiction: Benefits in the First Month. <i>Addiction Research</i> , 1997, 5, 71-76.	0.6	33
383	Have Drug Workers in England Received Appropriate Training?: 1995 baseline data from a national survey. <i>Drugs: Education, Prevention and Policy</i> , 1997, 4, 297-304.	1.3	8
384	Different Gender and Age Characteristics of the UK Heroin Epidemic of the 1990s Compared with the 1980s. <i>European Addiction Research</i> , 1997, 3, 43-48.	2.4	5
385	Training Primary Health Care Staff about Alcohol: A study of alcohol trainers in the UK. <i>Drugs: Education, Prevention and Policy</i> , 1997, 4, 173-186.	1.3	3
386	Adverse effects of stimulant drugs in a community sample of drug users. <i>Drug and Alcohol Dependence</i> , 1997, 44, 87-94.	3.2	168
387	How constant is an individual's route of heroin administration?. <i>Drug and Alcohol Dependence</i> , 1997, 46, 115-118.	3.2	43
388	Double-blind randomised controlled trial of lofexidine versus clonidine in the treatment of heroin withdrawal. <i>Drug and Alcohol Dependence</i> , 1997, 48, 127-133.	3.2	89
389	Time of day of methadone consumption and illicit heroin use. <i>Drug and Alcohol Dependence</i> , 1997, 49, 49-54.	3.2	10
390	Functional magnetic resonance imaging of the acute effect of intravenous heroin administration on visual activation in long-term heroin addicts: results from a feasibility study. <i>Drug and Alcohol Dependence</i> , 1997, 49, 55-60.	3.2	36
391	Type of hospital setting and treatment outcome with heroin addicts. <i>British Journal of Psychiatry</i> , 1997, 171, 335-339.	2.8	40
392	HIV prevention and drug treatment services for drug misusers: a national study of community pharmacists' attitudes and their involvement in service specific training. <i>Addiction</i> , 1997, 92, 1737-1748.	3.3	53
393	Heroin smoking by "chasing the dragon": origins and history. <i>Addiction</i> , 1997, 92, 673-683.	3.3	105
394	Chasing the elusive dragon: the need for better definition. <i>Addiction</i> , 1997, 92, 692-695.	3.3	2
395	Prescribing amphetamines to drug misusers: data from the 1995 national survey of community pharmacies in England and Wales. <i>Addiction</i> , 1997, 92, 833-838.	3.3	18
396	Heroin prescribing in the "British System" of the mid 1990s: data from the 1995 national survey of community pharmacies in England and Wales. <i>Drug and Alcohol Review</i> , 1997, 16, 7-16.	2.1	33

#	ARTICLE	IF	CITATIONS
397	Heroin in the United Kingdom: different forms, different origins, and the relationship to different routes of administration. <i>Drug and Alcohol Review</i> , 1997, 16, 329-337.	2.1	41
398	Test-retest reliability of the Severity of Dependence Scale. <i>Addiction</i> , 1997, 92, 353-353.	3.3	13
399	HIV prevention and drug treatment services for drug misusers: a national study of community pharmacists' attitudes and their involvement in service specific training. <i>Addiction</i> , 1997, 92, 1737-1748.	3.3	1
400	Heroin smoking by 'chasing the dragon': origins and history. <i>Addiction</i> , 1997, 92, 673-684.	3.3	39
401	Test-retest reliability of the Severity of Dependence Scale. <i>Addiction</i> , 1997, 92, 353-353.	3.3	114
402	Mistake in report: hepatitis B vaccination for drug misusers is recommended. <i>BMJ: British Medical Journal</i> , 1997, 315, 61-61.	2.3	3
403	Opiate detoxification under anaesthesia. <i>BMJ: British Medical Journal</i> , 1997, 315, 1249-1250.	2.3	26
404	Randomised double-blind comparison of lofexidine and methadone in the in-patient treatment of opiate withdrawal. <i>Drug and Alcohol Dependence</i> , 1996, 43, 87-91.	3.2	99
405	Heroin Prescribing in the British System: Historical Review. <i>European Addiction Research</i> , 1996, 2, 185-193.	2.4	26
406	Training primary health care workers about drugs: a national survey of UK trainers' perceptions towards training. <i>Drug and Alcohol Review</i> , 1996, 15, 343-355.	2.1	15
407	The Differences between Male and Female Drug Users: Community Samples of Heroin and Cocaine Users Compared. <i>Substance Use and Misuse</i> , 1996, 31, 529-543.	1.4	126
408	Suicide and overdose among opiate addicts. <i>Addiction</i> , 1996, 91, 321-323.	3.3	50
409	Heroin overdose: the case for take-home naloxone. <i>BMJ: British Medical Journal</i> , 1996, 312, 1435-1436.	2.3	138
410	Prescribing injectable and oral methadone to opiate addicts: results from the 1995 national postal survey of community pharmacies in England and Wales. <i>BMJ: British Medical Journal</i> , 1996, 313, 270-272.	2.3	129
411	Role of community pharmacies in relation to HIV prevention and drug misuse: findings from the 1995 national survey in England and Wales. <i>BMJ: British Medical Journal</i> , 1996, 313, 272-274.	2.3	86
412	Heterosexual anal intercourse, health risks and drug use: a review with special attention to drug users. <i>Drug and Alcohol Review</i> , 1995, 14, 223-229.	2.1	10
413	The Severity of Dependence Scale (SDS): psychometric properties of the SDS in English and Australian samples of heroin, cocaine and amphetamine users. <i>Addiction</i> , 1995, 90, 607-614.	3.3	762
414	Radioimmunoassay of drugs of abuse in hair Part 2: The determination of methadone in the hair of known drug users. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1995, 13, 829-839.	2.8	22

#	ARTICLE	IF	CITATIONS
415	Compressed opiate withdrawal syndrome and naltrexone. Journal of Psychopharmacology, 1995, 9, 383-385.	4.0	9
416	Female prostitutes in south London: Use of heroin, cocaine and alcohol, and their relationship to health risk behaviours. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 1995, 7, 253-260.	1.2	58
417	Methadone maintenance treatment. BMJ: British Medical Journal, 1995, 310, 1408-1408.	2.3	2
418	A Ratio Estimation Method for Determining the Prevalence of Cocaine Use. British Journal of Psychiatry, 1994, 164, 676-679.	2.8	6
419	Cocaine: Patterns of Use, Route of Administration, and Severity of Dependence. British Journal of Psychiatry, 1994, 164, 660-664.	2.8	139
420	Transitions in patterns of heroin administration: a study of heroin chasers and heroin injectors. Addiction, 1994, 89, 301-309.	3.3	146
421	Methadone-maintenance and the prognosis paradox. Addiction, 1994, 89, 812-813.	3.3	0
422	Sexual behaviour and its relationship to drug-taking among prostitutes in south London. Addiction, 1994, 89, 961-970.	3.3	71
423	Opiates: are there under-utilized and unexplored areas of prevention?. Addiction, 1994, 89, 1511-1516.	3.3	7
424	Multiple risks for HIV and hepatitis B infection among heroin users. Drug and Alcohol Review, 1994, 13, 293-300.	2.1	12
425	Patients' preferences and randomised trials. Lancet, The, 1994, 344, 688-689.	13.7	8
426	Heterosexual Vaginal and Anal Intercourse Amongst London Heroin and Cocaine Users. International Journal of STD and AIDS, 1994, 5, 133-136.	1.1	14
427	Policy on drug misuse in Europe. BMJ: British Medical Journal, 1994, 308, 609-610.	2.3	8
428	Treatment of heroin users. BMJ: British Medical Journal, 1994, 308, 718-719.	2.3	6
429	Survey of use of injected benzodiazepines among drug users in Britain. BMJ: British Medical Journal, 1994, 308, 1082-1082.	2.3	59
430	Drug users in prison. BMJ: British Medical Journal, 1994, 309, 271-272.	2.3	3
431	Fortnightly Review: Methadone maintenance treatment in opiate dependence: a review. BMJ: British Medical Journal, 1994, 309, 997-1001.	2.3	345
432	Sex Differences in Patterns of Drug Taking Behaviour. British Journal of Psychiatry, 1994, 164, 101-104.	2.8	43

#	ARTICLE	IF	CITATIONS
433	Hair analysis for drugs: technological breakthrough or ethical quagmire?. <i>Addiction</i> , 1993, 88, 163-166.	3.3	18
434	A reply to the Liverpool Drug Clinic Pregnancy Support Group. <i>Addiction</i> , 1993, 88, 422-422.	3.3	0
435	Reaching hidden populations of drug users by privileged access interviewers: methodological and practical issues. <i>Addiction</i> , 1993, 88, 1617-1626.	3.3	238
436	Does post-acute withdrawal cue exposure improve outcome in opiate addiction? A controlled trial. <i>Addiction</i> , 1993, 88, 1233-1245.	3.3	98
437	Can opiate addicts tell us about their relapse risk? Subjective predictors of clinical prognosis. <i>Addictive Behaviors</i> , 1993, 18, 473-490.	3.0	51
438	Severity of heroin dependence and HIV risk. II. Sharing injecting equipment. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 1993, 5, 159-168.	1.2	53
439	Severity of heroin dependence and HIV risk. I. Sexual behaviour. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 1993, 5, 149-157.	1.2	45
440	Sexual and injecting behaviours in prisons: from disciplinary problem to public health conundrum. <i>Criminal Behaviour and Mental Health</i> , 1993, 3, 393-402.	0.8	7
441	Poppy Tea Dependence. <i>British Journal of Psychiatry</i> , 1993, 163, 813-814.	2.8	17
442	Cocaine in the UK-1991. <i>British Journal of Psychiatry</i> , 1993, 162, 1-13.	2.8	43
443	Treatment of Cocaine Abuse: Exploring the Condition and Selecting the Response. , 1993, , 146-172.		0
444	“Get the message” <i>Psychiatric Bulletin</i> , 1993, 17, 166-167.	0.3	0
445	Factors Associated with Relapse Among Opiate Addicts in an Out-patient Detoxification Programme. <i>British Journal of Psychiatry</i> , 1992, 161, 654-657.	2.8	37
446	The community drug team. <i>Addiction</i> , 1992, 87, 169-178.	3.3	22
447	HIV among south London heroin users in 1991. <i>Lancet</i> , The, 1992, 339, 1060-1061.	13.7	13
448	Intravenous and other novel abuses of benzodiazepines: the opening of Pandora's box?. <i>Addiction</i> , 1992, 87, 1373-1375.	3.3	36
449	What is AIDS doing to the drug research agenda?. <i>Addiction</i> , 1992, 87, 343-346.	3.3	7
450	The study of transitions in the route of drug use: the route from one route to another. <i>Addiction</i> , 1992, 87, 473-483.	3.3	77

#	ARTICLE	IF	CITATIONS
451	Extent and nature of transitions of route among heroin addicts in treatment-preliminary data from the Drug Transitions Study. <i>Addiction</i> , 1992, 87, 485-491.	3.3	43
452	Establishment of a liaison service for pregnant opiate-dependent women. <i>Addiction</i> , 1992, 87, 867-871.	3.3	30
453	Should opiate addicts be involved in controlling their own detoxification? A comparison of fixed versus negotiable schedules. <i>Addiction</i> , 1992, 87, 1221-1221.	3.3	0
454	Severity of dependence and route of administration of heroin, cocaine and amphetamines. <i>Addiction</i> , 1992, 87, 1527-1536.	3.3	275
455	The Fifth Thomas James Okey Memorial Lecture: Research and practice: the necessary symbiosis. <i>Addiction</i> , 1992, 87, 967-986.	3.3	4
456	“Horse trading”: prescribing injectable opiates to opiate addicts. A descriptive study. <i>Drug and Alcohol Review</i> , 1992, 11, 35-42.	2.1	28
457	Self-detoxification by Opiate Addicts. <i>British Journal of Psychiatry</i> , 1991, 159, 208-212.	2.8	44
458	Should opiate addicts be involved in controlling their own detoxification? A comparison of fixed versus negotiable schedules. <i>Addiction</i> , 1991, 86, 977-982.	3.3	24
459	Substance Use and Misuse in Childhood and Adolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1991, 32, 109-128.	5.2	17
460	A Comparison of the Withdrawal Responses of Heroin and Methadone Addicts during Detoxification. <i>British Journal of Psychiatry</i> , 1991, 158, 697-699.	2.8	42
461	The lure of masterstrokes: drug legalization. <i>Addiction</i> , 1990, 85, 5-7.	3.3	3
462	Pharmaceutical heroin and 'chasing the dragon' From Malcolm Battersby, Michael Farrell & John Strong. <i>Addiction</i> , 1990, 85, 151-151.	3.3	3
463	HIV and AIDS: a clinician's response. <i>Addiction</i> , 1990, 85, 344-348.	3.3	1
464	The Drug Advisory Service of England and Wales-the first 2 years. <i>Addiction</i> , 1990, 85, 1335-1343.	3.3	2
465	Screening for hepatitis B and vaccination of injecting drug users in NHS drug treatment services. <i>Addiction</i> , 1990, 85, 1657-1659.	3.3	23
466	Social and drug-taking behaviour of 'maintained' opiate addicts. <i>Addiction</i> , 1990, 85, 771-774.	3.3	10
467	Crack and cocaine use in South London drug addicts: 1987-1989. <i>Addiction</i> , 1990, 85, 193-196.	3.3	31
468	Confusion between the drug legalization and the drug prescribing debate. <i>Drug and Alcohol Review</i> , 1990, 9, 364-368.	2.1	2

#	ARTICLE	IF	CITATIONS
469	Lessons from an English Opium Eater: Thomas De Quincey Reconsidered. Substance Use and Misuse, 1990, 25, 1455-1465.	0.6	4
470	The effects of exposure to drug-related cues in detoxified opiate addicts: A theoretical review and some new data. Addictive Behaviors, 1990, 15, 339-354.	3.0	67
471	Hair analysis for drugs of abuse. Lancet, The, 1990, 335, 740.	13.7	20
472	Comparison of linear versus inverse exponential methadone reduction curves in the detoxification of opiate addicts. Addictive Behaviors, 1990, 15, 541-547.	3.0	41
473	Courses of Drug Use: The Concepts of Career and Natural History. , 1990, , 80-97.		3
474	Psychological Treatments. , 1990, , 131-148.		0
475	Obstetric liaison. British Journal of Psychiatry, 1989, 155, 264-265.	2.8	3
476	Opiate Withdrawal Symptoms in Response to 10-Day and 21-Day Methadone Withdrawal Programmes. British Journal of Psychiatry, 1989, 154, 360-363.	2.8	93
477	â€˜The British Systemâ€™: past, present and future. International Review of Psychiatry, 1989, 1, 109-120.	2.8	25
478	Computerized Tomography and Neuropsychological Assessment in Long-term High-dose Heroin Addicts. Addiction, 1989, 84, 1011-1019.	3.3	64
479	The Bethlem Study on NET: putting the record straight. Addiction, 1989, 84, 818-819.	3.3	1
480	Cue exposure as an assessment technique in the management of a heroin addict: case report. Drug and Alcohol Dependence, 1989, 24, 161-167.	3.2	6
481	Changing Injecting Practices: blunting the needle habit. Addiction, 1988, 83, 237-239.	3.3	18
482	The Drug Dependence Clinical Research and Treatment Unit, The Maudsley and Bethlem Royal Hospitals. Addiction, 1988, 83, 1387-1394.	3.3	2
483	Chasing the Dragon: characteristics of heroin chasers. Addiction, 1988, 83, 1159-1162.	3.3	79
484	DRUG ABUSE STRATEGIES. Lancet, The, 1988, 331, 187.	13.7	3
485	DRUG USERS, AIDS, AND THE GOVERNMENT RESPONSE. Lancet, The, 1988, 332, 41.	13.7	2
486	Helping the Problem Drinker: New Initiatives in Community CareTim Stockwell and Sue Clement (Eds.), Beckenham, Kent: Croom Helm, 1987, pp. 298, Â£22.50 hardback.. Behavioural Psychotherapy, 1988, 16, 147-148.	0.5	0

#	ARTICLE	IF	CITATIONS
487	Cocaine: New Directions in Treatment and Research. Edited by H. I. Spitz and J. S. Rosencan. (Pp. 338;) Tj ETQq1 1 0.784314 10 BT /Overl	4.5	0
488	Responding flexibly but not gullibly to drug addiction.. BMJ: British Medical Journal, 1987, 295, 1364-1364.	2.3	7
489	Drug abuse: a new problem. BMJ: British Medical Journal, 1987, 295, 852-852.	2.3	0
490	URINE TESTING AND DRUG ABUSE. Lancet, The, 1987, 329, 1146.	13.7	0
491	INTRAPROFESSIONAL COMPETITIVE PRESCRIBING FOR THE DRUG ADDICT. Lancet, The, 1987, 330, 1401.	13.7	3
492	The Application of the SODQ to the Measurement of the Severity of Opiate Dependence in a British Sample. Addiction, 1987, 82, 691-699.	3.3	45
493	Breaking Out of Procrustes' Bedâ€™Services for Problem Drug Takers. Bulletin of the Royal College of Psychiatrists, 1985, 9, 150-152.	0.0	3
494	Notification of Addicts and the Medical Practitioner.. British Journal of Psychiatry, 1985, 147, 195-198.	2.8	13
495	ABUSE OF BUPRENORPHINE. Lancet, The, 1985, 326, 725.	13.7	68
496	CONFIDENTIALITY AND THE DRUG ADDICT. Lancet, The, 1984, 323, 682.	13.7	2
497	The Clinical Effectiveness of Electrostimulation vs Oral Methadone in Managing Opiate Withdrawal. British Journal of Psychiatry, 1984, 144, 203-208.	2.8	48
498	DRUG USERS AND URINE TESTING. Lancet, The, 1983, 322, 400-401.	13.7	3
499	Mania Secondary to Procyclidine (â€™Kemadrinâ€™™) Abuse. British Journal of Psychiatry, 1982, 141, 81-84.	2.8	32
500	The Response of Out-Patient Opiate Addicts to the Provision of a Temporary Increase in their Prescribed Drugs. British Journal of Psychiatry, 1982, 141, 338-343.	2.8	16
501	Assessment of an Urgent Admission Procedure to an In-Patient Drug Dependence Unit. Addiction, 1982, 77, 311-318.	3.3	10
502	Psychotherapy by nurses ? some special characteristics. Journal of Advanced Nursing, 1982, 7, 167-171.	3.3	9
503	Understanding preferences for type of take-home naloxone device: international qualitative analysis of the views of people who use opioids. Drugs: Education, Prevention and Policy, 0, , 1-12.	1.3	0
504	Quantitative Data Analysis. , 0, , 163-183.		17

#	ARTICLE	IF	CITATIONS
505	Sampling Strategies for Addiction Research. , 0, , 27-42.		5
506	Surveys and Questionnaire Design. , 0, , 95-107.		2
507	Reliability and Validity. , 0, , 9-25.		0
508	Scales for Research in the Addictions. , 0, , 127-145.		0