

Francine C Acher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4987446/publications.pdf>

Version: 2024-02-01

57
papers

3,326
citations

172386

29
h-index

149623

56
g-index

58
all docs

58
docs citations

58
times ranked

2910
citing authors

#	ARTICLE	IF	CITATIONS
1	Virtual Screening Workflow Development Guided by the "Receiver Operating Characteristic" Curve Approach. Application to High-Throughput Docking on Metabotropic Glutamate Receptor Subtype 4. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 2534-2547.	2.9	548
2	The Metabotropic Glutamate Receptors: Structure, Activation Mechanism and Pharmacology. <i>CNS and Neurological Disorders</i> , 2002, 1, 297-317.	4.3	241
3	Heptahelical domain of metabotropic glutamate receptor 5 behaves like rhodopsin-like receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 378-383.	3.3	199
4	Comparative effect of I-CCG-I, DCG-IV and \hat{I}^3 -carboxy-l-glutamate on all cloned metabotropic glutamate receptor subtypes. <i>Neuropharmacology</i> , 1998, 37, 1043-1051.	2.0	148
5	New perspectives for the development of selective metabotropic glutamate receptor ligands. <i>European Journal of Pharmacology</i> , 1999, 375, 277-294.	1.7	139
6	Synthesis and Pharmacological Characterization of Aminocyclopentanetricarboxylic Acids: A New Tools to Discriminate between Metabotropic Glutamate Receptor Subtypes. <i>Journal of Medicinal Chemistry</i> , 1997, 40, 3119-3129.	2.9	135
7	Closure of the Venus flytrap module of mGlu8 receptor and the activation process: Insights from mutations converting antagonists into agonists. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 11097-11102.	3.3	120
8	Electrophysiological and behavioral evidence that modulation of metabotropic glutamate receptor 4 with a new agonist reverses experimental parkinsonism. <i>FASEB Journal</i> , 2009, 23, 3619-3628.	0.2	106
9	Targeting Group III Metabotropic Glutamate Receptors Produces Complex Behavioral Effects in Rodent Models of Parkinson's Disease. <i>Journal of Neuroscience</i> , 2007, 27, 6701-6711.	1.7	98
10	Group III metabotropic glutamate receptors inhibit hyperalgesia in animal models of inflammation and neuropathic pain. <i>Pain</i> , 2008, 137, 112-124.	2.0	96
11	A novel selective metabotropic glutamate receptor 4 agonist reveals new possibilities for developing subtype selective ligands with therapeutic potential. <i>FASEB Journal</i> , 2012, 26, 1682-1693.	0.2	85
12	Amino acid recognition by Venus flytrap domains is encoded in an 8-residue motif. <i>Biopolymers</i> , 2005, 80, 357-366.	1.2	82
13	Common and Selective Molecular Determinants Involved in Metabotropic Glutamate Receptor Agonist Activity. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 3171-3183.	2.9	69
14	A Virtual Screening Hit Reveals New Possibilities for Developing Group III Metabotropic Glutamate Receptor Agonists. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 2797-2813.	2.9	66
15	Metabotropic glutamate receptor subtype 4 selectively modulates both glutamate and GABA transmission in the striatum: implications for Parkinson's disease treatment. <i>Journal of Neurochemistry</i> , 2009, 109, 1096-1105.	2.1	65
16	Three-dimensional model of the extracellular domain of the type 4a metabotropic glutamate receptor: New insights into the activation process. <i>Protein Science</i> , 2000, 9, 2200-2209.	3.1	63
17	(+)-2-Amino-4-thiophosphonobutyric Acid (thioAP4), a New Potent Agonist of Group III Metabotropic Glutamate Receptors: Increased Distal Acidity Affords Enhanced Potency. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 4656-4664.	2.9	60
18	Opposing efficacy of group III mGlu receptor activators, LSP1-2111 and AMN082, in animal models of positive symptoms of schizophrenia. <i>Psychopharmacology</i> , 2012, 220, 481-494.	1.5	58

#	ARTICLE	IF	CITATIONS
19	Agonist Selectivity of mGluR1 and mGluR2 Metabotropic Receptors: A Different Environment but Similar Recognition of an Extended Glutamate Conformation. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 1546-1555.	2.9	56
20	Metabotropic glutamate receptor 4 novel agonist LSP1-2111 with anxiolytic, but not antidepressant-like activity, mediated by serotonergic and GABAergic systems. <i>Neuropharmacology</i> , 2010, 59, 627-634.	2.0	53
21	Identification of Positive Allosteric Modulators VU0155094 (ML397) and VU0422288 (ML396) Reveals New Insights into the Biology of Metabotropic Glutamate Receptor 7. <i>ACS Chemical Neuroscience</i> , 2014, 5, 1221-1237.	1.7	53
22	Alleviating Pain Hypersensitivity through Activation of Type 4 Metabotropic Glutamate Receptor. <i>Journal of Neuroscience</i> , 2013, 33, 18951-18965.	1.7	52
23	Synthesis and Biological Evaluation of 1-Amino-2-Phosphonomethylcyclopropanecarboxylic Acids, New Group III Metabotropic Glutamate Receptor Agonists. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 3585-3595.	2.9	49
24	Conformational pathway provides unique sensitivity to a synaptic mGluR. <i>Nature Communications</i> , 2019, 10, 5572.	5.8	43
25	Extended glutamate activates metabotropic receptor types 1, 2 and 4: selective features at mGluR4 binding site. <i>Neuropharmacology</i> , 1999, 38, 1543-1551.	2.0	39
26	Allosteric modulation of metabotropic glutamate receptors by chloride ions. <i>FASEB Journal</i> , 2015, 29, 4174-4188.	0.2	37
27	Illuminating the allosteric modulation of the calcium-sensing receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 21711-21722.	3.3	37
28	Role of mGluR4 in acquisition of fear learning and memory. <i>Neuropharmacology</i> , 2013, 66, 365-372.	2.0	33
29	The antipsychotic-like effects of the mGlu group III orthosteric agonist, LSP1-2111, involves 5-HT1A signalling. <i>Psychopharmacology</i> , 2013, 227, 711-725.	1.5	29
30	Depression of excitatory transmission at Pfâ€PC synapse by group III metabotropic glutamate receptors is provided exclusively by mGluR4 in the rodent cerebellar cortex. <i>Journal of Neurochemistry</i> , 2008, 105, 2069-2079.	2.1	28
31	High-Potency Olfactory Receptor Agonists Discovered by Virtual High-Throughput Screening: Molecular Probes for Receptor Structure and Olfactory Function. <i>Neuron</i> , 2008, 60, 767-774.	3.8	26
32	Rose Bengal analogs and vesicular glutamate transporters (VGLUTs). <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 6922-6933.	1.4	26
33	A novel mGlu4 selective agonist LSP4-2022 increases behavioral despair in mouse models of antidepressant action. <i>Neuropharmacology</i> , 2015, 97, 338-345.	2.0	26
34	Increased Potency and Selectivity for Group III Metabotropic Glutamate Receptor Agonists Binding at Dual sites. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 1969-1989.	2.9	26
35	Chloride ions stabilize the glutamate-induced active state of the metabotropic glutamate receptor 3. <i>Neuropharmacology</i> , 2018, 140, 275-286.	2.0	26
36	Infiltrating Myeloid Cells Drive Osteosarcoma Progression via GRM4 Regulation of IL23. <i>Cancer Discovery</i> , 2019, 9, 1511-1519.	7.7	26

#	ARTICLE	IF	CITATIONS
37	A critical pocket close to the glutamate binding site of mGlu receptors opens new possibilities for agonist design. <i>Neuropharmacology</i> , 2011, 60, 102-107.	2.0	25
38	Involvement of GABA _B Receptor Signaling in Antipsychotic-like Action of the Novel Orthosteric Agonist of the mGlu ₄ Receptor, LSP4-2022. <i>Current Neuropharmacology</i> , 2016, 14, 413-426.	1.4	25
39	Antidepressant efficacy of a selective organic cation transporter blocker in a mouse model of depression. <i>Molecular Psychiatry</i> , 2020, 25, 1245-1259.	4.1	24
40	Activation of Metabotropic Glutamate 4 Receptors Decreases L-DOPA-Induced Dyskinesia in a Mouse Model of Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2011, 1, 339-346.	1.5	23
41	Qualification of LSP1-2111 as a Brain Penetrant Group III Metabotropic Glutamate Receptor Orthosteric Agonist. <i>ACS Medicinal Chemistry Letters</i> , 2014, 5, 119-123.	1.3	22
42	Neurochemical and behavioral studies on the 5-HT 1A -dependent antipsychotic action of the mGlu 4 receptor agonist LSP4-2022. <i>Neuropharmacology</i> , 2017, 115, 149-165.	2.0	22
43	Mutual activation of glutamatergic mGlu4 and muscarinic M4 receptors reverses schizophrenia-related changes in rodents. <i>Psychopharmacology</i> , 2018, 235, 2897-2913.	1.5	20
44	Therapeutic potential of group III metabotropic glutamate receptor ligands in pain. <i>Current Opinion in Pharmacology</i> , 2015, 20, 64-72.	1.7	19
45	The mGlu7 receptor provides protective effects against epileptogenesis and epileptic seizures. <i>Neurobiology of Disease</i> , 2019, 129, 13-28.	2.1	18
46	Asc-1 Transporter (SLC7A10): Homology Models And Molecular Dynamics Insights Into The First Steps Of The Transport Mechanism. <i>Scientific Reports</i> , 2020, 10, 3731.	1.6	12
47	Successful Prediction of Substrate-binding Pocket in SLC17 Transporter Sialin. <i>Journal of Biological Chemistry</i> , 2012, 287, 11489-11497.	1.6	11
48	Amino Acids Bearing Aromatic or Heteroaromatic Substituents as a New Class of Ligands for the Lysosomal Sialic Acid Transporter Sialin. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 8231-8249.	2.9	11
49	A nanobody activating metabotropic glutamate receptor 4 discriminates between homo- and heterodimers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	11
50	Resolution and regioselective protection of glutamic acid analogues. II- Synthesis, resolution and configuration assignment of (+)-1- <i>l</i> -methyl-4-carboxyphenylglycine (M4CPG). <i>Tetrahedron: Asymmetry</i> , 1996, 7, 2963-2970.	1.8	9
51	Metabotropic glutamate receptor orthosteric ligands and their binding sites. <i>Neuropharmacology</i> , 2022, 204, 108886.	2.0	9
52	Determination of the absolute configuration of phosphinic analogues of glutamate. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 1106-1112.	1.5	6
53	Profiling of orthosteric and allosteric group-III metabotropic glutamate receptor ligands on various G protein-coupled receptors with Tag-liteA [®] assays. <i>Neuropharmacology</i> , 2018, 140, 233-245.	2.0	6
54	Synthesis of diastereoisomeric peptides incorporating cyclo ^D glutamic acids Substrate specificity of vitamin K ^δ -dependent carboxylation. <i>International Journal of Peptide and Protein Research</i> , 1991, 37, 210-219.	0.1	5

#	ARTICLE	IF	CITATIONS
55	LSP2-9166, an orthosteric mGlu4 and mGlu7 receptor agonist, reduces cocaine self-administration under a progressive ratio schedule in rats. <i>Neuroscience Letters</i> , 2020, 764, 135603.	1.0	4
56	Metabotropic glutamate receptors (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2019, 2019, .	0.2	1
57	Metabotropic glutamate receptors in GtoPdb v.2021.3. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2021, 2021, .	0.2	0