
Orlagh M Feeney

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4988280/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	50 years of oral lipid-based formulations: Provenance, progress and future perspectives. Advanced Drug Delivery Reviews, 2016, 101, 167-194.	13.7	308
2	â€~Stealth' lipid-based formulations: Poly(ethylene glycol)-mediated digestion inhibition improves oral bioavailability of a model poorly water soluble drug. Journal of Controlled Release, 2014, 192, 219-227.	9.9	69
3	Gel-Mediated Electrospray Assembly of Silica Supraparticles for Sustained Drug Delivery. ACS Applied Materials & Interfaces, 2018, 10, 31019-31031.	8.0	35
4	Retention of alkali, alkaline earth and transition metals on an itaconic acid cation-exchange column. Journal of Chromatography A, 2002, 964, 113-122.	3.7	33
5	An in Vitro Digestion Test That Reflects Rat Intestinal Conditions To Probe the Importance of Formulation Digestion vs First Pass Metabolism in Danazol Bioavailability from Lipid Based Formulations. Molecular Pharmaceutics, 2014, 11, 4069-4083.	4.6	30
6	Local inflammation alters the lung disposition of a drug loaded pegylated liposome after pulmonary dosing to rats. Journal of Controlled Release, 2019, 307, 32-43.	9.9	26
7	Engineering Biocoatings To Prolong Drug Release from Supraparticles. Biomacromolecules, 2019, 20, 3425-3434.	5.4	20
8	Lymph-directed immunotherapy – Harnessing endogenous lymphatic distribution pathways for enhanced therapeutic outcomes in cancer. Advanced Drug Delivery Reviews, 2020, 160, 115-135.	13.7	18
9	An Evaluation of Optimal PEGylation Strategies for Maximizing the Lymphatic Exposure and Antiviral Activity of Interferon after Subcutaneous Administration. Biomacromolecules, 2017, 18, 2866-2875.	5.4	15
10	Correlating in Vitro Solubilization and Supersaturation Profiles with in Vivo Exposure for Lipid Based Formulations of the CETP Inhibitor CP-532,623. Molecular Pharmaceutics, 2017, 14, 4525-4538.	4.6	14
11	High-Density Lipoprotein Composition Influences Lymphatic Transport after Subcutaneous Administration. Molecular Pharmaceutics, 2020, 17, 2938-2951.	4.6	12
12	Removal of interstitial hyaluronan with recombinant human hyaluronidase improves the systemic and lymphatic uptake of cetuximab in rats. Journal of Controlled Release, 2019, 315, 85-96.	9.9	10
13	A 30†kDa polyethylene glycol-enfuvirtide complex enhances the exposure of enfuvirtide in lymphatic viral reservoirs in rats. European Journal of Pharmaceutics and Biopharmaceutics, 2019, 137, 218-226.	4.3	9
14	Non-linear Increases in Danazol Exposure with Dose in Older vs. Younger Beagle Dogs: The Potential Role of Differences in Bile Salt Concentration, Thermodynamic Activity, and Formulation Digestion. Pharmaceutical Research, 2014, 31, 1536-1552.	3.5	8
15	Intra-articular injection of biologic anti-rheumatic drugs enhances local exposure to the joint-draining lymphatics. European Journal of Pharmaceutics and Biopharmaceutics, 2022, 173, 34-44.	4.3	8
16	Using <scp>2â€isopropyl</scp> â€2â€oxazine to explore the effect of monomer distribution and polymer architecture on the thermoresponsive behavior of copolymers. Journal of Polymer Science, 2021, 59, 2783-2796.	3.8	7
17	Depolymerization of hyaluronan using PEGylated human recombinant hyaluronidase promotes nanoparticle tumor penetration. Nanomedicine, 2021, 16, 275-292.	3.3	5
18	Polymeric Nanotubes as Drug Delivery Vectors─Comparison of Covalently and Supramolecularly Assembled Constructs. Biomacromolecules, 2022, 23, 2315-2328.	5.4	5

#	Article	IF	CITATIONS
19	Subcutaneous delivery of a dendrimer-BH3 mimetic improves lymphatic uptake and survival in lymphoma. Journal of Controlled Release, 2022, 348, 420-430.	9.9	4