

Orlagh M Feeney

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4988280/publications.pdf>

Version: 2024-02-01

19
papers

636
citations

933264

10
h-index

794469

19
g-index

19
all docs

19
docs citations

19
times ranked

881
citing authors

#	ARTICLE	IF	CITATIONS
1	Intra-articular injection of biologic anti-rheumatic drugs enhances local exposure to the joint-draining lymphatics. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2022, 173, 34-44.	2.0	8
2	Polymeric Nanotubes as Drug Delivery Vectors – Comparison of Covalently and Supramolecularly Assembled Constructs. <i>Biomacromolecules</i> , 2022, 23, 2315-2328.	2.6	5
3	Subcutaneous delivery of a dendrimer-BH3 mimetic improves lymphatic uptake and survival in lymphoma. <i>Journal of Controlled Release</i> , 2022, 348, 420-430.	4.8	4
4	Depolymerization of hyaluronan using PEGylated human recombinant hyaluronidase promotes nanoparticle tumor penetration. <i>Nanomedicine</i> , 2021, 16, 275-292.	1.7	5
5	Using <i>2-isopropyl-oxazine</i> to explore the effect of monomer distribution and polymer architecture on the thermoresponsive behavior of copolymers. <i>Journal of Polymer Science</i> , 2021, 59, 2783-2796.	2.0	7
6	Lymph-directed immunotherapy – Harnessing endogenous lymphatic distribution pathways for enhanced therapeutic outcomes in cancer. <i>Advanced Drug Delivery Reviews</i> , 2020, 160, 115-135.	6.6	18
7	High-Density Lipoprotein Composition Influences Lymphatic Transport after Subcutaneous Administration. <i>Molecular Pharmaceutics</i> , 2020, 17, 2938-2951.	2.3	12
8	Engineering Biocoatings To Prolong Drug Release from Supraparticles. <i>Biomacromolecules</i> , 2019, 20, 3425-3434.	2.6	20
9	Removal of interstitial hyaluronan with recombinant human hyaluronidase improves the systemic and lymphatic uptake of cetuximab in rats. <i>Journal of Controlled Release</i> , 2019, 315, 85-96.	4.8	10
10	Local inflammation alters the lung disposition of a drug loaded pegylated liposome after pulmonary dosing to rats. <i>Journal of Controlled Release</i> , 2019, 307, 32-43.	4.8	26
11	A 30 kDa polyethylene glycol-enfuvirtide complex enhances the exposure of enfuvirtide in lymphatic viral reservoirs in rats. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2019, 137, 218-226.	2.0	9
12	Gel-Mediated Electrospray Assembly of Silica Supraparticles for Sustained Drug Delivery. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 31019-31031.	4.0	35
13	An Evaluation of Optimal PEGylation Strategies for Maximizing the Lymphatic Exposure and Antiviral Activity of Interferon after Subcutaneous Administration. <i>Biomacromolecules</i> , 2017, 18, 2866-2875.	2.6	15
14	Correlating in Vitro Solubilization and Supersaturation Profiles with in Vivo Exposure for Lipid Based Formulations of the CETP Inhibitor CP-532,623. <i>Molecular Pharmaceutics</i> , 2017, 14, 4525-4538.	2.3	14
15	50 years of oral lipid-based formulations: Provenance, progress and future perspectives. <i>Advanced Drug Delivery Reviews</i> , 2016, 101, 167-194.	6.6	308
16	Non-linear Increases in Danazol Exposure with Dose in Older vs. Younger Beagle Dogs: The Potential Role of Differences in Bile Salt Concentration, Thermodynamic Activity, and Formulation Digestion. <i>Pharmaceutical Research</i> , 2014, 31, 1536-1552.	1.7	8
17	An in Vitro Digestion Test That Reflects Rat Intestinal Conditions To Probe the Importance of Formulation Digestion vs First Pass Metabolism in Danazol Bioavailability from Lipid Based Formulations. <i>Molecular Pharmaceutics</i> , 2014, 11, 4069-4083.	2.3	30
18	“Stealth” lipid-based formulations: Poly(ethylene glycol)-mediated digestion inhibition improves oral bioavailability of a model poorly water soluble drug. <i>Journal of Controlled Release</i> , 2014, 192, 219-227.	4.8	69

#	ARTICLE	IF	CITATIONS
19	Retention of alkali, alkaline earth and transition metals on an itaconic acid cation-exchange column. Journal of Chromatography A, 2002, 964, 113-122.	1.8	33