

Karl Skriner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4988332/publications.pdf>

Version: 2024-02-01

34
papers

2,446
citations

293460

24
h-index

466096

32
g-index

39
all docs

39
docs citations

39
times ranked

4455
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-citrullinated protein antibody specificities and pulmonary fibrosis in relation to genetic loci in early rheumatoid arthritis. <i>Rheumatology</i> , 2022, , .	0.9	0
2	The citrullinated/native index of autoantibodies against hnRNP-DL predicts an individual "window of treatment success" in RA patients. <i>Arthritis Research and Therapy</i> , 2021, 23, 239.	1.6	6
3	A Therapeutic Non-self-reactive SARS-CoV-2 Antibody Protects from Lung Pathology in a COVID-19 Hamster Model. <i>Cell</i> , 2020, 183, 1058-1069.e19.	13.5	305
4	Presence of autoantibodies in "seronegative" rheumatoid arthritis associates with classical risk factors and high disease activity. <i>Arthritis Research and Therapy</i> , 2020, 22, 170.	1.6	48
5	Anti-"Citrullinated Protein Antibody Specificities, Rheumatoid Factor Isotypes, and Incident Cardiovascular Events in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2020, 72, 1658-1667.	2.9	20
6	Bacterial citrullinated epitopes generated by <i>Porphyromonas gingivalis</i> infection" a missing link for ACPA production. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1194-1202.	0.5	30
7	Different Hierarchies of Anti-"Modified Protein Autoantibody Reactivities in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2020, 72, 1643-1657.	2.9	56
8	Distinct HLA Associations with Rheumatoid Arthritis Subsets Defined by Serological Subphenotype. <i>American Journal of Human Genetics</i> , 2019, 105, 616-624.	2.6	27
9	Differential ACPA Binding to Nuclear Antigens Reveals a PAD-Independent Pathway and a Distinct Subset of Acetylation Cross-Reactive Autoantibodies in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2019, 9, 3033.	2.2	43
10	FRI0071"..."ANTI-CITRULLINATED PROTEIN ANTIBODY SPECIFICITIES, RHEUMATOID FACTOR ISOTYPES AND RISK OF MAJOR ADVERSE CARDIOVASCULAR EVENTS. , 2019, , .		1
11	THU0066"..."IN EARLY RHEUMATOID ARTHRITIS ANTI-CITRULLINATED PEPTIDE ANTIBODIES ASSOCIATE WITH LOWER NUMBER OF AFFECTED JOINTS, AND IGM RHEUMATOID FACTOR WITH SYSTEMIC INFLAMMATION IN AN ANTI-CITRULLINE DEPENDENT MANNER. , 2019, , .		0
12	Antibodies against citrullinated peptides are associated with clinical and radiological outcomes in patients with early rheumatoid arthritis: a prospective longitudinal inception cohort study. <i>RMD Open</i> , 2019, 5, e000946.	1.8	15
13	Recognition of Amino Acid Motifs, Rather Than Specific Proteins, by Human Plasma Cell-"Derived Monoclonal Antibodies to Posttranslationally Modified Proteins in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2019, 71, 196-209.	2.9	99
14	Anticitrullinated protein/peptide antibody multiplexing defines an extended group of ACPA-positive rheumatoid arthritis patients with distinct genetic and environmental determinants. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 203-211.	0.5	42
15	Pathogenic Citrulline-"Multispecific B Cell Receptor Clades in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 1933-1945.	2.9	68
16	Number of individual ACPA reactivities in synovial fluid immune complexes, but not serum anti-CCP2 levels, associate with inflammation and joint destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1345-1353.	0.5	20
17	Onset of Immune Senescence Defined by Unbiased Pyrosequencing of Human Immunoglobulin mRNA Repertoires. <i>PLoS ONE</i> , 2012, 7, e49774.	1.1	30
18	Nucleic acid-stimulated antigen-presenting cells trigger T cells to induce disease in a rat transfer model of inflammatory arthritis. <i>Journal of Autoimmunity</i> , 2011, 36, 288-300.	3.0	38

#	ARTICLE	IF	CITATIONS
19	Anti-hnRNP and other autoantibodies in systemic sclerosis with joint involvement. <i>Rheumatology</i> , 2009, 48, 920-925.	0.9	31
20	Gene expression profile of adult human bone marrow-derived mesenchymal stem cells stimulated by the chemokine CXCL7. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 649-658.	1.2	39
21	AUF1, the regulator of tumor necrosis factor $\hat{\pm}$ messenger RNA decay, is targeted by autoantibodies of patients with systemic rheumatic diseases. <i>Arthritis and Rheumatism</i> , 2008, 58, 511-520.	6.7	29
22	The Rheumatoid Arthritis-Associated Autoantigen hnRNP-A2 (RA33) Is a Major Stimulator of Autoimmunity in Rats with Pristane-Induced Arthritis. <i>Journal of Immunology</i> , 2007, 179, 7568-7576.	0.4	54
23	The spliceosomal autoantigen heterogeneous nuclear ribonucleoprotein A2 (hnRNP-A2) is a major T cell autoantigen in patients with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2006, 8, R118.	1.6	16
24	Association of citrullinated proteins with synovial exosomes. <i>Arthritis and Rheumatism</i> , 2006, 54, 3809-3814.	6.7	214
25	CD44 is a determinant of inflammatory bone loss. <i>Journal of Experimental Medicine</i> , 2005, 201, 903-914.	4.2	61
26	Aberrant Expression of the Autoantigen Heterogeneous Nuclear Ribonucleoprotein-A2 (RA33) and Spontaneous Formation of Rheumatoid Arthritis-Associated Anti-RA33 Autoantibodies in TNF- $\hat{\pm}$ Transgenic Mice. <i>Journal of Immunology</i> , 2005, 175, 8327-8336.	0.4	38
27	Array technology and proteomics in autoimmune diseases. <i>Pathology Research and Practice</i> , 2004, 200, 95-103.	1.0	12
28	Characterization of Autoreactive T Cells to the Autoantigens Heterogeneous Nuclear Ribonucleoprotein A2 (RA33) and Filaggrin in Patients with Rheumatoid Arthritis. <i>Journal of Immunology</i> , 2002, 169, 1068-1076.	0.4	70
29	Autoantigen microarrays for multiplex characterization of autoantibody responses. <i>Nature Medicine</i> , 2002, 8, 295-301.	15.2	693
30	B and T Cell Responses to the Spliceosomal Heterogeneous Nuclear Ribonucleoproteins A2 and B1 in Normal and Lupus Mice. <i>Journal of Immunology</i> , 2000, 165, 2297-2305.	0.4	45
31	The concurrence of rheumatoid arthritis and limited systemic sclerosis: Clinical and serologic characteristics of an overlap syndrome. <i>Arthritis and Rheumatism</i> , 1998, 41, 1938-1945.	6.7	56
32	Autoantibodies to the A/B Proteins of the Heterogeneous Nuclear Ribonucleoprotein Complex: Novel Tools for the Diagnosis of Rheumatic Diseases. <i>International Archives of Allergy and Immunology</i> , 1996, 111, 314-319.	0.9	52
33	Clinical and immunological aspects of autoantibodies to RA33/hnRNP-A/B proteins ? A link between RA, SLE and MCTD. <i>Molecular Biology Reports</i> , 1996, 23, 167-171.	1.0	28
34	Autoimmune response to the spliceosome. <i>Arthritis and Rheumatism</i> , 1995, 38, 777-785.	6.7	138