Jan M Prins

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4988634/publications.pdf

Version: 2024-02-01

46771 50244 9,572 218 46 89 citations h-index g-index papers 225 225 225 12596 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Sexual Activity Without Condoms and Risk of HIV Transmission in Serodifferent Couples When the HIV-Positive Partner Is Using Suppressive Antiretroviral Therapy. JAMA - Journal of the American Medical Association, 2016, 316, 171. | 3.8 | 1,076 |
| 2 | Risk of HIV transmission through condomless sex in serodifferent gay couples with the HIV-positive partner taking suppressive antiretroviral therapy (PARTNER): final results of a multicentre, prospective, observational study. Lancet, The, 2019, 393, 2428-2438. | 6.3 | 627 |
| 3 | Current evidence on hospital antimicrobial stewardship objectives: a systematic review and meta-analysis. Lancet Infectious Diseases, The, 2016, 16, 847-856. | 4.6 | 526 |
| 4 | Antibiotic Treatment Strategies for Community-Acquired Pneumonia in Adults. New England Journal of Medicine, 2015, 372, 1312-1323. | 13.9 | 296 |
| 5 | Effectiveness of discontinuing antibiotic treatment after three days versus eight days in mild to moderate-severe community acquired pneumonia: randomised, double blind study. BMJ: British Medical Journal, 2006, 332, 1355. | 2.4 | 259 |
| 6 | The Preventive Antibiotics in Stroke Study (PASS): a pragmatic randomised open-label masked endpoint clinical trial. Lancet, The, 2015, 385, 1519-1526. | 6.3 | 252 |
| 7 | Surgical Excision versus Antibiotic Treatment for Nontuberculous Mycobacterial Cervicofacial Lymphadenitis in Children: A Multicenter, Randomized, Controlled Trial. Clinical Infectious Diseases, 2007, 44, 1057-1064. | 2.9 | 214 |
| 8 | Lactobacilli vs Antibiotics to Prevent Urinary Tract Infections. Archives of Internal Medicine, 2012, 172, 704. | 4.3 | 177 |
| 9 | Human Neutrophils Use Different Mechanisms To Kill <i>Aspergillus fumigatus</i> Conidia and Hyphae: Evidence from Phagocyte Defects. Journal of Immunology, 2016, 196, 1272-1283. | 0.4 | 162 |
| 10 | Comparison of imiquimod, topical fluorouracil, and electrocautery for the treatment of anal intraepithelial neoplasia in HIV-positive men who have sex with men: an open-label, randomised controlled trial. Lancet Oncology, The, 2013, 14, 346-353. | 5.1 | 147 |
| 11 | Recommendations for antibacterial therapy in adults with COVID-19 $\hat{a}\in$ an evidence based guideline. Clinical Microbiology and Infection, 2021, 27, 61-66. | 2.8 | 147 |
| 12 | Cranberries vs Antibiotics to Prevent Urinary Tract Infections. Archives of Internal Medicine, 2011, 171, 1270. | 4.3 | 137 |
| 13 | Electronic monitoring-based counseling to enhance adherence among HIV-infected patients: A randomized controlled trial Health Psychology, 2010, 29, 421-428. | 1.3 | 133 |
| 14 | Clinical Manifestations, Diagnosis, and Treatment of Mycobacterium haemophilum Infections. Clinical Microbiology Reviews, 2011, 24, 701-717. | 5.7 | 127 |
| 15 | Quality Indicators to Measure Appropriate Antibiotic Use in Hospitalized Adults. Clinical Infectious Diseases, 2015, 60, 281-291. | 2.9 | 127 |
| 16 | Antibiotic-Induced Endotoxin Release in Patients with Gram-Negative Urosepsis: A Double-Blind Study Comparing Imipenem and Ceftazidime. Journal of Infectious Diseases, 1995, 172, 886-891. | 1.9 | 123 |
| 17 | Self-regulatory processes mediate the intention-behavior relation for adherence and exercise behaviors Health Psychology, 2012, 31, 695-703. | 1.3 | 116 |
| 18 | Adaptation of HIV-1 envelope gp120 to humoral immunity at a population level. Nature Medicine, 2010, 16, 995-997. | 15.2 | 105 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Alternative multidrug regimen provides improved suppression of HIV-1 replication over triple therapy. Aids, 1998, 12, F117-F122. | 1.0 | 102 |
| 20 | Antibiotic stewardship: does it work in hospital practice? A review of the evidence base. Clinical Microbiology and Infection, 2017, 23, 799-805. | 2.8 | 102 |
| 21 | Theory- and Evidence-Based Intervention to Improve Adherence to Antiretroviral Therapy Among HIVInfected Patients in The Netherlands: A Pilot Study. AIDS Patient Care and STDs, 2005, 19, 384-394. | 1.1 | 99 |
| 22 | HIV Stigma and Depressive Symptoms are Related to Adherence and Virological Response to Antiretroviral Treatment Among Immigrant and Indigenous HIV Infected Patients. AIDS and Behavior, 2012, 16, 1681-1689. | 1.4 | 99 |
| 23 | Effectiveness and cost-effectiveness of a nurse-delivered intervention to improve adherence to treatment for HIV: a pragmatic, multicentre, open-label, randomised clinical trial. Lancet Infectious Diseases, The, 2017, 17, 595-604. | 4.6 | 90 |
| 24 | Preventive Antibiotics for Infections in Acute Stroke. Archives of Neurology, 2009, 66, 1076-81. | 4.9 | 86 |
| 25 | Modest Nonadherence to Antiretroviral Therapy Promotes Residual HIV-1 Replication in the Absence of Virological Rebound in Plasma. Journal of Infectious Diseases, 2012, 206, 1443-1452. | 1.9 | 85 |
| 26 | Cellular Levels of HIV Unspliced RNA from Patients on Combination Antiretroviral Therapy with Undetectable Plasma Viremia Predict the Therapy Outcome. PLoS ONE, 2009, 4, e8490. | 1.1 | 82 |
| 27 | High Incidence of Asymptomatic Syphilis in HIV-Infected MSM Justifies Routine Screening. Sexually Transmitted Diseases, 2009, 36, 84-85. | 0.8 | 77 |
| 28 | No Treatment versus 24 or 60 Weeks of Antiretroviral Treatment during Primary HIV Infection: The Randomized Primo-SHM Trial. PLoS Medicine, 2012, 9, e1001196. | 3.9 | 77 |
| 29 | Appropriate Antibiotic Use for Patients With Urinary Tract Infections Reduces Length of Hospital Stay. Clinical Infectious Diseases, 2014, 58, 164-169. | 2.9 | 77 |
| 30 | HPV and Anal Cancer in HIV-Infected Individuals: A Review. Current HIV/AIDS Reports, 2014, 11, 250-262. | 1.1 | 77 |
| 31 | Appropriateness of Empirical Treatment and Outcome in Bacteremia Caused by Extended-Spectrum-Î ² -Lactamase-Producing Bacteria. Antimicrobial Agents and Chemotherapy, 2013, 57, 3092-3099. | 1.4 | 76 |
| 32 | HIV-1 viral rebound dynamics after a single treatment interruption depends on time of initiation of highly active antiretroviral therapy. Aids, 2008, 22, 1583-1588. | 1.0 | 75 |
| 33 | Topical 5-fluorouracil treatment of anal intraepithelial neoplasia in human immunodeficiency virus-positive men. British Journal of Dermatology, 2010, 163, 1301-1307. | 1.4 | 75 |
| 34 | Acquisition of wild-type HIV-1 infection in a patient on pre-exposure prophylaxis with high intracellular concentrations of tenofovir diphosphate: a case report. Lancet HIV, the, 2017, 4, e522-e528. | 2.1 | 69 |
| 35 | High Prevalence of Sexually Transmitted Infections in HIV-Infected Men During Routine Outpatient Visits in the Netherlands. Sexually Transmitted Diseases, 2012, 39, 8-15. | 0.8 | 68 |
| 36 | Healthâ€Related Quality of Life and Posttraumatic Stress Disorder among Survivors of an Outbreak of Legionnaires Disease. Clinical Infectious Diseases, 2002, 35, 11-17. | 2.9 | 62 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Cervicofacial Lymphadenitis in Children Caused by Mycobacterium haemophilum. Clinical Infectious Diseases, 2005, 41, 1569-1575. | 2.9 | 60 |
| 38 | Tuberculin Skin Testing Is Useful in the Screening for Nontuberculous Mycobacterial Cervicofacial Lymphadenitis in Children. Clinical Infectious Diseases, 2006, 43, 1547-1551. | 2.9 | 60 |
| 39 | lgA-Mediated Killing of Tumor Cells by Neutrophils Is Enhanced by CD47–SIRPα Checkpoint Inhibition. Cancer Immunology Research, 2020, 8, 120-130. | 1.6 | 57 |
| 40 | Circadian variations in serum levels and the renal toxicity of aminoglycosides in patients. Clinical Pharmacology and Therapeutics, 1997, 62, 106-111. | 2.3 | 55 |
| 41 | High prevalence of reduced bone mineral density in primary HIV-1-infected men. Aids, 2010, 24, 2233-2238. | 1.0 | 55 |
| 42 | Applicability of generic quality indicators for appropriate antibiotic use in daily hospital practice: a cross-sectional point-prevalence multicenter study. Clinical Microbiology and Infection, 2016, 22, 888.e1-888.e9. | 2.8 | 54 |
| 43 | Activity of Broadly Neutralizing Antibodies, Including PG9, PG16, and VRCO1, against Recently Transmitted Subtype B HIV-1 Variants from Early and Late in the Epidemic. Journal of Virology, 2011, 85, 7236-7245. | 1.5 | 53 |
| 44 | Cell-associated HIV-1 RNA predicts viral rebound and disease progression after discontinuation of temporary early ART. JCI Insight, 2020, 5, . | 2.3 | 53 |
| 45 | <i>Mycobacterium haemophilum</i> and Lymphadenitis in Children. Emerging Infectious Diseases, 2005, 11, 62-68. | 2.0 | 52 |
| 46 | HIV-1 Dual Infection Is Associated With Faster CD4+ T-Cell Decline in a Cohort of Men With Primary HIV Infection. Clinical Infectious Diseases, 2012, 54, 539-547. | 2.9 | 50 |
| 47 | HIV indicator condition-guided testing to reduce the number of undiagnosed patients and prevent late presentation in a high-prevalence area: a case–control study in primary care. Sexually Transmitted Infections, 2015, 91, 467-472. | 0.8 | 50 |
| 48 | Low Bone Mineral Density in Patients With Well-Suppressed HIV Infection: Association With Body Weight, Smoking, and Prior Advanced HIV Disease. Journal of Infectious Diseases, 2015, 211, 539-548. | 1.9 | 50 |
| 49 | ESTHETIC OUTCOME OF SURGICAL EXCISION VERSUS ANTIBIOTIC THERAPY FOR NONTUBERCULOUS MYCOBACTERIAL CERVICOFACIAL LYMPHADENITIS IN CHILDREN. Pediatric Infectious Disease Journal, 2009, 28, 1028-1030. | 1.1 | 49 |
| 50 | Pneumonia Recovery; Discrepancies in Perspectives of the Radiologist, Physician and Patient. Journal of General Internal Medicine, 2010, 25, 203-206. | 1.3 | 49 |
| 51 | HCV micro-elimination in individuals with HIV in the Netherlands 4 years after universal access to direct-acting antivirals: a retrospective cohort study. Lancet HIV, the, 2021, 8, e96-e105. | 2.1 | 48 |
| 52 | Healthâ€Related Quality of Life and Survival among HIVâ€Infected Patients Receiving Highly Active Antiretroviral Therapy: A Study of Patients in the AIDS Therapy Evaluation in the Netherlands (ATHENA) Cohort. Clinical Infectious Diseases, 2010, 50, 255-263. | 2.9 | 45 |
| 53 | Prevention of Recurrent Urinary Tract Infections in Women. Infectious Disease Clinics of North America, 2014, 28, 135-147. | 1.9 | 45 |
| 54 | Yield of Screening for COVID-19 in Asymptomatic Patients Before Elective or Emergency Surgery Using Chest CT and RT-PCR (SCOUT). Annals of Surgery, 2020, 272, 919-924. | 2.1 | 45 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Health-related quality of life of HIV-infected adults receiving combination antiretroviral therapy in Addis Ababa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2015, 27, 934-945. | 0.6 | 44 |
| 56 | Virologic and Immunologic Response to Highly Active Antiretroviral Therapy in Indigenous and Nonindigenous HIV-1???Infected Patients in The Netherlands. Journal of Acquired Immune Deficiency Syndromes (1999), 2004, 36, 943-950. | 0.9 | 43 |
| 57 | Preventive Antibiotics in Stroke Study: Rationale and Protocol for a Randomised Trial. International Journal of Stroke, 2011, 6, 159-163. | 2.9 | 43 |
| 58 | Doxycycline for outpatient-treated acute exacerbations of COPD: a randomised double-blind placebo-controlled trial. Lancet Respiratory Medicine, the, 2017, 5, 492-499. | 5.2 | 43 |
| 59 | Self-reported adherence is more predictive of virological treatment response among patients with a lower tendency towards socially desirable responding. Antiviral Therapy, 2010, 15, 913-916. | 0.6 | 42 |
| 60 | A Systematic Review of Quality Indicators for Appropriate Antibiotic Use in Hospitalized Adult Patients. Gastroenterology Insights, 2017, 9, 6821. | 0.7 | 39 |
| 61 | Viral Load Levels Measured at Set-Point Have Risen Over the Last Decade of the HIV Epidemic in the Netherlands. PLoS ONE, 2009, 4, e7365. | 1.1 | 38 |
| 62 | Reducing the risk of bias in health behaviour change trials: Improving trial design, reporting or bias assessment criteria? A review and case study. Psychology and Health, 2015, 30, 8-34. | 1.2 | 38 |
| 63 | Sequential measurements of chemokines in urosepsis and experimental endotoxemia. Journal of Clinical Immunology, 1999, 19, 399-405. | 2.0 | 37 |
| 64 | Cancer Risk Stratification of Anal Intraepithelial Neoplasia in Human Immunodeficiency Virus–Positive Men by Validated Methylation Markers Associated With Progression to Cancer. Clinical Infectious Diseases, 2021, 72, 2154-2163. | 2.9 | 36 |
| 65 | Occult Hepatitis B Virus Infection before and 1 Year after Start of HAART in HIV Type 1-Positive Patients. AIDS Research and Human Retroviruses, 2005, 21, 922-926. | 0.5 | 35 |
| 66 | High-Resolution Anoscopy. Diseases of the Colon and Rectum, 2013, 56, 1237-1242. | 0.7 | 34 |
| 67 | Screening for anal cancer precursors. Aids, 2014, 28, 1376-1377. | 1.0 | 33 |
| 68 | Retention in HIV Care and Predictors of Attrition from Care among HIV-Infected Adults Receiving Combination Anti-Retroviral Therapy in Addis Ababa. PLoS ONE, 2015, 10, e0130649. | 1.1 | 33 |
| 69 | Antibiotic treatment for 6Âdays versus 12Âdays in patients with severe cellulitis: a multicentre randomized, double-blind, placebo-controlled, non-inferiority trial. Clinical Microbiology and Infection, 2020, 26, 606-612. | 2.8 | 33 |
| 70 | Development of quality indicators for antimicrobial treatment in adults with sepsis. BMC Infectious Diseases, 2014, 14, 345. | 1.3 | 31 |
| 71 | Brief Report. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 69, 602-605. | 0.9 | 30 |
| 72 | Immunologic, Virologic, and Clinical Consequences of Episodes of Transient Viremia During Suppressive Combination Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 48, 104-108. | 0.9 | 29 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Episodes of HIV Viremia and the Risk of Non-AIDS Diseases in Patients on Suppressive Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 60, 265-272. | 0.9 | 28 |
| 74 | Quantification of naive and memory T-cell turnover during HIV-1 infection. Aids, 2015, 29, 2071-2080. | 1.0 | 28 |
| 75 | Which adherence measure – selfâ€report, clinician recorded or pharmacy refill – is best able to predict detectable viral load in a public ART programme without routine plasma viral load monitoring?. Tropical Medicine and International Health, 2016, 21, 856-869. | 1.0 | 28 |
| 76 | Impact of the COVID-19 pandemic on incidence and severity of acute appendicitis: a comparison between 2019 and 2020. BMC Emergency Medicine, 2021, 21, 61. | 0.7 | 28 |
| 77 | Using Different Calculations of Pharmacy Refill Adherence to Predict Virological Failure Among HIV-Infected Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 55, 635-640. | 0.9 | 27 |
| 78 | Modelling the impact of chlamydia screening on the transmission of HIV among men who have sex with men. BMC Infectious Diseases, 2013, 13, 436. | 1.3 | 27 |
| 79 | Appropriate antibiotic use reduces length of hospital stay. Journal of Antimicrobial Chemotherapy, 2017, 72, dkw469. | 1.3 | 27 |
| 80 | Low―and highâ€risk human papillomavirus genotype infections in intraâ€anal warts in <scp>HIV</scp> â€positive men who have sex with men. British Journal of Dermatology, 2016, 175, 735-743. | 1.4 | 27 |
| 81 | Human papillomavirus as a cause of anal cancer and the role of screening. Current Opinion in Infectious Diseases, 2017, 30, 87-92. | 1.3 | 27 |
| 82 | Routine HIV-1 genotyping as a tool to identify dual infections. Aids, 2007, 21, 807-811. | 1.0 | 26 |
| 83 | Low Bone Mineral Density, Regardless of HIV Status, in Men Who Have Sex With Men. Journal of Infectious Diseases, 2013, 207, 386-391. | 1.9 | 26 |
| 84 | Maraviroc Intensification of cART in Patients with Suboptimal Immunological Recovery: A 48-Week, Placebo-Controlled Randomized Trial. PLoS ONE, 2015, 10, e0132430. | 1.1 | 26 |
| 85 | Risk factors for anal high-grade squamous intraepithelial lesions in HIV-positive MSM. Aids, 2017, 31, 2295-2301. | 1.0 | 26 |
| 86 | Pharmacokinetics and pharmacodynamic target attainment of ceftriaxone in adult severely ill sub-Saharan African patients: a population pharmacokinetic modelling study. Journal of Antimicrobial Chemotherapy, 2018, 73, 1620-1629. | 1.3 | 26 |
| 87 | Improved long-term suppression of HIV-1 replication with a triple-class multidrug regimen compared with standard of care antiretroviral therapy. Aids, 2002, 16, 719-725. | 1.0 | 25 |
| 88 | HIV-Infected Men Who Have Sex with Men Who Identify Themselves as Belonging to Subcultures Are at Increased Risk for Hepatitis C Infection. PLoS ONE, 2013, 8, e57740. | 1.1 | 25 |
| 89 | Host Cell Deoxyribonucleic Acid Methylation Markers for the Detection of High-grade Anal Intraepithelial Neoplasia and Anal Cancer. Clinical Infectious Diseases, 2019, 68, 1110-1117. | 2.9 | 25 |
| 90 | Implementation and evaluation of an antimicrobial stewardship programme in companion animal clinics: A stepped-wedge design intervention study. PLoS ONE, 2019, 14, e0225124. | 1.1 | 25 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | One Lesion, One Virus: Individual Components of High-Grade Anal Intraepithelial Neoplasia in HIV-Positive Men Contain a Single HPV Type. Journal of Infectious Diseases, 2014, 210, 111-120. | 1.9 | 24 |
| 92 | Human resources required for antimicrobial stewardship teams: a Dutch consensus report. Clinical Microbiology and Infection, 2018, 24, 1273-1279. | 2.8 | 24 |
| 93 | Transient Lowering of the Viral Set Point After Temporary Antiretroviral Therapy of Primary HIV Type 1 Infection. AIDS Research and Human Retroviruses, 2010, 26, 379-387. | 0.5 | 23 |
| 94 | The additional value of blood cultures in patients with complicated urinary tract infections. Clinical Microbiology and Infection, 2014, 20, 0476-0479. | 2.8 | 23 |
| 95 | Adoption of a national antimicrobial guide (SWAB-ID) in the Netherlands. European Journal of Clinical Pharmacology, 2016, 72, 249-252. | 0.8 | 23 |
| 96 | HPV vaccination to prevent recurrence of anal intraepithelial neoplasia in HIV+ MSM. Aids, 2021, 35, 1753-1764. | 1.0 | 23 |
| 97 | Association of chronic meningococcemia with infection by meningococci with underacylated lipopolysaccharide. Journal of Infection, 2011, 62, 479-483. | 1.7 | 22 |
| 98 | Development of actionable quality indicators and an action implementation toolbox for appropriate antibiotic use at intensive care units: A modified-RAND Delphi study. PLoS ONE, 2018, 13, e0207991. | 1.1 | 22 |
| 99 | Prediction Rules for Ruling Out Endocarditis in Patients With <i>Staphylococcus aureus</i> Bacteremia. Clinical Infectious Diseases, 2022, 74, 1442-1449. | 2.9 | 22 |
| 100 | Evaluation of a Second-Generation Nucleic Acid Sequence-Based Amplification Assay for Quantification of HIV Type 1 RNA and the Use of Ultrasensitive Protocol Adaptations. AIDS Research and Human Retroviruses, 2000, 16, 1507-1517. | 0.5 | 21 |
| 101 | A Sudden Rise in Viral Load Is Infrequently Associated With HIV-1 Superinfection. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 47, 69-73. | 0.9 | 21 |
| 102 | Predictive value of Escherichia coli susceptibility in strains causing asymptomatic bacteriuria for women with recurrent symptomatic urinary tract infections receiving prophylaxis. Clinical Microbiology and Infection, 2012, 18, E84-E90. | 2.8 | 21 |
| 103 | High Level of Virological Suppression among HIV-Infected Adults Receiving Combination Antiretroviral Therapy in Addis Ababa, Ethiopia. Antiviral Therapy, 2016, 21, 385-396. | 0.6 | 21 |
| 104 | Effect of an antibiotic checklist on length of hospital stay and appropriate antibiotic use in adult patients treated with intravenous antibiotics: a stepped wedge cluster randomized trial. Clinical Microbiology and Infection, 2017, 23, 485.e1-485.e8. | 2.8 | 21 |
| 105 | Disparities in access to and use of HIV-related health services in the Netherlands by migrant status and sexual orientation: a cross-sectional study among people recently diagnosed with HIV infection. BMC Infectious Diseases, 2019, 19, 906. | 1.3 | 21 |
| 106 | Antibiotics and steroids for exacerbations of COPD in primary care: compliance with Dutch guidelines. British Journal of General Practice, 2006, 56, 662-5. | 0.7 | 21 |
| 107 | Presumed \hat{l}^2 -Lactam Allergy and Cross-reactivity in the Operating Theater. Anesthesiology, 2018, 129, 335-342. | 1.3 | 20 |
| 108 | Effect of antiretroviral therapy on bone turnover and bone mineral density in men with primary HIV-1 infection. PLoS ONE, 2018, 13, e0193679. | 1.1 | 20 |

| # | Article | lF | CITATIONS |
|-----|---|-----|-----------|
| 109 | The importance of registration of sexual orientation and recognition of indicator conditions for an adequate HIV risk-assessment. BMC Infectious Diseases, 2017, 17, 178. | 1.3 | 19 |
| 110 | Cost-Effectiveness of Cranberries vs Antibiotics to Prevent Urinary Tract Infections in Premenopausal Women: A Randomized Clinical Trial. PLoS ONE, 2014, 9, e91939. | 1.1 | 18 |
| 111 | Looking Beyond Health-Related Quality of Life: Predictors of Subjective Well-Being among People Living with HIV in the Netherlands. AIDS and Behavior, 2015, 19, 1398-1407. | 1.4 | 18 |
| 112 | Assessing treatment-as-usual provided to control groups in adherence trials: Exploring the use of an open-ended questionnaire for identifying behaviour change techniques. Psychology and Health, 2015, 30, 897-910. | 1.2 | 18 |
| 113 | Immune reconstitution inflammatory syndrome associated with toxoplasmic encephalitis in HIV-infected patients. Aids, 2017, 31, 1415-1424. | 1.0 | 17 |
| 114 | The Accuracy of Anal Swab–Based Tests to Detect High-Grade Anal Intraepithelial Neoplasia in HIV-Infected Patients: A Systematic Review and Meta-analysis. Open Forum Infectious Diseases, 2019, 6, ofz191. | 0.4 | 17 |
| 115 | Low frequency of community-acquired bacterial co-infection in patients hospitalized for COVID-19 based on clinical, radiological and microbiological criteria: a retrospective cohort study. Antimicrobial Resistance and Infection Control, 2021, 10, 155. | 1.5 | 17 |
| 116 | Slower decline of plasma HIV-1 RNA following highly suppressive antiretroviral therapy in primary compared with chronic infection. Aids, 2000, 14, 2831-2839. | 1.0 | 16 |
| 117 | TB diagnostic process management of patients in a referral hospital in Mozambique in comparison with the 2007 WHO recommendations for the diagnosis of smear-negative pulmonary TB and extrapulmonary TB. International Health, 2013, 5, 302-308. | 0.8 | 16 |
| 118 | Development of diagnostic prediction tools for bacteraemia caused by third-generation cephalosporin-resistant enterobacteria in suspected bacterial infections: a nested case–control study. Clinical Microbiology and Infection, 2018, 24, 1315-1321. | 2.8 | 16 |
| 119 | The Effect of Antibiotic Restriction Programs on Prevalence of Antimicrobial Resistance: A Systematic Review and Meta-Analysis. Open Forum Infectious Diseases, 2021, 8, ofab070. | 0.4 | 16 |
| 120 | Therapy-Resistant Opsoclonus-Myoclonus Syndrome Secondary to HIV-1 Infection. Clinical Infectious Diseases, 2012, 54, 447-448. | 2.9 | 15 |
| 121 | Determinants of Antimicrobial Resistance in Escherichia coli Strains Isolated from Faeces and Urine of Women with Recurrent Urinary Tract Infections. PLoS ONE, 2012, 7, e49909. | 1.1 | 15 |
| 122 | Detection Rate of High-Grade Squamous Intraepithelial Lesions as a Quality Assurance Metric for High-Resolution Anoscopy in HIV-Positive Men. Diseases of the Colon and Rectum, 2018, 61, 780-786. | 0.7 | 15 |
| 123 | TOLLIP deficiency is associated with increased resistance to Legionella pneumophila pneumonia. Mucosal Immunology, 2019, 12, 1382-1390. | 2.7 | 15 |
| 124 | Intramuscular adipose tissue at level Th12 is associated with survival in COVIDâ€19. Journal of Cachexia, Sarcopenia and Muscle, 2021, 12, 823-827. | 2.9 | 15 |
| 125 | Risk Factors for the Presence of Anal Intraepithelial Neoplasia in HIV+ Men Who Have Sex with Men. PLoS ONE, 2013, 8, e84030. | 1.1 | 15 |
| 126 | A Cluster-Randomized Trial of Two Strategies to Improve Antibiotic Use for Patients with a Complicated Urinary Tract Infection. PLoS ONE, 2015, 10, e0142672. | 1.1 | 15 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 127 | Small cell carcinoma of the cervix with inappropriate antidiuretic hormone secretion. Case report. BJOG: an International Journal of Obstetrics and Gynaecology, 1990, 97, 647-648. | 1.1 | 14 |
| 128 | Which method of adherence measurement is most suitable for daily use to predict virological failure among immigrant and non-immigrant HIV-1 infected patients?. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2009, 21, 842-850. | 0.6 | 14 |
| 129 | Sexually transmitted infections screening at HIV treatment centers for MSM can be cost-effective. Aids, 2013, 27, 2281-2290. | 1.0 | 14 |
| 130 | Sensitivity of point-of-care testing C reactive protein and procalcitonin to diagnose urinary tract infections in Dutch nursing homes: PROGRESS study protocol. BMJ Open, 2019, 9, e031269. | 0.8 | 14 |
| 131 | Has the Rate of CD4 Cell Count Decline before Initiation of Antiretroviral Therapy Changed over the Course of the Dutch HIV Epidemic among MSM?. PLoS ONE, 2013, 8, e64437. | 1.1 | 14 |
| 132 | Rising HIV-1 viral load set point at a population level coincides with a fading impact of host genetic factors on HIV-1 control. Aids, 2011, 25, 2217-2226. | 1.0 | 13 |
| 133 | OPTimal IMAging strategy in patients suspected of non-traumatic pulmonary disease at the emergency department: chest X-ray or ultra-low-dose CT (OPTIMACT)—a randomised controlled trial chest X-ray or ultra-low-dose CT at the ED: design and rationale. Diagnostic and Prognostic Research, 2018, 2, 20. | 0.8 | 13 |
| 134 | Decreased Time to Viral Suppression After Implementation of Targeted Testing and Immediate Initiation of Treatment of Acute Human Immunodeficiency Virus Infection Among Men Who Have Sex With Men in Amsterdam. Clinical Infectious Diseases, 2021, 72, 1952-1960. | 2.9 | 13 |
| 135 | DNA methylation markers have universal prognostic value for anal cancer risk in HIVâ€negative and HIVâ€positive individuals. Molecular Oncology, 2021, 15, 3024-3036. | 2.1 | 13 |
| 136 | High Current CD4+ T Cell Count Predicts Suboptimal Adherence to Antiretroviral Therapy. PLoS ONE, 2015, 10, e0140791. | 1.1 | 13 |
| 137 | Sub-optimal adherence to combination anti-retroviral therapy and its associated factors according to self-report, clinician-recorded and pharmacy-refill assessment methods among HIV-infected adults in Addis Ababa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2017, 29, 428-435. | 0.6 | 12 |
| 138 | Testosterone Insufficiency in Human Immunodeficiency Virus–Infected Women: A Cross-Sectional Study. Sexual Medicine, 2019, 7, 72-79. | 0.9 | 12 |
| 139 | The Skin Microbiota in Patients Hospitalized for Cellulitis and Association With Outcome. Clinical Infectious Diseases, 2019, 68, 1292-1299. | 2.9 | 12 |
| 140 | Incidence of Human Immunodeficiency Virus Type 1 Dual Infections in Amsterdam, The Netherlands, during 2003–2007. Clinical Infectious Diseases, 2009, 48, 973-978. | 2.9 | 11 |
| 141 | The Neutralizing Antibody Response in an Individual with Triple HIV-1 Infection Remains Directed at the First Infecting Subtype. AIDS Research and Human Retroviruses, 2016, 32, 1135-1142. | 0.5 | 11 |
| 142 | Virological and Serological Predictors of Anal High-grade Squamous Intraepithelial Lesions Among Human Immunodeficiency Virus–positive Men Who Have Sex With Men. Clinical Infectious Diseases, 2019, 68, 1377-1387. | 2.9 | 11 |
| 143 | Systematic review: the bioavailability of orally administered antibiotics during the initial phase of a systemic infection in non-ICU patients. BMC Infectious Diseases, 2021, 21, 285. | 1.3 | 11 |
| 144 | Ultra-low-dose CT versus chest X-ray for patients suspected of pulmonary disease at the emergency department: a multicentre randomised clinical trial. Thorax, 2023, 78, 515-522. | 2.7 | 11 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 145 | Temporary antiretroviral treatment during primary HIV-1 infection has a positive impact on health-related quality of life: data from the Primo-SHM cohort study. HIV Medicine, 2012, 13, 630-635. | 1.0 | 10 |
| 146 | Prolonged Decrease of CD4+ T Lymphocytes in HIV-1â€"Infected Patients After Radiotherapy for a Solid Tumor. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 62, 546-549. | 0.9 | 10 |
| 147 | Comparing short to standard duration of antibiotic therapy for patients hospitalized with cellulitis (DANCE): study protocol for a randomized controlled trial. BMC Infectious Diseases, 2014, 14, 235. | 1.3 | 10 |
| 148 | A cluster randomized trial for the implementation of an antibiotic checklist based on validated quality indicators: the AB-checklist. BMC Infectious Diseases, 2015, 15, 134. | 1.3 | 10 |
| 149 | The economic evaluation of an antibiotic checklist as antimicrobial stewardship intervention. Journal of Antimicrobial Chemotherapy, 2017, 72, 3213-3221. | 1.3 | 10 |
| 150 | Head-to-head validation of six immunoassays for SARS-CoV-2 in hospitalized patients. Journal of Clinical Virology, 2021, 139, 104821. | 1.6 | 10 |
| 151 | Non-nucleoside reverse transcriptase inhibitor-based combination antiretroviral therapy is associated with lower cell-associated HIV RNA and DNA levels compared to protease inhibitor-based therapy. ELife, 2021, 10, . | 2.8 | 10 |
| 152 | Steady-state nevirapine plasma concentrations are influenced by pregnancy. HIV Medicine, 2008, 9, 234-238. | 1.0 | 9 |
| 153 | Utility of the first few 100 approach during the 2009 influenza A(H1N1) pandemic in the Netherlands. Antimicrobial Resistance and Infection Control, 2012 , 1 , 30 . | 1.5 | 9 |
| 154 | Risk of nonâ€ <scp>AIDS</scp> â€defining events among <scp>HIV</scp> â€infected patients not yet on antiretroviral therapy. HIV Medicine, 2015, 16, 265-272. | 1.0 | 9 |
| 155 | Health-Related Quality of Life and Sexual Functioning of HIV-Positive Men Who Have Sex With Men Who Are Treated for Anal Intraepithelial Neoplasia. Diseases of the Colon and Rectum, 2016, 59, 42-47. | 0.7 | 9 |
| 156 | Communication Between HIV Patients and Their Providers: A Qualitative Preference Match Analysis. Health Communication, 2016, 31, 35-46. | 1.8 | 9 |
| 157 | Low prevalence of asymptomatic sexually transmitted infections in HIV-infected heterosexuals visiting an HIV clinic in the Netherlands. Aids, 2012, 26, 646-649. | 1.0 | 8 |
| 158 | Cryotherapy for Intra- and Perianal High-Grade Squamous Intraepithelial Lesions in HIV-Positive Men who have Sex with Men. American Journal of Clinical Dermatology, 2018, 19, 127-132. | 3.3 | 8 |
| 159 | Comparison of antimicrobial stewardship programmes in acute-care hospitals in four European countries: A cross-sectional survey. International Journal of Antimicrobial Agents, 2019, 54, 338-345. | 1.1 | 8 |
| 160 | The appropriateness of antimicrobial use in the outpatient clinics of three hospitals in the Netherlands. Antimicrobial Resistance and Infection Control, 2020, 9, 40. | 1.5 | 8 |
| 161 | Human Immunodeficiency Virus (HIV)-Negative Men Who Have Sex With Men Have Higher CD8+ T-Cell Counts and Lower CD4+/CD8+ T-Cell Ratios Compared With HIV-Negative Heterosexual Men. Journal of Infectious Diseases, 2021, 224, 1187-1197. | 1.9 | 8 |
| 162 | Personalized Stigma and Disclosure Concerns Among HIV-Infected Immigrant and Indigenous HIV-Infected Persons in the Netherlands. Journal of HIV/AIDS and Social Services, 2012, 11, 42-56. | 0.7 | 7 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 163 | Population Pharmacokinetics with Monte Carlo Simulations of Gentamicin in a Population of Severely Ill Adult Patients from Sub-Saharan Africa. Antimicrobial Agents and Chemotherapy, 2019, 63, . | 1.4 | 7 |
| 164 | Population pharmacokinetics and pharmacogenetics of ritonavir-boosted darunavir in the presence of raltegravir or tenofovir disoproxil fumarate/emtricitabine in HIV-infected adults and the relationship with virological response: a sub-study of the NEATOO1/ANRS143 randomized trial. Journal of Antimicrobial Chemotherapy, 2020, 75, 628-639. | 1.3 | 7 |
| 165 | A mandatory indication-registration tool in hospital electronic medical records enabling systematic evaluation and benchmarking of the quality of antimicrobial use: a feasibility study. Antimicrobial Resistance and Infection Control, 2021, 10, 103. | 1.5 | 7 |
| 166 | First case of an oculofacial lesion due to Mycobacterium haemophilum infection in an immunocompetent child. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2006, 101, 774-776. | 1.6 | 6 |
| 167 | Cost-effectiveness of a nurse-based intervention (AIMS) to improve adherence among HIV-infected patients: design of a multi-centre randomised controlled trial. BMC Health Services Research, 2013, 13, 274. | 0.9 | 6 |
| 168 | Update of the Preventive Antibiotics in Stroke Study (PASS): statistical analysis plan. Trials, 2014, 15, 382. | 0.7 | 6 |
| 169 | Update on the Preventive Antibiotics in Stroke Study (PASS): a randomised controlled phase 3 clinical trial. Trials, 2014, 15, 133. | 0.7 | 6 |
| 170 | Cost-effectiveness and Cost-utility of the Adherence Improving Self-management Strategy in Human Immunodeficiency Virus Care: A Trial-based Economic Evaluation. Clinical Infectious Diseases, 2019, 68, 658-667. | 2.9 | 6 |
| 171 | OPTimal IMAging strategy in patients suspected of non-traumatic pulmonary disease at the emergency department: chest X-ray or ultra-low-dose chest CT (OPTIMACT) trialâ€"statistical analysis plan. Trials, 2020, 21, 407. | 0.7 | 6 |
| 172 | Characterisation of anal intraepithelial neoplasia and anal cancer in <scp>HIV</scp> â€positive men by immunohistochemical markers p16, Kiâ€67, <scp>HPVâ€E4</scp> and <scp>DNA</scp> methylation markers. International Journal of Cancer, 2021, 149, 1833-1844. | 2.3 | 6 |
| 173 | Cohort profile: the Netherlands Cohort Study on Acute HIV infection (NOVA), a prospective cohort study of people with acute or early HIV infection who immediately initiate HIV treatment. BMJ Open, 2021, 11, e048582. | 0.8 | 6 |
| 174 | Patients' Preferences regarding the Timing of Highly Active Antiretroviral Therapy Initiation for Chronic Asymptomatic HIV-1 Infection. Antiviral Therapy, 2006, 11, 335-341. | 0.6 | 6 |
| 175 | A Phase I/IIa Study with Succinylated Human Serum Albumin (Suc-HSA), a candidate HIV-1 Fusion Inhibitor. Antiviral Therapy, 2007, 12, 273-278. | 0.6 | 6 |
| 176 | Course of pandemic influenza A(H1N1) 2009 virus infection in Dutch patients. Influenza and Other Respiratory Viruses, 2012, 6, e16-20. | 1.5 | 5 |
| 177 | Antimicrobial susceptibility of Streptococcus pneumoniae in adult patients with pneumococcal pneumonia in an urban hospital in Mozambique. BMC Research Notes, 2014, 7, 110. | 0.6 | 5 |
| 178 | The presence of protective cytotoxic T lymphocytes does not correlate with shorter lifespans of productively infected cells in HIV-1 infection. Aids, 2016, 30, 9-17. | 1.0 | 5 |
| 179 | Antimicrobial prophylaxis outside the operating theatre, an audit in a university hospital. BMC Infectious Diseases, 2017, 17, 296. | 1.3 | 5 |
| 180 | Longitudinal dynamics of the HIV-specific B cell response during intermittent treatment of primary HIV infection. PLoS ONE, 2017, 12, e0173577. | 1.1 | 5 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 181 | Classifying the diagnosis of study participants in clinical trials: a structured and efficient approach. European Radiology Experimental, 2020, 4, 44. | 1.7 | 5 |
| 182 | Association of Hyperferritinemia With Distinct Host Response Aberrations in Patients With Community-Acquired Pneumonia. Journal of Infectious Diseases, 2022, 225, 2023-2032. | 1.9 | 5 |
| 183 | No Advantage of Quadruple- or Triple-Class Antiretroviral Therapy as Initial Treatment in Patients with Very High Viraemia. Antiviral Therapy, 2012, 17, 1609-1613. | 0.6 | 4 |
| 184 | Antibiotic prescribing on admission to patients with pneumonia and prior outpatient antibiotic treatment: a cohort study on clinical outcome. BMJ Open, 2015, 5, e006892-e006892. | 0.8 | 4 |
| 185 | Can the composition of the intestinal microbiota predict the development of urinary tract infections?. Future Microbiology, 2016, 11, 1395-1404. | 1.0 | 4 |
| 186 | Paracetamol clinical dosing routine leads to paracetamol underexposure in an adult severely ill sub-Saharan African hospital population: a drug concentration measurement study. BMC Research Notes, 2017, 10, 671. | 0.6 | 4 |
| 187 | Doxycycline Added to Prednisolone in Outpatient-Treated Acute Exacerbations of COPD: A Cost-Effectiveness Analysis Alongside a Randomised Controlled Trial. Pharmacoeconomics, 2019, 37, 689-699. | 1.7 | 4 |
| 188 | High carriage of ESBL-producing Enterobacteriaceae associated with sexual activity among men who have sex with men. International Journal of Antimicrobial Agents, 2021, 57, 106276. | 1.1 | 4 |
| 189 | Known bacterial virulence factors do not explain the variation in urinary cytokine levels in patients with urosepsis. FEMS Immunology and Medical Microbiology, 1996, 16, 283-289. | 2.7 | 3 |
| 190 | The Presence of CXCR4-Using HIV-1 Prior to Start of Antiretroviral Therapy Is an Independent Predictor of Delayed Viral Suppression. PLoS ONE, 2013, 8, e76255. | 1.1 | 3 |
| 191 | Pharmacokinetics and Pharmacodynamic Target Attainment of Benzylpenicillin in an Adult Severely Ill Sub-Saharan African Patient Population. Clinical Infectious Diseases, 2018, 66, 1261-1269. | 2.9 | 3 |
| 192 | Doxycycline for exacerbations of chronic obstructive pulmonary disease in outpatients: who benefits?. ERJ Open Research, 2020, 6, 00099-2020. | 1.1 | 3 |
| 193 | Testing and healthcare seeking behavior preceding HIV diagnosis among migrant and non-migrant individuals living in the Netherlands: Directions for early-case finding. PLoS ONE, 2022, 17, e0264435. | 1.1 | 3 |
| 194 | Selection of An M184V Mutation in the Cerebrospinal Fluid of a Treatment-Naive HIV-Infected Individual Starting Darunavir-Based Therapy. Antiviral Therapy, 2011, 16, 931-935. | 0.6 | 2 |
| 195 | Increased HIV-1 Activity in Anal High-Grade Squamous Intraepithelial Lesions Compared With Unaffected Anal Mucosa in Men Who Have Sex With Men. Clinical Infectious Diseases, 2014, 58, 1634-1637. | 2.9 | 2 |
| 196 | A Lower Viral Set Point but Little Immunological Impact After Early Treatment During Primary HIV Infection. Viral Immunology, 2015, 28, 134-144. | 0.6 | 2 |
| 197 | Pharmacokinetics of Antibiotics in Sub-Saharan African Patient Populations: A Systematic Review. Therapeutic Drug Monitoring, 2017, 39, 387-398. | 1.0 | 2 |
| 198 | Knowledge and use of antibiotics in six ethnic groups: the HELIUS study. Antimicrobial Resistance and Infection Control, 2019, 8, 200. | 1.5 | 2 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 199 | Temporary Treatment during Primary HIV Infection Does Not Affect Virologic Response to Subsequent Long-Term Treatment. PLoS ONE, 2014, 9, e89639. | 1.1 | 2 |
| 200 | Wild-type HIV infection despite PrEP: a lot to learn from a case report – Authors' reply. Lancet HIV,the, 2018, 5, e10-e11. | 2.1 | 1 |
| 201 | The antibiotic checklist: an observational study of the discrepancy between reported and actually performed checklist items. BMC Infectious Diseases, 2018, 18, 16. | 1.3 | 1 |
| 202 | Spontaneous resolution of multidrugâ€resistant <i>Mycobacterium abscessus</i> infection in tattoo. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e328-e330. | 1.3 | 1 |
| 203 | The Effect of Varying Interval Definitions on the Prevalence of SARS-CoV-2 Reinfections: A Retrospective Cross-Sectional Cohort Study. Diagnostics, 2022, 12, 719. | 1.3 | 1 |
| 204 | Healthâ€related quality of life and fatigue in HIVâ€1 infected patients diagnosed during primary versus chronic infection. Journal of the International AIDS Society, 2010, 13, P1. | 1.2 | 0 |
| 205 | A Case of Kaposi's Sarcoma during Primary HIV-1 Infection. Journal of the International Association of Providers of AIDS Care, 2011, 10, 349-350. | 1.2 | 0 |
| 206 | Prophylaxis for Recurrent Urinary Tract Infections: Nitrofurantoin, Not Trimethoprim-Sulfamethoxazole or Cranberry Juiceâ€"Reply. Archives of Internal Medicine, 2012, 172, 82. | 4.3 | 0 |
| 207 | Similar virologic response after initiation of triple-class antiretroviral therapy in primary and chronic HIV infection. Aids, 2012, 26, 1974-1977. | 1.0 | 0 |
| 208 | Development of Operationalized Intravenous to Oral Antibiotic Switch Therapy Criteria. Open Forum Infectious Diseases, 2016, 3, . | 0.4 | 0 |
| 209 | Implementation of an Antibiotic Stewardship Program to Increase Appropriate Antibiotic Use in the Hospital on Aruba. Open Forum Infectious Diseases, 2016, 3, . | 0.4 | 0 |
| 210 | The Effect of an Antibiotic Checklist Based on Validated Quality Indicators on Length of Hospital Stay in Hospitalized Patients: A Cluster Randomized Trial. Open Forum Infectious Diseases, 2016, 3, . | 0.4 | 0 |
| 211 | Antibiotic Stewardship in the Netherlands. , 2017, , 299-300. | | 0 |
| 212 | Fever and a rapidly progressive skin ulcer after a visit to Morocco: A diagnostic challenge. Travel Medicine and Infectious Disease, 2019, 31, 101429. | 1.5 | 0 |
| 213 | \hat{I}^2 -Lactam Allergy in the Operating Theater: Reply. Anesthesiology, 2019, 130, 855-856. | 1.3 | 0 |
| 214 | â€~Antibiotic treatment for 6Âdays versus 12Âdays in patients with severe cellulitis' – Author's reply. Clinical Microbiology and Infection, 2020, 26, 656-657. | 2.8 | 0 |
| 215 | Title is missing!. , 2019, 14, e0225124. | | 0 |
| 216 | Title is missing!. , 2019, 14, e0225124. | | O |

| # | ARTICLE | IF | CITATIONS |
|-----|--|----|-----------|
| 217 | Title is missing!. , 2019, 14, e0225124. | | O |
| 218 | Title is missing!. , 2019, 14, e0225124. | | 0 |