

Jan M Prins

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4988634/jan-m-prins-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

213
papers

7,049
citations

44
h-index

77
g-index

225
ext. papers

8,536
ext. citations

6.6
avg, IF

5.69
L-index

#	Paper	IF	Citations
213	Testing and healthcare seeking behavior preceding HIV diagnosis among migrant and non-migrant individuals living in the Netherlands: Directions for early-case finding.. <i>PLoS ONE</i> , 2022 , 17, e0264435	3.7	
212	Human Immunodeficiency Virus (HIV)-Negative Men Who Have Sex With Men Have Higher CD8+ T-Cell Counts and Lower CD4+/CD8+ T-Cell Ratios Compared With HIV-Negative Heterosexual Men. <i>Journal of Infectious Diseases</i> , 2021 , 224, 1187-1197	7	4
211	Cancer Risk Stratification of Anal Intraepithelial Neoplasia in Human Immunodeficiency Virus-Positive Men by Validated Methylation Markers Associated With Progression to Cancer. <i>Clinical Infectious Diseases</i> , 2021 , 72, 2154-2163	11.6	8
210	Cohort profile: the Netherlands Cohort Study on Acute HIV infection (NOVA), a prospective cohort study of people with acute or early HIV infection who immediately initiate HIV treatment. <i>BMJ Open</i> , 2021 , 11, e048582	3	0
209	Low frequency of community-acquired bacterial co-infection in patients hospitalized for COVID-19 based on clinical, radiological and microbiological criteria: a retrospective cohort study. <i>Antimicrobial Resistance and Infection Control</i> , 2021 , 10, 155	6.2	4
208	Systematic review: the bioavailability of orally administered antibiotics during the initial phase of a systemic infection in non-ICU patients. <i>BMC Infectious Diseases</i> , 2021 , 21, 285	4	4
207	DNA methylation markers have universal prognostic value for anal cancer risk in HIV-negative and HIV-positive individuals. <i>Molecular Oncology</i> , 2021 , 15, 3024-3036	7.9	5
206	High carriage of ESBL-producing Enterobacteriaceae associated with sexual activity among men who have sex with men. <i>International Journal of Antimicrobial Agents</i> , 2021 , 57, 106276	14.3	0
205	Impact of the COVID-19 pandemic on incidence and severity of acute appendicitis: a comparison between 2019 and 2020. <i>BMC Emergency Medicine</i> , 2021 , 21, 61	2.4	4
204	Intramuscular adipose tissue at level Th12 is associated with survival in COVID-19. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 , 12, 823	10.3	5
203	HPV vaccination to prevent recurrence of anal intraepithelial neoplasia in HIV+ MSM. <i>Aids</i> , 2021 , 35, 1753-1764	3.4	5
202	Head-to-head validation of six immunoassays for SARS-CoV-2 in hospitalized patients. <i>Journal of Clinical Virology</i> , 2021 , 139, 104821	14.5	5
201	A mandatory indication-registration tool in hospital electronic medical records enabling systematic evaluation and benchmarking of the quality of antimicrobial use: a feasibility study. <i>Antimicrobial Resistance and Infection Control</i> , 2021 , 10, 103	6.2	1
200	Decreased Time to Viral Suppression After Implementation of Targeted Testing and Immediate Initiation of Treatment of Acute Human Immunodeficiency Virus Infection Among Men Who Have Sex With Men in Amsterdam. <i>Clinical Infectious Diseases</i> , 2021 , 72, 1952-1960	11.6	6
199	Spontaneous resolution of multidrug-resistant Mycobacterium abscessus infection in tattoo. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e328-e330	4.6	
198	Recommendations for antibacterial therapy in adults with COVID-19 - an evidence based guideline. <i>Clinical Microbiology and Infection</i> , 2021 , 27, 61-66	9.5	81
197	The Effect of Antibiotic Restriction Programs on Prevalence of Antimicrobial Resistance: A Systematic Review and Meta-Analysis. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab070	1	3

196	HCV micro-elimination in individuals with HIV in the Netherlands 4 years after universal access to direct-acting antivirals: a retrospective cohort study. <i>Lancet HIV,the</i> , 2021 , 8, e96-e105	7.8	12
195	Prediction rules for ruling out endocarditis in patients with Staphylococcus aureus bacteremia. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	2
194	Characterisation of anal intraepithelial neoplasia and anal cancer in HIV-positive men by immunohistochemical markers p16, Ki-67, HPV-E4 and DNA methylation markers. <i>International Journal of Cancer</i> , 2021 , 149, 1833-1844	7.5	0
193	Doxycycline for exacerbations of chronic obstructive pulmonary disease in outpatients: who benefits?. <i>ERJ Open Research</i> , 2020 , 6,	3.5	3
192	OPTimal IMAGing strategy in patients suspected of non-traumatic pulmonary disease at the emergency department: chest X-ray or ultra-low-dose chest CT (OPTIMACT) trial-statistical analysis plan. <i>Trials</i> , 2020 , 21, 407	2.8	2
191	'Antibiotic treatment for 6days versus 12days in patients with severe cellulitis' - Author's reply. <i>Clinical Microbiology and Infection</i> , 2020 , 26, 656-657	9.5	
190	The appropriateness of antimicrobial use in the outpatient clinics of three hospitals in the Netherlands. <i>Antimicrobial Resistance and Infection Control</i> , 2020 , 9, 40	6.2	2
189	Cell-associated HIV-1 RNA predicts viral rebound and disease progression after discontinuation of temporary early ART. <i>JCI Insight</i> , 2020 , 5,	9.9	24
188	Classifying the diagnosis of study participants in clinical trials: a structured and efficient approach. <i>European Radiology Experimental</i> , 2020 , 4, 44	4.5	0
187	Yield of Screening for COVID-19 in Asymptomatic Patients Before Elective or Emergency Surgery Using Chest CT and RT-PCR (SCOUT): Multicenter Study. <i>Annals of Surgery</i> , 2020 , 272, 919-924	7.8	30
186	IgA-Mediated Killing of Tumor Cells by Neutrophils Is Enhanced by CD47-SIRPαCheckpoint Inhibition. <i>Cancer Immunology Research</i> , 2020 , 8, 120-130	12.5	30
185	Population pharmacokinetics and pharmacogenetics of ritonavir-boosted darunavir in the presence of raltegravir or tenofovir disoproxil fumarate/emtricitabine in HIV-infected adults and the relationship with virological response: a sub-study of the NEAT001/ANRS143 randomized trial. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2020 , 45, 122-130	5.1	5
184	Antibiotic treatment for 6days versus 12days in patients with severe cellulitis: a multicentre randomized, double-blind, placebo-controlled, non-inferiority trial. <i>Clinical Microbiology and Infection</i> , 2020 , 26, 606-612	9.5	16
183	TOLLIP deficiency is associated with increased resistance to Legionella pneumophila pneumonia. <i>Mucosal Immunology</i> , 2019 , 12, 1382-1390	9.2	8
182	Testosterone Insufficiency in Human Immunodeficiency Virus-Infected Women: A Cross-Sectional Study. <i>Sexual Medicine</i> , 2019 , 7, 72-79	2.7	10
181	The Accuracy of Anal Swab-Based Tests to Detect High-Grade Anal Intraepithelial Neoplasia in HIV-Infected Patients: A Systematic Review and Meta-analysis. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz191	1	8
180	Fever and a rapidly progressive skin ulcer after a visit to Morocco: A diagnostic challenge. <i>Travel Medicine and Infectious Disease</i> , 2019 , 31, 101429	8.4	
179	Comparison of antimicrobial stewardship programmes in acute-care hospitals in four European countries: A cross-sectional survey. <i>International Journal of Antimicrobial Agents</i> , 2019 , 54, 338-345	14.3	5

178	Risk of HIV transmission through condomless sex in serodifferent gay couples with the HIV-positive partner taking suppressive antiretroviral therapy (PARTNER): final results of a multicentre, prospective, observational study. <i>Lancet, The</i> , 2019 , 393, 2428-2438	40	363
177	Population Pharmacokinetics with Monte Carlo Simulations of Gentamicin in a Population of Severely Ill Adult Patients from Sub-Saharan Africa. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	3
176	Host Cell Deoxyribonucleic Acid Methylation Markers for the Detection of High-grade Anal Intraepithelial Neoplasia and Anal Cancer. <i>Clinical Infectious Diseases</i> , 2019 , 68, 1110-1117	11.6	15
175	Disparities in access to and use of HIV-related health services in the Netherlands by migrant status and sexual orientation: a cross-sectional study among people recently diagnosed with HIV infection. <i>BMC Infectious Diseases</i> , 2019 , 19, 906	4	7
174	Sensitivity of point-of-care testing C reactive protein and procalcitonin to diagnose urinary tract infections in Dutch nursing homes: PROGRESS study protocol. <i>BMJ Open</i> , 2019 , 9, e031269	3	8
173	Implementation and evaluation of an antimicrobial stewardship programme in companion animal clinics: A stepped-wedge design intervention study. <i>PLoS ONE</i> , 2019 , 14, e0225124	3.7	11
172	β-Lactam Allergy in the Operating Theater: Reply. <i>Anesthesiology</i> , 2019 , 130, 855-856	4.3	
171	Knowledge and use of antibiotics in six ethnic groups: the HELIUS study. <i>Antimicrobial Resistance and Infection Control</i> , 2019 , 8, 200	6.2	0
170	Virological and Serological Predictors of Anal High-grade Squamous Intraepithelial Lesions Among Human Immunodeficiency Virus-positive Men Who Have Sex With Men. <i>Clinical Infectious Diseases</i> , 2019 , 68, 1377-1387	11.6	7
169	Cost-effectiveness and Cost-utility of the Adherence Improving Self-management Strategy in Human Immunodeficiency Virus Care: A Trial-based Economic Evaluation. <i>Clinical Infectious Diseases</i> , 2019 , 68, 658-667	11.6	0
168	Doxycycline Added to Prednisolone in Outpatient-Treated Acute Exacerbations of COPD: A Cost-Effectiveness Analysis Alongside a Randomised Controlled Trial. <i>Pharmacoeconomics</i> , 2019 , 37, 689-699	4.4	1
167	The Skin Microbiota in Patients Hospitalized for Cellulitis and Association With Outcome. <i>Clinical Infectious Diseases</i> , 2019 , 68, 1292-1299	11.6	6
166	Implementation and evaluation of an antimicrobial stewardship programme in companion animal clinics: A stepped-wedge design intervention study 2019 , 14, e0225124		
165	Implementation and evaluation of an antimicrobial stewardship programme in companion animal clinics: A stepped-wedge design intervention study 2019 , 14, e0225124		
164	Implementation and evaluation of an antimicrobial stewardship programme in companion animal clinics: A stepped-wedge design intervention study 2019 , 14, e0225124		
163	Implementation and evaluation of an antimicrobial stewardship programme in companion animal clinics: A stepped-wedge design intervention study 2019 , 14, e0225124		
162	Pharmacokinetics and pharmacodynamic target attainment of ceftriaxone in adult severely ill sub-Saharan African patients: a population pharmacokinetic modelling study. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 1620-1629	5.1	15
161	Pharmacokinetics and Pharmacodynamic Target Attainment of Benzylpenicillin in an Adult Severely Ill Sub-Saharan African Patient Population. <i>Clinical Infectious Diseases</i> , 2018 , 66, 1261-1269	11.6	2

160	Wild-type HIV infection despite PrEP: a lot to learn from a case report - Authors' reply. <i>Lancet HIV,the</i> , 2018 , 5, e10-e11	7.8	0
159	Development of diagnostic prediction tools for bacteraemia caused by third-generation cephalosporin-resistant enterobacteria in suspected bacterial infections: a nested case-control study. <i>Clinical Microbiology and Infection</i> , 2018 , 24, 1315-1321	9.5	11
158	Cryotherapy for Intra- and Perianal High-Grade Squamous Intraepithelial Lesions in HIV-Positive Men who have Sex with Men. <i>American Journal of Clinical Dermatology</i> , 2018 , 19, 127-132	7.1	3
157	The antibiotic checklist: an observational study of the discrepancy between reported and actually performed checklist items. <i>BMC Infectious Diseases</i> , 2018 , 18, 16	4	0
156	Presumed Lactam Allergy and Cross-reactivity in the Operating Theater: A Practical Approach. <i>Anesthesiology</i> , 2018 , 129, 335-342	4.3	16
155	Effect of antiretroviral therapy on bone turnover and bone mineral density in men with primary HIV-1 infection. <i>PLoS ONE</i> , 2018 , 13, e0193679	3.7	9
154	Development of actionable quality indicators and an action implementation toolbox for appropriate antibiotic use at intensive care units: A modified-RAND Delphi study. <i>PLoS ONE</i> , 2018 , 13, e0207991	3.7	14
153	Human resources required for antimicrobial stewardship teams: a Dutch consensus report. <i>Clinical Microbiology and Infection</i> , 2018 , 24, 1273-1279	9.5	15
152	OPTimal IMAGing strategy in patients suspected of non-traumatic pulmonary disease at the emergency department: chest X-ray or ultra-low-dose CT (OPTIMACT)-a randomised controlled trial chest X-ray or ultra-low-dose CT at the ED: design and rationale. <i>Diagnostic and Prognostic Research</i> , 2018 , 2, 20	5.5	6
151	Detection Rate of High-Grade Squamous Intraepithelial Lesions as a Quality Assurance Metric for High-Resolution Anoscopy in HIV-Positive Men. <i>Diseases of the Colon and Rectum</i> , 2018 , 61, 780-786	3.1	7
150	Effect of an antibiotic checklist on length of hospital stay and appropriate antibiotic use in adult patients treated with intravenous antibiotics: a stepped wedge cluster randomized trial. <i>Clinical Microbiology and Infection</i> , 2017 , 23, 485.e1-485.e8	9.5	15
149	The importance of registration of sexual orientation and recognition of indicator conditions for an adequate HIV risk-assessment. <i>BMC Infectious Diseases</i> , 2017 , 17, 178	4	12
148	Effectiveness and cost-effectiveness of a nurse-delivered intervention to improve adherence to treatment for HIV: a pragmatic, multicentre, open-label, randomised clinical trial. <i>Lancet Infectious Diseases, The</i> , 2017 , 17, 595-604	25.5	75
147	Antimicrobial prophylaxis outside the operating theatre, an audit in a university hospital. <i>BMC Infectious Diseases</i> , 2017 , 17, 296	4	3
146	Doxycycline for outpatient-treated acute exacerbations of COPD: a randomised double-blind placebo-controlled trial. <i>Lancet Respiratory Medicine,the</i> , 2017 , 5, 492-499	35.1	30
145	Immune reconstitution inflammatory syndrome associated with toxoplasmic encephalitis in HIV-infected patients. <i>Aids</i> , 2017 , 31, 1415-1424	3.5	11
144	Proactiever testen op hiv is nodig. <i>Huisarts En Wetenschap</i> , 2017 , 60, 24-26	0.1	4
143	Risk factors for anal high-grade squamous intraepithelial lesions in HIV-positive MSM: is targeted screening possible?. <i>Aids</i> , 2017 , 31, 2295-2301	3.5	17

142	Antibiotic Stewardship in the Netherlands 2017 , 299-300		
141	Paracetamol clinical dosing routine leads to paracetamol underexposure in an adult severely ill sub-Saharan African hospital population: a drug concentration measurement study. <i>BMC Research Notes</i> , 2017 , 10, 671	2.3	3
140	A Systematic Review of Quality Indicators for Appropriate Antibiotic Use in Hospitalized Adult Patients. <i>Gastroenterology Insights</i> , 2017 , 9, 6821	2.1	24
139	Acquisition of wild-type HIV-1 infection in a patient on pre-exposure prophylaxis with high intracellular concentrations of tenofovir diphosphate: a case report. <i>Lancet HIV,the</i> , 2017 , 4, e522-e528	7.8	52
138	Pharmacokinetics of Antibiotics in Sub-Saharan African Patient Populations: A Systematic Review. <i>Therapeutic Drug Monitoring</i> , 2017 , 39, 387-398	3.2	1
137	The economic evaluation of an antibiotic checklist as antimicrobial stewardship intervention. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 3213-3221	5.1	6
136	Antibiotic stewardship: does it work in hospital practice? A review of the evidence base. <i>Clinical Microbiology and Infection</i> , 2017 , 23, 799-805	9.5	67
135	Human papillomavirus as a cause of anal cancer and the role of screening. <i>Current Opinion in Infectious Diseases</i> , 2017 , 30, 87-92	5.4	21
134	Sub-optimal adherence to combination anti-retroviral therapy and its associated factors according to self-report, clinician-recorded and pharmacy-refill assessment methods among HIV-infected adults in Addis Ababa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017 , 29, 428-435	2.2	8
133	Longitudinal dynamics of the HIV-specific B cell response during intermittent treatment of primary HIV infection. <i>PLoS ONE</i> , 2017 , 12, e0173577	3.7	4
132	Appropriate antibiotic use reduces length of hospital stay. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 923-932	5.1	18
131	Applicability of generic quality indicators for appropriate antibiotic use in daily hospital practice: a cross-sectional point-prevalence multicenter study. <i>Clinical Microbiology and Infection</i> , 2016 , 22, 888.e1-888.e9	9.5	39
130	Sexual Activity Without Condoms and Risk of HIV Transmission in Serodifferent Couples When the HIV-Positive Partner Is Using Suppressive Antiretroviral Therapy. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 171-81	27.4	780
129	Can the composition of the intestinal microbiota predict the development of urinary tract infections?. <i>Future Microbiology</i> , 2016 , 11, 1395-1404	2.9	2
128	High level of virological suppression among HIV-infected adults receiving combination antiretroviral therapy in Addis Ababa, Ethiopia. <i>Antiviral Therapy</i> , 2016 , 21, 385-96	1.6	15
127	Which adherence measure - self-report, clinician recorded or pharmacy refill - is best able to predict detectable viral load in a public ART programme without routine plasma viral load monitoring?. <i>Tropical Medicine and International Health</i> , 2016 , 21, 856-69	2.3	23
126	Low- and high-risk human papillomavirus genotype infections in intra-anal warts in HIV-positive men who have sex with men. <i>British Journal of Dermatology</i> , 2016 , 175, 735-43	4	20
125	Communication Between HIV Patients and Their Providers: A Qualitative Preference Match Analysis. <i>Health Communication</i> , 2016 , 31, 35-46	3.2	6

124	Adoption of a national antimicrobial guide (SWAB-ID) in the Netherlands. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 249-52	2.8	14
123	Current evidence on hospital antimicrobial stewardship objectives: a systematic review and meta-analysis. <i>Lancet Infectious Diseases</i> , 2016 , 16, 847-856	25.5	352
122	Human Neutrophils Use Different Mechanisms To Kill <i>Aspergillus fumigatus</i> Conidia and Hyphae: Evidence from Phagocyte Defects. <i>Journal of Immunology</i> , 2016 , 196, 1272-83	5.3	103
121	The presence of protective cytotoxic T lymphocytes does not correlate with shorter lifespans of productively infected cells in HIV-1 infection. <i>Aids</i> , 2016 , 30, 9-17	3.5	3
120	Health-Related Quality of Life and Sexual Functioning of HIV-Positive Men Who Have Sex With Men Who Are Treated for Anal Intraepithelial Neoplasia. <i>Diseases of the Colon and Rectum</i> , 2016 , 59, 42-47	3.1	5
119	The Neutralizing Antibody Response in an Individual with Triple HIV-1 Infection Remains Directed at the First Infecting Subtype. <i>AIDS Research and Human Retroviruses</i> , 2016 , 32, 1135-1142	1.6	10
118	Risk of non-AIDS-defining events among HIV-infected patients not yet on antiretroviral therapy. <i>HIV Medicine</i> , 2015 , 16, 265-72	2.7	7
117	Looking Beyond Health-Related Quality of Life: Predictors of Subjective Well-Being among People Living with HIV in the Netherlands. <i>AIDS and Behavior</i> , 2015 , 19, 1398-407	4.3	16
116	A cluster randomized trial for the implementation of an antibiotic checklist based on validated quality indicators: the AB-checklist. <i>BMC Infectious Diseases</i> , 2015 , 15, 134	4	9
115	Health-related quality of life of HIV-infected adults receiving combination antiretroviral therapy in Addis Ababa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015 , 27, 934-45	2.2	34
114	Antibiotic treatment strategies for community-acquired pneumonia in adults. <i>New England Journal of Medicine</i> , 2015 , 372, 1312-23	59.2	216
113	HIV indicator condition-guided testing to reduce the number of undiagnosed patients and prevent late presentation in a high-prevalence area: a case-control study in primary care. <i>Sexually Transmitted Infections</i> , 2015 , 91, 467-72	2.8	46
112	Assessing treatment-as-usual provided to control groups in adherence trials: Exploring the use of an open-ended questionnaire for identifying behaviour change techniques. <i>Psychology and Health</i> , 2015 , 30, 897-910	2.9	15
111	A lower viral set point but little immunological impact after early treatment during primary HIV infection. <i>Viral Immunology</i> , 2015 , 28, 134-44	1.7	2
110	Low bone mineral density in patients with well-suppressed HIV infection: association with body weight, smoking, and prior advanced HIV disease. <i>Journal of Infectious Diseases</i> , 2015 , 211, 539-48	7	42
109	Quality indicators to measure appropriate antibiotic use in hospitalized adults. <i>Clinical Infectious Diseases</i> , 2015 , 60, 281-91	11.6	91
108	Quantification of naive and memory T-cell turnover during HIV-1 infection. <i>Aids</i> , 2015 , 29, 2071-80	3.5	21
107	Brief Report: Anal Cancer in the HIV-Positive Population: Slowly Declining Incidence After a Decade of cART. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 69, 602-5	3.1	22

106	Retention in HIV Care and Predictors of Attrition from Care among HIV-Infected Adults Receiving Combination Anti-Retroviral Therapy in Addis Ababa. <i>PLoS ONE</i> , 2015 , 10, e0130649	3.7	28
105	Maraviroc Intensification of cART in Patients with Suboptimal Immunological Recovery: A 48-Week, Placebo-Controlled Randomized Trial. <i>PLoS ONE</i> , 2015 , 10, e0132430	3.7	25
104	Reducing the risk of bias in health behaviour change trials: improving trial design, reporting or bias assessment criteria? A review and case study. <i>Psychology and Health</i> , 2015 , 30, 8-34	2.9	27
103	Antibiotic prescribing on admission to patients with pneumonia and prior outpatient antibiotic treatment: a cohort study on clinical outcome. <i>BMJ Open</i> , 2015 , 5, e006892	3	4
102	The Preventive Antibiotics in Stroke Study (PASS): a pragmatic randomised open-label masked endpoint clinical trial. <i>Lancet, The</i> , 2015 , 385, 1519-26	40	197
101	High Current CD4+ T Cell Count Predicts Suboptimal Adherence to Antiretroviral Therapy. <i>PLoS ONE</i> , 2015 , 10, e0140791	3.7	9
100	A Cluster-Randomized Trial of Two Strategies to Improve Antibiotic Use for Patients with a Complicated Urinary Tract Infection. <i>PLoS ONE</i> , 2015 , 10, e0142672	3.7	8
99	Appropriate antibiotic use for patients with urinary tract infections reduces length of hospital stay. <i>Clinical Infectious Diseases</i> , 2014 , 58, 164-9	11.6	62
98	The additional value of blood cultures in patients with complicated urinary tract infections. <i>Clinical Microbiology and Infection</i> , 2014 , 20, O476-9	9.5	18
97	Development of quality indicators for antimicrobial treatment in adults with sepsis. <i>BMC Infectious Diseases</i> , 2014 , 14, 345	4	24
96	HPV and anal cancer in HIV-infected individuals: a review. <i>Current HIV/AIDS Reports</i> , 2014 , 11, 250-62	5.9	61
95	Comparing short to standard duration of antibiotic therapy for patients hospitalized with cellulitis (DANCE): study protocol for a randomized controlled trial. <i>BMC Infectious Diseases</i> , 2014 , 14, 235	4	9
94	Update on the Preventive Antibiotics in Stroke Study (PASS): a randomised controlled phase 3 clinical trial. <i>Trials</i> , 2014 , 15, 133	2.8	5
93	Antimicrobial susceptibility of <i>Streptococcus pneumoniae</i> in adult patients with pneumococcal pneumonia in an urban hospital in Mozambique. <i>BMC Research Notes</i> , 2014 , 7, 110	2.3	4
92	Prevention of recurrent urinary tract infections in women: antimicrobial and nonantimicrobial strategies. <i>Infectious Disease Clinics of North America</i> , 2014 , 28, 135-47	6.5	36
91	Cost-effectiveness of cranberries vs antibiotics to prevent urinary tract infections in premenopausal women: a randomized clinical trial. <i>PLoS ONE</i> , 2014 , 9, e91939	3.7	10
90	Increased HIV-1 activity in anal high-grade squamous intraepithelial lesions compared with unaffected anal mucosa in men who have sex with men. <i>Clinical Infectious Diseases</i> , 2014 , 58, 1634-7	11.6	2
89	Update of the Preventive Antibiotics in Stroke Study (PASS): statistical analysis plan. <i>Trials</i> , 2014 , 15, 382	2.8	6

88	Screening for anal cancer precursors: what is the learning curve for high-resolution anoscopy?. <i>Aids</i> , 2014 , 28, 1376-7	3.5	25
87	One lesion, one virus: individual components of high-grade anal intraepithelial neoplasia in HIV-positive men contain a single HPV type. <i>Journal of Infectious Diseases</i> , 2014 , 210, 111-20	7	21
86	Temporary treatment during primary HIV infection does not affect virologic response to subsequent long-term treatment. <i>PLoS ONE</i> , 2014 , 9, e89639	3.7	2
85	Cost-effectiveness of a nurse-based intervention (AIMS) to improve adherence among HIV-infected patients: design of a multi-centre randomised controlled trial. <i>BMC Health Services Research</i> , 2013 , 13, 274	2.9	5
84	Appropriateness of empirical treatment and outcome in bacteremia caused by extended-spectrum-βactamase-producing bacteria. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 3092-9	5.9	63
83	Modelling the impact of chlamydia screening on the transmission of HIV among men who have sex with men. <i>BMC Infectious Diseases</i> , 2013 , 13, 436	4	23
82	Comparison of imiquimod, topical fluorouracil, and electrocautery for the treatment of anal intraepithelial neoplasia in HIV-positive men who have sex with men: an open-label, randomised controlled trial. <i>Lancet Oncology</i> , 2013 , 14, 346-53	21.7	116
81	TB diagnostic process management of patients in a referral hospital in Mozambique in comparison with the 2007 WHO recommendations for the diagnosis of smear-negative pulmonary TB and extrapulmonary TB. <i>International Health</i> , 2013 , 5, 302-8	2.4	14
80	High-resolution anoscopy: clinical features of anal intraepithelial neoplasia in HIV-positive men. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, 1237-42	3.1	25
79	Low bone mineral density, regardless of HIV status, in men who have sex with men. <i>Journal of Infectious Diseases</i> , 2013 , 207, 386-91	7	25
78	Sexually transmitted infections screening at HIV treatment centers for MSM can be cost-effective. <i>Aids</i> , 2013 , 27, 2281-90	3.5	8
77	Prolonged decrease of CD4+ T lymphocytes in HIV-1-infected patients after radiotherapy for a solid tumor. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 62, 546-9	3.1	7
76	The presence of CXCR4-using HIV-1 prior to start of antiretroviral therapy is an independent predictor of delayed viral suppression. <i>PLoS ONE</i> , 2013 , 8, e76255	3.7	3
75	HIV-infected men who have sex with men who identify themselves as belonging to subcultures are at increased risk for hepatitis C infection. <i>PLoS ONE</i> , 2013 , 8, e57740	3.7	22
74	Has the rate of CD4 cell count decline before initiation of antiretroviral therapy changed over the course of the Dutch HIV epidemic among MSM?. <i>PLoS ONE</i> , 2013 , 8, e64437	3.7	12
73	Risk Factors for the presence of anal intraepithelial neoplasia in HIV+ men who have sex with men. <i>PLoS ONE</i> , 2013 , 8, e84030	3.7	13
72	Course of pandemic influenza A(H1N1) 2009 virus infection in Dutch patients. <i>Influenza and Other Respiratory Viruses</i> , 2012 , 6, e16-20	5.6	4
71	Temporary antiretroviral treatment during primary HIV-1 infection has a positive impact on health-related quality of life: data from the Primo-SHM cohort study. <i>HIV Medicine</i> , 2012 , 13, 630-5	2.7	8

70	Self-regulatory processes mediate the intention-behavior relation for adherence and exercise behaviors. <i>Health Psychology</i> , 2012 , 31, 695-703	5	102
69	Personalized Stigma and Disclosure Concerns Among HIV-Infected Immigrant and Indigenous HIV-Infected Persons in the Netherlands. <i>Journal of HIV/AIDS and Social Services</i> , 2012 , 11, 42-56	0.9	5
68	Predictive value of Escherichia coli susceptibility in strains causing asymptomatic bacteriuria for women with recurrent symptomatic urinary tract infections receiving prophylaxis. <i>Clinical Microbiology and Infection</i> , 2012 , 18, E84-90	9.5	14
67	Utility of the first few100 approach during the 2009 influenza A(H1N1) pandemic in the Netherlands. <i>Antimicrobial Resistance and Infection Control</i> , 2012 , 1, 30	6.2	7
66	Determinants of antimicrobial resistance in Escherichia coli strains isolated from faeces and urine of women with recurrent urinary tract infections. <i>PLoS ONE</i> , 2012 , 7, e49909	3.7	13
65	No advantage of quadruple- or triple-class antiretroviral therapy as initial treatment in patients with very high viraemia. <i>Antiviral Therapy</i> , 2012 , 17, 1609-13	1.6	4
64	HIV stigma and depressive symptoms are related to adherence and virological response to antiretroviral treatment among immigrant and indigenous HIV infected patients. <i>AIDS and Behavior</i> , 2012 , 16, 1681-9	4.3	79
63	No treatment versus 24 or 60 weeks of antiretroviral treatment during primary HIV infection: the randomized Primo-SHM trial. <i>PLoS Medicine</i> , 2012 , 9, e1001196	11.6	64
62	Lactobacilli vs antibiotics to prevent urinary tract infections: a randomized, double-blind, noninferiority trial in postmenopausal women. <i>Archives of Internal Medicine</i> , 2012 , 172, 704-12		140
61	Therapy-resistant opsoclonus-myoclonus syndrome secondary to HIV-1 infection. <i>Clinical Infectious Diseases</i> , 2012 , 54, 447-8	11.6	12
60	Modest nonadherence to antiretroviral therapy promotes residual HIV-1 replication in the absence of virological rebound in plasma. <i>Journal of Infectious Diseases</i> , 2012 , 206, 1443-52	7	72
59	Prophylaxis for Recurrent Urinary Tract Infections: Nitrofurantoin, Not Trimethoprim-Sulfamethoxazole or Cranberry JuiceReply. <i>Archives of Internal Medicine</i> , 2012 , 172, 82		
58	HIV-1 dual infection is associated with faster CD4+ T-cell decline in a cohort of men with primary HIV infection. <i>Clinical Infectious Diseases</i> , 2012 , 54, 539-47	11.6	43
57	Low prevalence of asymptomatic sexually transmitted infections in HIV-infected heterosexuals visiting an HIV clinic in the Netherlands. <i>Aids</i> , 2012 , 26, 646-9	3.5	8
56	Similar virologic response after initiation of triple-class antiretroviral therapy in primary and chronic HIV infection. <i>Aids</i> , 2012 , 26, 1974-7	3.5	
55	Episodes of HIV viremia and the risk of non-AIDS diseases in patients on suppressive antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012 , 60, 265-72	3.1	27
54	High prevalence of sexually transmitted infections in HIV-infected men during routine outpatient visits in the Netherlands. <i>Sexually Transmitted Diseases</i> , 2012 , 39, 8-15	2.4	57
53	Rising HIV-1 viral load set point at a population level coincides with a fading impact of host genetic factors on HIV-1 control. <i>Aids</i> , 2011 , 25, 2217-26	3.5	10

52	Selection of an M184V mutation in the cerebrospinal fluid of a treatment-naive HIV-infected individual starting darunavir-based therapy. <i>Antiviral Therapy</i> , 2011 , 16, 931-5	1.6	2
51	Preventive antibiotics in stroke study: rationale and protocol for a randomised trial. <i>International Journal of Stroke</i> , 2011 , 6, 159-63	6.3	38
50	Association of chronic meningococemia with infection by meningococci with underacylated lipopolysaccharide. <i>Journal of Infection</i> , 2011 , 62, 479-83	18.9	18
49	A Case of Kaposi's Sarcoma during Primary HIV-1 Infection. <i>Journal of the International Association of Providers of AIDS Care</i> , 2011 , 10, 349-50		
48	Clinical manifestations, diagnosis, and treatment of Mycobacterium haemophilum infections. <i>Clinical Microbiology Reviews</i> , 2011 , 24, 701-17	34	97
47	Activity of broadly neutralizing antibodies, including PG9, PG16, and VRC01, against recently transmitted subtype B HIV-1 variants from early and late in the epidemic. <i>Journal of Virology</i> , 2011 , 85, 7236-45	6.6	45
46	Cranberries vs antibiotics to prevent urinary tract infections: a randomized double-blind noninferiority trial in premenopausal women. <i>Archives of Internal Medicine</i> , 2011 , 171, 1270-8		102
45	Topical 5-fluorouracil treatment of anal intraepithelial neoplasia in human immunodeficiency virus-positive men. <i>British Journal of Dermatology</i> , 2010 , 163, 1301-7	4	59
44	Adaptation of HIV-1 envelope gp120 to humoral immunity at a population level. <i>Nature Medicine</i> , 2010 , 16, 995-7	50.5	88
43	Health-related quality of life and survival among HIV-infected patients receiving highly active antiretroviral therapy: a study of patients in the AIDS Therapy Evaluation in the Netherlands (ATHENA) Cohort. <i>Clinical Infectious Diseases</i> , 2010 , 50, 255-63	11.6	36
42	Transient lowering of the viral set point after temporary antiretroviral therapy of primary HIV type 1 infection. <i>AIDS Research and Human Retroviruses</i> , 2010 , 26, 379-87	1.6	21
41	Using different calculations of pharmacy refill adherence to predict virological failure among HIV-infected patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 55, 635-40	3.1	24
40	High prevalence of reduced bone mineral density in primary HIV-1-infected men. <i>Aids</i> , 2010 , 24, 2233-8	3.5	49
39	Electronic monitoring-based counseling to enhance adherence among HIV-infected patients: a randomized controlled trial. <i>Health Psychology</i> , 2010 , 29, 421-8	5	119
38	Self-reported adherence is more predictive of virological treatment response among patients with a lower tendency towards socially desirable responding. <i>Antiviral Therapy</i> , 2010 , 15, 913-6	1.6	35
37	Pneumonia recovery: discrepancies in perspectives of the radiologist, physician and patient. <i>Journal of General Internal Medicine</i> , 2010 , 25, 203-6	4	38
36	Health-related quality of life and fatigue in HIV-1 infected patients diagnosed during primary versus chronic infection. <i>Journal of the International AIDS Society</i> , 2010 , 13, P1-P1	5.4	78
35	Viral load levels measured at set-point have risen over the last decade of the HIV epidemic in the Netherlands. <i>PLoS ONE</i> , 2009 , 4, e7365	3.7	35

34	Cellular levels of HIV unspliced RNA from patients on combination antiretroviral therapy with undetectable plasma viremia predict the therapy outcome. <i>PLoS ONE</i> , 2009 , 4, e8490	3.7	67
33	Preventive antibiotics for infections in acute stroke: a systematic review and meta-analysis. <i>Archives of Neurology</i> , 2009 , 66, 1076-81		76
32	Which method of adherence measurement is most suitable for daily use to predict virological failure among immigrant and non-immigrant HIV-1 infected patients?. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2009 , 21, 842-50	2.2	14
31	Incidence of human immunodeficiency virus type 1 dual infections in Amsterdam, The Netherlands, during 2003-2007. <i>Clinical Infectious Diseases</i> , 2009 , 48, 973-8	11.6	11
30	High incidence of asymptomatic syphilis in HIV-infected MSM justifies routine screening. <i>Sexually Transmitted Diseases</i> , 2009 , 36, 84-5	2.4	60
29	Esthetic outcome of surgical excision versus antibiotic therapy for nontuberculous mycobacterial cervicofacial lymphadenitis in children. <i>Pediatric Infectious Disease Journal</i> , 2009 , 28, 1028-30	3.4	37
28	Steady-state nevirapine plasma concentrations are influenced by pregnancy. <i>HIV Medicine</i> , 2008 , 9, 234-8.	2.7	8
27	A sudden rise in viral load is infrequently associated with HIV-1 superinfection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008 , 47, 69-73	3.1	18
26	HIV-1 viral rebound dynamics after a single treatment interruption depends on time of initiation of highly active antiretroviral therapy. <i>Aids</i> , 2008 , 22, 1583-8	3.5	63
25	Immunologic, virologic, and clinical consequences of episodes of transient viremia during suppressive combination antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008 , 48, 104-8	3.1	25
24	Surgical excision versus antibiotic treatment for nontuberculous mycobacterial cervicofacial lymphadenitis in children: a multicenter, randomized, controlled trial. <i>Clinical Infectious Diseases</i> , 2007 , 44, 1057-64	11.6	173
23	Routine HIV-1 genotyping as a tool to identify dual infections. <i>Aids</i> , 2007 , 21, 807-11	3.5	21
22	A Phase I/IIa Study with Succinylated Human Serum Albumin (Suc-HSA), a candidate HIV-1 Fusion Inhibitor. <i>Antiviral Therapy</i> , 2007 , 12, 273-278	1.6	5
21	Effectiveness of discontinuing antibiotic treatment after three days versus eight days in mild to moderate-severe community acquired pneumonia: randomised, double blind study. <i>BMJ, The</i> , 2006 , 332, 1355	5.9	190
20	Tuberculin skin testing is useful in the screening for nontuberculous mycobacterial cervicofacial lymphadenitis in children. <i>Clinical Infectious Diseases</i> , 2006 , 43, 1547-51	11.6	47
19	First case of an oculofacial lesion due to Mycobacterium haemophilum infection in an immunocompetent child. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2006 , 101, 774-6		4
18	Antibiotics and steroids for exacerbations of COPD in primary care: compliance with Dutch guidelines. <i>British Journal of General Practice</i> , 2006 , 56, 662-5	1.6	17
17	Patients' Preferences regarding the Timing of Highly Active Antiretroviral Therapy Initiation for Chronic Asymptomatic HIV-1 Infection. <i>Antiviral Therapy</i> , 2006 , 11, 335-341	1.6	4

16	Mycobacterium haemophilum and lymphadenitis in children. <i>Emerging Infectious Diseases</i> , 2005 , 11, 62-810.2	44
15	Cervicofacial lymphadenitis in children caused by Mycobacterium haemophilum. <i>Clinical Infectious Diseases</i> , 2005 , 41, 1569-75	11.6 48
14	Theory- and evidence-based intervention to improve adherence to antiretroviral therapy among HIV-infected patients in the Netherlands: a pilot study. <i>AIDS Patient Care and STDs</i> , 2005 , 19, 384-94	5.8 92
13	Occult hepatitis B virus infection before and 1 year after start of HAART in HIV type 1-positive patients. <i>AIDS Research and Human Retroviruses</i> , 2005 , 21, 922-6	1.6 32
12	Virologic and immunologic response to highly active antiretroviral therapy in indigenous and nonindigenous HIV-1-infected patients in the Netherlands. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2004 , 36, 943-50	3.1 40
11	Health-related quality of life and posttraumatic stress disorder among survivors of an outbreak of Legionnaires disease. <i>Clinical Infectious Diseases</i> , 2002 , 35, 11-7	11.6 53
10	Improved long-term suppression of HIV-1 replication with a triple-class multidrug regimen compared with standard of care antiretroviral therapy. <i>Aids</i> , 2002 , 16, 719-25	3.5 23
9	Pharmacokinetic Profiles of Nevirapine and Indinavir in Various Fractions of Seminal Plasma. <i>Antimicrobial Agents and Chemotherapy</i> , 2002 , 46, 941-941	5.9
8	Slower decline of plasma HIV-1 RNA following highly suppressive antiretroviral therapy in primary compared with chronic infection. <i>Aids</i> , 2000 , 14, 2831-9	3.5 15
7	Evaluation of a second-generation nucleic acid sequence-based amplification assay for quantification of HIV type 1 RNA and the use of ultrasensitive protocol adaptations. <i>AIDS Research and Human Retroviruses</i> , 2000 , 16, 1507-17	1.6 20
6	Sequential measurements of chemokines in urosepsis and experimental endotoxemia. <i>Journal of Clinical Immunology</i> , 1999 , 19, 399-405	5.7 29
5	Alternative multidrug regimen provides improved suppression of HIV-1 replication over triple therapy. <i>Aids</i> , 1998 , 12, F117-22	3.5 87
4	Circadian variations in serum levels and the renal toxicity of aminoglycosides in patients. <i>Clinical Pharmacology and Therapeutics</i> , 1997 , 62, 106-11	6.1 45
3	Known bacterial virulence factors do not explain the variation in urinary cytokine levels in patients with urosepsis. <i>FEMS Immunology and Medical Microbiology</i> , 1996 , 16, 283-9	3
2	Antibiotic-induced endotoxin release in patients with gram-negative urosepsis: a double-blind study comparing imipenem and ceftazidime. <i>Journal of Infectious Diseases</i> , 1995 , 172, 886-91	7 97
1	Small cell carcinoma of the cervix with inappropriate antidiuretic hormone secretion. Case report. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1990 , 97, 647-8	3.7 12