
## Kyoung-Min Park

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4989163/publications.pdf Version: 2024-02-01



KYOLING-MIN DARK

#	Article	IF	CITATIONS
1	Predictors of recovery of left ventricular dysfunction after ablation of frequent ventricular premature depolarizations. Heart Rhythm, 2012, 9, 1465-1472.	0.3	123
2	Clinical features, predictors, and longâ€ŧerm prognosis of pacingâ€induced cardiomyopathy. European Journal of Heart Failure, 2019, 21, 643-651.	2.9	69
3	Differences in apical and non-apical types of hypertrophic cardiomyopathy: a prospective analysis of clinical, echocardiographic, and cardiac magnetic resonance findings and outcome from 350 patients. European Heart Journal Cardiovascular Imaging, 2016, 17, 678-686.	0.5	47
4	Ablation of Reentry-Vulnerable Zones Determined by Left Ventricular Activation From Multiple Directions: A Novel Approach for Ventricular Tachycardia Ablation. Circulation: Arrhythmia and Electrophysiology, 2020, 13, e008625.	2.1	35
5	Electrophysiologic Results After Thoracoscopic Ablation for Chronic Atrial Fibrillation. Annals of Thoracic Surgery, 2015, 100, 1595-1603.	0.7	34
6	Predictors of adverse outcome in patients with frequent premature ventricular complexes: The ABC-VT risk score. Heart Rhythm, 2020, 17, 1066-1074.	0.3	29
7	Correlation of Cardiac Markers and Biomarkers With Blood Pressure of Middleâ€Aged Marathon Runners. Journal of Clinical Hypertension, 2015, 17, 868-873.	1.0	20
8	Asymptomatic ventricular premature depolarizations are not necessarily benign. Europace, 2016, 18, 881-887.	0.7	19
9	Risk factor algorithm used to predict frequent premature ventricular contraction-induced cardiomyopathy. International Journal of Cardiology, 2017, 233, 37-42.	0.8	19
10	Subclinical Atrial Fibrillation Burden and Adverse Clinical Outcomes in Patients With Permanent Pacemakers. Stroke, 2021, 52, 1299-1308.	1.0	18
11	Efficacy of Dronedarone Versus Propafenone in the Maintenance of Sinus Rhythm in Patients With Atrial Fibrillation After Electrical Cardioversion. Clinical Therapeutics, 2014, 36, 1169-1175.	1.1	14
12	Long-term Prognosis of Paroxysmal Atrial Fibrillation and Predictors for Progression to Persistnt or Chronic Atrial Fibrillation in the Korean Population. Journal of Korean Medical Science, 2015, 30, 895.	1.1	14
13	Which antiarrhythmic drug to choose after electrical cardioversion: A study on non-valvular atrial fibrillation patients. PLoS ONE, 2018, 13, e0197352.	1.1	14
14	Excessive exercise habits of runners as new signs of hypertension and arrhythmia. International Journal of Cardiology, 2016, 217, 80-84.	0.8	12
15	Hemodynamic parameters and baroreflex sensitivity during headâ€up tilt test in patients with neurally mediated syncope. PACE - Pacing and Clinical Electrophysiology, 2017, 40, 1454-1461.	0.5	12
16	Clinical Characteristics and Features of Frequent Idiopathic Ventricular Premature Complexes in the Korean Population. Korean Circulation Journal, 2015, 45, 391.	0.7	10
17	Coupling Interval Ratio Is Associated with Ventricular Premature Complex-Related Symptoms. Korean Circulation Journal, 2015, 45, 294.	0.7	10
18	Staged hybrid procedure versus radiofrequency catheter ablation in the treatment of atrial fibrillation. PLoS ONE, 2018, 13, e0205431.	1.1	10

#	Article	IF	CITATIONS
19	Usefulness of Postprocedural Electrophysiological Confirmation Upon Totally Thoracoscopic Ablation in Persistent Atrial Fibrillation. American Journal of Cardiology, 2020, 125, 1054-1062.	0.7	10
20	Predictors of longâ€ŧerm success after catheter ablation of premature ventricular complexes. Journal of Cardiovascular Electrophysiology, 2021, 32, 2254-2261.	0.8	10
21	Prediction of early-onset atrial tachyarrhythmia after successful trans-catheter device closure of atrial septal defect. Medicine (United States), 2016, 95, e4706.	0.4	9
22	Semi-quantitative versus quantitative assessments of late gadolinium enhancement extent for predicting spontaneous ventricular tachyarrhythmia events in patients with hypertrophic cardiomyopathy. Scientific Reports, 2020, 10, 2920.	1.6	9
23	Role of Baroreflex Sensitivity in Predicting Tilt Training Response in Patients with Neurally Mediated Syncope. Yonsei Medical Journal, 2016, 57, 313.	0.9	8
24	Impact of moderate to severe renal impairment on long-term clinical outcomes in patients with atrial fibrillation. Journal of Cardiology, 2017, 69, 577-583.	0.8	8
25	Identification of pathogenic variants in genes related to channelopathy and cardiomyopathy in Korean sudden cardiac arrest survivors. Journal of Human Genetics, 2017, 62, 615-620.	1.1	8
26	Corrected QT interval on the electrocardiogram after liver transplantation: Surrogate marker of poor clinical outcomes?. PLoS ONE, 2018, 13, e0206463.	1.1	8
27	Atrial Fibrillation in Hypertrophic Cardiomyopathy: Is the Extent of Septal Hypertrophy Important?. PLoS ONE, 2016, 11, e0156410.	1.1	8
28	Clinical significance of fragmented QRS complexes or J waves in patients with idiopathic ventricular arrhythmias. PLoS ONE, 2018, 13, e0194363.	1.1	7
29	Is transjugular insertion of a temporary pacemaker a safe and effective approach?. PLoS ONE, 2020, 15, e0233129.	1.1	7
30	Initial Experience with Left Bundle Branch Area Pacing with Conventional Stylet-Driven Extendable Screw-In Leads and New Pre-Shaped Delivery Sheaths. Journal of Clinical Medicine, 2022, 11, 2483.	1.0	7
31	Rationale, design, and endpoints of the †DEvice-Detected CArdiac Tachyarrhythmic Events and Sleep-disordered Breathing (DEDiCATES)' study: Prospective multicenter observational study of device-detected tachyarrhythmia and sleep-disordered breathing. International Journal of Cardiology, 2019, 280, 69-73.	0.8	6
32	Outcomes of cardiac resynchronization therapy in patients with atrial fibrillation accompanied by slow ventricular response. PLoS ONE, 2019, 14, e0210603.	1.1	6
33	Electrical Reverse Remodeling of the Native Cardiac Conduction System after Cardiac Resynchronization Therapy. Journal of Clinical Medicine, 2020, 9, 2152.	1.0	6
34	Effectiveness and safety of highâ€power and shortâ€duration ablation for cavotricuspid isthmus ablation in atrial flutter. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 941-946.	0.5	6
35	Electrocardiographic predictors of early recurrence of atrial fibrillation. Annals of Noninvasive Electrocardiology, 2021, 26, e12884.	0.5	6
36	Characteristics of symptomatic recurrent tachyarrhythmia after thoracoscopic ablation for persistent atrial fibrillation. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 686-693.	0.5	5

#	Article	IF	CITATIONS
37	Effects of Super-ultramarathon Running on Cardiac Structure and Function in Middle-aged Men. Journal of Cardiovascular Imaging, 2020, 28, 202.	0.2	5
38	Progressive Increase in Peridevice Leakage After the Implantation of the Watchman Device on Long-term Serial Echocardiographic Follow-up. Canadian Journal of Cardiology, 2014, 30, 1461.e15-1461.e17.	0.8	4
39	New electrocardiographic criteria for predicting successful ablation of premature ventricular contractions from the right coronary cusp. International Journal of Cardiology, 2016, 224, 199-205.	0.8	4
40	Electrocardiographic characteristics for successful radiofrequency ablation of right coronary cusp premature ventricular contractions. Medicine (United States), 2020, 99, e19398.	0.4	4
41	Long-term outcome of totally thoracoscopic surgical ablation in atrial fibrillation: A single-center experience. IJC Heart and Vasculature, 2021, 36, 100861.	0.6	4
42	Long-term Clinical Outcomes of Radiofrequency Catheter Ablation versus Permanent Pacemaker Implantation in Patients with Tachycardia-Bradycardia Syndrome. Korean Circulation Journal, 2020, 50, 998.	0.7	4
43	Thoracoscopic Implantation of Epicardial Left Ventricular Lead for Cardiac Resynchronization Therapy. Journal of Cardiovascular Development and Disease, 2022, 9, 160.	0.8	4
44	Cardiomyopathy With Frequent Ventricular Premature Depolarization – Predicting Irreversible Ventricular Dysfunction –. Circulation Journal, 2015, 79, 1816-1822.	0.7	3
45	Electrocardiogram PR Interval Is a Surrogate Marker to Predict New Occurrence of Atrial Fibrillation in Patients with Frequent Premature Atrial Contractions. Journal of Korean Medical Science, 2016, 31, 519.	1.1	3
46	The Incidence of Riata Defibrillator Lead Failure: a Single-Center Experience. Journal of Korean Medical Science, 2017, 32, 1610.	1.1	3
47	Additional cavotricuspid isthmus ablation may reduce recurrent atrial tachyarrhythmia after total thoracoscopic ablation for persistent atrial fibrillationâ€. Interactive Cardiovascular and Thoracic Surgery, 2019, 28, 177-182.	0.5	3
48	Atrial fibrillation occurring during head-up tilt testing: Once detected, atrial fibrillation should be monitored, regardless of how it is detected. Heart Rhythm, 2019, 16, 520-526.	0.3	3
49	Earliest activation time is a good predictor of successful ablation of idiopathic outflow tract ventricular arrhythmias. Clinical Cardiology, 2021, 44, 573-579.	0.7	3
50	Safety of mechanical lung vibrator and highâ€frequency chest wall oscillation in patients with cardiac implantable electronic device. Clinical Cardiology, 2021, 44, 531-536.	0.7	3
51	Radiofrequency vs. Cryoballoon vs. Thoracoscopic Surgical Ablation for Atrial Fibrillation: A Single-Center Experience. Medicina (Lithuania), 2021, 57, 1023.	0.8	3
52	Efficacy of Cardiac Resynchronization Therapy Using Automated Dynamic Optimization and Left Ventricular-only Pacing. Journal of Korean Medical Science, 2019, 34, e187.	1.1	3
53	The Absence of Atrial Contraction as a Predictor of Permanent Pacemaker Implantation after Maze Procedure with Cryoablation. Korean Journal of Thoracic and Cardiovascular Surgery, 2017, 50, 163-170.	0.6	3
54	Edoxaban-based long-term antithrombotic therapy in patients with atrial fibrillation and stable coronary disease: Rationale and design of the randomized EPIC-CAD trial. American Heart Journal, 2022, 247, 123-131.	1.2	3

#	Article	IF	CITATIONS
55	Long-Term Efficacy and Anticoagulation Strategy of Left Atrial Appendage Occlusion During Total Thoracoscopic Ablation of Atrial Fibrillation to Prevent Ischemic Stroke. Frontiers in Cardiovascular Medicine, 2022, 9, 853299.	1.1	3
56	Frequent atrial premature complexes during exercise: A potent predictor of atrial fibrillation. Clinical Cardiology, 2018, 41, 458-464.	0.7	2
57	Is the stroke volume during post-ectopic beat associated with ventricular premature complex-related symptoms?. Europace, 2018, 20, f204-f210.	0.7	2
58	Cardiac resynchronization therapy in New York Heart Association classâ€iV patients dependent on intravenous drugs or invasive supportive treatments. ESC Heart Failure, 2020, 7, 3109-3118.	1.4	2
59	Total thoracoscopic ablation in patients with atrial fibrillation and left ventricular dysfunction. JTCVS Techniques, 2021, 8, 60-66.	0.2	2
60	Exercise characteristics and incidence of abnormal electrocardiogram response in longâ€distance runners with exerciseâ€induced hypertension. Journal of Clinical Hypertension, 2021, 23, 1915-1921.	1.0	2
61	Effectiveness of the Early Staged Hybrid Approach for Treatment of Symptomatic Atrial Fibrillation: the Electrophysiology Study Could Be Deferred?. Journal of Korean Medical Science, 2021, 36, e276.	1.1	2
62	Transvenous lead extraction using the TightRail mechanical rotating dilator sheath for Asian patients. Scientific Reports, 2021, 11, 22251.	1.6	2
63	New Oral Anticoagulant Versus Vitamin K Antagonists for Thoracoscopic Ablation in Patients With Persistent Atrial Fibrillation: A Randomized Controlled Trial. Seminars in Thoracic and Cardiovascular Surgery, 2021, , .	0.4	2
64	Orthodromic and Antidromic Snare Techniques for Left Ventricular Lead Implantation in Cardiac Resynchronization Therapy. Journal of Clinical Medicine, 2022, 11, 2133.	1.0	2
65	Right ventricle apex pacing identifies the presence of ventricular premature depolarizationsâ€induced cardiomyopathy. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 31-37.	0.5	1
66	Electrocardiographic features of the presence of occult myocardial disease in patients with VPDâ€induced cardiomyopathy. Journal of Arrhythmia, 2020, 36, 485-492.	0.5	1
67	Changes in cardiac conduction time following cardiac resynchronization therapy: rationale and design of the RECOVER study. Journal of Interventional Cardiac Electrophysiology, 2021, , 1.	0.6	1
68	Long-term evaluation of sensing variability of a floating atrial dipole in a single‑lead defibrillator: The mechanistic basis of long-term stability of amplified atrial electrogram. International Journal of Cardiology, 2021, 336, 67-72.	0.8	1
69	Predictors of permanent pacemaker implantation after sinus conversion of cavotricuspid isthmus-dependent atrial flutter. Scientific Reports, 2022, 12, 5336.	1.6	1
70	Safety of dabigatran or rivaroxaban for thoracoscopic ablation in patients with atrial fibrillation. International Journal of Cardiology, 2015, 186, 213-215.	0.8	0
71	Editorial for "Declaration of the known facts in myopathy: Pacing in order to capture future occurrence of PVCâ€induced myopathy?― PACE - Pacing and Clinical Electrophysiology, 2019, 42, 487-488.	0.5	0
72	The frequency of gastroesophageal reflux when radiofrequency catheter ablation procedures for atrial fibrillation under general anesthesia with a supraglottic device. Medicine (United States), 2021, 100, e24595.	0.4	0

#	Article	IF	CITATIONS
73	Editorial: Simple Maneuver for Estimating the Depth of the Focal Activation Source in Myocardium. Korean Circulation Journal, 2020, 50, 430.	0.7	0
74	Catheter ablation of outflow tract ventricular arrhythmia with intracardiac echocardiography assistance. International Journal of Arrhythmia, 2022, 23, .	0.3	0
75	Left Ventricular Dysfunction in Outpatients with Frequent Ventricular Premature Complexes. Texas Heart Institute Journal, 2022, 49, .	0.1	0
76	Low QRS Voltage in Limb Leads Indicates Accompanying Precordial Voltage Attenuation Resulting in Underestimation of Left Ventricular Hypertrophy. International Journal of Environmental Research and Public Health, 2021, 18, 12867.	1.2	0
77	What Is Better Predictor of Late Recurrence after Radiofrequency Catheter Ablation for Atrial Fibrillation?. Korean Circulation Journal, 2022, 52, 379-381.	0.7	0
78	Clinical Significance of Ventricular Premature Contraction Provoked by the Treadmill Test. Medicina (Lithuania), 2022, 58, 556.	0.8	0
79	The efficacy of single-lead implantable cardioverter-defibrillator with atrial sensing dipole to detect atrial fibrillation and to reduce inappropriate therapy according to atrial sensing ON or OFF: Rationale and design of the SMART-CONTROL study, a prospective multicenter randomized trial. American Heart lournal. 2022. 251. 25-31.	1.2	0