M Thamara P R Perera

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4989360/m-thamara-p-r-perera-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers3,138
citations26
h-index54
g-index120
ext. papers4,175
ext. citations4.1
avg, IF5.09
L-index

#	Paper	IF	Citations
113	Outcomes of normothermic machine perfusion of liver grafts in repeat liver transplantation (NAPLES initiative) <i>British Journal of Surgery</i> , 2022 ,	5.3	2
112	The effect of end-ischaemic normothermic machine perfusion on donor hepatic artery endothelial integrity <i>Langenbecko Archives of Surgery</i> , 2022 , 1	3.4	О
111	Normothermic Machine Perfusion as a Tool for Safe Transplantation of High-Risk Recipients. Transplantology, 2022 , 3, 169-183	1	O
110	Meta-analysis of interrupted versus continuous suturing for Roux-en-Y hepaticojejunostomy and duct-to-duct choledochocholedochostomy <i>Langenbeck& Archives of Surgery</i> , 2022 , 1	3.4	0
109	Regulatory T-Cell Therapy in Liver Transplantation and Chronic Liver Disease. <i>Frontiers in Immunology</i> , 2021 , 12, 719954	8.4	1
108	Assessment of Deceased Brain Dead Donor Liver Grafts via Normothermic Machine Perfusion: Lactate Clearance Time Threshold Can Be Safely Extended to 6 Hours. <i>Liver Transplantation</i> , 2021 ,	4.5	2
107	Liver graft outcomes from donors with vaccine induced thrombosis and thrombocytopenia (VITT): United Kingdom multicenter experience. <i>American Journal of Transplantation</i> , 2021 ,	8.7	1
106	Lactic Acidosis, Hypoglycemia, and Eosinophilia: Novel Markers of Antibody-Mediated Rejection Causing Graft Ischemia. <i>Liver Transplantation</i> , 2021 , 27, 1857-1860	4.5	1
105	Hepatocyte necrosis on liver allograft biopsy: Normothermic machine perfusion is the ideal platform for using these grafts in high-risk recipients. <i>Clinical Transplantation</i> , 2021 , 35, e14380	3.8	2
104	Assessment and Transplantation of Orphan Donor Livers: A Back-to-Base Approach to Normothermic Machine Perfusion. <i>Liver Transplantation</i> , 2021 , 27, 600-601	4.5	
103	Transarterial chemoembolization of hepatocellular carcinoma before liver transplantation and risk of post-transplant vascular complications: a multicentre observational cohort and propensity score-matched analysis. <i>British Journal of Surgery</i> , 2021 , 108, 1323-1331	5.3	О
102	Primary Non-Function of the Liver Allograft. <i>Transplantation</i> , 2021 ,	1.8	3
101	Normothermic Split Liver Machine Perfusion: Protocol for Robust Comparative Controls in Liver Function Assessment Suitable for Evaluation of Novel Therapeutic Interventions in the Pre-clinical Setting. <i>Frontiers in Surgery</i> , 2021 , 8, 627332	2.3	4
100	Ex-situ liver preservation with machine preservation. <i>Current Opinion in Organ Transplantation</i> , 2021 , 26, 121-132	2.5	1
99	Graft implantation in liver transplantation - The clock is ticking. <i>Transplant International</i> , 2021 , 34, 1338-	-3340	1
98	Is Hepatocyte Necrosis a Good Marker of Donor Liver Viability During Machine Perfusion?. <i>Hepatology Communications</i> , 2021 ,	6	О
97	Health-related quality of life, uncertainty and coping strategies in solid organ transplant recipients during shielding for the COVID-19 pandemic. <i>Transplant International</i> , 2021 , 34, 2122-2137	3	О

(2019-2021)

96	The economic impact of machine perfusion technology in liver transplantation. <i>Artificial Organs</i> , 2021 ,	2.6	4
95	Controversies regarding shielding and susceptibility to COVID-19 disease in liver transplant recipients in the United Kingdom. <i>Transplant Infectious Disease</i> , 2020 , 22, e13352	2.7	3
94	Transplantation of discarded livers following viability testing with normothermic machine perfusion. <i>Nature Communications</i> , 2020 , 11, 2939	17.4	86
93	Resuming liver transplantation amid the COVID-19 pandemic. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 725-726	18.8	20
92	The Human Immune Response to Cadaveric and Living Donor Liver Allografts. <i>Frontiers in Immunology</i> , 2020 , 11, 1227	8.4	8
91	Severe Sepsis Mimicking Primary Nonfunction Following Liver Transplantation: Normothermic Machine Perfusion Is a Potential Environment for Bacterial Overgrowth and Transmission From Donor to Recipient. A Case Report. <i>Transplantation Proceedings</i> , 2020 , 52, 2781-2785	1.1	2
90	Organ Restoration With Normothermic Machine Perfusion and Immune Reaction. <i>Frontiers in Immunology</i> , 2020 , 11, 565616	8.4	9
89	Novel Use of Normothermic Machine Perfusion of the Liver: A Strategy to Mitigate Unexpected Clinical Events. <i>Transplantation</i> , 2020 , 104, e281-e282	1.8	2
88	NAPLES STUDY (NORMOTHERMIC MACHINE PERFUSION OF THE LIVER TO ENABLE THE SICKEST FIRST): PRELIMINARY RESULTS. <i>Transplantation</i> , 2020 , 104, S248-S248	1.8	3
87	Using Marginal Grafts for Liver Transplantation: The Balance of Risk. <i>Journal of Investigative Surgery</i> , 2020 , 33, 565-567	1.2	2
86	A comprehensive evaluation of the long-term clinical and economic impact of minor bile duct injury. <i>Surgery</i> , 2020 , 167, 942-949	3.6	7
85	Systematic Review: Clinical Metabolomics to Forecast Outcomes in Liver Transplantation Surgery. <i>OMICS A Journal of Integrative Biology</i> , 2019 , 23, 463-476	3.8	11
84	Utility of a routine bench cholangiogram for ex situ split liver procedure. <i>Clinical Transplantation</i> , 2019 , 33, e13614	3.8	5
83	Severe atherosclerosis of donor hepatic arteries is a salvageable condition in liver transplantation to optimise the graft utilisation: A case series and review of the literature. <i>International Journal of Surgery Case Reports</i> , 2019 , 59, 190-196	0.8	2
82	Predictive factors for 28-day mortality in acute-on-chronic liver failure patients admitted to the intensive care unit. <i>Digestive and Liver Disease</i> , 2019 , 51, 1416-1422	3.3	3
81	Study protocol for a multicenter randomized controlled trial to compare the efficacy of end-ischemic dual hypothermic oxygenated machine perfusion with static cold storage in preventing non-anastomotic biliary strictures after transplantation of liver grafts donated after	3	25
8o	Retrieval Practice or Overall Donor and Recipient Risk: What Impacts on Outcomes After Donation After Circulatory Death Liver Transplantation in the United Kingdom?. <i>Liver Transplantation</i> , 2019 , 25, 545-558	4.5	14
79	Home-Based Exercise in Patients Awaiting Liver Transplantation: A Feasibility Study. <i>Liver Transplantation</i> , 2019 , 25, 995-1006	4.5	32

78	Chronic Kidney Disease After Liver Transplantation: Impact of Extended Criteria Grafts. <i>Liver Transplantation</i> , 2019 , 25, 922-933	4.5	18
77	Combined liver-kidney transplantation versus liver transplant alone based on KDIGO stratification of estimated glomerular filtration rate: data from the United Kingdom Transplant registry - a retrospective cohort study. <i>Transplant International</i> , 2019 , 32, 918-932	3	5
76	A comprehensive evaluation of the long-term economic impact of major bile duct injury. <i>Hpb</i> , 2019 , 21, 1312-1321	3.8	5
75	The AKI Prediction Score: a new prediction model for acute kidney injury after liver transplantation. <i>Hpb</i> , 2019 , 21, 1707-1717	3.8	19
74	Normothermic Machine Perfusion Enhances Intraoperative Hepatocellular Synthetic Capacity: A Propensity Score-matched Analysis. <i>Transplantation</i> , 2019 , 103, e198-e207	1.8	8
73	Outcomes of DCD liver transplantation using organs treated by hypothermic oxygenated perfusion before implantation. <i>Journal of Hepatology</i> , 2019 , 70, 50-57	13.4	127
7 ²	Proof of concept: liver splitting during normothermic machine perfusion. <i>Journal of Surgical Case Reports</i> , 2018 , 2018, rjx218	0.6	14
71	A randomized trial of normothermic preservation in liver transplantation. <i>Nature</i> , 2018 , 557, 50-56	50.4	45 ⁰
70	The impact of transarterial chemoembolization induced complications on outcomes after liver transplantation: A propensity-matched study. <i>Clinical Transplantation</i> , 2018 , 32, e13255	3.8	5
69	The Impact of Combined Warm Ischemia Time on Development of Acute Kidney Injury in Donation After Circulatory Death Liver Transplantation: Stay Within the Golden Hour. <i>Transplantation</i> , 2018 , 102, 783-793	1.8	26
68	Impact of donor age in donation after circulatory death liver transplantation: Is the cutoff "60" still of relevance?. <i>Liver Transplantation</i> , 2018 , 24, 352-362	4.5	63
67	Combined Hypothermic and Normothermic Machine Perfusion Improves Functional Recovery of Extended Criteria Donor Livers. <i>Liver Transplantation</i> , 2018 , 24, 1699-1715	4.5	52
66	The UK DCD Risk Score: A new proposal to define futility in donation-after-circulatory-death liver transplantation. <i>Journal of Hepatology</i> , 2018 , 68, 456-464	13.4	115
65	Development of Clinical Criteria for Functional Assessment to Predict Primary Nonfunction of High-Risk Livers Using Normothermic Machine Perfusion. <i>Liver Transplantation</i> , 2018 , 24, 1453-1469	4.5	47
64	Revascularization Time in Liver Transplantation: Independent Prediction of Inferior Short- and Long-term Outcomes by Prolonged Graft Implantation. <i>Transplantation</i> , 2018 , 102, 2038-2055	1.8	15
63	Donation after Circulatory Death in Paediatric Liver Transplantation: Current Status and Future Perspectives in the Machine Perfusion Era. <i>BioMed Research International</i> , 2018 , 2018, 1756069	3	8
62	Combined Liver and Kidney Transplantation 2017 , 556-567		
61	The use of old donors in liver transplantation. <i>Bailliere& Best Practice and Research in Clinical Gastroenterology</i> , 2017 , 31, 211-217	2.5	25

(2015-2017)

60	Intention to Split Policy: A Successful Strategy in a Combined Pediatric and Adult Liver Transplant Center. <i>Annals of Surgery</i> , 2017 , 265, 1009-1015	7.8	46
59	Retransplantation in Late Hepatic Artery Thrombosis: Graft Access and Transplant Outcome. <i>Transplantation Direct</i> , 2017 , 3, e186	2.3	11
58	Systematic review and meta-analysis of liver transplantation using grafts from deceased donors aged over 70 years. <i>Clinical Transplantation</i> , 2017 , 31, e13139	3.8	11
57	Viability testing and transplantation of marginal livers (VITTAL) using normothermic machine perfusion: study protocol for an open-label, non-randomised, prospective, single-arm trial. <i>BMJ Open</i> , 2017 , 7, e017733	3	55
56	Normothermic Machine Perfusion of Deceased Donor Liver Grafts Is Associated With Improved Postreperfusion Hemodynamics. <i>Transplantation Direct</i> , 2016 , 2, e97	2.3	43
55	Preoperative Thromboelastography as a Sensitive Tool Predicting Those at Risk of Developing Early Hepatic Artery Thrombosis After Adult Liver Transplantation. <i>Transplantation</i> , 2016 , 100, 2382-2390	1.8	33
54	Characterization of Ischemic Changes in Small Bowel After Normothermic Regional Perfusion: Potential to Consider Small Bowel Grafts from DCD Donors?. <i>Transplantation</i> , 2016 , 100, e156-e157	1.8	О
53	Liver Transplantation Using Grafts From Donors After Circulatory Death: A Propensity Score-Matched Study From a Single Center. <i>American Journal of Transplantation</i> , 2016 , 16, 1795-804	8.7	79
52	Transplantation of Declined Liver Allografts Following Normothermic Ex-Situ Evaluation. <i>American Journal of Transplantation</i> , 2016 , 16, 3235-3245	8.7	197
51	Mass Spectrometry Based Metabolomics Comparison of Liver Grafts from Donors after Circulatory Death (DCD) and Donors after Brain Death (DBD) Used in Human Orthotopic Liver Transplantation. <i>PLoS ONE</i> , 2016 , 11, e0165884	3.7	10
50	Variations in Practice to Therapeutic Monitoring of Tacrolimus following Primary Adult Liver Transplantation. <i>International Journal of Organ Transplantation Medicine</i> , 2016 , 7, 1-8	0.7	7
49	Accepting multiple simultaneous liver offers does not negatively impact transplant outcomes. <i>Transplant International</i> , 2016 , 29, 227-33	3	
48	Emergence of linezolid resistance in hepatobiliary infections caused by Enterococcus faecium. <i>Liver Transplantation</i> , 2016 , 22, 201-8	4.5	18
47	Liver Transplantation After Ex Vivo Normothermic Machine Preservation: A Phase 1 (First-in-Man) Clinical Trial. <i>American Journal of Transplantation</i> , 2016 , 16, 1779-87	8.7	288
46	First human liver transplantation using a marginal allograft resuscitated by normothermic machine perfusion. <i>Liver Transplantation</i> , 2016 , 22, 120-4	4.5	73
45	Vasculobiliary complications following adult right lobe split liver transplantation from the perspective of reconstruction techniques. <i>Liver Transplantation</i> , 2015 , 21, 63-71	4.5	30
44	Is it time to revisit contraindications to organ donation from donors with a JAK-2 mutation? Safe use of a liver allograft from a donor with essential thrombocythaemia. <i>Transplant International</i> , 2015 , 28, 881-3	3	1
43	Adult liver transplantation in the congenital absence of inferior vena cava. <i>International Journal of Surgery</i> , 2015 , 22, 32-7	7.5	4

42	Early occurrence of new-onset diabetes after transplantation is related to type of liver graft and warm ischaemic injury. <i>Liver International</i> , 2015 , 35, 1739-47	7.9	14
41	Recently Published Literature as a Positive Influence on Selective Recipient Guided Use of So-Called Contraindicated Liver Donor Offers. <i>Experimental and Clinical Transplantation</i> , 2015 , 13, 490-2	20.8	
40	Biomarker differences between cadaveric grafts used in human orthotopic liver transplantation as identified by coulometric electrochemical array detection (CEAD) metabolomics. <i>OMICS A Journal of Integrative Biology</i> , 2014 , 18, 767-77	3.8	10
39	Management of synchronous vascular and ductal anomalies in living donor liver transplantation for hepatic epithelioid hemangioendothelioma. <i>Liver Transplantation</i> , 2014 , 20, 247-9	4.5	1
38	In situ normothermic regional perfusion for controlled donation after circulatory deaththe United Kingdom experience. <i>American Journal of Transplantation</i> , 2014 , 14, 2846-54	8.7	193
37	Heterotaxy syndrome with malrotation of the gut and interrupted vena cava does not preclude safe procurement of multivisceral graft. <i>American Journal of Transplantation</i> , 2014 , 14, 724-8	8.7	6
36	Etiology and management of hepatic artery thrombosis after adult liver transplantation. <i>Liver Transplantation</i> , 2014 , 20, 713-23	4.5	135
35	Persistent bile leak after deceased donor split liver transplantation. <i>American Journal of Transplantation</i> , 2014 , 14, 485-7	8.7	
34	Increasing the donor pool: consideration of prehospital cardiac arrest in controlled donation after circulatory death for liver transplantation. <i>Liver Transplantation</i> , 2014 , 20, 63-71	4.5	12
33	Comparison of energy metabolism in liver grafts from donors after circulatory death and donors after brain death during cold storage and reperfusion. <i>British Journal of Surgery</i> , 2014 , 101, 775-83	5.3	20
32	One donor, two types of preservation: first description of a donation after circulatory death donor with normothermic abdominal perfusion and simultaneous cold perfusion of lungs. <i>Liver Transplantation</i> , 2014 , 20, 1012-5	4.5	5
31	Patient with liver dysfunction while maintained on veno-venous extracorporeal membrane oxygenation should not be overlooked as a potential donor. <i>Transplant International</i> , 2014 , 27, e50-3	3	1
30	Influence of preformed donor-specific antibodies and C4d on early liver allograft function. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 1444-51	2.4	4
29	Feasibility of safe procurement of isolated intestinal and pancreatic grafts. <i>Transplant International</i> , 2013 , 26, e97-8	3	2
28	Asymptomatic transmission of Treponema pallidum (syphilis) through deceased donor liver transplantation. <i>Transplant Infectious Disease</i> , 2012 , 14, 321-5	2.7	15
27	Adult right lobe live donor liver transplant with reconstruction of retro-portal accessory right hepatic artery. <i>Transplant International</i> , 2012 , 25, e41-2	3	1
26	Current opinion on the role of resection and liver transplantation for hepatocellular cancer. <i>Indian Journal of Gastroenterology</i> , 2012 , 31, 89-99	1.9	4
25	The super-rapid technique in Maastricht category III donors: has it developed enough for marginal liver grafts from donors after cardiac death?. <i>Current Opinion in Organ Transplantation</i> , 2012 , 17, 131-6	2.5	24

(2009-2012)

24	Combined liver-intestine grafts compared with isolated intestinal transplantation in children: a single-center experience. <i>Transplantation</i> , 2012 , 94, 859-65	1.8	19	
23	Pancreaticobiliary complications after composite visceral transplantation: incidence, risk, and management strategies. <i>Gastrointestinal Endoscopy</i> , 2011 , 74, 1428; author reply 1428-9	5.2	2	
22	Liver resection for metastatic soft tissue sarcoma: an analysis of prognostic factors. <i>European Journal of Surgical Oncology</i> , 2011 , 37, 87-92	3.6	35	
21	Specialist early and immediate repair of post-laparoscopic cholecystectomy bile duct injuries is associated with an improved long-term outcome. <i>Annals of Surgery</i> , 2011 , 253, 553-60	7.8	71	
20	Is it time to extend liver acceptance criteria for controlled donors after cardiac death?. <i>Transplantation</i> , 2011 , 92, 1140-6	1.8	20	
19	Biliary dilatation and strictures after composite liver-small bowel transplantation in children: defining a newly recognized complication. <i>Transplantation</i> , 2011 , 92, 461-8	1.8	4	
18	Hepatic resection for non-colorectal, non-neuroendocrine, non-sarcoma metastasis: a single-centre experience. <i>Hpb</i> , 2011 , 13, 286-92	3.8	19	
17	Laparoscopic posterior sectoral bile duct injury: the emerging role of nonoperative management with improved long-term results after delayed diagnosis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 2684-91	5.2	17	
16	Pre-emptive liver transplantation for primary hyperoxaluria (PH-I) arrests long-term renal function deterioration. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 354-9	4.3	30	
15	Current status and recent advances of liver transplantation from donation after cardiac death. World Journal of Gastrointestinal Surgery, 2011 , 3, 167-76	2.4	7	
14	Liver transplantation in children using non-heart-beating donors (NHBD). <i>Pediatric Transplantation</i> , 2010 , 14, 554-7	1.8	16	
13	Application of metabolomics to investigate the process of human orthotopic liver transplantation: a proof-of-principle study. <i>OMICS A Journal of Integrative Biology</i> , 2010 , 14, 143-50	3.8	36	
12	A reaudit of specialist-managed liver trauma after establishment of regional referral and management guidelines. <i>Journal of Trauma</i> , 2010 , 68, 84-9		9	
11	Risk factors for litigation following major transectional bile duct injury sustained at laparoscopic cholecystectomy. <i>World Journal of Surgery</i> , 2010 , 34, 2635-41	3.3	27	
10	Clinical practice: management of biliary atresia. European Journal of Pediatrics, 2010, 169, 395-402	4.1	25	
9	Liver transplantation: Issues for the next 20 years. <i>Journal of Gastroenterology and Hepatology</i> (Australia), 2009 , 24 Suppl 3, S124-31	4	42	
8	Safe use of segmental liver grafts from donors after cardiac death (DCD) in children with acute liver failure. <i>Transplant International</i> , 2009 , 22, 757-60	3	17	
7	Embryonal rhabdomyosarcoma of the ampulla of Vater in early childhood: report of a case and review of literature. <i>Journal of Pediatric Surgery</i> , 2009 , 44, e9-e11	2.6	11	

6	Renal function recovery in children undergoing combined liver kidney transplants. <i>Transplantation</i> , 2009 , 87, 1584-9	1.8	16
5	Improved outcomes of combined liver and kidney transplants in small children (. <i>Transplantation</i> , 2009 , 88, 711-5	1.8	13
4	Sexual and urinary dysfunction following rectal dissection compared with segmental colectomy. <i>Colorectal Disease</i> , 2008 , 10, 689-93	2.1	10
3	Prevalence of colorectal cancer and survival in patients from the Gampaha District, North Colombo region. <i>Ceylon Medical Journal</i> , 2008 , 53, 17-21	0.7	7
3		0.7	7