Mark Peyrot

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4989632/publications.pdf

Version: 2024-02-01

26 2,087 15 24
papers citations h-index g-index

26 26 26 2517 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Quality of life and diabetes. Diabetes/Metabolism Research and Reviews, 1999, 15, 205-218.	1.7	862
2	Correlates of Insulin Injection Omission. Diabetes Care, 2010, 33, 240-245.	4.3	327
3	Psychological issues and treatments for people with diabetes. Journal of Clinical Psychology, 2001, 57, 457-478.	1.0	261
4	Diabetes Attitudes Wishes and Needs 2 (DAWN2): A multinational, multi-stakeholder study of psychosocial issues in diabetes and person-centred diabetes care. Diabetes Research and Clinical Practice, 2013, 99, 174-184.	1.1	195
5	Personal Accounts of the Negative and Adaptive Psychosocial Experiences of People With Diabetes in the Second Diabetes Attitudes, Wishes and Needs (DAWN2) Study. Diabetes Care, 2014, 37, 2466-2474.	4.3	104
6	Patient-Reported Outcomes for an Integrated Real-Time Continuous Glucose Monitoring/Insulin Pump System. Diabetes Technology and Therapeutics, 2009, 11, 57-62.	2.4	46
7	"l Do My Best To Listen to Patients― Qualitative Insights Into DAWN2 (Diabetes Psychosocial Care From) Tj	j ETQq1 1 1.1	. 0.784314 r <mark>g</mark> B 40
8	Effect of Technosphere Inhaled Insulin on Quality of Life and Treatment Satisfaction. Diabetes Technology and Therapeutics, 2010, 12, 49-55.	2.4	30
9	Implementation of Basal–Bolus Therapy in Type 2 Diabetes: A Randomized Controlled Trial Comparing Bolus Insulin Delivery Using an Insulin Patch with an Insulin Pen. Diabetes Technology and Therapeutics, 2019, 21, 273-285.	2.4	26
10	Factors Associated with Persistence and Resumption of Insulin Pen Use for Patients with Type 2 Diabetes. Diabetes Technology and Therapeutics, 2011, 13, 43-48.	2.4	24
11	Patient-Reported Outcomes in Adults with Type 2 Diabetes Using Mealtime Inhaled Technosphere Insulin and Basal Insulin Versus Premixed Insulin. Diabetes Technology and Therapeutics, 2011, 13, 1201-1206.	2.4	22
12	Development and validation of the self-management profile for type 2 diabetes (SMP-T2D). Health and Quality of Life Outcomes, 2012, 10, 125.	1.0	20
13	Diabetes Distress and Its Association with Clinical Outcomes in Patients with Type 2 Diabetes Treated with Pramlintide as an Adjunct to Insulin Therapy. Diabetes Technology and Therapeutics, 2008, 10, 461-466.	2.4	18
14	Conversations and Reactions Around Severe Hypoglycemia Study: Results of Hypoglycemia Experiences in Canadian Adults With Insulin-Treated Diabetes and Their Caregivers. Canadian Journal of Diabetes, 2021, 45, 236-242.	0.4	17
15	The relationships among fear of hypoglycaemia, diabetes-related quality of life and psychological well-being in Norwegian adults with Type 1 diabetes. Diabetes Research and Clinical Practice, 2017, 124, 11-19.	1.1	15
16	Patient Perceptions and Preferences for a Mealtime Insulin Delivery Patch. Diabetes Therapy, 2018, 9, 297-307.	1.2	15
17	Correlates and outcomes of worries about hypoglycemia in family members of adults with diabetes: The second Diabetes Attitudes, Wishes and Needs (DAWN2) study. Journal of Psychosomatic Research, 2016, 89, 69-77.	1.2	14
18	Assessment of a web-based Guided Self-Determination intervention for adults with type 2 diabetes in general practice: a study protocol. BMJ Open, 2016, 6, e013026.	0.8	12

#	Article	IF	CITATIONS
19	Living with an adult who has diabetes: Qualitative insights from the second Diabetes Attitudes, Wishes and Needs (DAWN2) study. Diabetes Research and Clinical Practice, 2016, 116, 270-278.	1.1	12
20	Response to Comments on Young-Hyman et al. Psychosocial Care for People With Diabetes: A Position Statement of the American Diabetes Association. Diabetes Care 2016;39:2126–2140. Diabetes Care, 2017, 40, e131-e132.	4.3	12
21	Response to Comment on Young-Hyman et al. Psychosocial Care for People With Diabetes: A Position Statement of the American Diabetes Association. Diabetes Care 2016;39:2126–2140. Diabetes Care, 2018, 41, e33-e34.	4.3	4
22	Conversations and Reactions Around Severe Hypoglycemia (CRASH): Japan Results From a Global Survey of People with T1DM or Insulin-Treated T2DM and Caregivers. Diabetes Therapy, 2022, 13, 517-533.	1.2	4
23	Comparing Patch vs Pen Bolus Insulin Delivery in Type 2 Diabetes Using Continuous Glucose Monitoring Metrics and Profiles. Journal of Diabetes Science and Technology, 2022, 16, 1167-1173.	1.3	3
24	Pharmacologically treated diabetes and hospitalization among older Norwegians receiving homecare services from 2009 to 2014: a nationwide register study. BMJ Open Diabetes Research and Care, 2021, 9, e002000.	1.2	2
25	Conversations and Reactions Around Severe Hypoglycemia (CRASH) global survey of people with type-1 diabetes or insulin-treated type-2 diabetes and caregivers: findings from the French cohort. Annales D'Endocrinologie, 2021, 83, 16-16.	0.6	2
26	Analysis of Teacher Responses to the Conners Abbreviated Symptoms Questionnaire (ASQ). Measurement and Evaluation in Counseling and Development, 1998, 31, 2-14.	1.6	0