

# Mark Peyrot

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4989632/publications.pdf>

Version: 2024-02-01

26  
papers

2,087  
citations

567144

15  
h-index

610775

24  
g-index

26  
all docs

26  
docs citations

26  
times ranked

2517  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparing Patch vs Pen Bolus Insulin Delivery in Type 2 Diabetes Using Continuous Glucose Monitoring Metrics and Profiles. <i>Journal of Diabetes Science and Technology</i> , 2022, 16, 1167-1173.	1.3	3
2	Conversations and Reactions Around Severe Hypoglycemia (CRASH): Japan Results From a Global Survey of People with T1DM or Insulin-Treated T2DM and Caregivers. <i>Diabetes Therapy</i> , 2022, 13, 517-533.	1.2	4
3	Conversations and Reactions Around Severe Hypoglycemia Study: Results of Hypoglycemia Experiences in Canadian Adults With Insulin-Treated Diabetes and Their Caregivers. <i>Canadian Journal of Diabetes</i> , 2021, 45, 236-242.	0.4	17
4	Pharmacologically treated diabetes and hospitalization among older Norwegians receiving homecare services from 2009 to 2014: a nationwide register study. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002000.	1.2	2
5	Conversations and Reactions Around Severe Hypoglycemia (CRASH) global survey of people with type-1 diabetes or insulin-treated type-2 diabetes and caregivers: findings from the French cohort. <i>Annales D'Endocrinologie</i> , 2021, 83, 16-16.	0.6	2
6	Implementation of Basal-Bolus Therapy in Type 2 Diabetes: A Randomized Controlled Trial Comparing Bolus Insulin Delivery Using an Insulin Patch with an Insulin Pen. <i>Diabetes Technology and Therapeutics</i> , 2019, 21, 273-285.	2.4	26
7	Response to Comment on Young-Hyman et al. Psychosocial Care for People With Diabetes: A Position Statement of the American Diabetes Association. <i>Diabetes Care</i> 2016;39:2126-2140. <i>Diabetes Care</i> , 2018, 41, e33-e34.	4.3	4
8	Patient Perceptions and Preferences for a Mealtime Insulin Delivery Patch. <i>Diabetes Therapy</i> , 2018, 9, 297-307.	1.2	15
9	The relationships among fear of hypoglycaemia, diabetes-related quality of life and psychological well-being in Norwegian adults with Type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2017, 124, 11-19.	1.1	15
10	Response to Comments on Young-Hyman et al. Psychosocial Care for People With Diabetes: A Position Statement of the American Diabetes Association. <i>Diabetes Care</i> 2016;39:2126-2140. <i>Diabetes Care</i> , 2017, 40, e131-e132.	4.3	12
11	Assessment of a web-based Guided Self-Determination intervention for adults with type 2 diabetes in general practice: a study protocol. <i>BMJ Open</i> , 2016, 6, e013026.	0.8	12
12	Living with an adult who has diabetes: Qualitative insights from the second Diabetes Attitudes, Wishes and Needs (DAWN2) study. <i>Diabetes Research and Clinical Practice</i> , 2016, 116, 270-278.	1.1	12
13	Correlates and outcomes of worries about hypoglycemia in family members of adults with diabetes: The second Diabetes Attitudes, Wishes and Needs (DAWN2) study. <i>Journal of Psychosomatic Research</i> , 2016, 89, 69-77.	1.2	14
14	Do My Best To Listen to Patients: Qualitative Insights Into DAWN2 (Diabetes Psychosocial Care From) Tj ETQq0 0 0 rgBT /Overl	1.1	40
15	Personal Accounts of the Negative and Adaptive Psychosocial Experiences of People With Diabetes in the Second Diabetes Attitudes, Wishes and Needs (DAWN2) Study. <i>Diabetes Care</i> , 2014, 37, 2466-2474.	4.3	104
16	Diabetes Attitudes Wishes and Needs 2 (DAWN2): A multinational, multi-stakeholder study of psychosocial issues in diabetes and person-centred diabetes care. <i>Diabetes Research and Clinical Practice</i> , 2013, 99, 174-184.	1.1	195
17	Development and validation of the self-management profile for type 2 diabetes (SMP-T2D). <i>Health and Quality of Life Outcomes</i> , 2012, 10, 125.	1.0	20
18	Factors Associated with Persistence and Resumption of Insulin Pen Use for Patients with Type 2 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2011, 13, 43-48.	2.4	24

#	ARTICLE	IF	CITATIONS
19	Patient-Reported Outcomes in Adults with Type 2 Diabetes Using Mealtime Inhaled Technosphere Insulin and Basal Insulin Versus Premixed Insulin. <i>Diabetes Technology and Therapeutics</i> , 2011, 13, 1201-1206.	2.4	22
20	Effect of Technosphere Inhaled Insulin on Quality of Life and Treatment Satisfaction. <i>Diabetes Technology and Therapeutics</i> , 2010, 12, 49-55.	2.4	30
21	Correlates of Insulin Injection Omission. <i>Diabetes Care</i> , 2010, 33, 240-245.	4.3	327
22	Patient-Reported Outcomes for an Integrated Real-Time Continuous Glucose Monitoring/Insulin Pump System. <i>Diabetes Technology and Therapeutics</i> , 2009, 11, 57-62.	2.4	46
23	Diabetes Distress and Its Association with Clinical Outcomes in Patients with Type 2 Diabetes Treated with Pramlintide as an Adjunct to Insulin Therapy. <i>Diabetes Technology and Therapeutics</i> , 2008, 10, 461-466.	2.4	18
24	Psychological issues and treatments for people with diabetes. <i>Journal of Clinical Psychology</i> , 2001, 57, 457-478.	1.0	261
25	Quality of life and diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 1999, 15, 205-218.	1.7	862
26	Analysis of Teacher Responses to the Conners Abbreviated Symptoms Questionnaire (ASQ). <i>Measurement and Evaluation in Counseling and Development</i> , 1998, 31, 2-14.	1.6	0