Anne-Deborah Bouhnik

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4989894/publications.pdf

Version: 2024-02-01

70 papers 1,384 citations

393982 19 h-index 377514 34 g-index

72 all docs 72 docs citations

times ranked

72

1834 citing authors

#	Article	IF	CITATIONS
1	Depression and Clinical Progression in HIV-Infected Drug Users Treated with Highly Active Antiretroviral Therapy. Antiviral Therapy, 2005, 10, 53-61.	0.6	140
2	Nonadherence Among HIV-Infected Injecting Drug Users: The Impact of Social Instability. Journal of Acquired Immune Deficiency Syndromes (1999), 2002, 31, S149-S153.	0.9	120
3	Early discontinuation of tamoxifen intake in younger women with breast cancer: Is it time to rethink the way it is prescribed?. European Journal of Cancer, 2012, 48, 1939-1946.	1.3	87
4	The labour market, psychosocial outcomes and health conditions in cancer survivors: protocol for a nationwide longitudinal survey 2 and 5 years after cancer diagnosis (the VICAN survey). BMJ Open, 2015, 5, e005971-e005971.	0.8	61
5	Unsafe sex in regular partnerships among heterosexual persons living with HIV: evidence from a large representative sample of individuals attending outpatients services in France (ANRS-EN12-VESPA Study). Aids, 2007, 21, S57-S62.	1.0	53
6	Unprotected sex in regular partnerships among homosexual men living with HIV: a comparison between sero-nonconcordant and seroconcordant couples (ANRS-EN12-VESPA Study). Aids, 2007, 21, S43-S48.	1.0	46
7	Heterogeneity of Cancer Patient Information-Seeking Behaviors. Medical Decision Making, 2012, 32, 362-375.	1.2	38
8	Drug injection cessation among HIV-infected injecting drug users. Addictive Behaviors, 2004, 29, 1189-1197.	1.7	35
9	Unsafe Sex With Casual Partners and Quality of Life Among HIV-Infected Gay Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 42, 597-603.	0.9	35
10	Time to prophylactic surgery in BRCA1/2 carriers depends on psychological and other characteristics. Genetics in Medicine, 2010, 12, 801-807.	1.1	35
11	BRCA1/2 carriers: their childbearing plans and theoretical intentions about having preimplantation genetic diagnosis and prenatal diagnosis. Genetics in Medicine, 2012, 14, 527-534.	1.1	34
12	Sexual health problems in French cancer survivors 2Âyears after diagnosisâ€"the national VICAN survey. Journal of Cancer Survivorship, 2016, 10, 600-609.	1.5	33
13	Sexual Difficulties in People Living with HIV in Franceâ€"Results from a Large Representative Sample of Outpatients Attending French Hospitals (ANRS-EN12-VESPA). AIDS and Behavior, 2008, 12, 670-676.	1.4	31
14	Satisfaction with fertility- and sexuality-related information in young women with breast cancerâ€"ELIPPSE40 cohort. BMC Cancer, 2015, 15, 572.	1.1	31
15	Patient Discussion About Sexual Health with Health Care Providers After Cancer—A National Survey. Journal of Sexual Medicine, 2016, 13, 1686-1694.	0.3	28
16	Multiple health literacy dimensions are associated with physicians' efforts to achieve shared decision-making. Patient Education and Counseling, 2019, 102, 1949-1956.	1.0	28
17	Prevalence of unsafe sex with one's steady partner either HIV-negative or of unknown HIV status and associated determinants in Cameroon (EVAL ANRS12-116 survey). Sexually Transmitted Infections, 2010, 86, 148-154.	0.8	27
18	Complementary or Alternative Medicine as Possible Determinant of Decreased Persistence to Aromatase Inhibitor Therapy among Older Women with Non-Metastatic Breast Cancer. PLoS ONE, 2013, 8, e81677.	1.1	23

#	Article	lF	Citations
19	Sexual Health Problems and Discussion in Colorectal Cancer Patients Two Years After Diagnosis: A National Cross-Sectional Study. Journal of Sexual Medicine, 2019, 16, 96-110.	0.3	22
20	Early Acceptability of a Mobile App for Contact Tracing During the COVID-19 Pandemic in France: National Web-Based Survey. JMIR MHealth and UHealth, 2021, 9, e27768.	1.8	22
21	Young breast cancer patients' involvement in treatment decisions: the major role played by decisionâ€making about surgery. Psycho-Oncology, 2013, 22, 2546-2556.	1.0	20
22	Validation of the French version of the Functional, Communicative and Critical Health Literacy scale (FCCHL). Journal of Patient-Reported Outcomes, 2018, 2, 3.	0.9	20
23	Physicians' and patients' adherence to antiretroviral prophylaxis after sexual exposure to HIV: results from South-Eastern France. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2008, 20, 537-541.	0.6	19
24	Chemotherapy in Old Women with Breast Cancer: Is Age Still a Predictor for Under Treatment?. Breast Journal, 2017, 23, 256-266.	0.4	19
25	The positive effect of workplace accommodations on the continued employment of cancer survivors five years after diagnosis. Supportive Care in Cancer, 2020, 28, 4435-4443.	1.0	19
26	Adherence trajectories of adjuvant endocrine therapy in the five years after its initiation among women with non-metastatic breast cancer: a cohort study using administrative databases. Breast Cancer Research and Treatment, 2020, 180, 777-790.	1.1	19
27	Patients' Non-Medical Characteristics Contribute to Collective Medical Decision-Making at Multidisciplinary Oncological Team Meetings. PLoS ONE, 2016, 11, e0154969.	1.1	19
28	Awareness of non-occupational HIV postexposure prophylaxis among French people living with HIV: the need for better targeting. Aids, 2007, 21, S71-S76.	1.0	18
29	Disclosure and religion among people living with HIV/AIDS in France. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2008, 20, 521-526.	0.6	18
30	Self-Reported Cognitive Impairment After Breast Cancer Treatment in Young Women from the ELIPPSE40 Cohort: The Long-Term Impact of Chemotherapy. Breast Journal, 2012, 18, 406-414.	0.4	18
31	Two years after cancer diagnosis, what is the relationship between health-related quality of life, coping strategies and spirituality?. Psychology, Health and Medicine, 2013, 18, 375-386.	1.3	18
32	Chronic neuropathic pain negatively associated with employment retention of cancer survivors: evidence from a national French survey. Journal of Cancer Survivorship, 2018, 12, 115-126.	1.5	16
33	Impact of HAART-related side effects on unsafe sexual behaviours in HIV-infected injecting drug users. Aids, 2004, 18, 1321-1325.	1.0	15
34	Which factors predict proposal and uptake of psychological counselling after BRCA1/2 test result disclosure?. Psycho-Oncology, 2014, 23, 420-427.	1.0	13
35	Use of non-conventional medicine two years after cancer diagnosis in France: evidence from the VICAN survey. Journal of Cancer Survivorship, 2017, 11, 421-430.	1.5	13
36	Fertility status perception, fertility preservation and desire to have children in cancer survivors: French VICAN survey. Future Science OA, 2018, 4, FSO343.	0.9	12

#	Article	IF	CITATIONS
37	Inequality in income change among cancer survivors five years after diagnosis: Evidence from a French national survey. PLoS ONE, 2019, 14, e0222832.	1.1	12
38	Deterioration of Sexual Health in Cancer Survivors Five Years after Diagnosis: Data from the French National Prospective VICAN Survey. Cancers, 2020, 12, 3453.	1.7	12
39	Five-Year Adjuvant Endocrine Therapy Adherence Trajectories Among Women With Breast Cancer: A Nationwide French Study Using Administrative Data. Clinical Breast Cancer, 2021, 21, e415-e426.	1.1	11
40	Health Literacy and Clinical Trial Participation in French Cancer Patients: A National Survey. Current Oncology, 2022, 29, 3118-3129.	0.9	10
41	Do Migrants Overreport Adherence to Highly Active Antiretroviral Therapy?. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 42, 646-647.	0.9	9
42	Validation of a scale for assessing attitudes towards outcomes of genetic cancer testing among primary care providers and breast specialists. PLoS ONE, 2017, 12, e0178447.	1.1	9
43	Underprescription of Step III Opioids in French Cancer Survivors With Chronic Pain: A Call for Integrated Early Palliative Care in Oncology. Journal of Pain and Symptom Management, 2020, 59, 836-847.	0.6	9
44	The impact of health literacy on medicoâ€social followâ€up visits among French cancer survivors 5Âyears after diagnosis: The national VICAN survey. Cancer Medicine, 2020, 9, 4185-4196.	1.3	9
45	Head and neck cancer survivors' pain in France: the VICAN study. Journal of Cancer Survivorship, 2022, 16, 119-131.	1.5	9
46	Concealment of HIV and unsafe sex with steady partner is extremely infrequent. Aids, 2005, 19, 1431-1433.	1.0	8
47	Evolution of physical activity and body weight changes in breast cancer survivors five years after diagnosis – VICAN 2 & Department of the control of the	0.9	8
48	Knowledge of HIV Postexposure Prophylaxis in a Population of HIV-Positive Outpatients: Results of a French National Survey. Journal of Acquired Immune Deficiency Syndromes (1999), 2004, 35, 393-400.	0.9	7
49	Cancer survivors: familial risk perception and management advice given to their relatives. Familial Cancer, 2011, 10, 147-155.	0.9	6
50	General Practitioners and Breast Surgeons in France, Germany, Netherlands and the UK show variable breast cancer risk communication profiles. BMC Cancer, 2015, 15, 243.	1.1	6
51	Uptake of genetic counseling among adult children of BRCA1/2 mutation carriers in France. Psycho-Oncology, 2019, 28, 1894-1900.	1.0	6
52	HIV-positive men who have sex with men: biography, diversity in lifestyles, common experience of living with HIV. ANRS-EN12 VESPA Study, 2003. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2010, 22, 71-80.	0.6	5
53	Cigarette smoking in women after BRCA1/2 genetic test disclosure: a 5-year follow-up study of the GENEPSO PS cohort. Genetics in Medicine, 2015, 17, 117-124.	1.1	5

Sexual desire of French representative prostate cancer survivors 2Âyears after diagnosis (the VICAN) Tj ETQq0 0 0 0 rgBT /Overlock 10 Tf 5

#	Article	IF	CITATIONS
55	Use of non-conventional medicine and lifestyle change among cancer survivors: evidence from the national VICAN survey. Journal of Cancer Survivorship, 2020, 14, 779-789.	1.5	5
56	Parental disclosure of positive <i>BRCA1/2</i> mutation status to children 10 years after genetic testing. Psychology, Health and Medicine, 2020, 25, 756-766.	1.3	4
57	Patterns of Sequelae in Women with a History of Localized Breast Cancer: Results from the French VICAN Survey. Cancers, 2021, 13, 1161.	1.7	4
58	Fear of cancer recurrence in young women 5Âyears after diagnosis with a good-prognosis cancer: the VICAN-5 national survey. Journal of Cancer Survivorship, 2023, 17, 1359-1370.	1.5	4
59	Opioid Analgesics Prescription to End-of-Life Cancer Patients: Characteristics, Attitudes, and Practices of French General Practitioners. Journal of Palliative Medicine, 2018, 21, 1741-1748.	0.6	3
60	Breast surgeons' attitudes towards bilateral risk-reducing mastectomy: A National Survey of American Surgeons Journal of Clinical Oncology, 2015, 33, 25-25.	0.8	3
61	Development of a scale for assessing respondents' perceptions of health research questionnaires (the) Tj ETQq1	1 0.78431 2.4	14 ggBT /Over
62	Disclosure of research results: a randomized study on <scp>GENEPSO</scp> â€ <scp>PS</scp> cohort participants. Health Expectations, 2016, 19, 1023-1035.	1,1	2
63	Comment enqueter la population seropositive en France? L'enquete VESPA 2003. Population, 2005, 60, 525.	0.1	1
64	Inequality in sentinel lymph node dissection for elderly women with early stage breast cancer: Results from a French prospective cohort study. Journal of Geriatric Oncology, 2012, 3, 212-219.	0.5	1
65	Colorectal cancer screening practices among cancer survivors five years after diagnosis. Zeitschrift Fur Gesundheitswissenschaften, 2021, 29, 805.	0.8	1
66	Post-traumatic growth 5Âyears after cancer: identification of associated actionable factors. Supportive Care in Cancer, 2022, 30, 8261-8270.	1.0	1
67	Advance Approval of Outpatient Chemotherapy via Phone Call Optimizes Healthcare Delivery without Compromising Patient Satisfaction with Care. Cancers, 2021, 13, 1337.	1.7	0
68	Phone call for chemotherapy validation in outpatient unit as a way to optimize health care without compromising patients $\hat{A} \in \hat{A}^{TM}$ satisfaction and quality of life Journal of Clinical Oncology, 2017, 35, 6588-6588.	0.8	0
69	Self-reported functional assessment by patients receiving different prostate cancer strategies: Five-year results from the VICAN large prospective cohort Journal of Clinical Oncology, 2018, 36, 10077-10077.	0.8	0
70	Self-reported functional assessment after treatment for prostate cancer: 5-year results of the prospective cohort VICAN. Future Oncology, 2022, , .	1.1	0