Turid Skrede

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4989977/turid-skrede-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

12
papers304
citations8
h-index14
g-index14
ext. papers390
ext. citations4.3
avg, IF3.16
L-index

#	Paper	IF	Citations
12	Bi-directional prospective associations between sedentary time, physical activity and adiposity in 10-year old Norwegian children. <i>Journal of Sports Sciences</i> , 2021 , 39, 1772-1779	3.6	O
11	Cardiometabolic risk factor levels in Norwegian children compared to international reference values: The ASK study. <i>PLoS ONE</i> , 2019 , 14, e0220239	3.7	5
10	The prospective association between objectively measured sedentary time, moderate-to-vigorous physical activity and cardiometabolic risk factors in youth: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2019 , 20, 55-74	10.6	54
9	Effects of the Active Smarter Kids (ASK) Physical Activity School-based Intervention on Executive Functions: A Cluster-Randomized Controlled Trial. <i>Scandinavian Journal of Educational Research</i> , 2019 , 63, 214-228	1.2	16
8	Reference values for cardiometabolic risk scores in children and adolescents: Suggesting a common standard. <i>Atherosclerosis</i> , 2018 , 278, 299-306	3.1	33
7	Does cardiorespiratory fitness moderate the prospective association between physical activity and cardiometabolic risk factors in children?. <i>International Journal of Obesity</i> , 2018 , 42, 1029-1038	5.5	11
6	Aerobic fitness and metabolic health in children: A clinical validation of directly measured maximal oxygen consumption versus performance measures as markers of health. <i>Preventive Medicine Reports</i> , 2017 , 7, 74-76	2.6	6
5	Moderate-to-vigorous physical activity, but not sedentary time, predicts changes in cardiometabolic risk factors in 10-y-old children: the Active Smarter Kids Study. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 1391-1398	7	33
4	Reproducibility of objectively measured physical activity and sedentary time over two seasons in children; Comparing a day-by-day and a week-by-week approach. <i>PLoS ONE</i> , 2017 , 12, e0189304	3.7	27
3	Psychometric properties of the Norwegian version of the Kidscreen-27 questionnaire. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 58	3	17
2	Effects of physical activity on schoolchildrenes academic performance: The Active Smarter Kids (ASK) cluster-randomized controlled trial. <i>Preventive Medicine</i> , 2016 , 91, 322-328	4.3	98
1	Is the Kidscreen-27 a valid measure of health-related quality of life in 10-year-old Norwegian children?		3