Romna Zelk

List of Publications by Citations

Source: https://exaly.com/author-pdf/4990594/romana-zelko-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers1,535
citations21
h-index32
g-index173
ext. papers1,756
ext. citations3.6
avg, IF4.75
L-index

#	Paper	IF	Citations
126	Incorporating small molecules or biologics into nanofibers for optimized drug release: A review. <i>International Journal of Pharmaceutics</i> , 2015 , 494, 516-30	6.5	93
125	Application of sucrose fatty acid esters in transdermal therapeutic systems. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007 , 65, 233-7	5.7	70
124	Polymer structure and antimicrobial activity of polyvinylpyrrolidone-based iodine nanofibers prepared with high-speed rotary spinning technique. <i>International Journal of Pharmaceutics</i> , 2013 , 458, 99-103	6.5	62
123	Electrospun collagen-based nanofibres: A sustainable material for improved antibiotic utilisation in tissue engineering applications. <i>International Journal of Pharmaceutics</i> , 2017 , 531, 67-79	6.5	56
122	The effect of water on the solid state characteristics of pharmaceutical excipients: Molecular mechanisms, measurement techniques, and quality aspects of final dosage form. <i>International Journal of Pharmaceutical Investigation</i> , 2012 , 2, 18-25	1.5	55
121	Dissolution and diffuse reflectance characteristics of coated theophylline particles. <i>International Journal of Pharmaceutics</i> , 1997 , 155, 83-89	6.5	39
120	Physical Aging of Poly(vinylpyrrolidone) under Different Humidity Conditions. <i>Macromolecules</i> , 2002 , 35, 795-800	5.5	39
119	Polyvinyl alcohol nanofiber formulation of the designer antimicrobial peptide APO sterilizes Acinetobacter baumannii-infected skin wounds in mice. <i>Amino Acids</i> , 2016 , 48, 203-11	3.5	36
118	The effect of liquid crystalline structure on chlorhexidine diacetate release. <i>International Journal of Pharmaceutics</i> , 2000 , 193, 239-45	6.5	36
117	Self-reported medication and lifestyle adherence in Hungarian patients with Type 2 diabetes. <i>International Journal of Clinical Pharmacy</i> , 2007 , 29, 58-66		35
116	Application of DSC and NIRS to study the compatibility of metronidazole with different pharmaceutical excipients. <i>Journal of Thermal Analysis and Calorimetry</i> , 2006 , 84, 447-451	4.1	34
115	Scale-up of Electrospinning: Market Overview of Products and Devices for Pharmaceutical and Biomedical Purposes. <i>Pharmaceutics</i> , 2021 , 13,	6.4	29
114	Effect of beta-sitosterol on the characteristics of vesicular gels containing chlorhexidine. <i>International Journal of Pharmaceutics</i> , 2004 , 278, 63-70	6.5	28
113	Effect of plasticizer on the dynamic surface tension and the free volume of Eudragit systems. <i>International Journal of Pharmaceutics</i> , 2002 , 244, 81-6	6.5	28
112	Tracking of the physical ageing of amorphous pharmaceutical polymeric excipients by positron annihilation spectroscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 40, 249-54	3.5	26
111	Tracking the physical aging of poly(ethylene oxide): a technical note. AAPS PharmSciTech, 2006, 7, 95	3.9	26
110	A randomized, controlled trial of a clinical pharmacist intervention in microdiscectomy surgery - Low dose intravenous ketamine as an adjunct to standard therapy. <i>Saudi Pharmaceutical Journal</i> , 2013 , 21, 169-75	4.4	25

(2000-2007)

109	Study on the release of chlorhexidine base and salts from different liquid crystalline structures. <i>International Journal of Pharmaceutics</i> , 2007 , 340, 71-5	6.5	23	
108	Influence of chlorhexidine species on the liquid crystalline structure of vehicle. <i>International Journal of Pharmaceutics</i> , 2001 , 213, 1-5	6.5	23	
107	Effect of the storage conditions on the tensile strength of tablets in relation to the enthalpy relaxation of the binder. <i>Pharmaceutical Research</i> , 2000 , 17, 490-3	4.5	22	
106	Microstructural Distinction of Electrospun Nanofibrous Drug Delivery Systems Formulated with Different Excipients. <i>Molecular Pharmaceutics</i> , 2018 , 15, 4214-4225	5.6	21	
105	Correlation between the release characteristics of theophylline and the free volume of polyvinylpyrrolidone. <i>European Journal of Pharmaceutical Sciences</i> , 2005 , 24, 351-4	5.1	20	
104	Effect of the formulation parameters on the characteristics of pellets. <i>Drug Development and Industrial Pharmacy</i> , 1998 , 24, 1073-6	3.6	20	
103	Formulation and Characterization of Aceclofenac-Loaded Nanofiber Based Orally Dissolving Webs. <i>Pharmaceutics</i> , 2019 , 11,	6.4	18	
102	Prediction of oral disintegration time of fast disintegrating tablets using texture analyzer and computational optimization. <i>International Journal of Pharmaceutics</i> , 2013 , 448, 346-53	6.5	18	
101	Remifentanil in combination with ketamine versus remifentanil in spinal fusion surgerya double blind study. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2010 , 48, 542-8	2	18	
100	Tracking of crystalline-amorphous transition of carvedilol in rotary spun microfibers and their formulation to orodispersible tablets for in vitro dissolution enhancement. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 115, 359-67	3.5	17	
99	Metolose-PEG interaction as seen by positron annihilation spectroscopy. <i>International Journal of Pharmaceutics</i> , 2006 , 313, 66-71	6.5	17	
98	Comparison of surface morphology and composition of intrauterine devices in relation to patient complaints. <i>Contraception</i> , 2004 , 70, 149-52	2.5	16	
97	Water content determination of superdisintegrants by means of ATR-FTIR spectroscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 63, 106-11	3.5	15	
96	Potential application of Metolose in a thermoresponsive transdermal therapeutic system. <i>International Journal of Pharmaceutics</i> , 2007 , 338, 15-20	6.5	15	
95	Pharmaceutical counselling about different types of tablet-splitting methods based on the results of weighing tests and mechanical development of splitting devices. <i>European Journal of Pharmaceutical Sciences</i> , 2017 , 106, 262-273	5.1	13	
94	In vitro and in silico investigation of electrospun terbinafine hydrochloride-loaded buccal nanofibrous sheets. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 131, 156-159	3.5	13	
93	Preparation and characterization of nanofibrous sheets for enhanced oral dissolution of nebivolol hydrochloride. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 129, 224-228	3.5	13	
92	Influence of drying temperature and granulation liquid viscosity on the inter- and intragranular drug migration in tray-dried granules and compacts. <i>Pharmaceutical Development and Technology</i> , 2000 , 5, 131-7	3.4	13	

91	Real time positron annihilation lifetime spectroscopy for the detection of the hydrocolloid gel-film transition of polymers. <i>Polymer Testing</i> , 2012 , 31, 546-549	4.5	12
90	The effect of storage and active ingredient properties on the drug release profile of poly(ethylene oxide) matrix tablets. <i>Carbohydrate Polymers</i> , 2008 , 74, 930-933	10.3	12
89	Preparation of hydroxypropyl cellulose microfibers by high-speed rotary spinning and prediction of the fiber-forming properties of hydroxypropyl cellulose gels by texture analysis. <i>Cellulose</i> , 2014 , 21, 4	141 9 :442	27 ¹¹
88	Comparison of the physicochemical properties of MCT-containing fat emulsions in total nutrient admixtures. <i>Colloids and Surfaces B: Biointerfaces</i> , 2009 , 72, 75-9	6	11
87	Effect of chemical properties on drug release from hydrophobic matrices. <i>International Journal of Pharmaceutics</i> , 1998 , 160, 257-260	6.5	11
86	Prediction of the hydroxypropyl cellulose-poly(vinyl alcohol) ratio in aqueous solution containing papaverine hydrochloride in terms of drug loaded electrospun fiber formation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 138, 357-362	3.5	10
85	Macro- and microstructural tracking of ageing-related changes of papaverine hydrochloride-loaded electrospun nanofibrous buccal sheets. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 143, 62-67	3.5	10
84	Micro- and macrostructural characterization of polyvinylpirrolidone rotary-spun fibers. <i>Drug Development and Industrial Pharmacy</i> , 2015 , 41, 1829-34	3.6	10
83	Preformulation study of fiber formation and formulation of drug-loaded microfiber based orodispersible tablets for in vitro dissolution enhancement. <i>International Journal of Pharmaceutics</i> , 2014 , 477, 643-9	6.5	10
82	Preformulation Studies of Furosemide-Loaded Electrospun Nanofibrous Systems for Buccal Administration. <i>Polymers</i> , 2017 , 9,	4.5	10
81	Comparison of the enthalpy recovery and free volume of polyvinylpyrrolidone during anomalous glassy to rubbery transition. <i>European Journal of Pharmaceutical Sciences</i> , 2004 , 21, 519-23	5.1	10
80	Coating Polymer-plasticizer Interaction in Relation to the Enthalpy Relaxation of Polymer. <i>Magyar Apr</i> l <i>ad K</i> l <i>lem</i> b <i>yek</i> , 2002 , 68, 531-537	O	10
79	Polymers and formulation strategies of nanofibrous systems for drug delivery application and tissue engineering. <i>Current Medicinal Chemistry</i> , 2015 , 22, 604-17	4.3	10
78	Formulation and Stability Aspects of Nanosized Solid Drug Delivery Systems. <i>Current Pharmaceutical Design</i> , 2015 , 21, 3148-57	3.3	10
77	Novel combination of non-invasive morphological and solid-state characterisation of drug-loaded core-shell electrospun fibres. <i>International Journal of Pharmaceutics</i> , 2020 , 587, 119706	6.5	10
76	Tracking of the viability of Stenotrophomonas maltophilia bacteria population in polyvinylalcohol nanofiber webs by positron annihilation lifetime spectroscopy. <i>International Journal of Pharmaceutics</i> , 2012 , 429, 135-7	6.5	9
75	Supramolecular elucidation of the quality attributes of microcrystalline cellulose and isomalt composite pellet cores. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 84, 124-8	3.5	9
74	Prediction of the drug release stability of different polymeric matrix tablets containing metronidazole. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 730-4	3.5	9

(2006-2010)

73	Correlation between the free volume and the metoprolol tartrate release of Metolose patches. Journal of Pharmaceutical and Biomedical Analysis, 2010 , 51, 244-7	3.5	9	
72	Effects of storage conditions on the free volume of polyvinylpyrrolidone: comparison of positron lifetime data with the tensile strength of tablets. <i>Pharmaceutical Research</i> , 2000 , 17, 1030-2	4.5	9	
71	A comparison of the inter- and intragranular drug migration in tray- and freeze-dried granules and compacts. <i>Pharmaceutical Development and Technology</i> , 1999 , 4, 415-20	3.4	9	
70	Fused Deposition Modeling 3D Printing: Test Platforms for Evaluating Post-Fabrication Chemical Modifications and In-Vitro Biological Properties. <i>Pharmaceutics</i> , 2019 , 11,	6.4	8	
69	Effect of storage on microstructural changes of Carbopol polymers tracked by the combination of positron annihilation lifetime spectroscopy and FT-IR spectroscopy. <i>International Journal of Pharmaceutics</i> , 2011 , 416, 160-3	6.5	8	
68	Microstructural characterization of papaverine-loaded HPC/PVA gels, films and nanofibers. <i>European Journal of Pharmaceutical Sciences</i> , 2018 , 122, 9-12	5.1	8	
67	Structural elucidation of hyaluronic acid gels after heat sterilisation. <i>Polymer Testing</i> , 2013 , 32, 1322-13	24 .5	7	
66	Prediction of the stability of polymeric matrix tablets containing famotidine from the positron annihilation lifetime distributions of their physical mixtures. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 49, 711-4	3.5	7	
65	The effect of temperature and polymer concentration on dynamic surface tension and wetting ability of hydroxypropylmethylcellulose solutions. <i>Drug Development and Industrial Pharmacy</i> , 2000 , 26, 1321-3	3.6	7	
64	Chlorine dioxide-loaded poly(acrylic acid) gels for prolonged antimicrobial effect. <i>Materials Science and Engineering C</i> , 2019 , 98, 782-788	8.3	7	
63	Qualitative and quantitative research of medication review and drug-related problems in Hungarian community pharmacies: a pilot study. <i>BMC Health Services Research</i> , 2019 , 19, 282	2.9	6	
62	Comparison of directly compressed vitamin B12 tablets prepared from micronized rotary-spun microfibers and cast films. <i>Drug Development and Industrial Pharmacy</i> , 2015 , 41, 1438-42	3.6	6	
61	Microstructural analysis of the fast gelling freeze-dried sodium hyaluronate. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 104, 12-6	3.5	6	
60	Drug release profiles and microstructural characterization of cast and freeze dried vitamin B12 buccal films by positron annihilation lifetime spectroscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 89, 83-7	3.5	6	
59	Stability assessment of o/w parenteral nutrition emulsions in the presence of high glucose and calcium concentrations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 56, 159-64	3.5	6	
58	The influence of Metolose structure on the free volume and the consequent metoprolol tartrate release of patches. <i>International Journal of Biological Macromolecules</i> , 2009 , 44, 6-8	7.9	6	
57	Comparison of the fragility index of different eudragit polymers determined by activation enthalpies. <i>Journal of Thermal Analysis and Calorimetry</i> , 2007 , 87, 469-473	4.1	6	
56	Effect of beta-sitosterol concentration and high pressure homogenization on the chlorhexidine release from vesicular gels. <i>International Journal of Pharmaceutics</i> , 2006 , 307, 51-5	6.5	6	

55	Tracking of the degradation process of chlorhexidine digluconate and ethylenediaminetetraacetic acid in the presence of hyper-pure chlorine dioxide in endodontic disinfection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 164, 360-364	3.5	6
54	Different types, applications and limits of enabling excipients of pharmaceutical dosage forms. Drug Discovery Today: Technologies, 2018 , 27, 21-39	7.1	5
53	Carbopol -crospovidone interpolymer complex for pH-dependent desloratadine release. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 123, 141-6	3.5	5
52	Comparative dissolution study of drug and inert isomalt based core material from layered pellets. Journal of Pharmaceutical and Biomedical Analysis, 2014 , 98, 339-44	3.5	5
51	Effect of particle size and coating level on the diffuse reflectance of wax matrices. <i>Journal of Pharmacy and Pharmacology</i> , 1998 , 50, 139-42	4.8	5
50	Preliminary studies of the effects of vascular adhesion protein-1 inhibitors on experimental corneal neovascularization. <i>Journal of Neural Transmission</i> , 2011 , 118, 1065-9	4.3	5
49	Tracking of enantioselective solubility of rac-norgestrel in the presence of cyclodextrin by a CD spectroscopic method. <i>Chirality</i> , 2006 , 18, 121-6	2.1	5
48	Quantitative estimation of film forming polymer-plasticizer interactions by the Lorentz-Lorenz Law. <i>International Journal of Pharmaceutics</i> , 2006 , 310, 25-30	6.5	5
47	The Effect of Plasticizer on the Free Volume in Metolose Systems. <i>Materials Science Forum</i> , 2004 , 445-446, 325-327	0.4	5
46	Mathematical Modeling of Magnesium Oxide Release from Granules Produced by Laboratory Fluidization. <i>Drug Development and Industrial Pharmacy</i> , 1996 , 22, 225-230	3.6	5
45	The need for community pharmacists in oncology outpatient care: a systematic review. <i>International Journal of Clinical Pharmacy</i> , 2016 , 38, 855-62	2.3	5
44	The effect of structured triglycerides on the kinetic stability of total nutrient admixtures. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2005 , 8, 552-7	3.4	5
43	In vitro and in silico characterization of fibrous scaffolds comprising alternate colistin sulfate-loaded and heat-treated polyvinyl alcohol nanofibrous sheets. <i>International Journal of Pharmaceutics</i> , 2017 , 523, 151-158	6.5	4
42	Assessment of distribution of pellets in tablets by non-destructive microfocus X-ray imaging and image analysis technique. <i>Powder Technology</i> , 2016 , 301, 228-233	5.2	4
41	Lack of association between VAP-1/SSAO activity and corneal neovascularization in a rabbit model. Journal of Neural Transmission, 2013 , 120, 969-75	4.3	4
40	Kinetic stability of all-in-one parenteral nutrition admixtures in the presence of high dose Ca2+ additive under clinical application circumstances. <i>Nutrition Journal</i> , 2012 , 11, 32	4.3	4
39	The effect of plasticizer on the ageing of Metolose films. Radiation Physics and Chemistry, 2007, 76, 165-	-1638	4
38	Factorial design for the analysis of patient's quality of life in asthma. <i>Quality of Life Research</i> , 2005 , 14, 191-5	3.7	4

(2009-2021)

37	A Systematic Review of Drug-Loaded Electrospun Nanofiber-Based Ophthalmic Inserts. <i>Pharmaceutics</i> , 2021 , 13,	6.4	4
36	Effects of Sucrose Palmitate on the Physico-Chemical and Mucoadhesive Properties of Buccal Films. <i>Molecules</i> , 2020 , 25,	4.8	4
35	Influence of Aqueous Solubility-Enhancing Excipients on the Microstructural Characteristics of Furosemide-Loaded Electrospun Nanofibers. <i>Pharmaceutics</i> , 2020 , 12,	6.4	3
34	Comparison of the micro- and macrostructural characteristics of biopolymer cast films. <i>European Polymer Journal</i> , 2013 , 49, 2422-2425	5.2	3
33	Correlation between the FT-IR characteristics and metoprolol tartrate release of methylcellulose-based patches. <i>International Journal of Pharmaceutics</i> , 2010 , 392, 189-91	6.5	3
32	Evaluation of substrateBinder interaction in a model granule system. <i>International Journal of Pharmaceutics</i> , 1998 , 169, 175-182	6.5	3
31	Tracking of the effects of the plasticizer on the water uptake and free volume changes of methylcellulose. <i>Polymers for Advanced Technologies</i> , 2007 , 18, 921-924	3.2	3
30	Tracking of the kinetic stability of 2 types of total nutrient admixtures containing different lipid emulsions. <i>AAPS PharmSciTech</i> , 2006 , 7, 98	3.9	3
29	Effect of poloxamer on the solubility coefficient of water and the enthalpy recovery of cast poly(vinylpyrrolidone) films. <i>Polymer Degradation and Stability</i> , 2005 , 87, 355-359	4.7	3
28	Effect of polysorbates on drug release from wax matrices. <i>Drug Development and Industrial Pharmacy</i> , 1998 , 24, 573-6	3.6	3
27	Formulation of acyclovir (core)-dexpanthenol (sheath) nanofibrous patches for the treatment of herpes labialis. <i>International Journal of Pharmaceutics</i> , 2021 , 121354	6.5	3
26	The Role of Solid State Characterization in Predicting Stability of Solid Dosage Forms. <i>Current Pharmaceutical Design</i> , 2016 , 22, 5019-5028	3.3	3
25	Predictability of serious adverse reaction alerts for monoclonal antibodies. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2011 , 49, 185-90	2	3
24	Post-authorization changes in the safety and efficacy assessment, recommended indications, and drug quality profile of adalimumab: a chronological overview. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017 , 55, 133-137	2	3
23	Development of laboratory-scale high-speed rotary devices for a potential pharmaceutical microfibre drug delivery platform. <i>International Journal of Pharmaceutics</i> , 2020 , 588, 119740	6.5	3
22	EFFECT OF STORAGE TEMPERATURE ON THE STABILITY OF TOTAL PARENTERAL NUTRITION ADMIXTURES PREPARED FOR INFANTS. <i>Acta Poloniae Pharmaceutica</i> , 2015 , 72, 843-9	1.3	3
21	Preparation and Characterization of Fenofibrate-Loaded PVP Electrospun Microfibrous Sheets. <i>Pharmaceutics</i> , 2020 , 12,	6.4	2
20	Antipsychotic treatment and the prevalence of diabetes among elderly patients in psychiatric rehabilitation. <i>Archives of Gerontology and Geriatrics</i> , 2009 , 48, 19-21	4	2

19	Tracking of the micro-structural changes of levonorgestrel-releasing intrauterine system by positron annihilation lifetime spectroscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 902-5	3.5	2
18	In utero incrustation of intrauterine systemsconsequent complications and monitoring. <i>Fertility and Sterility</i> , 2007 , 87, 1210-1	4.8	2
17	Phosphor/sulphur ratio: an indicator of malignant uterus change. <i>Oncology Research</i> , 2005 , 15, 215-7	4.8	2
16	Analysis of interaction risks of patients with polypharmacy and the pharmacist interventions performed to solve them-A multicenter descriptive study according to medication reviews in Hungarian community pharmacies. <i>PLoS ONE</i> , 2021 , 16, e0253645	3.7	2
15	Nanofibrous Formulation of Cyclodextrin Stabilized Lipases for Efficient Pancreatin Replacement Therapies. <i>Pharmaceutics</i> , 2021 , 13,	6.4	2
14	Combined Release of Antiseptic and Antibiotic Drugs from Visible Light Polymerized Biodegradable Nanocomposite Hydrogels for Periodontitis Treatment. <i>Pharmaceutics</i> , 2022 , 14, 957	6.4	2
13	The influence of anaesthetic drug selection for scoliosis surgery on the management of intraoperative haemodynamic stability and postoperative painpharmaceutical care programme. Southern African Journal of Anaesthesia and Analgesia, 2009, 15, 10-14	0.4	1
12	Calculation of cyclodextrin-mediated enantiomer ratio shifting of racem norgestrel in aqueous solutions. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2007 , 57, 169-172		1
11	Study of the theophylline content of single coated particles by gas chromatography/mass spectrometry. <i>Drug Development and Industrial Pharmacy</i> , 2001 , 27, 991-5	3.6	1
10	Effect of Eudragit Type Polymers on the Drug Release from Magnesium Oxide Granules Produced by Laboratory Fluidization. <i>Drug Development and Industrial Pharmacy</i> , 1995 , 21, 2085-2096	3.6	1
9	Traditional application of Sage (Salvia) in conductive education and its potential evidence-based background. <i>Heliyon</i> , 2021 , 7, e08114	3.6	1
8	Novel modified vertical diffusion cell for testing of drug release (IVRT) of topical patches <i>HardwareX</i> , 2022 , 11, e00293	2.7	1
7	The Effect of Interventions Led by Community Pharmacists in Primary Care for Adults with Type 2 Diabetes Mellitus on Therapeutic Adherence and HbA1c Levels: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6188	4.6	О
6	Establishment of a communication environment supporting low-health literacy in the Hungarian community pharmacies: the introduction of a methodological recommendation: a before-after study. <i>BMJ Open</i> , 2020 , 10, e039603	3	
5	The effect of surfactant and suspending agent concentration on the effective particle size of metered-dose inhalers. <i>Journal of Pharmacy and Pharmacology</i> , 1997 , 49, 1175-7	4.8	
4	Impact of crystalline form changing on behavior of microcapsules prepared from three-component gel system. <i>Pharmaceutical Development and Technology</i> , 2010 , 15, 553-61	3.4	
3	Comparison of olanzapine and risperidone use in psychiatric rehabilitation. <i>Therapie</i> , 2005 , 60, 573-6	3.8	
2	Comparative evaluation of surfactant and hydrophobizing agent concentration in relation to the optimal particle size of metered-dose inhalers. <i>Drug Development and Industrial Pharmacy</i> , 1998 , 24, 85	53 ³ 6 ⁶	

Pharmaceutical care for patients with acute myocardial infarction in Hungary. *International Journal of Clinical Pharmacology and Therapeutics*, **2013**, 51, 91-5

2