

Mark Jenkinson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/499075/mark-jenkinson-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

207
papers

66,084
citations

77
h-index

234
g-index

234
ext. papers

80,424
ext. citations

7.2
avg, IF

7.67
L-index

#	Paper	IF	Citations
207	FAST-IT: independent validation of a (transient ischaemic attack): a prospective cohort study to develop a multivariable prediction model for diagnosis of TIA through proteomic discovery and candidate lipid mass spectrometry, neuroimaging and machine learning-study protocol.. <i>BMJ Open</i> , 2022 , 12, e045908	3	3
206	Subcortical segmentation of the fetal brain in 3D ultrasound using deep learning.. <i>NeuroImage</i> , 2022 , 254, 119117	7.9	2
205	Optimization of the MR imaging pipeline using simulation 2022 , 165-193		
204	Intracortical diffusion tensor imaging signature of microstructural changes in frontotemporal lobar degeneration. <i>Alzheimer's Research and Therapy</i> , 2021 , 13, 180	9	2
203	Opportunities for Understanding MS Mechanisms and Progression With MRI Using Large-Scale Data Sharing and Artificial Intelligence. <i>Neurology</i> , 2021 , 97, 989-999	6.5	1
202	Deep learning-based unlearning of dataset bias for MRI harmonisation and confound removal. <i>NeuroImage</i> , 2021 , 228, 117689	7.9	18
201	Elucidating distinct clinico-radiologic signatures in the borderland between neuromyelitis optica and multiple sclerosis. <i>Journal of Neurology</i> , 2021 , 1	5.5	1
200	Contrasting the brain imaging features of MOG-antibody disease, with AQP4-antibody NMOSD and multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2021 , 13524585211018987	5	5
199	Learning patterns of the ageing brain in MRI using deep convolutional networks. <i>NeuroImage</i> , 2021 , 224, 117401	7.9	27
198	Detection of Alzheimer's Disease using cortical diffusion tensor imaging. <i>Human Brain Mapping</i> , 2021 , 42, 967-977	5.9	5
197	Cortical diffusivity investigation in posterior cortical atrophy and typical Alzheimer's disease. <i>Journal of Neurology</i> , 2021 , 268, 227-239	5.5	2
196	Brain Tumour Segmentation Using a Triplanar Ensemble of U-Nets on MR Images. <i>Lecture Notes in Computer Science</i> , 2021 , 340-353	0.9	3
195	Medium-term effects of SARS-CoV-2 infection on multiple vital organs, exercise capacity, cognition, quality of life and mental health, post-hospital discharge. <i>EClinicalMedicine</i> , 2021 , 31, 100683	11.3	164
194	Fronto-parietal involvement in chronic stroke motor performance when corticospinal tract integrity is compromised. <i>NeuroImage: Clinical</i> , 2021 , 29, 102558	5.3	3
193	Integrating large-scale neuroimaging research datasets: Harmonisation of white matter hyperintensity measurements across Whitehall and UK Biobank datasets. <i>NeuroImage</i> , 2021 , 237, 118189	7.9	3
192	Triplanar ensemble U-Net model for white matter hyperintensities segmentation on MR images. <i>Medical Image Analysis</i> , 2021 , 73, 102184	15.4	5
191	Comparison of domain adaptation techniques for white matter hyperintensity segmentation in brain MR images. <i>Medical Image Analysis</i> , 2021 , 74, 102215	15.4	2

190	White matter hyperintensities classified according to intensity and spatial location reveal specific associations with cognitive performance. <i>NeuroImage: Clinical</i> , 2021 , 30, 102616	5.3	2
189	Common Genetic Variation Indicates Separate Causes for Periventricular and Deep White Matter Hyperintensities. <i>Stroke</i> , 2020 , 51, 2111-2121	6.7	23
188	Cross-species cortical alignment identifies different types of anatomical reorganization in the primate temporal lobe. <i>ELife</i> , 2020 , 9,	8.9	37
187	Unlearning Scanner Bias for MRI Harmonisation in Medical Image Segmentation. <i>Communications in Computer and Information Science</i> , 2020 , 15-25	0.3	1
186	Unlearning Scanner Bias for MRI Harmonisation. <i>Lecture Notes in Computer Science</i> , 2020 , 369-378	0.9	3
185	One-year changes in brain microstructure differentiate preclinical Huntington's disease stages. <i>NeuroImage: Clinical</i> , 2020 , 25, 102099	5.3	5
184	The developing Human Connectome Project (dHCP) automated resting-state functional processing framework for newborn infants. <i>NeuroImage</i> , 2020 , 223, 117303	7.9	28
183	Evidence for a novel subcortical mechanism for posterior cingulate cortex atrophy in HIV peripheral neuropathy. <i>Journal of NeuroVirology</i> , 2020 , 26, 530-543	3.9	2
182	Artificial intelligence for clinical decision support in neurology. <i>Brain Communications</i> , 2020 , 2, fcaa096	4.5	14
181	Quantitative Susceptibility Mapping for Characterization of Intraplaque Hemorrhage and Calcification in Carotid Atherosclerotic Disease. <i>Journal of Magnetic Resonance Imaging</i> , 2020 , 52, 534-541	5.6	5
180	Alteration to hippocampal volume and shape confined to cannabis dependence: a multi-site study. <i>Addiction Biology</i> , 2019 , 24, 822-834	4.6	17
179	Automated lesion segmentation with BIANCA: Impact of population-level features, classification algorithm and locally adaptive thresholding. <i>NeuroImage</i> , 2019 , 202, 116056	7.9	17
178	Relating diffusion tensor imaging measurements to microstructural quantities in the cerebral cortex in multiple sclerosis. <i>Human Brain Mapping</i> , 2019 , 40, 4417-4431	5.9	12
177	Hippocampal volume across age: Nomograms derived from over 19,700 people in UK Biobank. <i>NeuroImage: Clinical</i> , 2019 , 23, 101904	5.3	64
176	Spatial Warping Network for 3D Segmentation of the Hippocampus in MR Images. <i>Lecture Notes in Computer Science</i> , 2019 , 284-291	0.9	5
175	Optimising neonatal fMRI data analysis: Design and validation of an extended dHCP preprocessing pipeline to characterise noxious-evoked brain activity in infants. <i>NeuroImage</i> , 2019 , 186, 286-300	7.9	17
174	Assessing Reliability of Myocardial Blood Flow After Motion Correction With Dynamic PET Using a Bayesian Framework. <i>IEEE Transactions on Medical Imaging</i> , 2019 , 38, 1216-1226	11.7	2
173	Modelling the distribution of white matter hyperintensities due to ageing on MRI images using Bayesian inference. <i>NeuroImage</i> , 2019 , 185, 434-445	7.9	4

172	Allostatic load as a predictor of grey matter volume and white matter integrity in old age: The Whitehall II MRI study. <i>Scientific Reports</i> , 2018 , 8, 6411	4.9	16
171	Separation of trait and state in stuttering. <i>Human Brain Mapping</i> , 2018 , 39, 3109-3126	5.9	12
170	The developing human connectome project: A minimal processing pipeline for neonatal cortical surface reconstruction. <i>NeuroImage</i> , 2018 , 173, 88-112	7.9	158
169	Classification and characterization of periventricular and deep white matter hyperintensities on MRI: A study in older adults. <i>NeuroImage</i> , 2018 , 170, 174-181	7.9	110
168	Image processing and Quality Control for the first 10,000 brain imaging datasets from UK Biobank. <i>NeuroImage</i> , 2018 , 166, 400-424	7.9	415
167	Dissecting the pathobiology of altered MRI signal in amyotrophic lateral sclerosis: A post mortem whole brain sampling strategy for the integration of ultra-high-field MRI and quantitative neuropathology. <i>BMC Neuroscience</i> , 2018 , 19, 11	3.2	26
166	Association of Cardiovascular Risk Factors With MRI Indices of Cerebrovascular Structure and Function and White Matter Hyperintensities in Young Adults. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 665-673	27.4	66
165	Quantifying Infarct Growth and Secondary Injury Volumes: Comparing Multimodal Image Registration Measures. <i>Stroke</i> , 2018 , 49, 1647-1655	6.7	10
164	Construction of a neonatal cortical surface atlas using Multimodal Surface Matching in the Developing Human Connectome Project. <i>NeuroImage</i> , 2018 , 179, 11-29	7.9	45
163	The Developing Human Connectome Project: a Minimal Processing Pipeline for Neonatal Cortical Surface Reconstruction 2018 , 173, 88-112		88
162	SIENA-XL for improving the assessment of gray and white matter volume changes on brain MRI. <i>Human Brain Mapping</i> , 2018 , 39, 1063-1077	5.9	13
161	Multimodal surface matching with higher-order smoothness constraints. <i>NeuroImage</i> , 2018 , 167, 453-465	5.9	124
160	Feasibility of Diffusion Tensor and Morphologic Imaging of Peripheral Nerves at Ultra-High Field Strength. <i>Investigative Radiology</i> , 2018 , 53, 705-713	10.1	5
159	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , 2017 , 8, 13624	17.4	173
158	White Matter Imaging Correlates of Early Cognitive Impairment Detected by the Montreal Cognitive Assessment After Transient Ischemic Attack and Minor Stroke. <i>Stroke</i> , 2017 , 48, 1539-1547	6.7	25
157	Optimizing image registration and infarct definition in stroke research. <i>Annals of Clinical and Translational Neurology</i> , 2017 , 4, 166-174	5.3	15
156	Evaluating fibre orientation dispersion in white matter: Comparison of diffusion MRI, histology and polarized light imaging. <i>NeuroImage</i> , 2017 , 157, 561-574	7.9	95
155	Optimal echo time for functional MRI of the infant brain identified in response to noxious stimulation. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 625-631	4.4	13

154	Brain MRI atrophy quantification in MS: From methods to clinical application. <i>Neurology</i> , 2017 , 88, 403-413	135	134
153	Denoising spinal cord fMRI data: Approaches to acquisition and analysis. <i>NeuroImage</i> , 2017 , 154, 255-266	7.9	27
152	BIDS apps: Improving ease of use, accessibility, and reproducibility of neuroimaging data analysis methods. <i>PLoS Computational Biology</i> , 2017 , 13, e1005209	5	129
151	Quantitative assessment of the susceptibility artefact and its interaction with motion in diffusion MRI. <i>PLoS ONE</i> , 2017 , 12, e0185647	3.7	40
150	Quantitative FLAIR MRI in Amyotrophic Lateral Sclerosis. <i>Academic Radiology</i> , 2017 , 24, 1187-1194	4.3	18
149	HIV Distal Neuropathic Pain Is Associated with Smaller Ventral Posterior Cingulate Cortex. <i>Pain Medicine</i> , 2017 , 18, 428-440	2.8	10
148	Challenges in the reproducibility of clinical studies with resting state fMRI: An example in early Parkinson's disease. <i>NeuroImage</i> , 2016 , 124, 704-713	7.9	55
147	The Human Connectome Project's neuroimaging approach. <i>Nature Neuroscience</i> , 2016 , 19, 1175-87	25.5	482
146	Automated segmentation of the substantia nigra, subthalamic nucleus and red nucleus in 7T data at young and old age. <i>NeuroImage</i> , 2016 , 139, 324-336	7.9	43
145	Multimodal population brain imaging in the UK Biobank prospective epidemiological study. <i>Nature Neuroscience</i> , 2016 , 19, 1523-1536	25.5	739
144	A multi-modal parcellation of human cerebral cortex. <i>Nature</i> , 2016 , 536, 171-178	50.4	2046
143	Multi-modal characterization of rapid anterior hippocampal volume increase associated with aerobic exercise. <i>NeuroImage</i> , 2016 , 131, 162-70	7.9	79
142	Automatic segmentation of the striatum and globus pallidus using MIST: Multimodal Image Segmentation Tool. <i>NeuroImage</i> , 2016 , 125, 479-497	7.9	47
141	Donepezil Enhances Frontal Functional Connectivity in Alzheimer's Disease: A Pilot Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016 , 6, 518-528	2.5	13
140	Conditioned respiratory threat in the subdivisions of the human periaqueductal gray. <i>ELife</i> , 2016 , 5,	8.9	41
139	Iterative Dual LDA: A Novel Classification Algorithm for Resting State fMRI. <i>Lecture Notes in Computer Science</i> , 2016 , 279-286	0.9	1
138	Sharing brain mapping statistical results with the neuroimaging data model. <i>Scientific Data</i> , 2016 , 3, 160102	102	26
137	Construction of a neonatal cortical surface atlas using multimodal surface matching 2016 ,		4

136	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016 , 19, 1569-1582	25.5	147
135	BIANCA (Brain Intensity AbNormality Classification Algorithm): A new tool for automated segmentation of white matter hyperintensities. <i>NeuroImage</i> , 2016 , 141, 191-205	7.9	184
134	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015 , 520, 224-9	50.4	601
133	Functional subdivision of the human periaqueductal grey in respiratory control using 7 tesla fMRI. <i>NeuroImage</i> , 2015 , 113, 356-64	7.9	48
132	fMRI reveals neural activity overlap between adult and infant pain. <i>ELife</i> , 2015 , 4,	8.9	115
131	Large-scale probabilistic functional modes from resting state fMRI. <i>NeuroImage</i> , 2015 , 109, 217-31	7.9	67
130	Quantitative susceptibility mapping by inversion of a perturbation field model: correlation with brain iron in normal aging. <i>IEEE Transactions on Medical Imaging</i> , 2015 , 34, 339-53	11.7	23
129	Imaging Surrogates of Disease Activity in Neuromyelitis Optica Allow Distinction from Multiple Sclerosis. <i>PLoS ONE</i> , 2015 , 10, e0137715	3.7	31
128	Connectivity-based functional analysis of dopamine release in the striatum using diffusion-weighted MRI and positron emission tomography. <i>Cerebral Cortex</i> , 2014 , 24, 1165-77	5.1	203
127	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014 , 8, 153-82	4.1	539
126	Study protocol: The Whitehall II imaging sub-study. <i>BMC Psychiatry</i> , 2014 , 14, 159	4.2	58
125	Optimizing RetrolCor and RetroKCor corrections for multi-shot 3D FMRI acquisitions. <i>NeuroImage</i> , 2014 , 84, 394-405	7.9	10
124	Optimizing full-brain coverage in human brain MRI through population distributions of brain size. <i>NeuroImage</i> , 2014 , 98, 513-20	7.9	23
123	MSM: a new flexible framework for Multimodal Surface Matching. <i>NeuroImage</i> , 2014 , 100, 414-26	7.9	347
122	Gray matter volume is associated with rate of subsequent skill learning after a long term training intervention. <i>NeuroImage</i> , 2014 , 96, 158-66	7.9	53
121	Increasing the detectability of external influence on precipitation by correcting feature location in GCMs. <i>Journal of Geophysical Research D: Atmospheres</i> , 2014 , 119, 12,466-12,478	4.4	1
120	Correcting precipitation feature location in general circulation models. <i>Journal of Geophysical Research D: Atmospheres</i> , 2014 , 119, 13,350-13,369	4.4	3
119	Correspondences between retinotopic areas and myelin maps in human visual cortex. <i>NeuroImage</i> , 2014 , 99, 509-24	7.9	93

118	Quantifying the pattern of optic tract degeneration in human hemianopia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, 379-86	5.5	23
117	Comprehensive morphometry of subcortical grey matter structures in early-stage Parkinson's disease. <i>Human Brain Mapping</i> , 2014 , 35, 1681-90	5.9	66
116	Recommendations to improve imaging and analysis of brain lesion load and atrophy in longitudinal studies of multiple sclerosis. <i>Journal of Neurology</i> , 2013 , 260, 2458-71	5.5	83
115	Human Connectome Project informatics: quality control, database services, and data visualization. <i>NeuroImage</i> , 2013 , 80, 202-19	7.9	221
114	Advances in diffusion MRI acquisition and processing in the Human Connectome Project. <i>NeuroImage</i> , 2013 , 80, 125-43	7.9	596
113	Functional connectomics from resting-state fMRI. <i>Trends in Cognitive Sciences</i> , 2013 , 17, 666-82	14	560
112	Structural and functional bases of visuospatial associative memory in older adults. <i>Neurobiology of Aging</i> , 2013 , 34, 961-72	5.6	14
111	Neuroanatomy of impaired self-awareness in Alzheimer's disease and mild cognitive impairment. <i>Cortex</i> , 2013 , 49, 668-78	3.8	72
110	Resting functional connectivity reveals residual functional activity in Alzheimer's disease. <i>Biological Psychiatry</i> , 2013 , 74, 375-83	7.9	51
109	The minimal preprocessing pipelines for the Human Connectome Project. <i>NeuroImage</i> , 2013 , 80, 105-24	7.9	2298
108	Targeting ASIC1 in primary progressive multiple sclerosis: evidence of neuroprotection with amiloride. <i>Brain</i> , 2013 , 136, 106-15	11.2	98
107	Whole-brain magnetic resonance spectroscopic imaging measures are related to disability in ALS. <i>Neurology</i> , 2013 , 80, 610-5	6.5	44
106	Distinction of seropositive NMO spectrum disorder and MS brain lesion distribution. <i>Neurology</i> , 2013 , 80, 1330-7	6.5	158
105	MRF-based deformable registration and ventilation estimation of lung CT. <i>IEEE Transactions on Medical Imaging</i> , 2013 , 32, 1239-48	11.7	146
104	Can correcting feature location in simulated mean climate improve agreement on projected changes?. <i>Geophysical Research Letters</i> , 2013 , 40, 354-358	4.9	19
103	Physiological noise in brainstem fMRI. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 623	3.3	128
102	Edge- and detail-preserving sparse image representations for deformable registration of chest MRI and CT volumes. <i>Lecture Notes in Computer Science</i> , 2013 , 23, 463-74	0.9	10
101	Multimodal surface matching: fast and generalisable cortical registration using discrete optimisation. <i>Lecture Notes in Computer Science</i> , 2013 , 23, 475-86	0.9	31

100	Towards realtime multimodal fusion for image-guided interventions using self-similarities. <i>Lecture Notes in Computer Science</i> , 2013 , 16, 187-94	0.9	81
99	The impact of heterogeneity and uncertainty on prediction of response to therapy using dynamic MRI data. <i>Lecture Notes in Computer Science</i> , 2013 , 16, 316-23	0.9	1
98	Can correcting feature location in simulated mean climate improve agreement on projected changes? 2013 , 40, 354		5
97	Structural changes of the brain in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2012 , 64, 371-9		75
96	Temporally-independent functional modes of spontaneous brain activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 3131-6	11.5	555
95	Identification of common variants associated with human hippocampal and intracranial volumes. <i>Nature Genetics</i> , 2012 , 44, 552-61	36.3	498
94	Structural MRI changes detectable up to ten years before clinical Alzheimer's disease. <i>Neurobiology of Aging</i> , 2012 , 33, 825.e25-36	5.6	141
93	FSL. <i>NeuroImage</i> , 2012 , 62, 782-90	7.9	5752
92	Assessment of physiological noise modelling methods for functional imaging of the spinal cord. <i>NeuroImage</i> , 2012 , 60, 1538-49	7.9	63
91	Optimizing parameter choice for FSL-Brain Extraction Tool (BET) on 3D T1 images in multiple sclerosis. <i>NeuroImage</i> , 2012 , 61, 1484-94	7.9	116
90	MIND: modality independent neighbourhood descriptor for multi-modal deformable registration. <i>Medical Image Analysis</i> , 2012 , 16, 1423-35	15.4	337
89	Evaluating and reducing the impact of white matter lesions on brain volume measurements. <i>Human Brain Mapping</i> , 2012 , 33, 2062-71	5.9	206
88	The effect of hypointense white matter lesions on automated gray matter segmentation in multiple sclerosis. <i>Human Brain Mapping</i> , 2012 , 33, 2802-14	5.9	99
87	Textural mutual information based on cluster trees for multimodal deformable registration 2012 ,		4
86	Stimulus site and modality dependence of functional activity within the human spinal cord. <i>Journal of Neuroscience</i> , 2012 , 32, 6231-9	6.6	34
85	A combined post-mortem magnetic resonance imaging and quantitative histological study of multiple sclerosis pathology. <i>Brain</i> , 2012 , 135, 2938-51	11.2	111
84	Magnetic resonance imaging in late-life depression: vascular and glucocorticoid cascade hypotheses. <i>British Journal of Psychiatry</i> , 2012 , 201, 46-51	5.4	37
83	Target identification for stereotactic thalamotomy using diffusion tractography. <i>PLoS ONE</i> , 2012 , 7, e29969	3.69	26

82	Globally optimal deformable registration on a minimum spanning tree using dense displacement sampling. <i>Lecture Notes in Computer Science</i> , 2012 , 15, 115-22	0.9	19
81	Novel Fast Marching for Automated Segmentation of the Hippocampus (FMASH): method and validation on clinical data. <i>NeuroImage</i> , 2011 , 55, 1009-19	7.9	17
80	A Bayesian model of shape and appearance for subcortical brain segmentation. <i>NeuroImage</i> , 2011 , 56, 907-22	7.9	1531
79	Diffusion imaging of whole, post-mortem human brains on a clinical MRI scanner. <i>NeuroImage</i> , 2011 , 57, 167-181	7.9	193
78	Imaging dopamine receptors in humans with [11C]-(+)-PHNO: dissection of D3 signal and anatomy. <i>NeuroImage</i> , 2011 , 54, 264-77	7.9	308
77	Social network size affects neural circuits in macaques. <i>Science</i> , 2011 , 334, 697-700	33.3	332
76	Informatics and data mining tools and strategies for the human connectome project. <i>Frontiers in Neuroinformatics</i> , 2011 , 5, 4	3.9	288
75	MR-DTI and PET multimodal imaging of dopamine release within subdivisions of basal ganglia. <i>Journal of Physics: Conference Series</i> , 2011 , 317, 012005	0.3	2
74	Evaluation of registration methods on thoracic CT: the EMPIRE10 challenge. <i>IEEE Transactions on Medical Imaging</i> , 2011 , 30, 1901-20	11.7	311
73	Performance of single spin-echo and doubly refocused diffusion-weighted sequences in the presence of eddy current fields with multiple components. <i>Magnetic Resonance Imaging</i> , 2011 , 29, 659-673	3.3	7
72	Lesion probability mapping to explain clinical deficits and cognitive performance in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2011 , 17, 681-9	5	62
71	Motion correction and parameter estimation in dceMRI sequences: application to colorectal cancer. <i>Lecture Notes in Computer Science</i> , 2011 , 14, 476-83	0.9	21
70	Non-local shape descriptor: a new similarity metric for deformable multi-modal registration. <i>Lecture Notes in Computer Science</i> , 2011 , 14, 541-8	0.9	11
69	Combining shape and connectivity analysis: an MRI study of thalamic degeneration in Alzheimer's disease. <i>NeuroImage</i> , 2010 , 49, 1-8	7.9	138
68	Simulating the effects of time-varying magnetic fields with a realistic simulated scanner. <i>Magnetic Resonance Imaging</i> , 2010 , 28, 1014-21	3.3	27
67	Reducing distortions in diffusion-weighted echo planar imaging with a dual-echo blip-reversed sequence. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 382-90	4.4	39
66	Atlas-based improved prediction of magnetic field inhomogeneity for distortion correction of EPI data. <i>Lecture Notes in Computer Science</i> , 2009 , 12, 951-9	0.9	7
65	Brain surface contraction mapped in first-episode schizophrenia: a longitudinal magnetic resonance imaging study. <i>Molecular Psychiatry</i> , 2009 , 14, 976-86	15.1	99

64	Evaluation of 14 nonlinear deformation algorithms applied to human brain MRI registration. <i>NeuroImage</i> , 2009 , 46, 786-802	7.9	1603
63	An evaluation of four automatic methods of segmenting the subcortical structures in the brain. <i>NeuroImage</i> , 2009 , 47, 1435-47	7.9	148
62	Bayesian analysis of neuroimaging data in FSL. <i>NeuroImage</i> , 2009 , 45, S173-86	7.9	1553
61	Methods for tractography-driven surface registration of brain structures. <i>Lecture Notes in Computer Science</i> , 2009 , 12, 705-12	0.9	4
60	Physiological noise modelling for spinal functional magnetic resonance imaging studies. <i>NeuroImage</i> , 2008 , 39, 680-92	7.9	158
59	Fieldmap-free retrospective registration and distortion correction for EPI-based functional imaging. <i>Lecture Notes in Computer Science</i> , 2008 , 11, 271-9	0.9	3
58	Brainstem functional magnetic resonance imaging: disentangling signal from physiological noise. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 28, 1337-44	5.6	127
57	Comparison and evaluation of segmentation techniques for subcortical structures in brain MRI. <i>Lecture Notes in Computer Science</i> , 2008 , 11, 409-16	0.9	28
56	Anatomically related grey and white matter abnormalities in adolescent-onset schizophrenia. <i>Brain</i> , 2007 , 130, 2375-86	11.2	605
55	Two-dimensional population map of cortical connections in the human internal capsule. <i>Journal of Magnetic Resonance Imaging</i> , 2007 , 25, 48-54	5.6	50
54	Integrating temporal information with a non-rigid method of motion correction for functional magnetic resonance images. <i>Image and Vision Computing</i> , 2007 , 25, 311-320	3.7	17
53	Acquisition and voxelwise analysis of multi-subject diffusion data with tract-based spatial statistics. <i>Nature Protocols</i> , 2007 , 2, 499-503	18.8	472
52	Manifestations of early brain recovery associated with abstinence from alcoholism. <i>Brain</i> , 2007 , 130, 36-47	11.2	146
51	Meaningful design and contrast estimability in FMRI. <i>NeuroImage</i> , 2007 , 34, 127-36	7.9	50
50	Longitudinal and cross-sectional analysis of atrophy in Alzheimer's disease: cross-validation of BSI, SIENA and SIENAX. <i>NeuroImage</i> , 2007 , 36, 1200-6	7.9	93
49	A marginalized MAP approach and EM optimization for pair-wise registration. <i>Lecture Notes in Computer Science</i> , 2007 , 20, 662-74	0.9	11
48	Applying FSL to the FIAC data: model-based and model-free analysis of voice and sentence repetition priming. <i>Human Brain Mapping</i> , 2006 , 27, 380-91	5.9	51
47	Development of a functional magnetic resonance imaging simulator for modeling realistic rigid-body motion artifacts. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 364-80	4.4	71

46	A consistent relationship between local white matter architecture and functional specialisation in medial frontal cortex. <i>NeuroImage</i> , 2006 , 30, 220-7	7.9	52
45	Tract-based spatial statistics: voxelwise analysis of multi-subject diffusion data. <i>NeuroImage</i> , 2006 , 31, 1487-505	7.9	4763
44	A Bayesian Cost Function Applied to Model-Based Registration of Sub-cortical Brain Structures. <i>Lecture Notes in Computer Science</i> , 2006 , 9-17	0.9	1
43	Independent anatomical and functional measures of the V1/V2 boundary in human visual cortex. <i>Journal of Vision</i> , 2005 , 5, 93-102	0.4	83
42	Generalised overlap measures for assessment of pairwise and groupwise image registration and segmentation. <i>Lecture Notes in Computer Science</i> , 2005 , 8, 99-106	0.9	22
41	Variability in fMRI: a re-examination of inter-session differences. <i>Human Brain Mapping</i> , 2005 , 24, 248-57	5.9	140
40	Color of scents: chromatic stimuli modulate odor responses in the human brain. <i>Journal of Neurophysiology</i> , 2005 , 93, 3434-41	3.2	132
39	Perturbation method for magnetic field calculations of nonconductive objects. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 471-7	4.4	52
38	Fully Bayesian spatio-temporal modeling of fMRI data. <i>IEEE Transactions on Medical Imaging</i> , 2004 , 23, 213-31	11.7	181
37	Multilevel linear modelling for fMRI group analysis using Bayesian inference. <i>NeuroImage</i> , 2004 , 21, 1732-47	7.47	1171
36	Advances in functional and structural MR image analysis and implementation as FSL. <i>NeuroImage</i> , 2004 , 23 Suppl 1, S208-19	7.9	8876
35	Reducing Activation-Related Bias in fMRI Registration. <i>Lecture Notes in Computer Science</i> , 2004 , 278-285	0.9	1
34	TIGER: A New Model for Spatio-temporal Realignment of fMRI Data. <i>Lecture Notes in Computer Science</i> , 2004 , 292-303	0.9	6
33	A Framework for Detailed Objective Comparison of Non-rigid Registration Algorithms in Neuroimaging. <i>Lecture Notes in Computer Science</i> , 2004 , 679-686	0.9	19
32	In vivo identification of human cortical areas using high-resolution MRI: an approach to cerebral structure-function correlation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 2981-6	11.5	126
31	Fast, automated, N-dimensional phase-unwrapping algorithm. <i>Magnetic Resonance in Medicine</i> , 2003 , 49, 193-7	4.4	533
30	Protocol to determine the optimal intraoral passive shim for minimisation of susceptibility artifact in human inferior frontal cortex. <i>NeuroImage</i> , 2003 , 19, 1802-11	7.9	23
29	General multilevel linear modeling for group analysis in fMRI. <i>NeuroImage</i> , 2003 , 20, 1052-63	7.9	1127

28	MRI Brain T1 Relaxation Time Changes in MS Patients Increase Over Time in Both the White Matter and the Cortex 2003 , 13, 234		1
27	A Gradient-Informed Robust Motion Correction Method for fMRI. <i>Lecture Notes in Computer Science</i> , 2003 , 377-386	0.9	1
26	A saliency-based hierarchy for local symmetries. <i>Image and Vision Computing</i> , 2002 , 20, 85-101	3.7	5
25	Optimization of static field homogeneity in human brain using diamagnetic passive shims. <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 906-14	4.4	82
24	White matter and lesion T1 relaxation times increase in parallel and correlate with disability in multiple sclerosis. <i>Journal of Neurology</i> , 2002 , 249, 1279-86	5.5	79
23	Accurate, robust, and automated longitudinal and cross-sectional brain change analysis. <i>NeuroImage</i> , 2002 , 17, 479-89	7.9	1571
22	Improved Optimization for the Robust and Accurate Linear Registration and Motion Correction of Brain Images. <i>NeuroImage</i> , 2002 , 17, 825-841	7.9	6869
21	Fast, Fully Automated Global and Local Magnetic Field Optimization for fMRI of the Human Brain. <i>NeuroImage</i> , 2002 , 17, 967-976	7.9	133
20	Improved optimization for the robust and accurate linear registration and motion correction of brain images. <i>NeuroImage</i> , 2002 , 17, 825-41	7.9	4786
19	Normalized accurate measurement of longitudinal brain change. <i>Journal of Computer Assisted Tomography</i> , 2001 , 25, 466-75	2.2	377
18	A global optimisation method for robust affine registration of brain images. <i>Medical Image Analysis</i> , 2001 , 5, 143-56	15.4	4744
17	SIENA: Single and multiple time point brain atrophy analysis. <i>NeuroImage</i> , 2001 , 13, 250	7.9	2
16	The motor cortex shows adaptive functional changes to brain injury from multiple sclerosis. <i>Annals of Neurology</i> , 2000 , 47, 606-613	9.4	240
15	Accurate Robust Symmetry Estimation. <i>Lecture Notes in Computer Science</i> , 1999 , 308-317	0.9	17
14	Deep Learning-Based Unlearning of Dataset Bias for MRI Harmonisation and Confound Removal		1
13	Modelling the distribution of white matter hyperintensities due to ageing on MRI images using Bayesian inference		1
12	Automated lesion segmentation with BIANCA: impact of population-level features, classification algorithm and locally adaptive thresholding		1
11	Sharing brain mapping statistical results with the neuroimaging data model		2

10	Image Processing and Quality Control for the first 10,000 Brain Imaging Datasets from UK Biobank	6
9	Triplanar ensemble U-Net model for white matter hyperintensities segmentation on MR images	1
8	Integrating large-scale neuroimaging research datasets: harmonisation of white matter hyperintensity measurements across Whitehall and UK Biobank datasets	2
7	Hippocampal volume across age: Nomograms derived from over 19,700 people in UK Biobank	1
6	Cross-species cortical alignment identifies different types of neuroanatomical reorganization in the temporal lobe of higher primates	5
5	High resolution nonlinear registration with simultaneous modelling of intensities	3
4	The developing Human Connectome Project (dHCP) automated resting-state functional processing framework for newborn infants	5
3	Tensor Image Registration Library: Automated Non-Linear Registration of Sparsely Sampled Histological Specimens to Post-Mortem MRI of the Whole Human Brain	6
2	BIDS Apps: Improving ease of use, accessibility, and reproducibility of neuroimaging data analysis methods	3
1	Multimodal Surface Matching with Higher-Order Smoothness Constraints?	1