

Jae-Seon So

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4992411/publications.pdf>

Version: 2024-02-01

33
papers

2,629
citations

257357

24
h-index

377752

34
g-index

36
all docs

36
docs citations

36
times ranked

4503
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of Zr-89-Labeled Folic Acid-Conjugated Silica (SiO ₂) Microwire as a Tumor Diagnostics Carrier for Positron Emission Tomography. <i>Materials</i> , 2021, 14, 3226.	1.3	2
2	Mechanisms of Invasion in Glioblastoma: Extracellular Matrix, Ca ²⁺ Signaling, and Glutamate. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 663092.	1.8	27
3	Roles of XBP1s in Transcriptional Regulation of Target Genes. <i>Biomedicines</i> , 2021, 9, 791.	1.4	89
4	Preemptive Activation of the Integrated Stress Response Protects Mice From Diet-Induced Obesity and Insulin Resistance by Fibroblast Growth Factor 21 Induction. <i>Hepatology</i> , 2018, 68, 2167-2181.	3.6	28
5	Roles of Endoplasmic Reticulum Stress in Immune Responses. <i>Molecules and Cells</i> , 2018, 41, 705-716.	1.0	121
6	Palmitate inhibits arthritis by inducing t-bet and gata-3 mRNA degradation in iNKT cells via IRE1 α -dependent decay. <i>Scientific Reports</i> , 2017, 7, 14940.	1.6	19
7	IRE1 α -Dependent Decay of CREP/Ppp1r15b mRNA Increases Eukaryotic Initiation Factor 2 α Phosphorylation and Suppresses Protein Synthesis. <i>Molecular and Cellular Biology</i> , 2015, 35, 2761-2770.	1.1	26
8	Transcriptional activation of Fsp27 by the liver-enriched transcription factor CREBH promotes lipid droplet growth and hepatic steatosis. <i>Hepatology</i> , 2015, 61, 857-869.	3.6	79
9	Sec63 and Xbp1 regulate IRE1 α activity and polycystic disease severity. <i>Journal of Clinical Investigation</i> , 2015, 125, 1955-1967.	3.9	45
10	Regulated IRE1 α -dependent decay participates in curtailing immunoglobulin secretion from plasma cells. <i>European Journal of Immunology</i> , 2014, 44, 867-876.	1.6	78
11	Transcriptional regulation of apolipoprotein A-IV by the transcription factor CREBH. <i>Journal of Lipid Research</i> , 2014, 55, 850-859.	2.0	42
12	6-Methoxyflavone Inhibits NFAT Translocation into the Nucleus and Suppresses T Cell Activation. <i>Journal of Immunology</i> , 2014, 193, 2772-2783.	0.4	10
13	Transcriptional Control of Hepatic Lipid Metabolism by SREBP and ChREBP. <i>Seminars in Liver Disease</i> , 2013, 33, 301-311.	1.8	210
14	IRE1 α activation protects mice against acetaminophen-induced hepatotoxicity. <i>Journal of Experimental Medicine</i> , 2012, 209, 307-318.	4.2	133
15	Correction: Interaction of Ets-1 with HDAC1 Represses IL-10 Expression in Th1 Cells. <i>Journal of Immunology</i> , 2012, 189, 5996-5996.	0.4	0
16	Interaction of Ets-1 with HDAC1 Represses IL-10 Expression in Th1 Cells. <i>Journal of Immunology</i> , 2012, 188, 2244-2253.	0.4	44
17	Silencing of Lipid Metabolism Genes through IRE1 α -Mediated mRNA Decay Lowers Plasma Lipids in Mice. <i>Cell Metabolism</i> , 2012, 16, 487-499.	7.2	239
18	Looping Mediated Interaction between the Promoter and 3' UTR Regulates Type II Collagen Expression in Chondrocytes. <i>PLoS ONE</i> , 2012, 7, e40828.	1.1	22

#	ARTICLE	IF	CITATIONS
19	Lactobacillus casei enhances type II collagen/glucosamine-mediated suppression of inflammatory responses in experimental osteoarthritis. <i>Life Sciences</i> , 2011, 88, 358-366.	2.0	84
20	Topical application of porcine placenta extract inhibits the progression of experimental contact hypersensitivity. <i>Journal of Ethnopharmacology</i> , 2011, 133, 654-662.	2.0	36
21	Cinnamon extract suppresses experimental colitis through modulation of antigen-presenting cells. <i>World Journal of Gastroenterology</i> , 2011, 17, 976.	1.4	34
22	IRF4 regulates IL-10 gene expression in CD4+ T cells through differential nuclear translocation. <i>Cellular Immunology</i> , 2011, 268, 97-104.	1.4	27
23	Stat6 and c-Jun Mediate Th2 Cell-Specific <i>IL-24</i> Gene Expression. <i>Journal of Immunology</i> , 2011, 186, 4098-4109.	0.4	37
24	Cinnamon extract induces tumor cell death through inhibition of NF κ B and AP1. <i>BMC Cancer</i> , 2010, 10, 392.	1.1	171
25	Generation of regulatory dendritic cells and CD4 ⁺ Foxp3 ⁺ T cells by probiotics administration suppresses immune disorders. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 2159-2164.	3.3	527
26	Lymphoid Enhancer Binding Factor 1 Regulates Transcription through Gene Looping. <i>Journal of Immunology</i> , 2009, 183, 5129-5137.	0.4	32
27	Cinnamon extract suppresses tumor progression by modulating angiogenesis and the effector function of CD8 ⁺ T cells. <i>Cancer Letters</i> , 2009, 278, 174-182.	3.2	90
28	A distal cis-regulatory element, CNS-9, controls NFAT1 and IRF4-mediated IL-10 gene activation in T helper cells. <i>Molecular Immunology</i> , 2009, 46, 613-621.	1.0	75
29	Lactobacillus casei suppresses experimental arthritis by down-regulating T helper 1 effector functions. <i>Molecular Immunology</i> , 2008, 45, 2690-2699.	1.0	164
30	Foxp3 induces IL-4 gene silencing by affecting nuclear translocation of NF κ B and chromatin structure. <i>Molecular Immunology</i> , 2008, 45, 3205-3212.	1.0	22
31	Defect in TCR-CD3 ζ signaling mediates T cell hypo-responsiveness in mesenteric lymph node. <i>Molecular Immunology</i> , 2008, 45, 3748-3755.	1.0	5
32	Lactobacillus casei potentiates induction of oral tolerance in experimental arthritis. <i>Molecular Immunology</i> , 2008, 46, 172-180.	1.0	86
33	Suppression of experimental myasthenia gravis by a B-cell epitope-free recombinant acetylcholine receptor. <i>Molecular Immunology</i> , 2008, 46, 192-201.	1.0	17