
## N Akhter

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4992636/publications.pdf Version: 2024-02-01



ΝΛνμτερ

#	Article	IF	CITATIONS
1	Effect of parental formal education on risk of child stunting in Indonesia and Bangladesh: a cross-sectional study. Lancet, The, 2008, 371, 322-328.	6.3	257
2	Low dietary diversity is a predictor of child stunting in rural Bangladesh. European Journal of Clinical Nutrition, 2010, 64, 1393-1398.	1.3	239
3	Household Dietary Diversity and Food Expenditures Are Closely Linked in Rural Bangladesh, Increasing the Risk of Malnutrition Due to the Financial Crisis. Journal of Nutrition, 2010, 140, 182S-188S.	1.3	179
4	Trends of under- and overweight among rural and urban poor women indicate the double burden of malnutrition in Bangladesh. International Journal of Epidemiology, 2007, 36, 449-457.	0.9	131
5	Predictors of maternal and child double burden of malnutrition in rural Indonesia and Bangladesh. American Journal of Clinical Nutrition, 2012, 95, 951-958.	2.2	102
6	Higher Household Expenditure on Animal-Source and Nongrain Foods Lowers the Risk of Stunting among Children 0–59 Months Old in Indonesia: Implications of Rising Food Prices. Journal of Nutrition, 2010, 140, 195S-200S.	1.3	75
7	The European epidemic: Pain prevalence and socioeconomic inequalities in pain across 19 European countries. European Journal of Pain, 2019, 23, 1425-1436.	1.4	57
8	New transfer of care initiative of electronic referral from hospital to community pharmacy in England: a formative service evaluation. BMJ Open, 2016, 6, e012532.	0.8	52
9	Household Rice Expenditure and Maternal and Child Nutritional Status in Bangladesh. Journal of Nutrition, 2010, 140, 189S-194S.	1.3	41
10	Extent of vitamin A deficiency among rural pregnant women in Bangladesh. Public Health Nutrition, 2008, 11, 1326-1331.	1.1	38
11	Relationship of Household Food Insecurity to Neonatal, Infant, and Under-Five Child Mortality among Families in Rural Indonesia. Food and Nutrition Bulletin, 2009, 30, 112-119.	0.5	34
12	Consumption of Micronutrient-Fortified Milk and Noodles is Associated with Lower Risk of Stunting in Preschool-Aged Children in Indonesia. Food and Nutrition Bulletin, 2011, 32, 347-353.	0.5	30
13	Iron-fortified milk and noodle consumption is associated with lower risk of anemia among children aged 6–59 mo in Indonesia. American Journal of Clinical Nutrition, 2010, 92, 170-176.	2.2	25
14	Relationship of the Presence of a Household Improved Latrine with Diarrhea and Under-Five Child Mortality in Indonesia. American Journal of Tropical Medicine and Hygiene, 2011, 84, 443-450.	0.6	25
15	The Pain Divide: a cross-sectional analysis of chronic pain prevalence, pain intensity and opioid utilisation in England. BMJ Open, 2018, 8, e023391.	0.8	25
16	Coverage of Vitamin A Capsule Programme in Bangladesh and Risk Factors Associated with Non-receipt of Vitamin A. Journal of Health, Population and Nutrition, 2010, 28, 143-8.	0.7	24
17	Indonesian women of childbearing age are at greater risk of clinical vitamin A deficiency in families that spend more on rice and less on fruits/vegetables and animal-based foods. Nutrition Research, 2009, 29, 75-81.	1.3	21
18	Regional inequalities in self-reported conditions and non-communicable diseases in European countries: Findings from the European Social Survey (2014) special module on the social determinants of health. European Journal of Public Health, 2017, 27, 14-21.	0.1	20

N AKHTER

#	Article	IF	CITATIONS
19	Purchase of drinking water is associated with increased child morbidity and mortality among urban slum-dwelling families in Indonesia. International Journal of Hygiene and Environmental Health, 2009, 212, 387-397.	2.1	18
20	Inequalities in mental health and well-being in a time of austerity: Follow-up findings from the Stockton-on-Tees cohort study. SSM - Population Health, 2018, 6, 75-84.	1.3	16
21	Inequalities in mental health and well-being in a time of austerity: Baseline findings from the Stockton-on-Tees cohort study. SSM - Population Health, 2016, 2, 350-359.	1.3	14
22	Greater Household Expenditures on Fruits and Vegetables but Not Animal Source Foods Are Associated with Decreased Risk of Under-Five Child Mortality among Families in Rural Indonesia. Journal of Nutrition, 2008, 138, 2244-2249.	1.3	13
23	Risk factors for non-communicable diseases related to obesity among first- and second-generation Bangladeshi migrants living in north-east or south-east England. International Journal of Obesity, 2021, 45, 1588-1598.	1.6	13
24	Change in cost and affordability of a typical and nutritionally adequate diet among socio-economic groups in rural Nepal after the 2008 food price crisis. Food Security, 2018, 10, 615-629.	2.4	12
25	Relationship of household food insecurity to anaemia in children aged 6–59 months among families in rural Indonesia. Annals of Tropical Paediatrics, 2011, 31, 321-330.	1.0	11
26	Missed opportunities: unnecessary medicine use in patients with lung cancer at the end of life – an international cohort study. British Journal of Clinical Pharmacology, 2018, 84, 2802-2810.	1.1	11
27	Which public health interventions are effective in reducing morbidity, mortality and health inequalities from infectious diseases amongst children in low- and middle-income countries (LMICs): An umbrella review. PLoS ONE, 2021, 16, e0251905.	1.1	10
28	Relationship of homestead food production with night blindness among children below 5 years of age in Bangladesh. Public Health Nutrition, 2011, 14, 1627-1631.	1.1	9
29	Person-centred pharmaceutical care reduces emergency readmissions. European Journal of Hospital Pharmacy, 2016, 23, 80-85.	0.5	9
30	Geographical inequalities in health in a time of austerity: Baseline findings from the Stockton-on-Tees cohort study. Health and Place, 2017, 48, 111-122.	1.5	9
31	Micronutrient Adequacy in the Diet of Reproductive-Aged Adolescent Girls and Adult Women in Rural Bangladesh. Nutrients, 2021, 13, 337.	1.7	9
32	Which public health interventions are effective in reducing morbidity, mortality and health inequalities from infectious diseases amongst children in low-income and middle-income countries (LMICs): protocol for an umbrella review. BMJ Open, 2019, 9, e032981.	0.8	8
33	The impact of school exclusion zone planning guidance on the number and type of food outlets in an English local authority: A longitudinal analysis. Health and Place, 2021, 70, 102600.	1.5	8
34	Assessing the value for money of an integrated health and wellbeing service in the UK. Social Science and Medicine, 2020, 245, 112661.	1.8	6
35	The Northumberland Exercise Referral Scheme as a Universal Community Weight Management Programme: A Mixed Methods Exploration of Outcomes, Expectations and Experiences across a Social Gradient. International Journal of Environmental Research and Public Health, 2020, 17, 5297.	1.2	5
36	Effectiveness of diet and physical activity interventions among Chinese-origin populations living in high income countries: a systematic review. BMC Public Health, 2020, 20, 1019.	1.2	3

N AKHTER

#	Article	IF	CITATIONS
37	Collective control, social cohesion and health and well-being: baseline survey results from the communities in control study in England. Journal of Public Health, 2022, 44, 378-386.	1.0	3
38	Early life, life course and gender influences on levels of C-reactive protein among migrant Bangladeshis in the UK. Evolution, Medicine and Public Health, 2022, 10, 21-35.	1.1	2
39	Interim evaluation of an integrated approach to improving health and wellbeing in County Durham, UK. European Journal of Public Health, 2016, 26, .	0.1	Ο
40	Evaluating the value for money of an integrated health and wellbeing service in County Durham, UK. European Journal of Public Health, 2017, 27, .	0.1	0
41	Local Inequalities in Health Behaviours: Longitudinal Findings from the Stockton-On-Tees Cohort Study. International Journal of Environmental Research and Public Health, 2021, 18, 11018.	1.2	0
42	Minding the Gap. , 2019, , 171-200.		0