

Bin Yao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4993225/publications.pdf>

Version: 2024-02-01

160
papers

4,938
citations

70961

41
h-index

161609

54
g-index

165
all docs

165
docs citations

165
times ranked

4157
citing authors

#	ARTICLE	IF	CITATIONS
1	Diversity of Beta-Propeller Phytase Genes in the Intestinal Contents of Grass Carp Provides Insight into the Release of Major Phosphorus from Phytate in Nature. <i>Applied and Environmental Microbiology</i> , 2009, 75, 1508-1516.	1.4	99
2	A novel highly acidic β -mannanase from the acidophilic fungus <i>Bispora</i> sp. MEY-1: gene cloning and overexpression in <i>Pichia pastoris</i> . <i>Applied Microbiology and Biotechnology</i> , 2009, 82, 453-461.	1.7	97
3	Improved thermal performance of <i>Thermomyces lanuginosus</i> GH11 xylanase by engineering of an N-terminal disulfide bridge. <i>Bioresource Technology</i> , 2012, 112, 275-279.	4.8	96
4	Thermostability Improvement of a <i>Streptomyces</i> Xylanase by Introducing Proline and Glutamic Acid Residues. <i>Applied and Environmental Microbiology</i> , 2014, 80, 2158-2165.	1.4	94
5	A thermophilic and acid stable family-10 xylanase from the acidophilic fungus <i>Bispora</i> sp. MEY-1. <i>Extremophiles</i> , 2009, 13, 849-857.	0.9	91
6	Two xylose-tolerant GH43 bifunctional β -xylosidase/ β -arabinosidases and one GH11 xylanase from <i>Humicola insolens</i> and their synergy in the degradation of xylan. <i>Food Chemistry</i> , 2014, 148, 381-387.	4.2	86
7	Characterization of three novel thermophilic xylanases from <i>Humicola insolens</i> Y1 with application potentials in the brewing industry. <i>Bioresource Technology</i> , 2013, 130, 161-167.	4.8	74
8	Identification of an acidic α -amylase from <i>Alicyclobacillus</i> sp. A4 and assessment of its application in the starch industry. <i>Food Chemistry</i> , 2012, 131, 1473-1478.	4.2	73
9	Linking Enzymatic Oxidative Degradation of Lignin to Organics Detoxification. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3373.	1.8	70
10	High-level expression of a truncated 1,3-1,4- β -d-glucanase from <i>Fibrobacter succinogenes</i> in <i>Pichia pastoris</i> by optimization of codons and fermentation. <i>Applied Microbiology and Biotechnology</i> , 2008, 78, 95-103.	1.7	69
11	Degradation of Four Major Mycotoxins by Eight Manganese Peroxidases in Presence of a Dicarboxylic Acid. <i>Toxins</i> , 2019, 11, 566.	1.5	67
12	High-yield production of a low-temperature-active polygalacturonase for papaya juice clarification. <i>Food Chemistry</i> , 2013, 141, 2974-2981.	4.2	66
13	Molecular cloning and characterization of the novel acidic xylanase XYLD from <i>Bispora</i> sp. MEY-1 that is homologous to family 30 glycosyl hydrolases. <i>Applied Microbiology and Biotechnology</i> , 2010, 86, 1829-1839.	1.7	65
14	An α -galactosidase from an acidophilic <i>Bispora</i> sp. MEY-1 strain acts synergistically with β -mannanase. <i>Bioresource Technology</i> , 2010, 101, 8376-8382.	4.8	64
15	<i>Paenibacillus</i> sp. Strain E18 Bifunctional Xylanase-Glucanase with a Single Catalytic Domain. <i>Applied and Environmental Microbiology</i> , 2010, 76, 3620-3624.	1.4	60
16	Proteome changes in the intestinal mucosa of broiler (<i>Gallus gallus</i>) activated by probiotic <i>Enterococcus faecium</i> . <i>Journal of Proteomics</i> , 2013, 91, 226-241.	1.2	58
17	Molecular and biochemical characterization of a novel xylanase from the symbiotic <i>Sphingobacterium</i> sp. TN19. <i>Applied Microbiology and Biotechnology</i> , 2009, 85, 323-333.	1.7	57
18	A thermophilic β -mannanase from <i>Neosartorya fischeri</i> P1 with broad pH stability and significant hydrolysis ability of various mannan polymers. <i>Food Chemistry</i> , 2015, 173, 283-289.	4.2	57

#	ARTICLE	IF	CITATIONS
19	Probiotic (<i>Enterococcus faecium</i>) induced responses of the hepatic proteome improves metabolic efficiency of broiler chickens (<i>Gallus gallus</i>). <i>BMC Genomics</i> , 2016, 17, 89.	1.2	57
20	A novel cold-active xylanase gene from the environmental DNA of goat rumen contents: Direct cloning, expression and enzyme characterization. <i>Bioresource Technology</i> , 2011, 102, 3330-3336.	4.8	56
21	Engineering a highly active thermophilic β -glucosidase to enhance its pH stability and saccharification performance. <i>Biotechnology for Biofuels</i> , 2016, 9, 147.	6.2	55
22	Degradation of Aflatoxin B1 and Zearalenone by Bacterial and Fungal Laccases in Presence of Structurally Defined Chemicals and Complex Natural Mediators. <i>Toxins</i> , 2019, 11, 609.	1.5	55
23	A novel acidic and low-temperature-active endo-polygalacturonase from <i>Penicillium</i> sp. CGMCC 1669 with potential for application in apple juice clarification. <i>Food Chemistry</i> , 2011, 129, 1369-1375.	4.2	54
24	The N-Terminal GH10 Domain of a Multimodular Protein from <i>Caldicellulosiruptor bescii</i> Is a Versatile Xylanase/ β -Glucanase That Can Degrade Crystalline Cellulose. <i>Applied and Environmental Microbiology</i> , 2015, 81, 3823-3833.	1.4	53
25	An Acidophilic and Acid-Stable β -Mannanase from <i>Phialophora</i> sp. P13 with High Mannan Hydrolysis Activity under Simulated Gastric Conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 3184-3190.	2.4	51
26	Proteome changes underpin improved meat quality and yield of chickens (<i>Gallus gallus</i>) fed the probiotic <i>Enterococcus faecium</i> . <i>BMC Genomics</i> , 2014, 15, 1167.	1.2	50
27	A thermophilic β -galactosidase from <i>Neosartorya fischeri</i> P1 with high specific activity, broad substrate specificity and significant hydrolysis ability of soymilk. <i>Bioresource Technology</i> , 2014, 153, 361-364.	4.8	50
28	Gene cloning and expression of a new acidic family 7 endo- β -1,3-1,4-glucanase from the acidophilic fungus <i>Bispora</i> sp. MEY-1. <i>Applied Microbiology and Biotechnology</i> , 2010, 85, 1015-1023.	1.7	49
29	A new xylanase from thermoacidophilic <i>Alicyclobacillus</i> sp. A4 with broad-range pH activity and pH stability. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2010, 37, 187-194.	1.4	48
30	The Genome of the Myxosporean <i>Thelohanellus kitauei</i> Shows Adaptations to Nutrient Acquisition within Its Fish Host. <i>Genome Biology and Evolution</i> , 2014, 6, 3182-3198.	1.1	48
31	A xylanase with high pH stability from <i>Streptomyces</i> sp. S27 and its carbohydrate-binding module with/without linker-region-truncated versions. <i>Applied Microbiology and Biotechnology</i> , 2009, 83, 99-107.	1.7	47
32	Gene cloning, expression, and biochemical characterization of an alkali-tolerant β -mannanase from <i>Humicola insolens</i> Y1. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2012, 39, 547-555.	1.4	47
33	Construction of a Rapid Feather-Degrading Bacterium by Overexpression of a Highly Efficient Alkaline Keratinase in Its Parent Strain <i>Bacillus amyloliquefaciens</i> K11. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 78-84.	2.4	47
34	A novel bifunctional GH51 exo- β -L-arabinofuranosidase/endo-xylanase from <i>Alicyclobacillus</i> sp. A4 with significant biomass-degrading capacity. <i>Biotechnology for Biofuels</i> , 2015, 8, 197.	6.2	46
35	Molecular cloning and characterization of a novel β -galactosidase gene from <i>Penicillium</i> sp. F63 CGMCC 1669 and expression in <i>Pichia pastoris</i> . <i>Enzyme and Microbial Technology</i> , 2007, 40, 1373-1380.	1.6	45
36	A novel phytase from <i>Yersinia rohdei</i> with high phytate hydrolysis activity under low pH and strong pepsin conditions. <i>Applied Microbiology and Biotechnology</i> , 2008, 80, 417-26.	1.7	45

#	ARTICLE	IF	CITATIONS
37	Improvement in Thermostability of an <i>Achaetomium</i> sp. Strain Xz8 Endopolygalacturonase via the Optimization of Charge-Charge Interactions. <i>Applied and Environmental Microbiology</i> , 2015, 81, 6938-6944.	1.4	44
38	A thermostable <i>Gloeophyllum trabeum</i> xylanase with potential for the brewing industry. <i>Food Chemistry</i> , 2016, 199, 516-523.	4.2	44
39	Oxidation of a non-phenolic lignin model compound by two <i>Irpex lacteus</i> manganese peroxidases: evidence for implication of carboxylate and radicals. <i>Biotechnology for Biofuels</i> , 2017, 10, 103.	6.2	44
40	A versatile system for fast screening and isolation of <i>Trichoderma reesei</i> cellulase hyperproducers based on DsRed and fluorescence-assisted cell sorting. <i>Biotechnology for Biofuels</i> , 2018, 11, 261.	6.2	44
41	Cloning, expression and characterization of an acidic endo-polygalacturonase from <i>Bispora</i> sp. MEY-1 and its potential application in juice clarification. <i>Process Biochemistry</i> , 2011, 46, 272-277.	1.8	43
42	A novel family 9 β -1,3(4)-glucanase from thermoacidophilic <i>Alicyclobacillus</i> sp. A4 with potential applications in the brewing industry. <i>Applied Microbiology and Biotechnology</i> , 2010, 87, 251-259.	1.7	42
43	High-level expression of the <i>Penicillium notatum</i> glucose oxidase gene in <i>Pichia pastoris</i> using codon optimization. <i>Biotechnology Letters</i> , 2012, 34, 507-514.	1.1	41
44	A novel thermophilic endo- β -1,4-mannanase from <i>Aspergillus nidulans</i> XZ3: functional roles of carbohydrate-binding module and Thr/Ser-rich linker region. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 2155-2163.	1.7	41
45	Biochemical characterization of a thermophilic β -mannanase from <i>Talaromyces leycettanus</i> JCM12802 with high specific activity. <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 1217-1228.	1.7	41
46	Improving the thermostability and catalytic efficiency of glucose oxidase from <i>Aspergillus niger</i> by molecular evolution. <i>Food Chemistry</i> , 2019, 281, 163-170.	4.2	41
47	<i>N</i> -Glycosylation Improves the Pepsin Resistance of Histidine Acid Phosphatase Phytases by Enhancing Their Stability at Acidic pHs and Reducing Pepsin's Accessibility to Its Cleavage Sites. <i>Applied and Environmental Microbiology</i> , 2016, 82, 1004-1014.	1.4	40
48	A family 5 β -mannanase from the thermophilic fungus <i>Thielavia arenaria</i> XZ7 with typical thermophilic enzyme features. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 8121-8128.	1.7	39
49	High-yield production of a chitinase from <i>Aeromonas veronii</i> B565 as a potential feed supplement for warm-water aquaculture. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 1651-1662.	1.7	38
50	Revisiting overexpression of a heterologous β -glucosidase in <i>Trichoderma reesei</i> : fusion expression of the <i>Neosartorya fischeri</i> Bgl3A to <i>cbh1</i> enhances the overall as well as individual cellulase activities. <i>Microbial Cell Factories</i> , 2016, 15, 122.	1.9	38
51	Deciphering lignocellulose deconstruction by the white rot fungus <i>Irpex lacteus</i> based on genomic and transcriptomic analyses. <i>Biotechnology for Biofuels</i> , 2018, 11, 58.	6.2	38
52	Acidic β -mannanase from <i>Penicillium pinophilum</i> C1: Cloning, characterization and assessment of its potential for animal feed application. <i>Journal of Bioscience and Bioengineering</i> , 2011, 112, 551-557.	1.1	37
53	Overexpressing key component genes of the secretion pathway for enhanced secretion of an <i>Aspergillus niger</i> glucose oxidase in <i>Trichoderma reesei</i> . <i>Enzyme and Microbial Technology</i> , 2017, 106, 83-87.	1.6	37
54	An Acidophilic β -Galactosidase from <i>Bispora</i> sp. MEY-1 with High Lactose Hydrolytic Activity under Simulated Gastric Conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 5535-5541.	2.4	36

#	ARTICLE	IF	CITATIONS
55	A novel thermoacidophilic family 10 xylanase from <i>Penicillium pinophilum</i> C1. <i>Process Biochemistry</i> , 2011, 46, 2341-2346.	1.8	35
56	Insights into the roles of non-catalytic residues in the active site of a GH10 xylanase with activity on cellulose. <i>Journal of Biological Chemistry</i> , 2017, 292, 19315-19327.	1.6	35
57	Cloning, expression and characterization of a novel acidic xylanase, XYL11B, from the acidophilic fungus <i>Bispora</i> sp. MEY-1. <i>Enzyme and Microbial Technology</i> , 2009, 45, 126-133.	1.6	34
58	Symbiotic <i>Streptomyces</i> sp. TN119 GH 11 xylanase: a new pH-stable, protease- and SDS-resistant xylanase. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2011, 38, 523-530.	1.4	34
59	New phylogenomic and comparative analyses provide corroborating evidence that Myxozoa is Cnidaria. <i>Molecular Phylogenetics and Evolution</i> , 2014, 81, 10-18.	1.2	34
60	Improvement of the catalytic performance of a hyperthermostable GH10 xylanase from <i>Talaromyces leycettanus</i> JCM12802. <i>Bioresource Technology</i> , 2016, 222, 277-284.	4.8	34
61	A New GH43 β -Arabinofuranosidase from <i>Humicola insolens</i> Y1: Biochemical Characterization and Synergistic Action with a Xylanase on Xylan Degradation. <i>Applied Biochemistry and Biotechnology</i> , 2015, 175, 1960-1970.	1.4	33
62	A Thermostable Glucoamylase from <i>Bispora</i> sp. MEY-1 with Stability over a Broad pH Range and Significant Starch Hydrolysis Capacity. <i>PLoS ONE</i> , 2014, 9, e113581.	1.1	32
63	Structural insight into potential cold adaptation mechanism through a psychrophilic glycoside hydrolase family 10 endo- β -1,4-xylanase. <i>Journal of Structural Biology</i> , 2016, 193, 206-211.	1.3	32
64	Utility of Thermostable Xylanases of <i>Mycothermus thermophilus</i> in Generating Prebiotic Xylooligosaccharides. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 1139-1145.	2.4	32
65	An acid and highly thermostable xylanase from <i>Phialophora</i> sp. G5. <i>Applied Microbiology and Biotechnology</i> , 2011, 89, 1851-1858.	1.7	31
66	Purification and characterization of a novel protease-resistant β -galactosidase from <i>Rhizopus</i> sp. F78 ACCC 30795. <i>Enzyme and Microbial Technology</i> , 2007, 41, 835-841.	1.6	29
67	Improvement of the thermostability and catalytic efficiency of a highly active β -glucanase from <i>Talaromyces leycettanus</i> JCM12802 by optimizing residual charge-charge interactions. <i>Biotechnology for Biofuels</i> , 2016, 9, 124.	6.2	29
68	Molecular Characterization of a Highly-Active Thermophilic β -Glucosidase from <i>Neosartorya fischeri</i> P1 and Its Application in the Hydrolysis of Soybean Isoflavone Glycosides. <i>PLoS ONE</i> , 2014, 9, e106785.	1.1	29
69	Distinct Actions by <i>Paenibacillus</i> sp. Strain E18 β -Arabinofuranosidases and Xylanase in Xylan Degradation. <i>Applied and Environmental Microbiology</i> , 2013, 79, 1990-1995.	1.4	28
70	Biochemical characterization of a novel thermophilic β -galactosidase from <i>Talaromyces leycettanus</i> JCM12802 with significant transglycosylation activity. <i>Journal of Bioscience and Bioengineering</i> , 2016, 121, 7-12.	1.1	28
71	Two neutral thermostable cellulases from <i>Phialophora</i> sp. G5 act synergistically in the hydrolysis of filter paper. <i>Bioresource Technology</i> , 2012, 121, 404-410.	4.8	27
72	High-level expression of a novel <i>Penicillium</i> endo-1,3(4)- β -glucanase with high specific activity in <i>Pichia pastoris</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2012, 39, 869-876.	1.4	27

#	ARTICLE	IF	CITATIONS
73	Biochemical characterization of an acidophilic β -mannanase from <i>Gloeophyllum trabeum</i> CBS900.73 with significant transglycosylation activity and feed digesting ability. <i>Food Chemistry</i> , 2016, 197, 474-481.	4.2	27
74	Enzymatic Degradation of Multiple Major Mycotoxins by Dye-Decolorizing Peroxidase from <i>Bacillus subtilis</i> . <i>Toxins</i> , 2021, 13, 429.	1.5	27
75	Improvement of thermostability and catalytic efficiency of glucoamylase from <i>Talaromyces leycettanus</i> JCM12802 via site-directed mutagenesis to enhance industrial saccharification applications. <i>Biotechnology for Biofuels</i> , 2021, 14, 202.	6.2	27
76	A highly pH-stable phytase from <i>Yersinia kristeensenii</i> : Cloning, expression, and characterization. <i>Enzyme and Microbial Technology</i> , 2008, 42, 499-505.	1.6	26
77	Biochemical characterization of three distinct polygalacturonases from <i>Neosartorya fischeri</i> P1. <i>Food Chemistry</i> , 2015, 188, 569-575.	4.2	26
78	Thermostability improvement of a <i>Talaromyces leycettanus</i> xylanase by rational protein engineering. <i>Scientific Reports</i> , 2017, 7, 15287.	1.6	26
79	A highly glucose-tolerant GH1 β -glucosidase with greater conversion rate of soybean isoflavones in monogastric animals. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2018, 45, 369-378.	1.4	26
80	Engineering of a <i>Bacillus amyloliquefaciens</i> Strain with High Neutral Protease Producing Capacity and Optimization of Its Fermentation Conditions. <i>PLoS ONE</i> , 2016, 11, e0146373.	1.1	26
81	Extremely Acidic β -1,4-Glucanase, CelA4, from Thermoacidophilic <i>Alicyclobacillus</i> sp. A4 with High Protease Resistance and Potential as a Pig Feed Additive. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 1970-1975.	2.4	25
82	A Novel Glycoside Hydrolase Family 113 Endo- β -1,4-Mannanase from <i>Alicyclobacillus</i> sp. Strain A4 and Insight into the Substrate Recognition and Catalytic Mechanism of This Family. <i>Applied and Environmental Microbiology</i> , 2016, 82, 2718-2727.	1.4	25
83	Functional diversity of family 3 β -glucosidases from thermophilic cellulolytic fungus <i>Humicola insolens</i> Y1. <i>Scientific Reports</i> , 2016, 6, 27062.	1.6	24
84	Engineering of <i>Yersinia</i> Phytases to Improve Pepsin and Trypsin Resistance and Thermostability and Application Potential in the Food and Feed Industry. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 7337-7344.	2.4	24
85	Improving the catalytic performance of Proteinase K from <i>Paronygodontium album</i> for use in feather degradation. <i>International Journal of Biological Macromolecules</i> , 2020, 154, 1586-1595.	3.6	24
86	Molecular Cloning and Expression of a Novel Protease-resistant GH-36 β -Galactosidase from <i>Rhizopus</i> sp. F78 ACCC 30795. <i>Journal of Microbiology and Biotechnology</i> , 2009, 19, 1295-300.	0.9	24
87	Two Family 11 Xylanases from <i>Achaetomium</i> sp. Xz-8 with High Catalytic Efficiency and Application Potentials in the Brewing Industry. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 6880-6889.	2.4	23
88	Isolation of a Novel Cold-Active Family 11 Xylanase from the Filamentous Fungus <i>Bispora antennata</i> and Deletion of its N-Terminal Amino Acids on Thermostability. <i>Applied Biochemistry and Biotechnology</i> , 2015, 175, 925-936.	1.4	23
89	Exploiting the activity-stability trade-off of glucose oxidase from <i>Aspergillus niger</i> using a simple approach to calculate thermostability of mutants. <i>Food Chemistry</i> , 2021, 342, 128270.	4.2	23
90	A novel thermophilic xylanase from <i>Achaetomium</i> sp. Xz-8 with high catalytic efficiency and application potentials in the brewing and other industries. <i>Process Biochemistry</i> , 2013, 48, 1879-1885.	1.8	22

#	ARTICLE	IF	CITATIONS
91	Molecular Characterization of a Thermophilic Endo-polygalacturonase from <i>Thielavia arenaria</i> XZ7 with High Catalytic Efficiency and Application Potential in the Food and Feed Industries. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 12686-12694.	2.4	22
92	A novel bifunctional pectinase from <i>Penicillium oxalicum</i> SX6 with separate pectin methylesterase and polygalacturonase catalytic domains. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 5019-5028.	1.7	21
93	New Insights into the Role of T3 Loop in Determining Catalytic Efficiency of GH28 Endo-Polygalacturonases. <i>PLoS ONE</i> , 2015, 10, e0135413.	1.1	21
94	Insight into the functional roles of Glu175 in the hyperthermostable xylanase XYL10C- $\hat{\text{N}}$ through structural analysis and site-saturation mutagenesis. <i>Biotechnology for Biofuels</i> , 2018, 11, 159.	6.2	21
95	Characterization, stability improvement, and bread baking applications of a novel cold-adapted glucose oxidase from <i>Cladosporium neopsychrotolerans</i> SL16. <i>Food Chemistry</i> , 2020, 310, 125970.	4.2	21
96	Biochemical Characterization and Mutational Analysis of a Lactone Hydrolase from <i>Phialophora americana</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 2570-2577.	2.4	21
97	Efficient Degradation of Aflatoxin B1 and Zearalenone by Laccase-like Multicopper Oxidase from <i>Streptomyces thermocarboxydus</i> in the Presence of Mediators. <i>Toxins</i> , 2021, 13, 754.	1.5	21
98	A protease-resistant exo-polygalacturonase from <i>Klebsiella</i> sp. Y1 with good activity and stability over a wide pH range in the digestive tract. <i>Bioresource Technology</i> , 2012, 123, 171-176.	4.8	20
99	A highly-active endo-1,3-1,4- $\hat{\text{N}}$ -glucanase from thermophilic <i>Talaromyces emersonii</i> CBS394.64 with application potential in the brewing and feed industries. <i>Process Biochemistry</i> , 2014, 49, 1448-1456.	1.8	20
100	Molecular Characterization of a New Alkaline-Tolerant Xylanase from <i>Humicola insolens</i> Y1. <i>BioMed Research International</i> , 2015, 2015, 1-7.	0.9	20
101	Insights into the substrate specificity and synergy with mannanase of family 27 $\hat{\text{N}}$ -galactosidases from <i>Neosartorya fischeri</i> P1. <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 1261-1272.	1.7	20
102	Efficient Degradation of Zearalenone by Dye-Decolorizing Peroxidase from <i>Streptomyces thermocarboxydus</i> Combining Catalytic Properties of Manganese Peroxidase and Laccase. <i>Toxins</i> , 2021, 13, 602.	1.5	20
103	The use of T-DNA insertional mutagenesis to improve cellulase production by the thermophilic fungus <i>Humicola insolens</i> Y1. <i>Scientific Reports</i> , 2016, 6, 31108.	1.6	19
104	Two acidic, thermophilic GH28 polygalacturonases from <i>Talaromyces leycettanus</i> JCM 12802 with application potentials for grape juice clarification. <i>Food Chemistry</i> , 2017, 237, 997-1003.	4.2	19
105	Six new soil-inhabiting <i>Cladosporium</i> species from plateaus in China. <i>Mycologia</i> , 2017, 109, 244-260.	0.8	19
106	Loop 3 of Fungal Endoglucanases of Glycoside Hydrolase Family 12 Modulates Catalytic Efficiency. <i>Applied and Environmental Microbiology</i> , 2017, 83, .	1.4	19
107	Expression of an extremely acidic $\hat{\text{N}}$ -1,4-glucanase from thermoacidophilic <i>Alicyclobacillus</i> sp. A4 in <i>Pichia pastoris</i> is improved by truncating the gene sequence. <i>Microbial Cell Factories</i> , 2010, 9, 33.	1.9	18
108	A novel thermoacidophilic and thermostable endo- $\hat{\text{N}}$ -1,4-glucanase from <i>Phialophora</i> sp. G5: its thermostability influenced by a distinct $\hat{\text{N}}$ -sheet and the carbohydrate-binding module. <i>Applied Microbiology and Biotechnology</i> , 2012, 95, 947-955.	1.7	18

#	ARTICLE	IF	CITATIONS
109	A New α -Galactosidase from Thermoacidophilic Alicyclobacillus sp. A4 with Wide Acceptor Specificity for Transglycosylation. Applied Biochemistry and Biotechnology, 2014, 174, 328-338.	1.4	18
110	Heterologous production of an acidic thermostable lipase with broad-range pH activity from thermophilic fungus Neosartorya fischeri P1. Journal of Bioscience and Bioengineering, 2016, 122, 539-544.	1.1	18
111	Insight into the Thermophilic Mechanism of a Glycoside Hydrolase Family 5 β -Mannanase. Journal of Agricultural and Food Chemistry, 2019, 67, 473-483.	2.4	18
112	Cloning, expression, and characterization of a thermostable β -xylosidase from thermoacidophilic Alicyclobacillus sp. A4. Process Biochemistry, 2014, 49, 1422-1428.	1.8	17
113	Impact of disulfide bonds on the folding and refolding capability of a novel thermostable GH45 cellulase. Applied Microbiology and Biotechnology, 2018, 102, 9183-9192.	1.7	17
114	A GH51 α -L-arabinofuranosidase from Talaromyces leycettanus strain JCM12802 that selectively drives synergistic lignocellulose hydrolysis. Microbial Cell Factories, 2019, 18, 138.	1.9	17
115	High-level expression and characterization of a novel aspartic protease from Talaromyces leycettanus JCM12802 and its potential application in juice clarification. Food Chemistry, 2019, 281, 197-203.	4.2	17
116	Development of <i>Bacillus amyloliquefaciens</i> as a high-level recombinant protein expression system. Journal of Industrial Microbiology and Biotechnology, 2019, 46, 113-123.	1.4	17
117	Catalytic efficiency of HAP phytases is determined by a key residue in close proximity to the active site. Applied Microbiology and Biotechnology, 2011, 90, 1295-1302.	1.7	16
118	A C-Terminal Proline-Rich Sequence Simultaneously Broadens the Optimal Temperature and pH Ranges and Improves the Catalytic Efficiency of Glycosyl Hydrolase Family 10 Ruminant Xylanases. Applied and Environmental Microbiology, 2014, 80, 3426-3432.	1.4	16
119	A Novel GH7 Endo- β -1,4-Glucanase from Neosartorya fischeri P1 with Good Thermostability, Broad Substrate Specificity and Potential Application in the Brewing Industry. PLoS ONE, 2015, 10, e0137485.	1.1	16
120	Improvement of <i>Bs</i> APA Aspartic Protease Thermostability via Autocatalysis-Resistant Mutation. Journal of Agricultural and Food Chemistry, 2019, 67, 10505-10512.	2.4	16
121	The GH10 and GH48 dual-functional catalytic domains from a multimodular glycoside hydrolase synergize in hydrolyzing both cellulose and xylan. Biotechnology for Biofuels, 2019, 12, 279.	6.2	16
122	Engineering the <i>cbh1</i> Promoter of <i>Trichoderma reesei</i> for Enhanced Protein Production by Replacing the Binding Sites of a Transcription Repressor ACE1 to Those of the Activators. Journal of Agricultural and Food Chemistry, 2020, 68, 1337-1346.	2.4	16
123	A zebrafish (<i>Danio rerio</i>) bloodthirsty member 20 with E3 ubiquitin ligase activity involved in immune response against bacterial infection. Biochemical and Biophysical Research Communications, 2015, 457, 83-89.	1.0	15
124	Identification and molecular characterization of an Akirin2 homolog in Chinese loach (<i>Paramisgurnus dabryanus</i>). Fish and Shellfish Immunology, 2014, 36, 435-443.	1.6	14
125	Comparative Quantitative Analysis of Gene Expression Profiles of Glycoside Hydrolase Family 10 Xylanases in the Sheep Rumen during a Feeding Cycle. Applied and Environmental Microbiology, 2013, 79, 1212-1220.	1.4	13
126	Two thermophilic fungal pectinases from Neosartorya fischeri P1: Gene cloning, expression, and biochemical characterization. Journal of Molecular Catalysis B: Enzymatic, 2015, 118, 70-78.	1.8	13

#	ARTICLE	IF	CITATIONS
127	Efficient Coproduction of Mannanase and Cellulase by the Transformation of a Codon-Optimized Endomannanase Gene from <i>Aspergillus niger</i> into <i>Trichoderma reesei</i> . Journal of Agricultural and Food Chemistry, 2017, 65, 11046-11053.	2.4	13
128	Improvement of the catalytic efficiency of a hyperthermophilic xylanase from <i>Bispora</i> sp. MEY-1. PLoS ONE, 2017, 12, e0189806.	1.1	13
129	Patulin Detoxification by Recombinant Manganese Peroxidase from <i>Moniliophthora roreri</i> Expressed by <i>Pichia pastoris</i> . Toxins, 2022, 14, 440.	1.5	13
130	Identification of the C-Terminal GH5 Domain from CbCel9B/Man5A as the First Glycoside Hydrolase with Thermal Activation Property from a Multimodular Bifunctional Enzyme. PLoS ONE, 2016, 11, e0156802.	1.1	12
131	Probing the role of cation- π interaction in the thermotolerance and catalytic performance of endo-polygalacturonases. Scientific Reports, 2016, 6, 38413.	1.6	12
132	Substitution of a non-active-site residue located on the T3 loop increased the catalytic efficiency of endo-polygalacturonases. Process Biochemistry, 2016, 51, 1230-1238.	1.8	12
133	The disruption of two salt bridges of the cold-active xylanase XynGR40 results in an increase in activity, but a decrease in thermostability. Biochemical and Biophysical Research Communications, 2016, 481, 139-145.	1.0	12
134	Synergistic effect of acetyl xylan esterase from <i>Talaromyces leycettanus</i> JCM12802 and xylanase from <i>Neocallimastix patriciarum</i> achieved by introducing carbohydrate-binding module-1. AMB Express, 2019, 9, 13.	1.4	12
135	Characterization and biological function analysis of the trim3a gene from zebrafish (<i>Danio rerio</i>). Fish and Shellfish Immunology, 2012, 32, 621-628.	1.6	11
136	Engineering the residual side chains of HAP phytases to improve their pepsin resistance and catalytic efficiency. Scientific Reports, 2017, 7, 42133.	1.6	11
137	A key residue for the substrate affinity enhancement of a thermophilic endo-polygalacturonase revealed by computational design. Applied Microbiology and Biotechnology, 2018, 102, 4457-4466.	1.7	11
138	Characterization of two thermophilic cellulases from <i>Talaromyces leycettanus</i> JCM12802 and their synergistic action on cellulose hydrolysis. PLoS ONE, 2019, 14, e0224803.	1.1	11
139	A Neutral Thermostable β -1,4-Glucanase from <i>Humicola insolens</i> Y1 with Potential for Applications in Various Industries. PLoS ONE, 2015, 10, e0124925.	1.1	11
140	Molecular Cloning and Expression of a Novel β -Glucosidase Gene from <i>Phialophora</i> sp. G5. Applied Biochemistry and Biotechnology, 2013, 169, 941-949.	1.4	10
141	Overexpression of a Fungal β -Mannanase from <i>Bispora</i> sp. MEY-1 in Maize Seeds and Enzyme Characterization. PLoS ONE, 2013, 8, e56146.	1.1	10
142	Improving the Catalytic Performance of a <i>Talaromyces leycettanus</i> β -Amylase by Changing the Linker Length. Journal of Agricultural and Food Chemistry, 2017, 65, 5041-5048.	2.4	10
143	A novel thermostable aspartic protease from <i>Talaromyces leycettanus</i> and its specific autocatalytic activation through an intermediate transition state. Applied Microbiology and Biotechnology, 2020, 104, 4915-4926.	1.7	10
144	Preparation of methyl-esterified pectin oligosaccharides with antibacterial activity using fungus-derived bifunctional pectinase. Journal of Cleaner Production, 2022, 333, 130110.	4.6	10

#	ARTICLE	IF	CITATIONS
145	Exploiting enzymes as a powerful tool to modulate the gut microbiota. Trends in Microbiology, 2022, 30, 314-317.	3.5	9
146	A Thermophilic Cellulase Complex from <i>Phialophora</i> sp. G5 Showing High Capacity in Cellulose Hydrolysis. Applied Biochemistry and Biotechnology, 2012, 166, 952-960.	1.4	8
147	Production of a Highly Protease-Resistant Fungal β -Galactosidase in Transgenic Maize Seeds for Simplified Feed Processing. PLoS ONE, 2015, 10, e0129294.	1.1	8
148	Insight into the cold adaptation and hemicellulose utilization of <i>Cladosporium neopsychrotolerans</i> from genome analysis and biochemical characterization. Scientific Reports, 2018, 8, 6075.	1.6	8
149	A Swollenin From <i>Talaromyces leycettanus</i> JCM12802 Enhances Cellulase Hydrolysis Toward Various Substrates. Frontiers in Microbiology, 2021, 12, 658096.	1.5	7
150	Cysteine Engineering of an Endo-polygalacturonase from <i>Talaromyces leycettanus</i> JCM 12802 to Improve Its Thermostability. Journal of Agricultural and Food Chemistry, 2021, 69, 6351-6359.	2.4	7
151	Structural Insights into the Mechanisms Underlying the Kinetic Stability of GH28 Endo-Polygalacturonase. Journal of Agricultural and Food Chemistry, 2021, 69, 815-823.	2.4	7
152	Molecular characterization of a CpTRIM35-like protein and its splice variants from whitespotted bamboo shark (<i>Chiloscyllium plagiosum</i>). Biochemical and Biophysical Research Communications, 2014, 453, 425-431.	1.0	6
153	Functional Analysis of a Highly Active β -Glucanase from <i>Bispora</i> sp. MEY-1 Using Its C-terminally Truncated Mutant. Journal of Agricultural and Food Chemistry, 2018, 66, 9728-9737.	2.4	6
154	Recombinant expression of hen egg white lysozyme with the assistance of xylanase fusion partner in <i>Pichia pastoris</i> . Bioengineered, 2022, 13, 13860-13871.	1.4	6
155	Boosting enzymatic degradation of cellulose using a fungal expansin: Structural insight into the pretreatment mechanism. Bioresource Technology, 2022, 358, 127434.	4.8	6
156	Simultaneous manipulation of multiple genes within a same regulatory stage for iterative evolution of <i>Trichoderma reesei</i> . , 2022, 15, 26.		4
157	Enhancing the Thermostability of Phytase to Boiling Point by Evolution-Guided Design. Applied and Environmental Microbiology, 2022, 88, e0050622.	1.4	4
158	Review of glucose oxidase as a feed additive: production, engineering, applications, growth-promoting mechanisms, and outlook. Critical Reviews in Biotechnology, 2023, 43, 698-715.	5.1	4
159	Engineering a carbohydrate-binding module to increase the expression level of glucoamylase in <i>Pichia pastoris</i> . Microbial Cell Factories, 2022, 21, .	1.9	3
160	Engineering Protease-Resistant and Highly Active Phytases. Methods in Molecular Biology, 2020, 2091, 155-162.	0.4	0