

Andrea Schmitt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4993724/andrea-schmitt-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181
papers

6,777
citations

47
h-index

74
g-index

235
ext. papers

7,901
ext. citations

4.8
avg, IF

5.55
L-index

#	Paper	IF	Citations
181	Sex-dependent effects of long-term clozapine or haloperidol medication on red blood cells and liver iron metabolism in Sprague Dawley rats as a model of metabolic syndrome.. <i>BMC Pharmacology & Toxicology</i> , 2022 , 23, 8	2.6	1
180	Diagnose und Differenzialdiagnose der Schizophrenie. <i>PSYCH Up2date</i> , 2022 , 16, 145-163	0.1	1
179	Concept of the Munich/Augsburg Consortium Precision in Mental Health for the German Center of Mental Health.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 815718	5	1
178	Failed regeneration and inflammation in schizophrenia: two sides of the same coin?. <i>Journal of Neural Transmission</i> , 2022 , 1	4.3	0
177	Association between aerobic fitness and the functional connectome in patients with schizophrenia.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	
176	An overview of the human brain myelin proteome and differences associated with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 271-287	3.8	5
175	Medication Adherence in a Cross-Diagnostic Sample of Patients From the Affective-to-Psychotic Spectrum: Results From the PsyCourse Study.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 713060	5	0
174	Exercise as a model to identify microRNAs linked to human cognition: a role for microRNA-409 and microRNA-501. <i>Translational Psychiatry</i> , 2021 , 11, 514	8.6	2
173	Linking proteomic alterations in schizophrenia hippocampus to NMDAr hypofunction in human neurons and oligodendrocytes. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1579-1586 ³	5.1	
172	Differential gene regulation in the anterior cingulate cortex and superior temporal cortex in schizophrenia: A molecular network approach. <i>Schizophrenia Research</i> , 2021 , 232, 1-10	3.6	0
171	Aerobic endurance training to improve cognition and enhance recovery in schizophrenia: design and methodology of a multicenter randomized controlled trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 315-324	5.1	4
170	Association Between Physical Activity and Schizophrenia: Results of a 2-Sample Mendelian Randomization Analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 441-444	14.5	3
169	Psychiatrische Erkrankungen in der Hausarztpraxis. <i>CME (Berlin, Germany)</i> , 2021 , 18, 47-58	0	
168	The efficacy and safety of cariprazine in the early and late stage of schizophrenia: a post hoc analysis of three randomized, placebo-controlled trials.. <i>CNS Spectrums</i> , 2021 , 1-8	1.8	
167	Aerobic exercise in severe mental illness: requirements from the perspective of sports medicine. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	0
166	Sex-dependent alterations of dopamine receptor and glucose transporter density in rat hypothalamus under long-term clozapine and haloperidol medication. <i>Brain and Behavior</i> , 2020 , 10, e01694	3.4	5
165	Effect of aerobic exercise on cortical thickness in patients with schizophrenia-A dataset. <i>Data in Brief</i> , 2020 , 30, 105517	1.2	1

164	The impact of endurance training and table soccer on brain metabolites in schizophrenia. <i>Brain Imaging and Behavior</i> , 2020 , 14, 515-526	4.1	3
163	Effect of aerobic exercise combined with cognitive remediation on cortical thickness and prediction of social adaptation in patients with schizophrenia. <i>Schizophrenia Research</i> , 2020 , 216, 397-407	3.6	9
162	Modeling Obstetric Complications in Schizophrenia. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 1070-1071	3.4	
161	Viewing an alpine environment positively affects emotional analytics in patients with somatoform, depressive and anxiety disorders as well as in healthy controls. <i>BMC Psychiatry</i> , 2020 , 20, 385	4.2	0
160	Association between altered hippocampal oligodendrocyte number and neuronal circuit structures in schizophrenia: a postmortem analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 413-424	5.1	4
159	Quantitative Subcellular Proteomics of the Orbitofrontal Cortex of Schizophrenia Patients. <i>Journal of Proteome Research</i> , 2019 , 18, 4240-4253	5.6	13
158	Dysregulation of a specific immune-related network of genes biologically defines a subset of schizophrenia. <i>Translational Psychiatry</i> , 2019 , 9, 156	8.6	14
157	Neurobiological effects of aerobic exercise, with a focus on patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 499-515	5.1	22
156	Childhood Trauma in Schizophrenia: Current Findings and Research Perspectives. <i>Frontiers in Neuroscience</i> , 2019 , 13, 274	5.1	40
155	The Influence of Continuous Exercising on Chronotropic Incompetence in Multi-Episode Schizophrenia. <i>Frontiers in Psychiatry</i> , 2019 , 10, 90	5	3
154	Depression in Somatic Disorders: Is There a Beneficial Effect of Exercise?. <i>Frontiers in Psychiatry</i> , 2019 , 10, 141	5	9
153	The effect of physical activity in an alpine environment on quality of life is mediated by resilience in patients with psychosomatic disorders and healthy controls. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 543-553	5.1	9
152	The need to develop personalized interventions to improve cognition in schizophrenia. <i>World Psychiatry</i> , 2019 , 18, 170	14.4	12
151	Polygenic burden associated to oligodendrocyte precursor cells and radial glia influences the hippocampal volume changes induced by aerobic exercise in schizophrenia patients. <i>Translational Psychiatry</i> , 2019 , 9, 284	8.6	7
150	Nonpharmacological treatment of dyscognition in schizophrenia: effects of aerobic exercise?. <i>Dialogues in Clinical Neuroscience</i> , 2019 , 21, 261-269	5.7	7
149	Verbesserung der Gehirnplastizität bei der Schizophrenie: Möglichkeit therapeutischer Verbesserungen? 2019 , 83-96		
148	Improving brain plasticity in schizophrenia: possibility for therapeutic advancements? 2019 , 85-96		
147	Oligodendrocytes as A New Therapeutic Target in Schizophrenia: From Histopathological Findings to Neuron-Oligodendrocyte Interaction. <i>Cells</i> , 2019 , 8,	7.9	30

146	T1-MPRAGE and T2-FLAIR segmentation of cortical and subcortical brain regions-an MRI evaluation study. <i>Neuroradiology</i> , 2019 , 61, 129-136	3.2	4
145	Stigma experiences and perceived stigma in patients with first-episode schizophrenia in the course of 1 year after their first in-patient treatment. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 459-468	5.1	10
144	Effects of haloperidol and clozapine on synapse-related gene expression in specific brain regions of male rats. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 555-563	5.1	6
143	A systematic review of trials investigating strength training in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2018 , 192, 64-68	3.6	14
142	Forty years of structural brain imaging in mental disorders: is it clinically useful or not?. <i>Dialogues in Clinical Neuroscience</i> , 2018 , 20, 179-186	5.7	18
141	Effects of Three Months of Aerobic Endurance Training on Motor Cortical Excitability in Schizophrenia Patients and Healthy Subjects. <i>Neuropsychobiology</i> , 2018 , 1-8	4	2
140	11.3 CLINICAL AND NEUROBIOLOGICAL EFFECTS OF A CONTINUOUS AEROBIC ENDURANCE TRAINING IN MULTI-EPISEODE SCHIZOPHRENIA PATIENTS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S17-S18	1.3	78
139	Studying and modulating schizophrenia-associated dysfunctions of oligodendrocytes with patient-specific cell systems. <i>NPJ Schizophrenia</i> , 2018 , 4, 23	5.5	21
138	Effects of Aerobic Exercise on Metabolic Syndrome, Cardiorespiratory Fitness, and Symptoms in Schizophrenia Include Decreased Mortality. <i>Frontiers in Psychiatry</i> , 2018 , 9, 690	5	26
137	EPA guidance on physical activity as a treatment for severe mental illness: a meta-review of the evidence and Position Statement from the European Psychiatric Association (EPA), supported by the International Organization of Physical Therapists in Mental Health (IOPTMH). <i>European Psychiatry</i> , 2018 , 54, 124-144	6	197
136	Peptidomic analysis of the anterior temporal lobe and corpus callosum from schizophrenia patients. <i>Journal of Proteomics</i> , 2017 , 151, 97-105	3.9	19
135	Aerobic exercise and its effects on cognition in schizophrenia. <i>Current Opinion in Psychiatry</i> , 2017 , 30, 171-175	4.9	26
134	HDAC1 links early life stress to schizophrenia-like phenotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E4686-E4694	11.5	54
133	Synaptosomal Proteome of the Orbitofrontal Cortex from Schizophrenia Patients Using Quantitative Label-Free and iTRAQ-Based Shotgun Proteomics. <i>Journal of Proteome Research</i> , 2017 , 16, 4481-4494	5.6	23
132	Formin 2 links neuropsychiatric phenotypes at young age to an increased risk for dementia. <i>EMBO Journal</i> , 2017 , 36, 2815-2828	13	30
131	The Nuclear Proteome of White and Gray Matter from Schizophrenia Postmortem Brains. <i>Molecular Neuropsychiatry</i> , 2017 , 3, 37-52	4.9	18
130	Polygenic risk has an impact on the structural plasticity of hippocampal subfields during aerobic exercise combined with cognitive remediation in multi-episode schizophrenia. <i>Translational Psychiatry</i> , 2017 , 7, e1159	8.6	39
129	Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia, part III: Molecular mechanisms. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 330-356	3.8	22

128	Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia part II: Cognition, neuroimaging and genetics. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 406-28	3.8	23
127	Effects of endurance training on brain structures in chronic schizophrenia patients and healthy controls. <i>Schizophrenia Research</i> , 2016 , 173, 182-191	3.6	49
126	Predictors for symptom re-exacerbation after targeted stepwise drug discontinuation in first-episode schizophrenia: Results of the first-episode study within the German research network on schizophrenia. <i>Schizophrenia Research</i> , 2016 , 170, 168-76	3.6	27
125	GABAergic system impairment in the hippocampus and superior temporal gyrus of patients with paranoid schizophrenia: A post-mortem study. <i>Schizophrenia Research</i> , 2016 , 177, 10-17	3.6	18
124	Pioneering ambient mass spectrometry imaging in psychiatry: Potential for new insights into schizophrenia. <i>Schizophrenia Research</i> , 2016 , 177, 67-69	3.6	11
123	Oligodendrocyte and Interneuron Density in Hippocampal Subfields in Schizophrenia and Association of Oligodendrocyte Number with Cognitive Deficits. <i>Frontiers in Cellular Neuroscience</i> , 2016 , 10, 78	6.1	24
122	Endurance training in patients with schizophrenia and healthy controls: differences and similarities. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 461-73	5.1	14
121	Reduced oxytocin receptor gene expression and binding sites in different brain regions in schizophrenia: A post-mortem study. <i>Schizophrenia Research</i> , 2016 , 177, 59-66	3.6	47
120	Perspectives of neurobiological research in schizophrenia. <i>Neurology Psychiatry and Brain Research</i> , 2016 , 22, 63-68	2.1	1
119	Differential proteome and phosphoproteome may impact cell signaling in the corpus callosum of schizophrenia patients. <i>Schizophrenia Research</i> , 2016 , 177, 70-77	3.6	17
118	Decreased Oligodendrocyte and Neuron Number in Anterior Hippocampal Areas and the Entire Hippocampus in Schizophrenia: A Stereological Postmortem Study. <i>Schizophrenia Bulletin</i> , 2016 , 42 Suppl 1, S4-S12	1.3	49
117	Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia part I: Neurophysiology. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 280-90	3.8	29
116	Family load impacts orbitofrontal volume in first-episode schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 232, 130-3	2.9	1
115	Kraepelin revisited: schizophrenia from degeneration to failed regeneration. <i>Molecular Psychiatry</i> , 2015 , 20, 671-6	15.1	59
114	Effects of Endurance Training Combined With Cognitive Remediation on Everyday Functioning, Symptoms, and Cognition in Multiepisode Schizophrenia Patients. <i>Schizophrenia Bulletin</i> , 2015 , 41, 847-58	1.3	61
113	Proteomics of the corpus callosum unravel pivotal players in the dysfunction of cell signaling, structure, and myelination in schizophrenia brains. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 601-12	5.1	48
112	Common mechanisms in neurodegeneration and neuroinflammation: a BrainNet Europe gene expression microarray study. <i>Journal of Neural Transmission</i> , 2015 , 122, 1055-68	4.3	79
111	Disturbed macro-connectivity in schizophrenia linked to oligodendrocyte dysfunction: from structural findings to molecules. <i>NPJ Schizophrenia</i> , 2015 , 1, 15034	5.5	50

110	MK-801 treatment affects glycolysis in oligodendrocytes more than in astrocytes and neuronal cells: insights for schizophrenia. <i>Frontiers in Cellular Neuroscience</i> , 2015 , 9, 180	6.1	31
109	Stereological investigation of the posterior hippocampus in affective disorders. <i>Journal of Neural Transmission</i> , 2015 , 122, 1019-33	4.3	18
108	Erythropoietin as an Innovative Add-on Therapy for Depression. <i>Biological Psychiatry</i> , 2015 , 78, 222-3	7.9	2
107	S100B is downregulated in the nuclear proteome of schizophrenia corpus callosum. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 311-6	5.1	14
106	Effects of aerobic exercise on cognitive performance and individual psychopathology in depressive and schizophrenia patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 589-604	5.1	92
105	Ten years of proteomics in multiple sclerosis. <i>Proteomics</i> , 2014 , 14, 467-80	4.8	27
104	Rates and predictors of remission in first-episode schizophrenia within 1 year of antipsychotic maintenance treatment. Results of a randomized controlled trial within the German Research Network on Schizophrenia. <i>Schizophrenia Research</i> , 2014 , 152, 478-86	3.6	24
103	Deciphering the human brain proteome: characterization of the anterior temporal lobe and corpus callosum as part of the Chromosome 15-centric Human Proteome Project. <i>Journal of Proteome Research</i> , 2014 , 13, 147-57	5.6	13
102	BDNF-Val66Met-polymorphism impact on cortical plasticity in schizophrenia patients: a proof-of-concept study. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	20
101	The impact of environmental factors in severe psychiatric disorders. <i>Frontiers in Neuroscience</i> , 2014 , 8, 19	5.1	174
100	Proteomic Characterization of the Brain and Cerebrospinal Fluid of Schizophrenia Patients. <i>Advances in Biological Psychiatry</i> , 2014 , 1-1		
99	Antipsychotic treatment modulates glutamate transport and NMDA receptor expression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264 Suppl 1, S67-82	5.1	17
98	CACNA1C genotype explains interindividual differences in amygdala volume among patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 93-102	5.1	42
97	The effects of physical exercise in schizophrenia and affective disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 451-67	5.1	61
96	Pattern and volume of the anterior cingulate cortex in chronic posttraumatic stress disorder (PTSD). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 585-92	5.1	4
95	Aripiprazole differentially regulates the expression of Gad67 and GABAergic acid transporters in rat brain. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 285-97	5.1	12
94	The effect of aerobic exercise on cortical architecture in patients with chronic schizophrenia: a randomized controlled MRI study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 469-73	5.1	45
93	Proteomic similarities between heterozygous reeler mice and schizophrenia. <i>Biological Psychiatry</i> , 2013 , 74, e5-e10	7.9	11

92	Effects of cannabis and familial loading on subcortical brain volumes in first-episode schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263 Suppl 2, S155-68	5.1	23
91	Gene expression of glutamate transporters SLC1A1, SLC1A3 and SLC1A6 in the cerebellar subregions of elderly schizophrenia patients and effects of antipsychotic treatment. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 490-9	3.8	12
90	Cannabis abuse and brain morphology in schizophrenia: a review of the available evidence. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 3-13	5.1	32
89	Increased cell proliferation in the rat anterior cingulate cortex following neonatal hypoxia: relevance to schizophrenia. <i>Journal of Neural Transmission</i> , 2013 , 120, 187-95	4.3	16
88	Glutamate modulators as potential therapeutic drugs in schizophrenia and affective disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 367-77	5.1	160
87	The human oligodendrocyte proteome. <i>Proteomics</i> , 2013 , 13, 3548-53	4.8	17
86	Differential expression of exosomal microRNAs in prefrontal cortices of schizophrenia and bipolar disorder patients. <i>PLoS ONE</i> , 2013 , 8, e48814	3.7	159
85	Estudos transcriptômicos no contexto da conectividade perturbada em esquizofrenia. <i>Revista De Psiquiatria Clinica</i> , 2013 , 40, 10-15	0.8	1
84	Association of the brain-derived neurotrophic factor val66met polymorphism with magnetic resonance spectroscopic markers in the human hippocampus: in vivo evidence for effects on the glutamate system. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 23-31	5.1	33
83	Differential expression of HINT1 in schizophrenia brain tissue. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 167-72	5.1	22
82	Selection of novel reference genes for use in the human central nervous system: a BrainNet Europe Study. <i>Acta Neuropathologica</i> , 2012 , 124, 893-903	14.3	79
81	Abnormal bihemispheric responses in schizophrenia patients following cathodal transcranial direct stimulation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 415-23	5.1	26
80	Structural synaptic elements are differentially regulated in superior temporal cortex of schizophrenia patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 565-77	5.1	20
79	Different distribution patterns of lymphocytes and microglia in the hippocampus of patients with residual versus paranoid schizophrenia: further evidence for disease course-related immune alterations?. <i>Brain, Behavior, and Immunity</i> , 2012 , 26, 1273-9	16.6	120
78	Decreased reelin expression in the left prefrontal cortex (BA9) in chronic schizophrenia patients. <i>Neuropsychobiology</i> , 2012 , 66, 57-62	4	30
77	Increased density of prohibitin-immunoreactive oligodendrocytes in the dorsolateral prefrontal white matter of subjects with schizophrenia suggests extraneuronal roles for the protein in the disease. <i>NeuroMolecular Medicine</i> , 2012 , 14, 270-80	4.6	21
76	Akathisia and suicidal ideation in first-episode schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 694-8	1.7	22
75	Depressive symptoms and their association with acute treatment outcome in first-episode schizophrenia patients: comparing treatment with risperidone and haloperidol. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 30-8	3.8	21

74	The Hypoxic Rat Model for Obstetric Complications in Schizophrenia. <i>Neuromethods</i> , 2011 , 93-111	0.4	
73	Predictors of response and remission in the acute treatment of first-episode schizophrenia patients--is it all about early response?. <i>European Neuropsychopharmacology</i> , 2011 , 21, 370-8	1.2	39
72	The role of the cerebellum in schizophrenia: from cognition to molecular pathways. <i>Clinics</i> , 2011 , 66 Suppl 1, 71-7	2.3	68
71	Pathophysiology of Schizophrenia 2011 , 31-65		8
70	New lexicon and criteria for the diagnosis of Alzheimer's disease. <i>Lancet Neurology</i> , 2011 , 10, 298-9; author reply 300-1	24.1	19
69	Methyl- and acetyltransferases are stable epigenetic markers postmortem. <i>Cell and Tissue Banking</i> , 2011 , 12, 289-97	2.2	10
68	Schizophrenia as a disorder of disconnectivity. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261 Suppl 2, S150-4	5.1	164
67	Effects of chronic oral treatment with aripiprazole on the expression of NMDA receptor subunits and binding sites in rat brain. <i>Psychopharmacology</i> , 2011 , 217, 127-42	4.7	18
66	Perinatal asphyxia: current status and approaches towards neuroprotective strategies, with focus on sentinel proteins. <i>Neurotoxicity Research</i> , 2011 , 19, 603-27	4.3	41
65	Reduction of gyrification index in the cerebellar vermis in schizophrenia: a post-mortem study. <i>World Journal of Biological Psychiatry</i> , 2011 , 12 Suppl 1, 99-103	3.8	14
64	Regulation of immune-modulatory genes in left superior temporal cortex of schizophrenia patients: a genome-wide microarray study. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 201-15	3.8	55
63	microRNA-34c is a novel target to treat dementias. <i>EMBO Journal</i> , 2011 , 30, 4299-308	13	255
62	Relapse prevention in first-episode schizophrenia--maintenance vs intermittent drug treatment with prodrome-based early intervention: results of a randomized controlled trial within the German Research Network on Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 205-18	4.6	60
61	Sex-dependent behavioral effects and morphological changes in the hippocampus after prenatal invasive interventions in rats: implications for animal models of schizophrenia. <i>Clinics</i> , 2010 , 65, 209-19	2.3	11
60	The impact of antipsychotic drugs on food intake and body weight and on leptin levels in blood and hypothalamic ob-r leptin receptor expression in wistar rats. <i>Clinics</i> , 2010 , 65, 885-94	2.3	17
59	Thalamic nuclear abnormalities as a contributory factor in sudden cardiac deaths among patients with schizophrenia. <i>Clinics</i> , 2010 , 65, 539-46	2.3	4
58	Gene expression of neuregulin-1 isoforms in different brain regions of elderly schizophrenia patients. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 243-50	3.8	37
57	Reduced density of ADAM 12-immunoreactive oligodendrocytes in the anterior cingulate white matter of patients with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 556-66	3.8	33

56	Different apolipoprotein E, apolipoprotein A1 and prostaglandin-H2 D-isomerase levels in cerebrospinal fluid of schizophrenia patients and healthy controls. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 719-28	3.8	41
55	Proteome analysis of schizophrenia brain tissue. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 110-20	3.8	76
54	Gene expression of NMDA receptor subunits in the cerebellum of elderly patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 101-11	5.1	33
53	Sex-specific proteome differences in the anterior cingulate cortex of schizophrenia. <i>Journal of Psychiatric Research</i> , 2010 , 44, 989-91	5.2	64
52	Proteome analysis of the thalamus and cerebrospinal fluid reveals glycolysis dysfunction and potential biomarkers candidates for schizophrenia. <i>Journal of Psychiatric Research</i> , 2010 , 44, 1176-89	5.2	134
51	The Neuropathology of Schizophrenia: Central Role for the Hippocampus? 2010 , 149-165		3
50	Disfunç�o pr�frontoparietal durante o processamento de informa�o visuoauditiva em pacientes idosos com esquizofrenia cr�nica e efeitos da medica�o. <i>Revista De Psiquiatria Clinica</i> , 2009 , 36, 89-96	0.8	4
49	Proteomic analysis of dorsolateral prefrontal cortex indicates the involvement of cytoskeleton, oligodendrocyte, energy metabolism and new potential markers in schizophrenia. <i>Journal of Psychiatric Research</i> , 2009 , 43, 978-86	5.2	140
48	Association between myelin basic protein expression and left entorhinal cortex pre-alpha cell layer disorganization in schizophrenia. <i>Brain Research</i> , 2009 , 1301, 126-34	3.7	27
47	Shotgun mass spectrometry analysis of the human thalamus proteome. <i>Journal of Separation Science</i> , 2009 , 32, 1231-6	3.4	19
46	Alterations in oligodendrocyte proteins, calcium homeostasis and new potential markers in schizophrenia anterior temporal lobe are revealed by shotgun proteome analysis. <i>Journal of Neural Transmission</i> , 2009 , 116, 275-89	4.3	125
45	Increased D-amino acid oxidase expression in the bilateral hippocampal CA4 of schizophrenic patients: a post-mortem study. <i>Journal of Neural Transmission</i> , 2009 , 116, 1657-65	4.3	28
44	Stereologic investigation of the posterior part of the hippocampus in schizophrenia. <i>Acta Neuropathologica</i> , 2009 , 117, 395-407	14.3	128
43	Neuregulin 1 ICE-single nucleotide polymorphism in first episode schizophrenia correlates with cerebral activation in fronto-temporal areas. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 72-9	5.1	27
42	Prefrontal cortex shotgun proteome analysis reveals altered calcium homeostasis and immune system imbalance in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 151-63	5.1	154
41	Internal capsule size associated with outcome in first-episode schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 278-83	5.1	31
40	Proteome analysis of schizophrenia patients Wernicke's area reveals an energy metabolism dysregulation. <i>BMC Psychiatry</i> , 2009 , 9, 17	4.2	113
39	pH measurement as quality control on human post mortem brain tissue: a study of the BrainNet Europe consortium. <i>Neuropathology and Applied Neurobiology</i> , 2009 , 35, 329-337	5.2	78

38	Tryptophan is a marker of human postmortem brain tissue quality. <i>Journal of Neurochemistry</i> , 2009 , 110, 1400-8	6	12
37	Differential expression of glutamate transporter genes after chronic oral treatment with aripiprazole in rats. <i>Neurochemistry International</i> , 2009 , 55, 619-28	4.4	25
36	Schizophrenia: from the brain to peripheral markers. A consensus paper of the WFSBP task force on biological markers. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 127-55	3.8	54
35	Does the degree of smoking effect the severity of tardive dyskinesia? A longitudinal clinical trial. <i>European Psychiatry</i> , 2009 , 24, 33-40	6	20
34	The LARK/RBM4a protein is highly expressed in cerebellum as compared to cerebrum. <i>Neuroscience Letters</i> , 2008 , 444, 11-5	3.3	5
33	Behavioural alterations in rats following neonatal hypoxia and effects of clozapine: implications for schizophrenia. <i>Pharmacopsychiatry</i> , 2008 , 41, 138-45	2	23
32	Is brain banking of psychiatric cases valuable for neurobiological research?. <i>Clinics</i> , 2008 , 63, 255-66	2.3	18
31	Management of a twenty-first century brain bank: experience in the BrainNet Europe consortium. <i>Acta Neuropathologica</i> , 2008 , 115, 497-507	14.3	88
30	Impact of neuregulin-1 on the pathophysiology of schizophrenia in human post-mortem studies. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258 Suppl 5, 35-9	5.1	18
29	Proteome analysis of human dorsolateral prefrontal cortex using shotgun mass spectrometry. <i>Journal of Separation Science</i> , 2008 , 31, 3122-6	3.4	12
28	Neural correlates of working memory dysfunction in first-episode schizophrenia patients: an fMRI multi-center study. <i>Schizophrenia Research</i> , 2007 , 89, 198-210	3.6	130
27	Differential gene expression in peripheral blood of patients suffering from post-traumatic stress disorder. <i>Molecular Psychiatry</i> , 2007 , 12, 116-8	15.1	92
26	Effects of formalin fixation, paraffin embedding, and time of storage on DNA preservation in brain tissue: a BrainNet Europe study. <i>Brain Pathology</i> , 2007 , 17, 297-303	6	106
25	Altered NMDA receptor expression and behavior following postnatal hypoxia: potential relevance to schizophrenia. <i>Journal of Neural Transmission</i> , 2007 , 114, 239-48	4.3	21
24	How a neuropsychiatric brain bank should be run: a consensus paper of Brainnet Europe II. <i>Journal of Neural Transmission</i> , 2007 , 114, 527-37	4.3	41
23	Maintenance treatment with risperidone or low-dose haloperidol in first-episode schizophrenia: 1-year results of a randomized controlled trial within the German Research Network on Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1763-74	4.6	67
22	Hippocampal volume in chronic posttraumatic stress disorder (PTSD): MRI study using two different evaluation methods. <i>Journal of Affective Disorders</i> , 2006 , 94, 121-6	6.6	70
21	D2 antidopaminergic modulation of frontal lobe function in healthy human subjects. <i>Biological Psychiatry</i> , 2006 , 60, 1196-205	7.9	31

20	Disturbance in the neural circuitry underlying positive emotional processing in post-traumatic stress disorder (PTSD). An fMRI study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006 , 256, 112-4	5.1	49
19	<i>Helicobacter pylori</i> vaccine development: facing the challenge. <i>International Journal of Medical Microbiology</i> , 2005 , 295, 343-53	3.7	34
18	Increased serum S100B in elderly, chronic schizophrenic patients: negative correlation with deficit symptoms. <i>Schizophrenia Research</i> , 2005 , 80, 305-13	3.6	58
17	Protective drugs in acute large-dose exposure to organophosphates: a comparison of metoclopramide and tiapride with pralidoxime in rats. <i>Anesthesia and Analgesia</i> , 2005 , 100, 382-386	3.9	27
16	Increased serum interleukin-1beta and interleukin-6 in elderly, chronic schizophrenic patients on stable antipsychotic medication. <i>Neuropsychiatric Disease and Treatment</i> , 2005 , 1, 171-7	3.1	47
15	Differential effects of long-term treatment with clozapine or haloperidol on GABA transporter expression. <i>Pharmacopsychiatry</i> , 2004 , 37, 171-4	2	67
14	Ethanol induces expression of the glutamate transporters EAAT1 and EAAT2 in organotypic cortical slice cultures. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 1752-7	3.7	18
13	Hippocampal volume and cell proliferation after acute and chronic clozapine or haloperidol treatment. <i>Journal of Neural Transmission</i> , 2004 , 111, 91-100	4.3	49
12	Differential effects of long-term treatment with clozapine or haloperidol on GABAA receptor binding and GAD67 expression. <i>Schizophrenia Research</i> , 2004 , 66, 151-7	3.6	53
11	Altered thalamic membrane phospholipids in schizophrenia: a postmortem study. <i>Biological Psychiatry</i> , 2004 , 56, 41-5	7.9	96
10	Glycerophosphocholine is elevated in cerebrospinal fluid of Alzheimer patients. <i>Neurobiology of Aging</i> , 2004 , 25, 1299-303	5.6	109
9	Pedophilia: neuropsychological evidence encouraging a brain network perspective. <i>Medical Hypotheses</i> , 2004 , 63, 528-31	3.8	46
8	Huntington's disease: phenomenological diversity of a neuropsychiatric condition that challenges traditional concepts in neurology and psychiatry. <i>American Journal of Psychiatry</i> , 2004 , 161, 28-34	11.9	19
7	Effect of in vitro hemodilution with hydroxyethyl starch and dextran on the activity of plasma clotting factors. <i>Critical Care Medicine</i> , 2003 , 31, 250-4	1.4	23
6	Effects of long-term antipsychotic treatment on NMDA receptor binding and gene expression of subunits. <i>Neurochemical Research</i> , 2003 , 28, 235-41	4.6	44
5	Decreased gene expression of glial and neuronal glutamate transporters after chronic antipsychotic treatment in rat brain. <i>Neuroscience Letters</i> , 2003 , 347, 81-4	3.3	63
4	Increased platelet phospholipase A2 activity in schizophrenia. <i>Schizophrenia Research</i> , 1995 , 16, 1-6	3.6	144
3	Gene expression of neuregulin-1 isoforms in different brain regions of elderly schizophrenia patients. <i>World Journal of Biological Psychiatry</i> , 1-8	3.8	5

2 Aerobic exercise for people with schizophrenic psychosis66-78

1 Brain expressed FKBP5 delineates a therapeutic subtype of severe mental illness

1