

# Giorgio Bavestrello

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4994571/publications.pdf>

Version: 2024-02-01

268  
papers

7,795  
citations

61984  
43  
h-index

95266  
68  
g-index

272  
all docs

272  
docs citations

272  
times ranked

5035  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ecological role and phylogenetic position of a new habitat-forming species ( <i>Canalipalpata</i> , <i>Sabellidae</i> ) from the Mediterranean mesophotic soft bottoms. <i>Estuarine, Coastal and Shelf Science</i> , 2022, 265, 107737.	2.1	5
2	Sponges associated with stylasterid thanatocoenosis (Cnidaria, Hydrozoa) from the deep Ross Sea (Southern Ocean). <i>Polar Biology</i> , 2022, 45, 703-718.	1.2	2
3	Diversity and abundance of heterobranchs (Mollusca, Gastropoda) from the mesophotic and bathyal zone of the Mediterranean Sea. , 2022, 89, 167-189.		4
4	Filling a Gap: A Population of <i>Eunicella verrucosa</i> (Pallas, 1766) (Anthozoa, Alcyonacea) in the Tavolara-Punta Coda Cavallo Marine Protected Area (NE Sardinia, Italy). <i>Diversity</i> , 2022, 14, 405.	1.7	4
5	A 3D Innovative Approach Supporting the Description of Boring Sponges of the Precious Red Coral <i>Corallium rubrum</i> . <i>Journal of Marine Science and Engineering</i> , 2022, 10, 868.	2.6	3
6	Fate of lost fishing gears: Experimental evidence of biofouling colonization patterns from the northwestern Mediterranean Sea. <i>Environmental Pollution</i> , 2021, 268, 115746.	7.5	16
7	The high biodiversity and vulnerability of two Mediterranean bathyal seamounts support the need for creating offshore protected areas. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 543-566.	2.0	19
8	You cannot conserve a species that has not been found: The case of the marine sponge <i>Axinella polypoides</i> in Liguria, Italy. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 737-747.	2.0	5
9	The sub-fossil red coral of Sciacca (Sicily Channel, Mediterranean Sea): colony size and age estimates. <i>Facies</i> , 2021, 67, 1.	1.4	5
10	Population genomic structure of the black coral <i>Antipathella subpinnata</i> in Mediterranean Vulnerable Marine Ecosystems. <i>Coral Reefs</i> , 2021, 40, 751-766.	2.2	6
11	A large and erected sponge assemblage on granite outcrops in a Mediterranean Marine Protected Area (NE Sardinia). <i>Regional Studies in Marine Science</i> , 2021, 44, 101734.	0.7	7
12	Rocky substrate affects benthic heterobranch assemblages and prey/predator relationships. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 261, 107568.	2.1	10
13	Are well-studied marine biodiversity hotspots still blackspots for animal barcoding?. <i>Global Ecology and Conservation</i> , 2021, 32, e01909.	2.1	20
14	Unveiling the deep biodiversity of the Janua Seamount (Ligurian Sea): first Mediterranean sighting of the rare Atlantic bamboo coral <i>Chelidonisis aurantiaca</i> Studer, 1890. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2020, 156, 103186.	1.4	20
15	Effects of the 2018 exceptional storm on the <i>Paramuricea clavata</i> (Anthozoa, Octocorallia) population of the Portofino Promontory (Mediterranean Sea). <i>Regional Studies in Marine Science</i> , 2020, 34, 101037.	0.7	10
16	Seasonal variation of the stable C and N isotopic composition of the mesophotic black coral <i>Antipathella subpinnata</i> (Ellis & Solander, 1786). <i>Estuarine, Coastal and Shelf Science</i> , 2020, 233, 106520.	2.1	14
17	Molecular phylogeny of Ceriantharia (Cnidaria: Anthozoa) reveals non-monophyly of traditionally accepted families. <i>Zoological Journal of the Linnean Society</i> , 2020, 190, 397-416.	2.3	6
18	Distribution, abundance and ecological requirements of the benthic phase of <i>Munida gregaria</i> (Anomura; Munididae) in the Puyuhuapi Fjord (Chilean Patagonia). <i>Regional Studies in Marine Science</i> , 2020, 40, 101534.	0.7	5

#	ARTICLE	IF	CITATIONS
19	Unveiling asexual reproductive traits in black corals: polyp bail-out in <i>Antipathella subpinnata</i> . <i>Coral Reefs</i> , 2020, 39, 1517-1523.	2.2	11
20	Keratose-dominated sponge grounds from temperate mesophotic ecosystems (NW Mediterranean Sea). <i>Marine Ecology</i> , 2020, 41, e12620.	1.1	15
21	Lithology could affect benthic communities living below boulders. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2020, 100, 879-888.	0.8	8
22	Electrochemical Approach for Isolation of Chitin from the Skeleton of the Black Coral <i>Cirrhipathes</i> sp. (Antipatharia). <i>Marine Drugs</i> , 2020, 18, 297.	4.6	19
23	Coralligenous assemblages differ between limestone and granite: A case study at the Tavolara-Punta Coda Cavallo Marine Protected Area (NE Sardinia, Mediterranean Sea). <i>Regional Studies in Marine Science</i> , 2020, 35, 101159.	0.7	15
24	<i>Aplysina aerophoba</i> (Nardo, 1833) (Porifera, Demospongiae): an unexpected miniaturised growth form from the tidal zone of Mediterranean caves: morphology and DNA barcoding. , 2020, 87, 73-81.		10
25	Assessment and distribution of seafloor litter on the deep Ligurian continental shelf and shelf break (NW Mediterranean Sea). <i>Marine Pollution Bulletin</i> , 2020, 151, 110872.	5.0	33
26	Evidences of fishing impact on the coastal gorgonian forests inside the Portofino MPA (NW) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 T	4.4	27
27	First record of a symbiotic relationship between a polyclad and a black coral with description of <i>Anthoplana antipathellae</i> gen. et sp. nov. (Acotylea, Notoplanidae). <i>Marine Biodiversity</i> , 2019, 49, 2549-2570.	1.0	8
28	Sponge community variation along the Apulian coasts (Otranto Strait) over a pluri-decennial time span. Does water warming drive a sponge diversity increasing in the Mediterranean Sea?. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 1519-1534.	0.8	14
29	A population genomics insight by 2bâCRAD reveals populations' uniqueness along the Italian coastline in <i>Leptopsammia pruvoti</i> (Scleractinia, Dendrophylliidae). <i>Diversity and Distributions</i> , 2019, 25, 1101-1117.	4.1	16
30	20 Gorgonian and Black Coral Assemblages in Deep Coastal Bottoms and Continental Shelves of the Mediterranean Sea. <i>Coral Reefs of the World</i> , 2019, , 245-248.	0.7	4
31	21 Mediterranean Black Coral Communities. <i>Coral Reefs of the World</i> , 2019, , 249-251.	0.7	6
32	Megabenthic communities of the Ligurian deep continental shelf and shelf break (NW Mediterranean) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 T	2.5	37
33	On the effects of recreational SCUBA diving on fragile benthic species: The Portofino MPA (NW) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 462 T	4.4	19
34	Diversity of the sponge fauna associated with white coral banks from two Sardinian canyons (Mediterranean Sea). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 1735-1751.	0.8	7
35	Insights into the evolution of metazoan regenerative mechanisms: TGF superfamily member roles in tissue regeneration of the marine sponge <i>Chondrosia reniformis</i> Nardo, 1847. <i>Journal of Experimental Biology</i> , 2019, 222, .	1.7	18
36	Antipatharians of the Mesophotic Zone: Four Case Studies. <i>Coral Reefs of the World</i> , 2019, , 683-708.	0.7	16

#	ARTICLE	IF	CITATIONS
37	Artisanal fishing impact on deep coralligenous animal forests: A Mediterranean case study of marine vulnerability. <i>Ocean and Coastal Management</i> , 2019, 177, 112-126.	4.4	38
38	Ancient and recent sponge assemblages from the Tyrrhenian coralligenous over millennia (Mediterranean Sea). <i>Facies</i> , 2019, 65, 1.	1.4	5
39	Assessing the environmental status of temperate mesophotic reefs: A new, integrated methodological approach. <i>Ecological Indicators</i> , 2019, 102, 218-229.	6.3	42
40	Consequences of the marine climate and ecosystem shift of the 1980-90s on the Ligurian Sea biodiversity (NW Mediterranean). , 2019, 86, 458-487.		34
41	The influence of the rock mineralogy on population density of <i>Chthamalus</i> (Crustacea) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tg		
42	On the coral-feeding habit of the sea star <i>Peltaster placenta</i> . <i>Marine Biodiversity</i> , 2019, 49, 2009-2012.	1.0	6
43	Fragmentation, re-attachment ability and growth rate of the Mediterranean black coral <i>Antipathella subpinnata</i> . <i>Coral Reefs</i> , 2019, 38, 1-14.	2.2	23
44	Thirty year ecosystem trajectories in a submerged marine cave under changing pressure regime. <i>Marine Environmental Research</i> , 2018, 137, 98-110.	2.5	22
45	A predictive approach to benthic marine habitat mapping: Efficacy and management implications. <i>Marine Pollution Bulletin</i> , 2018, 131, 218-232.	5.0	28
46	First Record of Lepidopora (Hydrozoa: Stylasteridae) from the North Pacific Ocean with Description of a New Species. <i>Pacific Science</i> , 2018, 72, 245-250.	0.6	1
47	Building a baseline for habitat-forming corals by a multi-source approach, including Web Ecological Knowledge. <i>Biodiversity and Conservation</i> , 2018, 27, 1257-1276.	2.6	34
48	Differences in composition of shallow-water marine benthic communities associated with two ophiolitic rock substrata. <i>Estuarine, Coastal and Shelf Science</i> , 2018, 200, 71-80.	2.1	15
49	Sponge community variations within two semi-submerged caves of the Ligurian Sea (Mediterranean) Tj ETQq1 1 0.784314 rgBT /Overlock 13 Tg		
50	Shallow-water sea fans: the exceptional assemblage of <i>Leptogorgia sarmentosa</i> (Anthozoa) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Tg		
51	Phylogenetic relationships of Mediterranean black corals (Cnidaria : Anthozoa : Hexacorallia) and implications for classification within the order Antipatharia. <i>Invertebrate Systematics</i> , 2018, 32, 1102.	1.3	31
52	From depth to regional spatial genetic differentiation of <i>Eunicella cavolini</i> in the NW Mediterranean. <i>Comptes Rendus - Biologies</i> , 2018, 341, 421-432.	0.2	6
53	Mediterranean Bioconstructions Along the Italian Coast. <i>Advances in Marine Biology</i> , 2018, 79, 61-136.	1.4	142
54	<i>Placogorgia coronata</i> first documented record in Italian waters: Use of trawl bycatch to unveil vulnerable deep-sea ecosystems. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018, 28, 1123-1138.	2.0	9

#	ARTICLE	IF	CITATIONS
55	Illegal <i>ingegno</i> fishery and conservation of deep red coral banks in the Sicily Channel (Mediterranean Sea). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2017, 27, 604-616.	2.0	12
56	Long-term life cycle and massive blooms of the intertidal hydroid <i>Paracoryne huvei</i> in the North-western Mediterranean Sea. <i>Marine Biology Research</i> , 2017, 13, 538-550.	0.7	5
57	The two facets of species sensitivity: Stress and disturbance on coralligenous assemblages in space and time. <i>Marine Pollution Bulletin</i> , 2017, 117, 229-238.	5.0	38
58	Long-term changes in a Ligurian infralittoral community (Mediterranean Sea): A warning signal?. <i>Regional Studies in Marine Science</i> , 2017, 14, 15-26.	0.7	13
59	Global climate change and regional biotic responses: two hydrozoan tales. <i>Marine Biology Research</i> , 2017, 13, 573-586.	0.7	7
60	Fishery maps contain approximate but useful information for inferring the distribution of marine habitats of conservation interest. <i>Estuarine, Coastal and Shelf Science</i> , 2017, 187, 74-83.	2.1	8
61	Have climate changes driven the diversity of a Mediterranean coralligenous sponge assemblage on a millennial timescale?. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 487, 355-363.	2.3	15
62	Animal Forests in Deep Coastal Bottoms and Continental Shelves of the Mediterranean Sea. , 2017, , 207-233.		16
63	Benthic biodiversity and ecological gradients in the Seno Magdalena (Puyuhuapi Fjord, Chile). <i>Estuarine, Coastal and Shelf Science</i> , 2017, 198, 269-278.	2.1	23
64	Hydroids (Cnidaria, Hydrozoa): A Neglected Component of Animal Forests. , 2017, , 397-427.		24
65	Over 10Âyears of variation in Mediterranean reef benthic communities. <i>Marine Ecology</i> , 2017, 38, e12439.	1.1	15
66	Siliceous sponge spicule dissolution: In field experimental evidences from temperate and tropical waters. <i>Estuarine, Coastal and Shelf Science</i> , 2017, 184, 46-53.	2.1	19
67	Exceptional strandings of the purple snail <i>Janthina pallida</i> Thompson, 1840 (Gastropoda: Tj ETQq1 1 0.784314 rgBT /Overlock 9		10
68	Hydroids (Cnidaria, Hydrozoa): A Neglected Component of Animal Forests. , 2017, , 1-31.		4
69	Animal Forests in Deep Coastal Bottoms and Continental Shelf of the Mediterranean Sea. , 2017, , 1-27.		5
70	Animal Forests in Deep Coastal Bottoms and Continental Shelf of the Mediterranean Sea. , 2017, , 1-28.		5
71	The dynamics of a Mediterranean coralligenous sponge assemblage at decennial and millennial temporal scales. <i>PLoS ONE</i> , 2017, 12, e0177945.	2.5	18
72	Demosponge diversity from North Sulawesi, with the description of six new species. <i>ZooKeys</i> , 2017, 680, 105-150.	1.1	18

#	ARTICLE	IF	CITATIONS
73	Distribution and population structure of deep-dwelling red coral in the Northwest Mediterranean. <i>Marine Ecology</i> , 2016, 37, 294-310.	1.1	22
74	An overexploited Italian treasure: past and present distribution and exploitation of the precious red coral <i>&lt; i&gt;Corallium rubrum&lt;/i&gt;</i> (L., 1758) (Cnidaria: Anthozoa). <i>Italian Journal of Zoology</i> , 2016, 83, 443-455.	0.6	32
75	Changes and stability of a Mediterranean hard bottom benthic community over 25 years. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2016, 96, 341-350.	0.8	30
76	Microboring organisms in living stylasterid corals (Cnidaria, Hydrozoa). <i>Marine Biology Research</i> , 2016, 12, 573-582.	0.7	25
77	Ecosystem vulnerability to alien and invasive species: a case study on marine habitats along the Italian coast. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2016, 26, 392-409.	2.0	55
78	A new ecological index for the status of mesophotic megabenthic assemblages in the mediterranean based on ROV photography and video footage. <i>Continental Shelf Research</i> , 2016, 121, 13-20.	1.8	52
79	Deep sponge communities of the Gulf of St Eufemia (Calabria, southern Tyrrhenian Sea), with description of two new species. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2015, 95, 1371-1387.	0.8	18
80	A new Mediterranean species of <i>Tethya</i> (Porifera: Tethyida: Demospongiae). <i>Italian Journal of Zoology</i> , 2015, 82, 535-543.	0.6	4
81	Long-term comparison of structure and dynamics of the red coral metapopulation of the Portofino Promontory (Ligurian Sea): a case-study for a Marine Protected Area in the Mediterranean Sea. <i>Marine Ecology</i> , 2015, 36, 1354-1363.	1.1	22
82	Persistence of Pristine Deep-Sea Coral Gardens in the Mediterranean Sea (SW Sardinia). <i>PLoS ONE</i> , 2015, 10, e0119393.	2.5	114
83	Distribution and assessment of marine debris in the deep Tyrrhenian Sea (NW Mediterranean Sea, Italy). <i>Marine Pollution Bulletin</i> , 2015, 92, 149-159.	5.0	172
84	Comparison between the sponge fauna living outside and inside the coralligenous bioconstruction. A quantitative approach. <i>Mediterranean Marine Science</i> , 2015, 16, 413.	1.6	24
85	Ultrastructural evidence of a fungus-sponge association in the Ligurian Sea: a case study of <i>Clathrina coriacea</i> (Porifera: Calcarea). <i>Italian Journal of Zoology</i> , 2014, 81, 501-507.	0.6	4
86	The red coral populations of the gulfs of Naples and Salerno: human impact and deep mass mortalities. <i>Italian Journal of Zoology</i> , 2014, 81, 552-563.	0.6	35
87	The coral assemblages of an offshore deep Mediterranean rocky bank (<sc>NW Tj ETQq1 1 0.784314 rgBT /Overlock 1		
88	A myzostomid endoparasitic in black corals. <i>Coral Reefs</i> , 2014, 33, 273-273.	2.2	8
89	Discovering Mediterranean black coral forests: <i>&lt; i&gt;Parantipathes larix&lt;/i&gt;</i> (Anthozoa: Hexacorallia) in the Tuscan Archipelago, Italy. <i>Italian Journal of Zoology</i> , 2014, 81, 112-125.	0.6	41
90	Fishing impact on deep Mediterranean rocky habitats as revealed by ROV investigation. <i>Biological Conservation</i> , 2014, 171, 167-176.	4.1	188

#	ARTICLE	IF	CITATIONS
91	Stability of the sponge assemblage of <scp>M</scp>editerranean coralligenous concretions along a millennial time span. <i>Marine Ecology</i> , 2014, 35, 149-158.	1.1	29
92	Sponge disease in the Adriatic Sea. <i>Marine Ecology</i> , 2013, 34, 62-71.	1.1	47
93	Effects of an extremely low-frequency electromagnetic field on stress factors: A study in <i>Dictyostelium discoideum</i> cells. <i>European Journal of Protistology</i> , 2013, 49, 400-405.	1.5	19
94	Uncommon sponges associated with deep coral bank and maerl habitats in the Strait of Sicily (Mediterranean Sea). <i>Italian Journal of Zoology</i> , 2013, 80, 412-423.	0.6	29
95	Bioavailability of different chemical forms of dissolved silica can affect marine diatom growth. <i>Marine Ecology</i> , 2013, 34, 103-111.	1.1	9
96	Seasonal patterns in the abundance of <i><scp>E</scp>ctopleura crocea</i> (<scp>C</scp>nidaria:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Ecology, 2013, 34, 25-32.	1.1	6
97	Some spermatogenic steps in <i>Distichopora</i> sp. (Cnidaria, Hydrozoa, Stylasteridae): ultrastructural aspects. <i>Zoomorphology</i> , 2013, 132, 121-128.	0.8	3
98	Diversity of Porifera in the Mediterranean coralligenous accretions, with description of a new species. <i>ZooKeys</i> , 2013, 336, 1-37.	1.1	57
99	Sponges associated with octocorals in the Indo-Pacific, with the description of four new species. <i>Zootaxa</i> , 2013, 3617, 1-61.	0.5	28
100	Boring and cryptic sponges in stylasterids (Cnidaria: Hydrozoa). <i>Italian Journal of Zoology</i> , 2012, 79, 266-272.	0.6	12
101	Record of <i>Ellisella paraplexauroides</i> (Anthozoa: Alcyonacea: Ellisellidae) in Italian waters (Mediterranean Sea). <i>Marine Biodiversity Records</i> , 2012, 5, .	1.2	16
102	Helicospiral Growth in the Whip Black Coral <i>Cirrhipathes</i> sp. (Antipatharia, Antipathidae). <i>Biological Bulletin</i> , 2012, 222, 17-25.	1.8	7
103	Morphometry and population structure of non-harvested and harvested populations of the Japanese red coral ( <i>Paracorallium japonicum</i> ) off Amami Island, southern Japan. <i>Marine and Freshwater Research</i> , 2012, 63, 468.	1.3	14
104	Manadoperoxides, a new class of potent antitrypanosomal agents of marine origin. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 7197.	2.8	27
105	<i>Posidonia oceanica</i> meadows as sponge spicule traps. <i>Italian Journal of Zoology</i> , 2012, 79, 231-238.	0.6	9
106	Black Coral Assemblages from Machalilla National Park (Ecuador). <i>Pacific Science</i> , 2012, 66, 63-81.	0.6	31
107	Polyhydroxylated sterols from the Indonesian soft coral <i>Sinularia</i> sp. and their effect on farnesoid X-activated receptor. <i>Steroids</i> , 2012, 77, 433-440.	1.8	25
108	Isolation and identification of chitin in the black coral <i>Parantipathes larix</i> (Anthozoa: Cnidaria). <i>International Journal of Biological Macromolecules</i> , 2012, 51, 129-137.	7.5	82

#	ARTICLE	IF	CITATIONS
109	The “seamount effect” as revealed by organic matter dynamics around a shallow seamount in the Tyrrhenian Sea (Vercelli Seamount, western Mediterranean). Deep-Sea Research Part I: Oceanographic Research Papers, 2012, 67, 1-11.	1.4	15
110	Genus Distichopora (Cnidaria, Hydrozoa): from primary cyclosystem to adult pore organisation. Coral Reefs, 2012, 31, 715-730.	2.2	5
111	Biodiversity of Prokaryotic Communities Associated with the Ectoderm of Ectopleura crocea (Cnidaria, Hydrozoa). PLoS ONE, 2012, 7, e39926.	2.5	32
112	Deep Coral Oases in the South Tyrrhenian Sea. PLoS ONE, 2012, 7, e49870.	2.5	98
113	Leucettamols, Bifunctionalized Marine Sphingoids, Act as Modulators of TRPA1 and TRPM8 Channels. Marine Drugs, 2012, 10, 2435-2447.	4.6	19
114	Temporal variations in growth and reproduction of Tedania anhelans and Chondrosia reniformis in the North Adriatic Sea. Hydrobiologia, 2012, 687, 299-313.	2.0	31
115	Role of deep sponge grounds in the Mediterranean Sea: a case study in southern Italy. Hydrobiologia, 2012, 687, 163-177.	2.0	87
116	Population dynamics of Eudendrium racemosum (Cnidaria, Hydrozoa) from the North Adriatic Sea. Marine Biology, 2012, 159, 1593-1609.	1.5	36
117	Life history of <i>Cornularia cornucopiae</i> (Anthozoa: Octocorallia) on the Conero Promontory (North Adriatic Sea). Marine Ecology, 2012, 33, 49-55.	1.1	12
118	Sinularioside, a triacetylated glycolipid from the Indonesian soft coral Sinularia sp., is an inhibitor of NO release. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 2723-2725.	2.2	17
119	Sinulasulfoxide and sinulasulfone, sulfur-containing alkaloids from the Indonesian soft coral Sinularia sp.. Tetrahedron Letters, 2012, 53, 3937-3939.	1.4	17
120	Ecophysiology of mesohyl creep in the demosponge Chondrosia reniformis (Porifera: Chondrosida). Journal of Experimental Marine Biology and Ecology, 2012, 428, 24-31.	1.5	22
121	Coral assemblage off the Calabrian Coast (South Italy) with new observations on living colonies of <i>Antipathes dichotoma</i> . Italian Journal of Zoology, 2011, 78, 231-242.	0.6	54
122	Aurantoside J: a New Tetramic Acid Glycoside from <i>Theonella swinhoei</i> . Insights into the Antifungal Potential of Aurantosides. Marine Drugs, 2011, 9, 2809-2817.	4.6	25
123	Excavating sponges from the Adriatic Sea: description of <i>Cliona adriatica</i> sp. nov. (Demospongiae: Clionaidae) and estimation of its boring activity. Journal of the Marine Biological Association of the United Kingdom, 2011, 91, 339-346.	0.8	20
124	A new species of <i>Triptolemma</i> (Porifera: Pachastrellidae) from the Pacific Ocean with a revision of the genus. Journal of the Marine Biological Association of the United Kingdom, 2011, 91, 329-338.	0.8	10
125	Chloroscabrolides, chlorinated norcembranoids from the Indonesian soft coral Sinularia sp.. Tetrahedron, 2011, 67, 7983-7988.	1.9	23
126	Three-dimensional analysis of the canal network of an Indonesian Styelaster (Cnidaria, Hydrozoa,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6	0.8	11

#	ARTICLE	IF	CITATIONS
127	Lytocarpia and Cladocarpus (Cnidaria: Hydrozoa, Aglaopheniidae) from the Bunaken National Marine Park (North Sulawesi, Indonesia). <i>Marine Biodiversity</i> , 2011, 41, 517-536.	1.0	8
128	A tubulariid hydroid associated with anthozoan corals in the Mediterranean Sea. <i>Italian Journal of Zoology</i> , 2011, 78, 487-496.	0.6	20
129	Patterns of epibiont colonisation on the spider crab <i>Inachus communissimus</i> (Decapoda, Inachidae) from the Northern Adriatic Sea (Mediterranean Sea). <i>Italian Journal of Zoology</i> , 2011, 78, 517-523.	0.6	4
130	Temporal variations in growth and reproduction of <i>Tedania anhelans</i> and <i>Chondrosia reniformis</i> in the North Adriatic Sea. , 2011, , 299-313.		13
131	Characteristics of the Mesophotic Megabenthic Assemblages of the Vercelli Seamount (North) Tj ETQq1 1 0.784314 rgBT /Overlock 10 123		
132	First description of algal mutualistic endosymbiosis in a black coral (Anthozoa: Antipatharia). <i>Marine Ecology - Progress Series</i> , 2011, 435, 1-11.	1.9	40
133	Influence of rocky substrata on three-dimensional sponge cells model development. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2010, 46, 140-147.	1.5	17
134	Reproductive biology of <i>Parazoanthus axinellae</i> (Schmidt, 1862) and <i>Savalia savaglia</i> (Bertoloni, 1819) (Cnidaria, Zoantharia) from the NW Mediterranean coast. <i>Marine Ecology</i> , 2010, 31, 555-565.	1.1	17
135	The population of <i>&lt; i&gt;Errina aspera&lt;/i&gt;</i> (Hydrozoa: Stylasteridae) of the Messina Strait (Mediterranean) Tj ETQq1 1 0.784314 rgBT /Overlock 0.8 32		
136	The Ligurian Sea: present status, problems and perspectives. <i>Chemistry and Ecology</i> , 2010, 26, 319-340.	1.6	78
137	Association between <i>&lt; i&gt;Dentitheca habereri&lt;/i&gt;</i> (Cnidaria: Hydrozoa) and two zoanthids. <i>Italian Journal of Zoology</i> , 2010, 77, 81-91.	0.6	27
138	Three-dimensional chitin-based scaffolds from Verongida sponges (Demospongiae: Porifera). Part I. Isolation and identification of chitin. <i>International Journal of Biological Macromolecules</i> , 2010, 47, 132-140.	7.5	144
139	Three-dimensional chitin-based scaffolds from Verongida sponges (Demospongiae: Porifera). Part II: Biomimetic potential and applications. <i>International Journal of Biological Macromolecules</i> , 2010, 47, 141-145.	7.5	104
140	Survival, growth and regeneration in explants of four temperate gorgonian species in the Mediterranean Sea. <i>Italian Journal of Zoology</i> , 2010, 77, 44-52.	0.6	31
141	The Diversity Of Epizoic Diatoms. <i>Cellular Origin and Life in Extreme Habitats</i> , 2010, , 323-343.	0.3	9
142	<i>&lt; i&gt;Macrorhynchia&lt;/i&gt;</i> species (Cnidaria: Hydrozoa) from the Bunaken Marine Park (North Sulawesi,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 0.6 15		
143	Hydroids (Cnidaria: Hydrozoa) from the Levant Sea (mainly Lebanon), with emphasis on alien species. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 49-62.	0.8	38
144	Epibiotic demosponges on the Antarctic scallop <i>Adamussium colbecki</i> (Smith, 1902) and the cidaroid urchins <i>Ctenocidaris perrieri</i> Koehler, 1912 in the nearshore habitats of the Victoria Land, Ross Sea, Antarctica. <i>Polar Biology</i> , 2009, 32, 1067-1076.	1.2	25

#	ARTICLE	IF	CITATIONS
145	First evidence of a specific association between a stylasterid coral (Cnidaria: Hydrozoa: Styelasteridae) and a boring cyanobacterium. <i>Coral Reefs</i> , 2009, 28, 177-177.	2.2	5
146	Long-term changes in hydroid (Cnidaria, Hydrozoa) assemblages: effect of Mediterranean warming?. <i>Marine Ecology</i> , 2009, 30, 313-326.	1.1	67
147	Oxygenated cembranoids of the decaryiol type from the Indonesian soft coral <i>Lobophytum</i> sp.. <i>Tetrahedron</i> , 2009, 65, 2898-2904.	1.9	31
148	Description of <i>Pseudocirrhipathes</i> (Cnidaria: Anthozoa: Hexacorallia: Antipathidae), a new genus of whip black corals from the Indo-Pacific. <i>Italian Journal of Zoology</i> , 2009, 76, 392-402.	0.6	24
149	Mass Mortalities and Extinctions. <i>Ecological Studies</i> , 2009, , 295-307.	1.2	16
150	Characteristics of a black coral meadow in the twilight zone of the central Mediterranean Sea. <i>Marine Ecology - Progress Series</i> , 2009, 397, 53-61.	1.9	100
151	Lobozoanthamine, a new zoanthamine-type alkaloid from the Indonesian soft coral <i>Lobophytum</i> sp.. <i>Tetrahedron Letters</i> , 2008, 49, 2189-2192.	1.4	27
152	Xenimanadins A-D, a family of xenicane diterpenoids from the Indonesian soft coral <i>Xenia</i> sp.. <i>Tetrahedron</i> , 2008, 64, 3141-3146.	1.9	23
153	Sponges boring into precious corals: an overview with description of a new species of <i>Alectona</i> (Demospongiae, Alectonidae) and a worldwide identification key for the genus. <i>Marine Ecology</i> , 2008, 29, 273-279.	1.1	10
154	Antipathella subpinnata (Antipatharia, Myriopathidae) in Italian seas. <i>Italian Journal of Zoology</i> , 2008, 75, 185-195.	0.6	48
155	Spatial and temporal distribution in a tropical hydroid assemblage. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 1589-1599.	0.8	44
156	The epibiotic assemblage of <i>Geryon longipes</i> (Crustacea: Decapoda: Geryonidae) from the Southern Adriatic Sea. <i>Italian Journal of Zoology</i> , 2008, 75, 29-35.	0.6	13
157	Medium-term effects of die-off of rocky benthos in the Ligurian Sea. What can we learn from gorgonians?. <i>Chemistry and Ecology</i> , 2008, 24, 73-82.	1.6	50
158	Hydroidomedusae (Cnidaria: Hydrozoa) symbiotic radiation. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 1715-1721.	0.8	46
159	Hydroids symbiotic with octocorals from the Sulawesi Sea, Indonesia. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 1643-1654.	0.8	34
160	Foraminifers epibiotic on <i>Eudendrium</i> (Cnidaria: Hydrozoa) from the Mediterranean Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 485-489.	0.8	15
161	Gorgonian mortality related to a massive attack by caprellids in the Bunaken Marine Park (North) Tj ETQq1 1 0.784314 rgBT /Overlock 1 723-727.	0.8	16
162	The ecology of protists epibiotic on marine hydroids. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 1611-1617.	0.8	20

#	ARTICLE	IF	CITATIONS
163	Substratum microtexture affects the boring pattern of <i>Cliona albimarginata</i> (Clionaidae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.2	
164	Growth of the massive morph of <i>Cliona nigricans</i> (Schmidt 1862) (Porifera, Clionaidae) on different mineral substrata. Italian Journal of Zoology, 2007, 74, 13-19.	0.6	18
165	A new species of <i>&lt; i&gt;Thoosa&lt;/i&gt;</i> (Demospongiae, Hadromerida) excavating precious coral <i>&lt; i&gt;Corallium&lt;/i&gt;</i> sp. from Midway. Italian Journal of Zoology, 2007, 74, 405-408.	0.6	3
166	Seasonal variations of epilithic diatoms on different hard substrates, in the northern Adriatic Sea. Journal of the Marine Biological Association of the United Kingdom, 2007, 87, 649-658.	0.8	41
167	Three new species and one re-description of Aka. Journal of the Marine Biological Association of the United Kingdom, 2007, 87, 1355-1365.	0.8	18
168	Effect of iron and dissolved silica on primmorphs of <i>Petrosia ficiformis</i> (Poiret, 1789). Chemistry and Ecology, 2007, 23, 233-241.	1.6	12
169	The systematic position of some boring sponges (Demospongiae, Hadromerida) studied by molecular analysis. Marine Biology, 2007, 151, 529-535.	1.5	23
170	Microalgal communities epibiotic on the marine hydroid <i>Eudendrium racemosum</i> in the Ligurian Sea during an annual cycle. Marine Biology, 2007, 151, 537-552.	1.5	47
171	Marine lakes of karst islands in Ha Long Bay (Vietnam). Chemistry and Ecology, 2006, 22, 489-500.	1.6	37
172	Epibionts of the scallop <i>Adamussium colbecki</i> (Smith, 1902) in the Ross Sea, Antarctica. Chemistry and Ecology, 2006, 22, S235-S244.	1.6	22
173	Summer disease in <i>&lt; i&gt;Parazoanthus axinellae&lt;/i&gt;</i> (Schmidt, 1862) (Cnidaria, Zoanthidea). Italian Journal of Zoology, 2006, 73, 355-361.	0.6	32
174	Coralline algae epibiotic on thecate hydrozoans (Cnidaria). Journal of the Marine Biological Association of the United Kingdom, 2006, 86, 1285-1289.	0.8	11
175	Symbiosis of <i>Mycale</i> ( <i>Mycale</i> ) <i>vandoesti</i> sp. nov. (Porifera, Demospongiae) with a coralline alga from North Sulawesi (Indonesia). Invertebrate Biology, 2006, 125, 195-204.	0.9	12
176	Coelodiol and coeloic acid, ent-isocopalane diterpenes from the Indonesian sponge <i>Coelocarteria cfr. singaporesis</i> . Tetrahedron Letters, 2006, 47, 2197-2200.	1.4	18
177	The assessment of DNA from marine organisms via a modified salting-out protocol. Cellular and Molecular Biology Letters, 2006, 11, 155-60.	7.0	32
178	Primmorphs formation dynamics: a screening among Mediterranean sponges. Marine Biology, 2006, 149, 1037-1046.	1.5	22
179	Seasonal production of primmorphs from the marine sponge <i>Petrosia ficiformis</i> (Poiret, 1789) and new culturing approaches. Journal of Experimental Marine Biology and Ecology, 2006, 337, 171-177.	1.5	16
180	Mechanical adaptability of a sponge extracellular matrix: evidence for cellular control of mesohyl stiffness in <i>Chondrosia reniformis</i> Nardo. Journal of Experimental Biology, 2006, 209, 4436-4443.	1.7	22

#	ARTICLE	IF	CITATIONS
181	Use of sponges in the decoration of <i>Inachus phalangium</i> (Decapoda, Majidae) from the Adriatic Sea. <i>Italian Journal of Zoology</i> , 2006, 73, 347-353.	0.6	12
182	The problem of seasonality of benthic hydroids in temperate waters. <i>Chemistry and Ecology</i> , 2006, 22, S197-S205.	1.6	44
183	Nematocyst arrangement on the tentacles of the polyps of <i>Eudendrium</i> (Cnidaria, Hydrozoa). <i>Italian Journal of Zoology</i> , 2005, 72, 201-204.	0.6	3
184	<i>Eudendrium klausii</i> (Cnidaria, Hydrozoa), a new species of hydroid from Belize. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2005, 85, 291-305.	0.8	4
185	Hydrozoa (Cnidaria) symbiotic with Porifera: a review. <i>Marine Ecology</i> , 2005, 26, 73-81.	1.1	46
186	Gorgonian population recovery after a mass mortality event. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2005, 15, 147-157.	2.0	83
187	Relationships between benthic diatoms and hydrozoans (Cnidaria). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2005, 85, 1373-1380.	0.8	24
188	Abscisic Acid Signaling through Cyclic ADP-ribose in Hydroid Regeneration. <i>Journal of Biological Chemistry</i> , 2004, 279, 39783-39788.	3.4	52
189	Dispersal and association of two alien species in the Indonesian coral reefs: the octocoral <i>Carijoa riisei</i> and the demosponge <i>Desmapsamma anchorata</i> . <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2004, 84, 937-941.	0.8	41
190	Molecular Cloning of Silicatein Gene from Marine Sponge <i>Petrosia ficiformis</i> (Porifera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (De Biotechnology, 2004, 6, 594-603.	2.4	47
191	Description and ecology of <i>Cytaea capitata</i> n. sp. (Hydrozoa, Cytaeididae) from Bunaken Marine Park (North Sulawesi, Indonesia). <i>Hydrobiologia</i> , 2004, 530-531, 530-531.	2.0	2
192	The diversity of relationships between Antarctic sponges and diatoms: the case of <i>Mycale acerata</i> Kirkpatrick, 1907 (Porifera, Demospongiae). <i>Polar Biology</i> , 2004, 27, 231-237.	1.2	39
193	Redescription of <i>Alectona verticillata</i> (Johnson) (Porifera, Aletonidae) boring into Japanese precious coral. <i>Italian Journal of Zoology</i> , 2004, 71, 337-339.	0.6	7
194	Polychlorinated Androstanes from the Burrowing Sponge <i>Cliona nigricans</i> . <i>Organic Letters</i> , 2004, 6, 1633-1635.	4.6	27
195	Variations of antioxidant efficiency and presence of endosymbiotic diatoms in the Antarctic porifera <i>Haliclona dancoi</i> . <i>Marine Environmental Research</i> , 2004, 58, 637-640.	2.5	21
196	Are diatoms a food source for Antarctic sponges?. <i>Chemistry and Ecology</i> , 2004, 20, 57-64.	1.6	38
197	Structural Characterization of Siliceous Spicules from Marine Sponges. <i>Biophysical Journal</i> , 2004, 86, 526-534.	0.5	79
198	Seasonal variability of prooxidant pressure and antioxidant adaptation to symbiosis in the Mediterranean demosponge <i>Petrosia ficiformis</i> . <i>Marine Ecology - Progress Series</i> , 2004, 275, 129-137.	1.9	41

#	ARTICLE	IF	CITATIONS
199	Role of substrate on larval development of the freshwater teleost <i>Pelvicachromis pulcher</i> . Molecular Reproduction and Development, 2003, 66, 256-263.	2.0	9
200	The aquiferous system of <i>Scolymastra joubini</i> (Porifera, Hexactinellida) studied by corrosion casts. Zoomorphology, 2003, 122, 119-123.	0.8	6
201	Sponge cell reactivity to various forms of silica. Microscopy Research and Technique, 2003, 62, 327-335.	2.2	22
202	Fiber diffraction study of spicules from marine sponges. Microscopy Research and Technique, 2003, 62, 378-381.	2.2	27
203	A marine biological underwater depuration system (MUDS) to process waste waters. New Biotechnology, 2003, 20, 291-298.	2.7	10
204	On the occurrence of <i>Coryne eximia</i> Allman (Cnidaria, Corynidae) in the Mediterranean sea. Italian Journal of Zoology, 2003, 70, 249-252.	0.6	7
205	Taxonomy-related differences in the excavating micro-patterns of boring sponges. Journal of the Marine Biological Association of the United Kingdom, 2003, 83, 37-39.	0.8	35
206	ABA- and cADPR-mediated effects on respiration and filtration downstream of the temperature-signaling cascade in sponges. Journal of Cell Science, 2003, 116, 629-636.	2.0	48
207	Marine diatom growth on different forms of particulate silica: evidence of cell/particle interaction. Aquatic Microbial Ecology, 2003, 32, 299-306.	1.8	16
208	Zanclea (Cnidaria: Hydrozoa) species from Bunaken Marine Park (Sulawesi Sea, Indonesia). Journal of the Marine Biological Association of the United Kingdom, 2002, 82, 943-954.	0.8	26
209	Morpho-functional adaptation to suspension feeding in <i>Eudendrium</i> (Cnidaria, Hydrozoa). Italian Journal of Zoology, 2002, 69, 301-304.	0.6	13
210	<i>Eudendrium</i> (Cnidaria, Anthomedusae) from the Antarctic Ocean with description of two new species. Polar Biology, 2002, 25, 366-373.	1.2	18
211	The aquiferous system of two <i>Oceanapia</i> species (Porifera, Demospongiae) studied by corrosion casts. Zoomorphology, 2002, 121, 195-202.	0.8	7
212	Can Rock Composition Affect Sublittoral Epibenthic Communities?. Marine Ecology, 2002, 23, 65-77.	1.1	20
213	Heat Stress-Activated, Calcium-Dependent Nitric Oxide Synthase in Sponges. Nitric Oxide - Biology and Chemistry, 2001, 5, 427-431.	2.7	43
214	Necrosis in a population of <i>Petrosia ficiformis</i> (Porifera, Demospongiae) in relation with environmental stress. Italian Journal of Zoology, 2001, 68, 131-136.	0.6	36
215	Boring sponges living into precious corals from the Pacific Ocean. Italian Journal of Zoology, 2001, 68, 153-160.	0.6	11
216	Dynamic structure of the mesohyl in the sponge <i>Chondrosia reniformis</i> (Porifera, Demospongiae). Zoomorphology, 2001, 121, 109-121.	0.8	42

#	ARTICLE	IF	CITATIONS
217	The influence of the epizoic hydroid <i>Hydractinia angusta</i> on the recruitment of the Antarctic scallop <i>Adamussium colbecki</i> . <i>Polar Biology</i> , 2001, 24, 577-581.	1.2	34
218	The temperature-signaling cascade in sponges involves a heat-gated cation channel, abscisic acid, and cyclic ADP-ribose. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 14859-14864.	7.1	118
219	The Role of Sponge Bioerosion in Mediterranean Coralligenous Accretion. , 2001,, 235-240.		28
220	Parasitic diatoms inside antarctic sponges. <i>Biological Bulletin</i> , 2000, 198, 29-33.	1.8	75
221	Water movement activating fragmentation: a new dispersal strategy for hydractiniid hydroids. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2000, 80, 361-362.	0.8	21
222	A catastrophic mass-mortality episode of gorgonians and other organisms in the Ligurian Sea (North-western Mediterranean), summer 1999. <i>Ecology Letters</i> , 2000, 3, 284-293.	6.4	505
223	Unusual trophic strategies of <i>Hydractinia angusta</i> (Cnidaria, Hydrozoa) from Terra Nova Bay, Antarctica. <i>Polar Biology</i> , 2000, 23, 488-494.	1.2	23
224	Diatom invasion in the antarctic hexactinellid sponge <i>Scolymastra joubini</i> . <i>Polar Biology</i> , 2000, 23, 441-444.	1.2	65
225	Boring sponges (Porifera, Demospongiae) from the Indian Ocean. <i>Italian Journal of Zoology</i> , 2000, 67, 203-219.	0.6	34
226	Asteroids eating sponges from Tethys Bay, East Antarctica. <i>Antarctic Science</i> , 2000, 12, 425-426.	0.9	20
227	Skeletal development in two species of <i>Tethya</i> (Porifera, Demospongiae). <i>Italian Journal of Zoology</i> , 2000, 67, 241-244.	0.6	8
228	Bio-mineralogy as a structuring factor for marine epibenthic communities. <i>Marine Ecology - Progress Series</i> , 2000, 193, 241-249.	1.9	90
229	Life history of &lt;i&gt; <i>Perarella schneideri</i> &lt;/i&gt; (Hydrozoa, Cytaedidae) in the Ligurian Sea. <i>Scientia Marina</i> , 2000, 64, 141-146.	0.6	21
230	Strobilation in a species of Bougainvillioidea (Cnidaria, Hydrozoa). <i>Scientia Marina</i> , 2000, 64, 147-150.	0.6	7
231	Organism-quartz interactions in structuring benthic communities: towards a marine bio-mineralogy?. <i>Ecology Letters</i> , 1999, 2, 1-3.	6.4	46
232	Self/non-self recognition in sponges. <i>Italian Journal of Zoology</i> , 1999, 66, 299-315.	0.6	16
233	Calcium oxalate production in the marine sponge <i>Chondrosia reniformis</i> . <i>Marine Ecology - Progress Series</i> , 1999, 179, 297-300.	1.9	10
234	Two new species of <i>Tethya</i> (Porifera, Demospongiae) from the canary and cape Verde Islands. <i>Italian Journal of Zoology</i> , 1998, 65, 371-376.	0.6	3

#	ARTICLE	IF	CITATIONS
235	Siliceous particles incorporation in <i>Chondrosia reniformis</i> (Porifera, Demospongiae). Italian Journal of Zoology, 1998, 65, 343-348.	0.6	17
236	Biological Cycle of <i>Podocoryna Exigua</i> (Cnidaria: Hydrozoa) from a Sandy Bottom of the Ligurian Sea. Journal of the Marine Biological Association of the United Kingdom, 1998, 78, 1101-1111.	0.8	23
237	Body Polarity and Mineral Selectivity in the Demosponge <i>Chondrosia reniformis</i> . Biological Bulletin, 1998, 195, 120-125.	1.8	55
238	Alectona Species From North-Western Pacific (Demospongiae: Clionidae). Journal of the Marine Biological Association of the United Kingdom, 1998, 78, 59-73.	0.8	15
239	The polyp and the medusa of <i>Zanclea costata</i> Gegenbaur (Cnidaria, Hydrozoa). Italian Journal of Zoology, 1997, 64, 177-179.	0.6	16
240	<i>Delectona madreporean</i> . sp. (Porifera, Demospongiae) boring the corallites of some scleractinians from the Ligurian Sea. Italian Journal of Zoology, 1997, 64, 273-277.	0.6	3
241	Damage by fishing activities to the Gorgonian coral <i>Paramuricea clavata</i> in the Ligurian Sea. , 1997, 7, 253-262.		127
242	< i> <i>Delectona ciconiae</i> sp. nov. (Porifera, Demospongiae) boring in the scleraxis of < i> <i>Corallium rubrum</i> . Journal of the Marine Biological Association of the United Kingdom, 1996, 76, 867-873.	0.8	10
243	Contribution of Sponge Spicules to the Composition of Biogenic Silica in the Ligurian Sea. Marine Ecology, 1996, 17, 41-50.	1.1	14
244	Optical fibres in an Antarctic sponge. Nature, 1996, 383, 397-398.	27.8	103
245	Survival of the calcareous sponge <i>Clathrina cerebrum</i> (Haeckel, 1872) on a vertical cliff during the summer crisis. Italian Journal of Zoology, 1996, 63, 41-46.	0.6	15
246	Selective incorporation of foreign material in < i> <i>Chondrosia reniformis</i> (Porifera, Demospongiae). Italian Journal of Zoology, 1996, 63, 215-220.	0.6	19
247	Two new species of <i>Halicometes</i> and <i>Stellitethya</i> from the Indian Ocean (Porifera, Tethyidae). Italian Journal of Zoology, 1996, 63, 255-260.	0.6	2
248	Two new species of < i> <i>cliona</i> (porifera, demospongiae) boring the scleraxis of < i> <i>corallium elatius</i> from the western pacific. Bollettino Di Zoologia, 1995, 62, 375-381.	0.3	9
249	Quartz dissolution by the sponge <i>Chondrosia reniformis</i> (Porifera, Demospongiae). Nature, 1995, 378, 374-376.	27.8	53
250	Morphological and ecological differences in two electrophoretically detected species of <i>Cliona</i> (Porifera, Demospongiae). Biological Journal of the Linnean Society, 1995, 54, 193-200.	1.6	3
251	< i> <i>Tethya omanensis</i> , a remarkable new species from an Oman cave (Porifera, Demospongiae). Bollettino Di Zoologia, 1995, 62, 23-27.	0.3	7
252	Scanning electron microscope evidence for diatom uptake by two Antarctic sponges. Polar Biology, 1994, 14, 55.	1.2	48

#	ARTICLE	IF	CITATIONS
253	Rate of spiculogenesis in some common Mediterranean Calcispongiae: A tetracycline and $\text{Ca}^{++}$ labelling study. <i>Bollettino Di Zoologia</i> , 1994, 61, 197-201.	0.3	1
254	Metabolic integration between symbiotic cyanobacteria and sponges: a possible mechanism. <i>Marine Biology</i> , 1993, 117, 159-162.	1.5	94
255	<i>Tethya</i> (Porifera, Demospongidae) Species Coexisting in a Maldivian Coral Reef Lagoon: Taxonomical, Genetic and Ecological Data. <i>Marine Ecology</i> , 1993, 14, 341-355.	1.1	16
256	<i>Tethya peracuta</i> (Topsent) and <i>T. comorensis</i> n. sp. (Porifera, Demospongidae) from the coral reef of Mayotte (Comores). <i>Bollettino Di Zoologia</i> , 1993, 60, 219-224.	0.3	1
257	Rate of Spiculogenesis in <i>Clathrina Cerebrum</i> (Porifera: Calcispongidae) Using Tetracycline Marking. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1993, 73, 457-460.	0.8	5
258	Irradiance, temperature and circannual cycle of <i>Eudendrium glomeratum</i> Picard (Hydrozoa,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 0.3		
259	Biogeographic traits and checklist of Antarctic demosponges. <i>Polar Biology</i> , 1992, 12, 559.	1.2	61
260	Morphological and genetic differences in ecologically distinct populations of <i>Petrosia</i> (Porifera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1.6 18		
261	Differences between two sympatric species of <i>Tethya</i> (Porifera, Demospongidae) concerning the growth and final form of their megasters. <i>Zoological Journal of the Linnean Society</i> , 1992, 104, 81-87.	2.3	5
262	Redescription of <i>Tethya norvegica</i> Bowerbank (Porifera, Demospongidae), with remarks on the genus <i>Tethya</i> in the North East Atlantic. <i>Zoologica Scripta</i> , 1992, 21, 211-216.	1.7	9
263	Detritus Rolling Down a Vertical Cliff of the Ligurian Sea (Italy): The %ecological Role in Hard Bottom Communities. <i>Marine Ecology</i> , 1991, 12, 281-292.	1.1	18
264			