### Robert C Malenka

### List of Publications by Citations

Source: https://exaly.com/author-pdf/4994729/robert-c-malenka-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49,682 188 158 99 h-index g-index citations papers 56,469 188 7.88 22.9 L-index avg, IF ext. citations ext. papers

| #   | Paper  | IF   | Citations |
|-----|--|------|-----------|
| 158 | LTP and LTD: an embarrassment of riches. <i>Neuron</i> , <b>2004</b> , 44, 5-21  | 13.9 | 2910      |
| 157 | Neural mechanisms of addiction: the role of reward-related learning and memory. <i>Annual Review of Neuroscience</i> , <b>2006</b> , 29, 565-98          | 17   | 2134      |
| 156 | AMPA receptor trafficking and synaptic plasticity. <i>Annual Review of Neuroscience</i> , <b>2002</b> , 25, 103-26                                       | 17   | 2062      |
| 155 | Synaptic scaling mediated by glial TNF-alpha. <i>Nature</i> , <b>2006</b> , 440, 1054-9  | 50.4 | 1251      |
| 154 | Synaptic plasticity and addiction. <i>Nature Reviews Neuroscience</i> , <b>2007</b> , 8, 844-58  | 13.5 | 1179      |
| 153 | Drugs of abuse and stress trigger a common synaptic adaptation in dopamine neurons. <i>Neuron</i> , <b>2003</b> , 37, 577-82                             | 13.9 | 1175      |
| 152 | Single cocaine exposure in vivo induces long-term potentiation in dopamine neurons. <i>Nature</i> , <b>2001</b> , 411, 583-7                             | 50.4 | 1128      |
| 151 | Evidence for silent synapses: implications for the expression of LTP. <i>Neuron</i> , <b>1995</b> , 15, 427-34   | 13.9 | 1056      |
| 150 | Synaptic plasticity: LTP and LTD. Current Opinion in Neurobiology, <b>1994</b> , 4, 389-99   | 7.6  | 1048      |
| 149 | Addiction and the brain: the neurobiology of compulsion and its persistence. <i>Nature Reviews Neuroscience</i> , <b>2001</b> , 2, 695-703               | 13.5 | 1024      |
| 148 | An essential role for postsynaptic calmodulin and protein kinase activity in long-term potentiation. <i>Nature</i> , <b>1989</b> , 340, 554-7            | 50.4 | 1014      |
| 147 | Synaptic plasticity: multiple forms, functions, and mechanisms. <i>Neuropsychopharmacology</i> , <b>2008</b> , 33, 18-41                                 | 8.7  | 968       |
| 146 | Involvement of a calcineurin/inhibitor-1 phosphatase cascade in hippocampal long-term depression. <i>Nature</i> , <b>1994</b> , 369, 486-8               | 50.4 | 930       |
| 145 | Mechanisms underlying induction of homosynaptic long-term depression in area CA1 of the hippocampus. <i>Neuron</i> , <b>1992</b> , 9, 967-75             | 13.9 | 911       |
| 144 | Input-specific control of reward and aversion in the ventral tegmental area. <i>Nature</i> , <b>2012</b> , 491, 212-7                                    | 50.4 | 865       |
| 143 | Contrasting properties of two forms of long-term potentiation in the hippocampus. <i>Nature</i> , <b>1995</b> , 377, 115-8                               | 50.4 | 760       |
| 142 | Dopaminergic modulation of neuronal excitability in the striatum and nucleus accumbens. <i>Annual Review of Neuroscience</i> , <b>2000</b> , 23, 185-215 | 17   | 759       |

| 141 | Natural neural projection dynamics underlying social behavior. <i>Cell</i> , <b>2014</b> , 157, 1535-51   | 56.2 | 732 |
|-----|---|------|-----|
| 140 | NMDA-receptor-dependent synaptic plasticity: multiple forms and mechanisms. <i>Trends in Neurosciences</i> , <b>1993</b> , 16, 521-7                              | 13.3 | 721 |
| 139 | Drug-evoked synaptic plasticity in addiction: from molecular changes to circuit remodeling. <i>Neuron</i> , <b>2011</b> , 69, 650-63                              | 13.9 | 715 |
| 138 | Striatal plasticity and basal ganglia circuit function. <i>Neuron</i> , <b>2008</b> , 60, 543-54  | 13.9 | 688 |
| 137 | Differential regulation of AMPA receptor and GABA receptor trafficking by tumor necrosis factor-alpha. <i>Journal of Neuroscience</i> , <b>2005</b> , 25, 3219-28 | 6.6  | 686 |
| 136 | Social reward requires coordinated activity of nucleus accumbens oxytocin and serotonin. <i>Nature</i> , <b>2013</b> , 501, 179-84                                | 50.4 | 668 |
| 135 | Essential functions of synapsins I and II in synaptic vesicle regulation. <i>Nature</i> , <b>1995</b> , 375, 488-93   | 50.4 | 635 |
| 134 | Potentiation of synaptic transmission in the hippocampus by phorbol esters. <i>Nature</i> , <b>1986</b> , 321, 175-7  | 50.4 | 612 |
| 133 | Regulation of AMPA receptor endocytosis by a signaling mechanism shared with LTD. <i>Nature Neuroscience</i> , <b>2000</b> , 3, 1291-300                          | 25.5 | 605 |
| 132 | Role of AMPA receptor cycling in synaptic transmission and plasticity. <i>Neuron</i> , <b>1999</b> , 24, 649-58   | 13.9 | 600 |
| 131 | A critical period for long-term potentiation at thalamocortical synapses. <i>Nature</i> , <b>1995</b> , 375, 325-8  | 50.4 | 589 |
| 130 | Long-term depression in the nucleus accumbens: a neural correlate of behavioral sensitization to cocaine. <i>Nature Neuroscience</i> , <b>2001</b> , 4, 1217-23   | 25.5 | 554 |
| 129 | NMDA receptor-dependent long-term potentiation and long-term depression (LTP/LTD). <i>Cold Spring Harbor Perspectives in Biology</i> , <b>2012</b> , 4,           | 10.2 | 531 |
| 128 | Synaptic plasticity in the hippocampus: LTP and LTD. <i>Cell</i> , <b>1994</b> , 78, 535-8  | 56.2 | 526 |
| 127 | Projection-specific modulation of dopamine neuron synapses by aversive and rewarding stimuli. <i>Neuron</i> , <b>2011</b> , 70, 855-62                            | 13.9 | 505 |
| 126 | Circuit Architecture of VTA Dopamine Neurons Revealed by Systematic Input-Output Mapping. <i>Cell</i> , <b>2015</b> , 162, 622-34                                 | 56.2 | 481 |
| 125 | The addicted synapse: mechanisms of synaptic and structural plasticity in nucleus accumbens. <i>Trends in Neurosciences</i> , <b>2010</b> , 33, 267-76            | 13.3 | 473 |
| 124 | Two distinct forms of long-term depression coexist in CA1 hippocampal pyramidal cells. <i>Neuron</i> , <b>1997</b> , 18, 969-82                                   | 13.9 | 465 |

| 123 | Acute and chronic cocaine-induced potentiation of synaptic strength in the ventral tegmental area: electrophysiological and behavioral correlates in individual rats. <i>Journal of Neuroscience</i> , <b>2004</b> , 24, 7482 | -96  | 457 |
|-----|---|------|-----|
| 122 | Reward and aversion in a heterogeneous midbrain dopamine system. <i>Neuropharmacology</i> , <b>2014</b> , 76 Pt B, 351-9  | 5.5  | 445 |
| 121 | Kainate receptors mediate a slow postsynaptic current in hippocampal CA3 neurons. <i>Nature</i> , <b>1997</b> , 388, 182-6  | 50.4 | 436 |
| 120 | Activity-dependent regulation of dendritic synthesis and trafficking of AMPA receptors. <i>Nature Neuroscience</i> , <b>2004</b> , 7, 244-53  | 25.5 | 432 |
| 119 | NMDA application potentiates synaptic transmission in the hippocampus. <i>Nature</i> , <b>1988</b> , 334, 250-2   | 50.4 | 428 |
| 118 | Diverging neural pathways assemble a behavioural state from separable features in anxiety. <i>Nature</i> , <b>2013</b> , 496, 219-23  | 50.4 | 410 |
| 117 | Use-dependent increases in glutamate concentration activate presynaptic metabotropic glutamate receptors. <i>Nature</i> , <b>1997</b> , 385, 630-4  | 50.4 | 410 |
| 116 | Mechanism and time course of cocaine-induced long-term potentiation in the ventral tegmental area. <i>Journal of Neuroscience</i> , <b>2008</b> , 28, 9092-100  | 6.6  | 401 |
| 115 | Viral-genetic tracing of the input-output organization of a central noradrenaline circuit. <i>Nature</i> , <b>2015</b> , 524, 88-92   | 50.4 | 397 |
| 114 | Rapid redistribution of glutamate receptors contributes to long-term depression in hippocampal cultures. <i>Nature Neuroscience</i> , <b>1999</b> , 2, 454-60   | 25.5 | 384 |
| 113 | Intact-Brain Analyses Reveal Distinct Information Carried by SNc Dopamine Subcircuits. <i>Cell</i> , <b>2015</b> , 162, 635-47  | 56.2 | 379 |
| 112 | Ca2+ signaling requirements for long-term depression in the hippocampus. <i>Neuron</i> , <b>1996</b> , 16, 825-33   | 13.9 | 371 |
| 111 | Postsynaptic membrane fusion and long-term potentiation. <i>Science</i> , <b>1998</b> , 279, 399-403  | 33.3 | 369 |
| 110 | Role of AMPA receptor endocytosis in synaptic plasticity. <i>Nature Reviews Neuroscience</i> , <b>2001</b> , 2, 315-24  | 13.5 | 358 |
| 109 | Cyclic AMP mediates a presynaptic form of LTP at cerebellar parallel fiber synapses. <i>Neuron</i> , <b>1996</b> , 16, 797-803  | 13.9 | 350 |
| 108 | RIM1alpha is required for presynaptic long-term potentiation. <i>Nature</i> , <b>2002</b> , 415, 327-30   | 50.4 | 331 |
| 107 | Neuronal Activity Promotes Glioma Growth through Neuroligin-3 Secretion. <i>Cell</i> , <b>2015</b> , 161, 803-16  | 56.2 | 314 |
| 106 | Rab3A is essential for mossy fibre long-term potentiation in the hippocampus. <i>Nature</i> , <b>1997</b> , 388, 590-3  | 50.4 | 314 |

# (2013-2019)

| 105 | Electrical and synaptic integration of glioma into neural circuits. <i>Nature</i> , <b>2019</b> , 573, 539-545   | 50.4                | 303 |
|-----|--|---------------------|-----|
| 104 | Autism-associated neuroligin-3 mutations commonly impair striatal circuits to boost repetitive behaviors. <i>Cell</i> , <b>2014</b> , 158, 198-212   | 56.2                | 279 |
| 103 | LRRTM2 functions as a neurexin ligand in promoting excitatory synapse formation. <i>Neuron</i> , <b>2009</b> , 64, 791-8   | 13.9                | 275 |
| 102 | Synaptic plasticity and AMPA receptor trafficking. <i>Annals of the New York Academy of Sciences</i> , <b>2003</b> , 1003, 1-11  | 6.5                 | 272 |
| 101 | Postsynaptic TRPV1 triggers cell type-specific long-term depression in the nucleus accumbens. <i>Nature Neuroscience</i> , <b>2010</b> , 13, 1519-25   | 25.5                | 271 |
| 100 | CREB modulates excitability of nucleus accumbens neurons. <i>Nature Neuroscience</i> , <b>2006</b> , 9, 475-7  | 25.5                | 265 |
| 99  | Postsynaptic factors control the duration of synaptic enhancement in area CA1 of the hippocampus. <i>Neuron</i> , <b>1991</b> , 6, 53-60   | 13.9                | 264 |
| 98  | A developmental switch in the signaling cascades for LTP induction. <i>Nature Neuroscience</i> , <b>2003</b> , 6, 15-6   | 25.5                | 260 |
| 97  | Anhedonia requires MC4R-mediated synaptic adaptations in nucleus accumbens. <i>Nature</i> , <b>2012</b> , 487, 183   | 3- <del>9</del> 0.4 | 251 |
| 96  | Autism-linked neuroligin-3 R451C mutation differentially alters hippocampal and cortical synaptic function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 13 | 764-5               | 241 |
| 95  | Gating of social reward by oxytocin in the ventral tegmental area. <i>Science</i> , <b>2017</b> , 357, 1406-1411   | 33.3                | 238 |
| 94  | Cellular Taxonomy of the Mouse Striatum as Revealed by Single-Cell RNA-Seq. <i>Cell Reports</i> , <b>2016</b> , 16, 1126-1137  | 10.6                | 227 |
| 93  | Diversity of transgenic mouse models for selective targeting of midbrain dopamine neurons. <i>Neuron</i> , <b>2015</b> , 85, 429-38  | 13.9                | 220 |
| 92  | Development of excitatory circuitry in the hippocampus. <i>Journal of Neurophysiology</i> , <b>1998</b> , 79, 2013-24  | 3.2                 | 214 |
| 91  | Phorbol esters block a voltage-sensitive chloride current in hippocampal pyramidal cells. <i>Nature</i> , <b>1986</b> , 321, 695-7   | 50.4                | 210 |
| 90  | Temporal limits on the rise in postsynaptic calcium required for the induction of long-term potentiation. <i>Neuron</i> , <b>1992</b> , 9, 121-8   | 13.9                | 207 |
| 89  | Presynaptic neurexin-3 alternative splicing trans-synaptically controls postsynaptic AMPA receptor trafficking. <i>Cell</i> , <b>2013</b> , 154, 75-88   | 56.2                | 197 |
| 88  | Autism-associated neuroligin-3 mutations commonly disrupt tonic endocannabinoid signaling. <i>Neuron</i> , <b>2013</b> , 78, 498-509   | 13.9                | 195 |

| 87 | Regulation of synaptic strength by protein phosphatase 1. <i>Neuron</i> , <b>2001</b> , 32, 1133-48  | 13.9           | 193 |
|----|--|----------------|-----|
| 86 | B-lymphocyte-mediated delayed cognitive impairment following stroke. <i>Journal of Neuroscience</i> , <b>2015</b> , 35, 2133-45  | 6.6            | 188 |
| 85 | Alternative N-terminal domains of PSD-95 and SAP97 govern activity-dependent regulation of synaptic AMPA receptor function. <i>Neuron</i> , <b>2006</b> , 51, 99-111                         | 13.9           | 186 |
| 84 | Activation of NR2B-containing NMDA receptors is not required for NMDA receptor-dependent long-term depression. <i>Neuropharmacology</i> , <b>2007</b> , 52, 71-6                             | 5.5            | 184 |
| 83 | Simultaneous LTP of non-NMDA- and LTD of NMDA-receptor-mediated responses in the nucleus accumbens. <i>Nature</i> , <b>1994</b> , 368, 242-6   | 50.4           | 183 |
| 82 | Chronic pain. Decreased motivation during chronic pain requires long-term depression in the nucleus accumbens. <i>Science</i> , <b>2014</b> , 345, 535-42                                    | 33.3           | 181 |
| 81 | The long-term potential of LTP. <i>Nature Reviews Neuroscience</i> , <b>2003</b> , 4, 923-6  | 13.5           | 169 |
| 80 | Dopamine depresses excitatory and inhibitory synaptic transmission by distinct mechanisms in the nucleus accumbens. <i>Journal of Neuroscience</i> , <b>1997</b> , 17, 5697-710              | 6.6            | 163 |
| 79 | NMDAR EPSC kinetics do not regulate the critical period for LTP at thalamocortical synapses. <i>Nature Neuroscience</i> , <b>2001</b> , 4, 235-6   | 25.5           | 157 |
| 78 | Distinct triggering and expression mechanisms underlie LTD of AMPA and NMDA synaptic responses. <i>Nature Neuroscience</i> , <b>2005</b> , 8, 1043-50  | 25.5           | 154 |
| 77 | A Brainstem-Spinal Cord Inhibitory Circuit for Mechanical Pain Modulation by GABA and Enkephalins. <i>Neuron</i> , <b>2017</b> , 93, 822-839.e6  | 13.9           | 152 |
| 76 | Rabphilin knock-out mice reveal that rabphilin is not required for rab3 function in regulating neurotransmitter release. <i>Journal of Neuroscience</i> , <b>1999</b> , 19, 5834-46          | 6.6            | 149 |
| 75 | SynGO: An Evidence-Based, Expert-Curated Knowledge Base for the Synapse. <i>Neuron</i> , <b>2019</b> , 103, 217-2  | 34 <i>3</i> e4 | 147 |
| 74 | LTP requires a unique postsynaptic SNARE fusion machinery. <i>Neuron</i> , <b>2013</b> , 77, 542-58  | 13.9           | 144 |
| 73 | BosB differentially modulates nucleus accumbens direct and indirect pathway function.  Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 1923-8    | 11.5           | 144 |
| 72 | Molecular dissociation of the role of PSD-95 in regulating synaptic strength and LTD. <i>Neuron</i> , <b>2008</b> , 57, 248-62   | 13.9           | 143 |
| 71 | Behavioral abnormalities and circuit defects in the basal ganglia of a mouse model of 16p11.2 deletion syndrome. <i>Cell Reports</i> , <b>2014</b> , 7, 1077-1092                            | 10.6           | 137 |
| 70 | Structural foundations of optogenetics: Determinants of channelrhodopsin ion selectivity.  Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 822-9 | 11.5           | 136 |

# (2010-2009)

| 69 | A critical role for PSD-95/AKAP interactions in endocytosis of synaptic AMPA receptors. <i>Nature Neuroscience</i> , <b>2009</b> , 12, 172-81  | 25.5          | 136 |
|----|--|---------------|-----|
| 68 | Modulation of synaptic transmission by dopamine and norepinephrine in ventral but not dorsal striatum. <i>Journal of Neurophysiology</i> , <b>1998</b> , 79, 1768-76   | 3.2           | 136 |
| 67 | Long-term potentiation in cultures of single hippocampal granule cells: a presynaptic form of plasticity. <i>Neuron</i> , <b>1996</b> , 16, 1147-57  | 13.9          | 125 |
| 66 | Independent mechanisms for long-term depression of AMPA and NMDA responses. <i>Neuron</i> , <b>1995</b> , 15, 417-26   | 13.9          | 120 |
| 65 | Learning mechanisms: the case for CaM-KII. <i>Science</i> , <b>1997</b> , 276, 2001-2  | 33.3          | 119 |
| 64 | The neurexin ligands, neuroligins and leucine-rich repeat transmembrane proteins, perform convergent and divergent synaptic functions in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 16502-9 | 11.5          | 110 |
| 63 | Postsynaptic synaptotagmins mediate AMPA receptor exocytosis during LTP. <i>Nature</i> , <b>2017</b> , 544, 316-32   | <b>1</b> 50.4 | 106 |
| 62 | Parallel circuits from the bed nuclei of stria terminalis to the lateral hypothalamus drive opposing emotional states. <i>Nature Neuroscience</i> , <b>2018</b> , 21, 1084-1095  | 25.5          | 104 |
| 61 | Single-Cell mRNA Profiling Reveals Cell-Type-Specific Expression of Neurexin Isoforms. <i>Neuron</i> , <b>2015</b> , 87, 326-40  | 13.9          | 101 |
| 60 | Synaptic plasticity in the mesolimbic dopamine system. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2003</b> , 358, 815-9  | 5.8           | 99  |
| 59 | Optogenetics: 10 years after ChR2 in neuronsviews from the community. <i>Nature Neuroscience</i> , <b>2015</b> , 18, 1202-12   | 25.5          | 98  |
| 58 | Postsynaptic complexin controls AMPA receptor exocytosis during LTP. <i>Neuron</i> , <b>2012</b> , 73, 260-7   | 13.9          | 98  |
| 57 | Calcium binding to PICK1 is essential for the intracellular retention of AMPA receptors underlying long-term depression. <i>Journal of Neuroscience</i> , <b>2010</b> , 30, 16437-52   | 6.6           | 94  |
| 56 | Role of intercellular interactions in heterosynaptic long-term depression. <i>Nature</i> , <b>1996</b> , 380, 446-50   | 50.4          | 94  |
| 55 | 5-HT release in nucleus accumbens rescues social deficits in mouse autism model. <i>Nature</i> , <b>2018</b> , 560, 589-594  | 50.4          | 92  |
| 54 | ENeurexins Control Neural Circuits by Regulating Synaptic Endocannabinoid Signaling. <i>Cell</i> , <b>2015</b> , 162, 593-606  | 56.2          | 88  |
| 53 | Cav1.3 channels control D2-autoreceptor responses via NCS-1 in substantia nigra dopamine neurons. <i>Brain</i> , <b>2014</b> , 137, 2287-302   | 11.2          | 87  |
| 52 | A calcineurin/AKAP complex is required for NMDA receptor-dependent long-term depression.  Nature Neuroscience, <b>2010</b> , 13, 1053-5  | 25.5          | 81  |

| 51 | Depression: the best way forward. <i>Nature</i> , <b>2014</b> , 515, 200-1   | 50.4 | 79 |
|----|--|------|----|
| 50 | Neuroligins/LRRTMs prevent activity- and Ca2+/calmodulin-dependent synapse elimination in cultured neurons. <i>Journal of Cell Biology</i> , <b>2011</b> , 194, 323-34   | 7.3  | 78 |
| 49 | Excitatory transmission at thalamo-striatal synapses mediates susceptibility to social stress. <i>Nature Neuroscience</i> , <b>2015</b> , 18, 962-4  | 25.5 | 73 |
| 48 | Input- and Output-Specific Regulation of Serial Order Performance by Corticostriatal Circuits. <i>Neuron</i> , <b>2015</b> , 88, 345-56  | 13.9 | 68 |
| 47 | Illuminating circuitry relevant to psychiatric disorders with optogenetics. <i>Current Opinion in Neurobiology</i> , <b>2015</b> , 30, 9-16  | 7.6  | 67 |
| 46 | Synaptotagmin-1 and -7 Are Redundantly Essential for Maintaining the Capacity of the Readily-Releasable Pool of Synaptic Vesicles. <i>PLoS Biology</i> , <b>2015</b> , 13, e1002267                            | 9.7  | 55 |
| 45 | Postsynaptic adhesion GPCR latrophilin-2 mediates target recognition in entorhinal-hippocampal synapse assembly. <i>Journal of Cell Biology</i> , <b>2017</b> , 216, 3831-3846                                 | 7.3  | 52 |
| 44 | Retinoic Acid and LTP Recruit Postsynaptic AMPA Receptors Using Distinct SNARE-Dependent Mechanisms. <i>Neuron</i> , <b>2015</b> , 86, 442-56  | 13.9 | 52 |
| 43 | Leucine-rich repeat transmembrane proteins are essential for maintenance of long-term potentiation. <i>Neuron</i> , <b>2013</b> , 79, 439-46   | 13.9 | 52 |
| 42 | Closing the loop on impulsivity via nucleus accumbens delta-band activity in mice and man. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, 192-197 | 11.5 | 51 |
| 41 | Deep posteromedial cortical rhythm in dissociation. <i>Nature</i> , <b>2020</b> , 586, 87-94   | 50.4 | 50 |
| 40 | The Retromer Supports AMPA Receptor Trafficking During LTP. <i>Neuron</i> , <b>2017</b> , 94, 74-82.e5   | 13.9 | 49 |
| 39 | Modulation of excitation on parvalbumin interneurons by neuroligin-3 regulates the hippocampal network. <i>Nature Neuroscience</i> , <b>2017</b> , 20, 219-229   | 25.5 | 42 |
| 38 | A comparison of striatal-dependent behaviors in wild-type and hemizygous Drd1a and Drd2 BAC transgenic mice. <i>Journal of Neuroscience</i> , <b>2012</b> , 32, 9119-23  | 6.6  | 42 |
| 37 | Continuous and Discrete Neuron Types of the Adult Murine Striatum. <i>Neuron</i> , <b>2020</b> , 105, 688-699.e8   | 13.9 | 42 |
| 36 | Neuroligin-1 Signaling Controls LTP and NMDA Receptors by Distinct Molecular Pathways. <i>Neuron</i> , <b>2019</b> , 102, 621-635.e3   | 13.9 | 39 |
| 35 | Rabies screen reveals GPe control of cocaine-triggered plasticity. <i>Nature</i> , <b>2017</b> , 549, 345-350  | 50.4 | 39 |
| 34 | Spike timing-dependent long-term potentiation in ventral tegmental area dopamine cells requires PKC. <i>Journal of Neurophysiology</i> , <b>2008</b> , 100, 533-8  | 3.2  | 39 |

# (2002-2019)

| 33 | Topological Organization of Ventral Tegmental Area Connectivity Revealed by Viral-Genetic Dissection of Input-Output Relations. <i>Cell Reports</i> , <b>2019</b> , 26, 159-167.e6  | 10.6                 | 38  |
|----|---|----------------------|-----|
| 32 | Substrate localization creates specificity in calcium/calmodulin-dependent protein kinase II signaling at synapses. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 13794-13804   | 5.4                  | 34  |
| 31 | Optogenetics and the circuit dynamics of psychiatric disease. <i>JAMA - Journal of the American Medical Association</i> , <b>2015</b> , 313, 2019-20  | 27.4                 | 32  |
| 30 | Distinct neural mechanisms for the prosocial and rewarding properties of MDMA. <i>Science Translational Medicine</i> , <b>2019</b> , 11,  | 17.5                 | 32  |
| 29 | Nucleus Accumbens Modulation in Reward and Aversion. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , <b>2018</b> , 83, 119-129   | 3.9                  | 32  |
| 28 | Anterior cingulate inputs to nucleus accumbens control the social transfer of pain and analgesia. <i>Science</i> , <b>2021</b> , 371, 153-159   | 33.3                 | 31  |
| 27 | Deletion of in adult mice impairs basal AMPA receptor transmission and LTP in hippocampal CA1 pyramidal neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, E5382-E5389        | 11.5                 | 30  |
| 26 | Amygdala-Midbrain Connections Modulate Appetitive and Aversive Learning. <i>Neuron</i> , <b>2020</b> , 106, 1026  | -1 <del>04</del> 3)e | 925 |
| 25 | Cocaine-Induced Structural Plasticity in Input Regions to Distinct Cell Types in Nucleus Accumbens. <i>Biological Psychiatry</i> , <b>2018</b> , 84, 893-904  | 7.9                  | 24  |
| 24 | MDMA as a Probe and Treatment for Social Behaviors. <i>Cell</i> , <b>2016</b> , 166, 269-272  | 56.2                 | 24  |
| 23 | The emerging role of nucleus accumbens oxytocin in social cognition. <i>Biological Psychiatry</i> , <b>2014</b> , 76, 354-5   | 7.9                  | 19  |
| 22 | Synaptic Function of Rab11Fip5: Selective Requirement for Hippocampal Long-Term Depression. <i>Journal of Neuroscience</i> , <b>2015</b> , 35, 7460-74  | 6.6                  | 18  |
| 21 | Complementary Genetic Targeting and Monosynaptic Input Mapping Reveal Recruitment and Refinement of Distributed Corticostriatal Ensembles by Cocaine. <i>Neuron</i> , <b>2019</b> , 104, 916-930.e5   | 13.9                 | 18  |
| 20 | Loss of the neural-specific BAF subunit ACTL6B relieves repression of early response genes and causes recessive autism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 10055-10066 | 11.5                 | 14  |
| 19 | Disruptive Psychopharmacology. JAMA Psychiatry, 2019, 76, 775-776   | 14.5                 | 12  |
| 18 | Long-term potentiation is independent of the C-tail of the GluA1 AMPA receptor subunit. <i>ELife</i> , <b>2020</b> , 9,   | 8.9                  | 12  |
| 17 | Mechanisms underlying dedepression of synaptic NMDA receptors in the hippocampus. <i>Journal of Neurophysiology</i> , <b>2008</b> , 99, 254-63  | 3.2                  | 8   |
| 16 | NIH workshop report: taming the brain's complexity. <i>Neuron</i> , <b>2002</b> , 36, 29-30   | 13.9                 | 8   |

| 15 | Dissecting neural mechanisms of prosocial behaviors. <i>Current Opinion in Neurobiology</i> , <b>2021</b> , 68, 9-14   | 7.6              | 8 |
|----|--|------------------|---|
| 14 | A Molecular Calcium Integrator Reveals a Striatal Cell Type Driving Aversion. <i>Cell</i> , <b>2020</b> , 183, 2003-2019   | 9. <b>g</b> 1662 | 7 |
| 13 | Brain-Responsive Neurostimulation for Loss of Control Eating: Early Feasibility Study. <i>Neurosurgery</i> , <b>2020</b> , 87, 1277-1288   | 3.2              | 7 |
| 12 | An immunocytochemical assay for activity-dependent redistribution of glutamate receptors from the postsynaptic plasma membrane. <i>Annals of the New York Academy of Sciences</i> , <b>1999</b> , 868, 550-3 | 6.5              | 6 |
| 11 | Input-specific modulation of murine nucleus accumbens differentially regulates hedonic feeding. <i>Nature Communications</i> , <b>2021</b> , 12, 2135  | 17.4             | 6 |
| 10 | Systemic enhancement of serotonin signaling reverses social deficits in multiple mouse models for ASD. <i>Neuropsychopharmacology</i> , <b>2021</b> , 46, 2000-2010  | 8.7              | 6 |
| 9  | Delivering the goods to synapses. <i>Nature Neuroscience</i> , <b>2000</b> , 3, 1064-6   | 25.5             | 5 |
| 8  | From Synapses to Behavior: What Rodent Models Can Tell Us About Neuropsychiatric Disease. <i>Biological Psychiatry</i> , <b>2016</b> , 79, 4-6   | 7.9              | 4 |
| 7  | 5-HT modulation of a medial septal circuit tunes social memory stability. <i>Nature</i> , <b>2021</b> , 599, 96-101  | 50.4             | 4 |
| 6  | Selective filtering of excitatory inputs to nucleus accumbens by dopamine and serotonin.  Proceedings of the National Academy of Sciences of the United States of America, 2021, 118,                        | 11.5             | 4 |
| 5  | Optogenetic Approaches to Neural Circuit Analysis in the Mammalian Brain <b>2016</b> , 221-231   |                  | 2 |
| 4  | Accumbens coordinated reset stimulation in mice exhibits ameliorating aftereffects on binge alcohol drinking. <i>Brain Stimulation</i> , <b>2021</b> , 14, 330-334   | 5.1              | 2 |
| 3  | Rapid release revealed: honoring the synapse. <i>Cell</i> , <b>2013</b> , 154, 1171-4  | 56.2             | 1 |
| 2  | The role of synaptic plasticity in addiction. <i>Clinical Neuroscience Research</i> , <b>2005</b> , 5, 141-146   |                  | O |
| 1  | ???????????. Nature Digest, <b>2015</b> , 12, 28-30  | О                |   |