

# Seok Goo Cho

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4995206/seok-goo-cho-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

262  
papers

3,932  
citations

30  
h-index

53  
g-index

274  
ext. papers

4,617  
ext. citations

3.9  
avg, IF

5.09  
L-index

#	Paper	IF	Citations
262	Ibrutinib versus temsirolimus in patients with relapsed or refractory mantle-cell lymphoma: an international, randomised, open-label, phase 3 study. <i>Lancet, The</i> , <b>2016</b> , 387, 770-8	4.0	293
261	Siltuximab for multicentric Castleman's disease: a randomised, double-blind, placebo-controlled trial. <i>Lancet Oncology, The</i> , <b>2014</b> , 15, 966-74	21.7	259
260	Clinical applications of mesenchymal stem cells. <i>Korean Journal of Internal Medicine</i> , <b>2013</b> , 28, 387-402	2.5	188
259	Validation of recently proposed consensus criteria for thrombotic microangiopathy after allogeneic hematopoietic stem-cell transplantation. <i>Transplantation</i> , <b>2010</b> , 90, 918-26	1.8	174
258	IL-10 suppresses Th17 cells and promotes regulatory T cells in the CD4+ T cell population of rheumatoid arthritis patients. <i>Immunology Letters</i> , <b>2010</b> , 127, 150-6	4.1	103
257	Feasibility of NIH consensus criteria for chronic graft-versus-host disease. <i>Leukemia</i> , <b>2009</b> , 23, 78-84	10.7	91
256	New strategies for overcoming limitations of mesenchymal stem cell-based immune modulation. <i>International Journal of Stem Cells</i> , <b>2015</b> , 8, 54-68	3	90
255	Transforming growth factor $\beta$ -transduced mesenchymal stem cells ameliorate experimental autoimmune arthritis through reciprocal regulation of Treg/Th17 cells and osteoclastogenesis. <i>Arthritis and Rheumatism</i> , <b>2011</b> , 63, 1668-80		87
254	Successful prevention of acute graft-versus-host disease using low-dose antithymocyte globulin after mismatched, unrelated, hematopoietic stem cell transplantation for acute myelogenous leukemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2009</b> , 15, 704-17	4.7	63
253	Mesenchymal stem cells for the treatment and prevention of graft-versus-host disease: experiments and practice. <i>Annals of Hematology</i> , <b>2013</b> , 92, 1295-308	3	60
252	The potential use of mesenchymal stem cells in hematopoietic stem cell transplantation. <i>Experimental and Molecular Medicine</i> , <b>2013</b> , 45, e2	12.8	59
251	Escherichia coli and Klebsiella pneumoniae bacteremia in patients with neutropenic fever: factors associated with extended-spectrum $\beta$ -lactamase production and its impact on outcome. <i>Annals of Hematology</i> , <b>2013</b> , 92, 533-41	3	59
250	Reduced-intensity conditioning allogeneic stem cell transplantation is a potential therapeutic approach for adults with high-risk acute lymphoblastic leukemia in remission: results of a prospective phase 2 study. <i>Leukemia</i> , <b>2009</b> , 23, 1763-70	10.7	59
249	Allogeneic stem cell transplantation in first complete remission enhances graft-versus-leukemia effect in adults with acute lymphoblastic leukemia: antileukemic activity of chronic graft-versus-host disease. <i>Biology of Blood and Marrow Transplantation</i> , <b>2007</b> , 13, 1083-94	4.7	54
248	Long-term Outcome of Extranodal NK/T Cell Lymphoma Patients Treated With Postremission Therapy Using EBV LMP1 and LMP2a-specific CTLs. <i>Molecular Therapy</i> , <b>2015</b> , 23, 1401-1409	11.7	50
247	Clinical impact of thrombotic microangiopathy on the outcome of patients with acute graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , <b>2008</b> , 41, 813-20	4.4	49
246	Risk and prognostic factors for acute GVHD based on NIH consensus criteria. <i>Bone Marrow Transplantation</i> , <b>2013</b> , 48, 587-92	4.4	48

245	Indoleamine 2,3-dioxygenase-expressing dendritic cells are involved in the generation of CD4+CD25+ regulatory T cells in Peyer's patches in an orally tolerized, collagen-induced arthritis mouse model. <i>Arthritis Research and Therapy</i> , <b>2008</b> , 10, R11	5.7	48
244	Enhanced immunoregulation of mesenchymal stem cells by IL-10-producing type 1 regulatory T cells in collagen-induced arthritis. <i>Scientific Reports</i> , <b>2016</b> , 6, 26851	4.9	45
243	Ibrutinib versus temsirolimus: 3-year follow-up of patients with previously treated mantle cell lymphoma from the phase 3, international, randomized, open-label RAY study. <i>Leukemia</i> , <b>2018</b> , 32, 1799-1803	10.7	42
242	Infectious complications associated with alemtuzumab use for allogeneic hematopoietic stem cell transplantation: comparison with anti-thymocyte globulin. <i>Transplant Infectious Disease</i> , <b>2009</b> , 11, 413-23	3.7	40
241	Overcoming immunoregulatory plasticity of mesenchymal stem cells for accelerated clinical applications. <i>International Journal of Hematology</i> , <b>2016</b> , 103, 129-37	2.3	38
240	Efficacy, pharmacokinetics, and safety of the biosimilar CT-P10 in comparison with rituximab in patients with previously untreated low-tumour-burden follicular lymphoma: a randomised, double-blind, parallel-group, phase 3 trial. <i>Lancet Haematology</i> , <b>2018</b> , 5, e543-e553	14.6	38
239	Feasibility of the TNM-based staging system of ocular adnexal extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT lymphoma). <i>American Journal of Hematology</i> , <b>2011</b> , 86, 262-6	7.1	37
238	B cell-associated immune profiles in patients with end-stage renal disease (ESRD). <i>Experimental and Molecular Medicine</i> , <b>2012</b> , 44, 465-72	12.8	37
237	Treatment outcomes and prognostic factors in adult patients with secondary hemophagocytic lymphohistiocytosis not associated with malignancy. <i>Haematologica</i> , <b>2019</b> , 104, 269-276	6.6	37
236	The Free Radical Scavenger NecroX-7 Attenuates Acute Graft-versus-Host Disease via Reciprocal Regulation of Th1/Regulatory T Cells and Inhibition of HMGB1 Release. <i>Journal of Immunology</i> , <b>2015</b> , 194, 5223-32	5.3	35
235	Combination cell therapy using mesenchymal stem cells and regulatory T-cells provides a synergistic immunomodulatory effect associated with reciprocal regulation of TH1/TH2 and th17/treg cells in a murine acute graft-versus-host disease model. <i>Cell Transplantation</i> , <b>2014</b> , 23, 703-14	4	33
234	The efficacy of rabbit antithymocyte globulin with cyclosporine in comparison to horse antithymocyte globulin as a first-line treatment in adult patients with severe aplastic anemia: a single-center retrospective study. <i>Annals of Hematology</i> , <b>2013</b> , 92, 817-24	3	33
233	Comparison of allogeneic stem cell transplantation from familial-mismatched/haploidentical donors and from unrelated donors in adults with high-risk acute myelogenous leukemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2012</b> , 18, 1552-63	4.7	33
232	Impact of cytomegalovirus gastrointestinal disease on the clinical outcomes in patients with gastrointestinal graft-versus-host disease in the era of preemptive therapy. <i>Annals of Hematology</i> , <b>2013</b> , 92, 497-504	3	28
231	A well-tolerated regimen of 800 cGy TBI-fludarabine-busulfan-ATG for reliable engraftment after unmanipulated haploidentical peripheral blood stem cell transplantation in adult patients with acute myeloid leukemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2015</b> , 21, 119-29	4.7	27
230	IL-17-deficient allogeneic bone marrow transplantation prevents the induction of collagen-induced arthritis in DBA/1J mice. <i>Experimental and Molecular Medicine</i> , <b>2012</b> , 44, 694-705	12.8	25
229	Alteration of the Intestinal Microbiota by Broad-Spectrum Antibiotic Use Correlates with the Occurrence of Intestinal Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , <b>2019</b> , 25, 1933-1943	4.7	24
228	Adoptive Transfer of Treg Cells Combined with Mesenchymal Stem Cells Facilitates Repopulation of Endogenous Treg Cells in a Murine Acute GVHD Model. <i>PLoS ONE</i> , <b>2015</b> , 10, e0138846	3.7	24

227	The activating killer cell immunoglobulin-like receptors as important determinants of acute graft-versus host disease in hematopoietic stem cell transplantation for acute myelogenous leukemia. <i>Transplantation</i> , <b>2007</b> , 84, 1082-91	1.8	24
226	Impact of extramedullary plasmacytomas on outcomes according to treatment approach in newly diagnosed symptomatic multiple myeloma. <i>Annals of Hematology</i> , <b>2015</b> , 94, 445-52	3	23
225	Improvement in hematopoiesis after iron chelation therapy with deferasirox in patients with aplastic anemia. <i>Acta Haematologica</i> , <b>2013</b> , 129, 72-7	2.7	23
224	Ophthalmologic outcomes after chemotherapy and/or radiotherapy in non-conjunctival ocular adnexal MALT lymphoma. <i>Annals of Hematology</i> , <b>2012</b> , 91, 1393-401	3	23
223	Curcumin attenuates acute graft-versus-host disease severity via in vivo regulations on Th1, Th17 and regulatory T cells. <i>PLoS ONE</i> , <b>2013</b> , 8, e67171	3.7	23
222	The Outcome of Unrelated Hematopoietic Stem Cell Transplants with Total Body Irradiation (800 cGy) and Cyclophosphamide (120 mg/kg) in Adult Patients with Acquired Severe Aplastic Anemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2011</b> , 17, 101-8	4.7	23
221	Prevalence of decreased susceptibility to carbapenems among <i>Serratia marcescens</i> , <i>Enterobacter cloacae</i> , and <i>Citrobacter freundii</i> and investigation of carbapenemases. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2005</b> , 52, 331-6	2.9	22
220	Minimal residual disease-based long-term efficacy of reduced-intensity conditioning versus myeloablative conditioning for adult Philadelphia-positive acute lymphoblastic leukemia. <i>Cancer</i> , <b>2019</b> , 125, 873-883	6.4	22
219	Matrix Metalloproteinase-9 in Monocytic Myeloid-Derived Suppressor Cells Correlate with Early Infections and Clinical Outcomes in Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2018</b> , 24, 32-42	4.7	21
218	Identification of molecular and cytogenetic risk factors for unfavorable core-binding factor-positive adult AML with post-remission treatment outcome analysis including transplantation. <i>Bone Marrow Transplantation</i> , <b>2014</b> , 49, 1466-74	4.4	21
217	Graft-versus-tumor effect according to type of graft-versus-host disease defined by National Institutes of Health consensus criteria and associated outcomes. <i>Biology of Blood and Marrow Transplantation</i> , <b>2012</b> , 18, 1136-43	4.7	21
216	Vitamin B(12)-responsive pancytopenia mimicking myelodysplastic syndrome. <i>Acta Haematologica</i> , <b>2011</b> , 125, 198-201	2.7	21
215	Impact of cytomegalovirus reactivation on relapse and survival in patients with acute leukemia who received allogeneic hematopoietic stem cell transplantation in first remission. <i>Oncotarget</i> , <b>2016</b> , 7, 17230-41	3.3	21
214	Comparison of therapeutic outcomes between surgical resection followed by R-CHOP and R-CHOP alone for localized primary intestinal diffuse large B-cell lymphoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , <b>2014</b> , 37, 182-7	2.7	20
213	Experiences of t-PA use in moderate-to-severe hepatic veno-occlusive disease after hematopoietic SCT: is it still reasonable to use t-PA?. <i>Bone Marrow Transplantation</i> , <b>2013</b> , 48, 1562-8	4.4	20
212	Potential role of adoptively transferred allogeneic WT1-specific CD4+ and CD8+ T lymphocytes for the sustained remission of refractory AML. <i>Bone Marrow Transplantation</i> , <b>2010</b> , 45, 597-9	4.4	20
211	Induction of mixed chimerism using combinatory cell-based immune modulation with mesenchymal stem cells and regulatory T cells for solid-organ transplant tolerance. <i>Stem Cells and Development</i> , <b>2014</b> , 23, 2364-76	4.4	19
210	Serial measurement of WT1 expression and decrement ratio until hematopoietic cell transplantation as a marker of residual disease in patients with cytogenetically normal acute myelogenous leukemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2013</b> , 19, 958-66	4.7	19

209	A pilot study of autologous CD34-depleted bone marrow mononuclear cell transplantation via the hepatic artery in five patients with liver failure. <i>Cytotherapy</i> , <b>2013</b> , 15, 1571-9	4.8	19
208	Cytogenetic characteristics and prognosis analysis in 231 myelodysplastic syndrome patients from a single institution. <i>Leukemia Research</i> , <b>2011</b> , 35, 735-40	2.7	19
207	Anti-NK cell treatment induces stable mixed chimerism in MHC-mismatched, T cell-depleted, nonmyeloablative bone marrow transplantation. <i>Experimental Hematology</i> , <b>2004</b> , 32, 1246-54	3.1	19
206	WT1 Measurable Residual Disease Assay in Patients With Acute Myeloid Leukemia Who Underwent Allogeneic Hematopoietic Stem Cell Transplantation: Optimal Time Points, Thresholds, and Candidates. <i>Biology of Blood and Marrow Transplantation</i> , <b>2019</b> , 25, 1925-1932	4.7	18
205	IL-21-Expressing Mesenchymal Stem Cells Prevent Lethal B-Cell Lymphoma Through Efficient Delivery of IL-21, Which Redirects the Immune System to Target the Tumor. <i>Stem Cells and Development</i> , <b>2015</b> , 24, 2808-21	4.4	18
204	Donor-specific differences in long-term outcomes of myeloablative transplantation in adults with Philadelphia-negative acute lymphoblastic leukemia. <i>Leukemia</i> , <b>2010</b> , 24, 2110-9	10.7	18
203	Favorable outcomes of intravenous busulfan, fludarabine, and 400 cGy total body irradiation-based reduced-intensity conditioning allogeneic stem cell transplantation for acute myelogenous leukemia with old age and/or co-morbidities. <i>International Journal of Hematology</i> , <b>2010</b> , 92, 342-50	2.3	18
202	Outcomes of elderly de novo acute myeloid leukemia treated by a risk-adapted approach based on age, comorbidity, and performance status. <i>American Journal of Hematology</i> , <b>2013</b> , 88, 1074-81	7.1	17
201	Mutation in TET2 or TP53 predicts poor survival in patients with myelodysplastic syndrome receiving hypomethylating treatment or stem cell transplantation. <i>Bone Marrow Transplantation</i> , <b>2015</b> , 50, 1132-4	4.4	16
200	BAALC and WT1 expressions from diagnosis to hematopoietic stem cell transplantation: consecutive monitoring in adult patients with core-binding-factor-positive AML. <i>European Journal of Haematology</i> , <b>2013</b> , 91, 112-21	3.8	16
199	Retrospective analysis of treatment outcomes for extranodal NK/T-cell lymphoma (ENKL), nasal type, stage I-II: single institute experience of combined modality treatment for early localized nasal extranodal NK/T-cell lymphoma (ENKL). <i>Annals of Hematology</i> , <b>2013</b> , 92, 333-43	3	16
198	Bone scan images reveal increased osteoblastic function after bortezomib treatment in patients with multiple myeloma. <i>European Journal of Haematology</i> , <b>2011</b> , 86, 83-6	3.8	16
197	Survival benefits from reduced-intensity conditioning in allogeneic stem cell transplantation for young lower-risk MDS patients without significant comorbidities. <i>European Journal of Haematology</i> , <b>2011</b> , 87, 510-20	3.8	16
196	Long-term clinical outcomes of hematopoietic cell transplantation for intermediate-to-poor-risk acute myeloid leukemia during first remission according to available donor types. <i>Oncotarget</i> , <b>2017</b> , 8, 41590-41604	3.3	16
195	Negative impact of bone-marrow-derived mesenchymal stem cells on dextran sulfate sodium-induced colitis. <i>World Journal of Gastroenterology</i> , <b>2015</b> , 21, 2030-9	5.6	16
194	Impact of failed response to novel agent induction in autologous stem cell transplantation for multiple myeloma. <i>Annals of Hematology</i> , <b>2014</b> , 93, 627-34	3	15
193	Adoptive transfer of all-trans-retinal-induced regulatory T cells ameliorates experimental autoimmune arthritis in an interferon-gamma knockout model. <i>Autoimmunity</i> , <b>2012</b> , 45, 460-9	3	15
192	The characteristics and clinical outcome of adult patients with aplastic anemia and abnormal cytogenetics at diagnosis. <i>Genes Chromosomes and Cancer</i> , <b>2010</b> , 49, 844-50	5	15

191	The synergistic immunoregulatory effects of culture-expanded mesenchymal stromal cells and CD4(+)25(+)Foxp3+ regulatory T cells on skin allograft rejection. <i>PLoS ONE</i> , <b>2013</b> , 8, e70968	3.7	15
190	Survival benefits with transplantation in secondary AML evolving from myelodysplastic syndrome with hypomethylating treatment failure. <i>Bone Marrow Transplantation</i> , <b>2013</b> , 48, 678-83	4.4	14
189	Response to pretransplant hypomethylating agents influences the outcome of allogeneic hematopoietic stem cell transplantation in adults with myelodysplastic syndromes. <i>European Journal of Haematology</i> , <b>2013</b> , 90, 111-20	3.8	14
188	CD161(+) T cells as predictive markers for acute graft-versus-host disease. <i>Biology of Blood and Marrow Transplantation</i> , <b>2015</b> , 21, 421-8	4.7	14
187	FLANG salvage chemotherapy is an effective regimen that offers a safe bridge to transplantation for patients with relapsed or refractory acute myeloid leukemia. <i>Medical Oncology</i> , <b>2011</b> , 28 Suppl 1, S462-70	3.7	14
186	High levels of B cell activating factor during the peritransplantation period are associated with a reduced incidence of acute graft-versus-host disease following myeloablative allogeneic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2010</b> , 16, 629-38	4.7	14
185	Unrelated donor bone marrow transplants for severe aplastic anemia with conditioning using total body irradiation and cyclophosphamide. <i>Biology of Blood and Marrow Transplantation</i> , <b>2007</b> , 13, 863-70	4.7	14
184	Circulating immune cell phenotype can predict the outcome of lenalidomide plus low-dose dexamethasone treatment in patients with refractory/relapsed multiple myeloma. <i>Cancer Immunology, Immunotherapy</i> , <b>2016</b> , 65, 983-94	7.4	14
183	The significance of minimal residual disease kinetics in adults with newly diagnosed PML-RARalpha-positive acute promyelocytic leukemia: results of a prospective trial. <i>Haematologica</i> , <b>2006</b> , 91, 671-4	6.6	14
182	Clinical Outcome of Autologous Hematopoietic Cell Transplantation in Adult Patients with Acute Myeloid Leukemia: Who May Benefit from Autologous Hematopoietic Cell Transplantation?. <i>Biology of Blood and Marrow Transplantation</i> , <b>2017</b> , 23, 588-597	4.7	13
181	Beneficial Role of Low-Dose Antithymocyte Globulin in Unrelated Stem Cell Transplantation for Adult Patients with Acquired Severe Aplastic Anemia: Reduction of Graft-versus-Host Disease and Improvement of Graft-versus-Host Disease-Free, Failure-Free Survival Rate. <i>Biology of Blood and Marrow Transplantation</i> , <b>2017</b> , 23, 1498-1508	4.7	13
180	Impact of IKZF1 deletions on long-term outcomes of allo-SCT following imatinib-based chemotherapy in adult Philadelphia chromosome-positive ALL. <i>Bone Marrow Transplantation</i> , <b>2015</b> , 50, 354-62	4.4	13
179	Gemtuzumab ozogamicin in combination with attenuated doses of standard induction chemotherapy can successfully induce complete remission without increasing toxicity in patients with acute myeloid leukemia aged 55 or older. <i>European Journal of Haematology</i> , <b>2007</b> , 79, 398-404	3.8	13
178	High WT1 expression is an early predictor for relapse in patients with acute promyelocytic leukemia in first remission with negative PML-RARa after anthracycline-based chemotherapy: a single-center cohort study. <i>Journal of Hematology and Oncology</i> , <b>2017</b> , 10, 30	22.4	12
177	Risk factors and outcomes of hepatitis B virus reactivation in hepatitis B surface antigen negative patients with hematological malignancies. <i>Hepatology Research</i> , <b>2016</b> , 46, 657-68	5.1	12
176	Clinical outcomes for ibrutinib in relapsed or refractory mantle cell lymphoma in real-world experience. <i>Cancer Medicine</i> , <b>2019</b> , 8, 6860-6870	4.8	12
175	Validation of Western common recurrent chromosomal aberrations in Korean chronic lymphocytic leukaemia patients with very low incidence. <i>Hematological Oncology</i> , <b>2014</b> , 32, 169-77	1.3	12
174	Risk potentiality of frontline radiotherapy associated cataract in primary ocular adnexal mucosa-associated lymphoid tissue lymphoma. <i>Korean Journal of Ophthalmology: KJO</i> , <b>2013</b> , 27, 243-8	1.2	12

173	Anti-leukaemic role of acute GvHD after unrelated haematopoietic stem cell transplantation in intermediate- to high-risk acute myelogenous leukaemia. <i>Bone Marrow Transplantation</i> , <b>2007</b> , 40, 1069-74	4.4	12
172	Impact of pretransplant red cell transfusion on outcome after allogeneic stem cell transplantation in adult patients with severe aplastic anemia. <i>Bone Marrow Transplantation</i> , <b>2016</b> , 51, 1323-1329	4.4	12
171	Different role of circulating myeloid-derived suppressor cells in patients with multiple myeloma undergoing autologous stem cell transplantation <b>2019</b> , 7, 35		12
170	Regulation of HMGB1 release protects chemoradiotherapy-associated mucositis. <i>Mucosal Immunology</i> , <b>2019</b> , 12, 1070-1081	9.2	12
169	Therapeutic potential of low-dose IL-2 in a chronic GVHD patient by in vivo expansion of regulatory T cells. <i>Cytokine</i> , <b>2016</b> , 78, 22-6	4	11
168	Graft-versus-Host Disease-Free, Relapse-Free Survival after Allogeneic Stem Cell Transplantation for Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , <b>2019</b> , 25, 63-72	4.7	11
167	Wilms tumor gene 1 expression as a predictive marker for relapse and survival after hematopoietic stem cell transplantation for myelodysplastic syndromes. <i>Biology of Blood and Marrow Transplantation</i> , <b>2015</b> , 21, 460-7	4.7	11
166	Optimal conditioning regimen for haplo-identical stem cell transplantation in adult patients with acquired severe aplastic anemia: Prospective de-escalation study of TBI and ATG dose. <i>American Journal of Hematology</i> , <b>2018</b> , 93, 1368-1375	7.1	10
165	Implication of higher BAALC expression in combination with other gene mutations in adult cytogenetically normal acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , <b>2014</b> , 55, 110-20	1.9	10
164	Outcome of allogeneic hematopoietic stem cell transplantation for cytogenetically normal AML and identification of high-risk subgroup using WT1 expression in association with NPM1 and FLT3-ITD mutations. <i>Genes Chromosomes and Cancer</i> , <b>2015</b> , 54, 489-499	5	10
163	Analysis of immunoglobulin and T cell receptor gene rearrangement in the bone marrow of lymphoid neoplasia using BIOMED-2 multiplex polymerase chain reaction. <i>International Journal of Medical Sciences</i> , <b>2013</b> , 10, 1510-7	3.7	10
162	Multicenter analysis of treatment outcomes in adult patients with lymphoblastic lymphoma who received hyper-CVAD induction followed by hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , <b>2015</b> , 94, 617-25	3	9
161	Negative Impact of Unidirectional Host-versus-Graft Killer Cell Immunoglobulin-like Receptor Ligand Mismatch on Transplantation Outcomes after Unmanipulated Haploidentical Peripheral Blood Stem Cell Transplantation for Acute Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2016</b> , 22, 316-323	4.7	9
160	A case of central nervous system graft-versus-host disease following allogeneic stem cell transplantation. <i>International Journal of Hematology</i> , <b>2019</b> , 110, 635-639	2.3	9
159	Circulating IL-17 levels during the peri-transplant period as a predictor for early leukemia relapse after myeloablative allogeneic stem cell transplantation. <i>Annals of Hematology</i> , <b>2012</b> , 91, 439-48	3	9
158	Outcomes of allogeneic stem cell transplantation in patients with paroxysmal nocturnal hemoglobinuria with or without aplastic anemia. <i>European Journal of Haematology</i> , <b>2017</b> , 99, 336-343	3.8	9
157	Azacytidine treatment after discontinuation of immunosuppressants in patients with myelodysplastic syndrome and relapse after allo-SCT at a single center. <i>Bone Marrow Transplantation</i> , <b>2010</b> , 45, 1375-6	4.4	9
156	CD8alpha+ dendritic cells enhance the antigen-specific CD4+ T-cell response and accelerate development of collagen-induced arthritis. <i>Immunology Letters</i> , <b>2007</b> , 111, 76-83	4.1	9

155	Role of frontline autologous stem cell transplantation in young, high-risk diffuse large B-cell lymphoma patients. <i>Korean Journal of Internal Medicine</i> , <b>2015</b> , 30, 362-71	2.5	9
154	Improved survival outcomes and restoration of graft-vs-leukemia effect by deferasirox after allogeneic stem cell transplantation in acute myeloid leukemia. <i>Cancer Medicine</i> , <b>2019</b> , 8, 501-514	4.8	8
153	Early Hepatitis B Surface Antigen Seroclearance Following Antiviral Treatment in Patients with Reactivation of Resolved Hepatitis B. <i>Digestive Diseases and Sciences</i> , <b>2019</b> , 64, 2992-3000	4	8
152	Interleukin 21 blockade modulates activated T- and B-cell homeostasis via B-cell activating factor pathway-mediated inhibition in a murine model of acute graft-versus-host disease. <i>Experimental Hematology</i> , <b>2015</b> , 43, 23-31.e1-2	3.1	8
151	Comparative analysis of post-transplant lymphoproliferative disorder after kidney transplantation versus hematopoietic stem cell transplantation. <i>Transplant International</i> , <b>2014</b> , 27, 721-32	3	8
150	Lymphocyte subset analysis for the assessment of treatment-related complications after autologous stem cell transplantation in multiple myeloma. <i>Cytotherapy</i> , <b>2012</b> , 14, 505-12	4.8	8
149	Clinical outcomes of post-remission therapy using (90)yttrium ibritumomab tiuxetan (Zevalin <sup>®</sup> ) for high-risk patients with diffuse large B-cell lymphoma. <i>Annals of Hematology</i> , <b>2011</b> , 90, 1075-82	3	8
148	Frontline treatment with chemoimmunotherapy for limited-stage ocular adnexal MALT lymphoma with adverse factors: a phase II study. <i>Oncotarget</i> , <b>2017</b> , 8, 68583-68590	3.3	8
147	Down-regulation of intracellular reactive oxygen species attenuates P-glycoprotein-associated chemoresistance in Epstein-Barr virus-positive NK/T-cell lymphoma. <i>American Journal of Translational Research (discontinued)</i> , <b>2019</b> , 11, 1359-1373	3	8
146	Clinical outcomes of venous thromboembolism with dalteparin therapy in multiple myeloma patients. <i>Thrombosis Research</i> , <b>2015</b> , 136, 974-9	8.2	7
145	Equivalent outcome of autologous stem cell transplantation and reduced intensity conditioning stem cell transplantation in acute myeloid leukemia patients with t(8;21). <i>Acta Haematologica</i> , <b>2015</b> , 133, 266-76	2.7	7
144	Stratification of de novo adult acute myelogenous leukemia with adverse-risk karyotype: can we overcome the worse prognosis of adverse-risk group acute myelogenous leukemia with hematopoietic stem cell transplantation?. <i>Biology of Blood and Marrow Transplantation</i> , <b>2014</b> , 20, 80-8	4.7	7
143	Bone marrow plasma cell assessment before peripheral blood stem cell mobilization in patients with multiple myeloma undergoing autologous stem cell transplantation. <i>BioMed Research International</i> , <b>2014</b> , 2014, 982504	3	7
142	Superior transplantation outcomes of 8/8-matched unrelated donors as well as matched siblings to autologous transplantation for acute myeloid leukemia with intermediate cytogenetics in first remission. <i>European Journal of Haematology</i> , <b>2013</b> , 90, 365-74	3.8	7
141	Pilot study of pegylated interferon alpha-2a treatment during chemo- and radiotherapy and post-remission maintenance in patients with EBV-positive extranodal NK/T cell lymphoma. <i>Annals of Hematology</i> , <b>2011</b> , 90, 693-9	3	7
140	Successful treatment with splenectomy and interferon alpha against recurred hemophagocytic syndrome in remission state of anaplastic large cell lymphoma following high-dose therapy and autologous peripheral blood stem cell transplantation. <i>European Journal of Haematology</i> , <b>2005</b> , 74, 259-62	3.8	7
139	A Phase 2 Study of Odronextamab (REGN1979), a CD20 x CD3 Bispecific Antibody, in Patients with Relapsed/Refractory B-Cell Non-Hodgkin Lymphoma. <i>Blood</i> , <b>2020</b> , 136, 28-29	2.2	7
138	Analysis of treatment outcomes for primary tonsillar lymphoma. <i>Radiation Oncology Journal</i> , <b>2016</b> , 34, 273-279	2.5	7



137	Clinical characteristics and the usefulness of the QuantiFERON-TB Gold In-Tube test in hematologic patients with hepatic or splenic lesions. <i>Korean Journal of Internal Medicine</i> , <b>2013</b> , 28, 187-96	2.5	7
136	Human mesenchymal stem cells derived from umbilical cord and bone marrow exert immunomodulatory effects in different mechanisms. <i>World Journal of Stem Cells</i> , <b>2020</b> , 12, 1032-1049	5.6	7
135	Progressive hyperleukocytosis is a relevant predictive marker for differentiation syndrome, early death, and subsequent relapse in acute promyelocytic leukemia. <i>Scientific Reports</i> , <b>2019</b> , 9, 11935	4.9	6
134	Influence of ex vivo purging with CliniMACS CD34(+) selection on outcome after autologous stem cell transplantation in non-Hodgkin lymphoma. <i>British Journal of Haematology</i> , <b>2014</b> , 164, 555-64	4.5	6
133	The beneficial effect of chronic graft-versus-host disease on the clinical outcome of transplantation with fludarabine/busulfan-based reduced-intensity conditioning for patients with de novo myelodysplastic syndrome. <i>International Journal of Hematology</i> , <b>2007</b> , 85, 446-55	2.3	6
132	Immunoregulatory effects of allogeneic mixed chimerism induced by nonmyeloablative bone marrow transplantation on chronic inflammatory arthritis and autoimmunity in interleukin-1 receptor antagonist-deficient mice. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 1878-87		6
131	Chronic lymphocytic leukemia: a clinical review including Korean cohorts. <i>Korean Journal of Internal Medicine</i> , <b>2016</b> , 31, 433-43	2.5	6
130	Allogeneic stem cell transplantation using lymphoablative rather than myeloablative conditioning regimen for relapsed or refractory lymphomas. <i>Hematological Oncology</i> , <b>2017</b> , 35, 17-24	1.3	5
129	Clinical significance of pre-transplant circulating CD3 CD4 CD161 cell frequency on the occurrence of neutropenic infections after allogeneic stem cell transplantation. <i>Transplant Infectious Disease</i> , <b>2017</b> , 19, e12643	2.7	5
128	Autologous hematopoietic cell transplantation using dose-reduced intravenous busulfan, melphalan, and thiotepa for high-risk or relapsed lymphomas. <i>Bone Marrow Transplantation</i> , <b>2019</b> , 54, 330-333	4.4	5
127	PBSC vs BM grafts with myeloablative conditioning for unrelated donor transplantation in adults with high-risk ALL. <i>Bone Marrow Transplantation</i> , <b>2014</b> , 49, 773-9	4.4	5
126	Hematopoietic stem cell transplant following remission induction chemotherapy including gemtuzumab ozogamicin is a feasible and effective treatment option in elderly patients with acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , <b>2011</b> , 52, 2321-8	1.9	5
125	Comparison of Myeloablative (CyTBI, BuCy) versus Reduced-Intensity (FluBu2TBI400) Peripheral Blood Stem Cell Transplantation in Acute Myeloid Leukemia Patients with Pretransplant Low WT1 Expression. <i>Biology of Blood and Marrow Transplantation</i> , <b>2020</b> , 26, 2018-2026	4.7	5
124	Feasible outcome of blinatumomab followed by allogeneic hematopoietic cell transplantation for adults with Philadelphia chromosome-negative acute lymphoblastic leukemia in first salvage. <i>Cancer Medicine</i> , <b>2019</b> , 8, 7650-7659	4.8	5
123	Haploidentical vs matched unrelated donor transplantation for acute myeloid leukemia in remission: A prospective comparative study. <i>American Journal of Hematology</i> , <b>2021</b> , 96, 98-109	7.1	5
122	Infusions of Epstein-Barr virus-specific cytotoxic T lymphocytes as post-remission therapy in high-risk post-transplant lymphoproliferative disorder patients: report of two cases. <i>International Journal of Hematology</i> , <b>2018</b> , 107, 596-603	2.3	5
121	Safety and efficacy of arsenic trioxide and all-trans retinoic acid therapy in acute promyelocytic leukemia patients with a high risk for early death. <i>Annals of Hematology</i> , <b>2020</b> , 99, 973-982	3	4
120	Comparison of the effects of early intensified induction chemotherapy and standard 3+7 chemotherapy in adult patients with acute myeloid leukemia. <i>Blood Research</i> , <b>2017</b> , 52, 174-183	1.4	4

119	Successful outcomes of second hematopoietic stem cell transplantation with total nodal irradiation and ATG conditioning for graft failure in adult patients with severe aplastic anemia. <i>Bone Marrow Transplantation</i> , <b>2018</b> , 53, 1270-1277	4.4	4
118	Prognostic factors for re-mobilization using plerixafor and granulocyte colony-stimulating factor (G-CSF) in patients with malignant lymphoma or multiple myeloma previously failing mobilization with G-CSF with or without chemotherapy: the Korean multicenter retrospective study. <i>Annals of Hematology</i> , <b>2018</b> , 95, 603-11	3	4
117	Predictive Value of Interim and End-of-Therapy 18F-FDG PET/CT in Patients with Follicular Lymphoma. <i>Nuclear Medicine and Molecular Imaging</i> , <b>2019</b> , 53, 263-269	1.9	4
116	SOCS1 and SOCS3 are expressed in mononuclear cells in human cytomegalovirus viremia after allogeneic hematopoietic stem cell transplantation. <i>Blood Research</i> , <b>2015</b> , 50, 40-5	1.4	4
115	Plerixafor use for peripheral blood stem cell mobilization in Korea. <i>Blood Research</i> , <b>2013</b> , 48, 72-3	1.4	4
114	Sustained response to low-dose imatinib mesylate in a patient with chronic myelomonocytic leukemia with t(5;12)(q33;p13). <i>Acta Haematologica</i> , <b>2008</b> , 119, 57-9	2.7	4
113	Vascular endothelial growth factor levels in ascites between chemonaive and chemotreated patients. <i>Yonsei Medical Journal</i> , <b>2008</b> , 49, 429-35	3	4
112	Experience of blinatumomab salvage for patients with acute lymphoblastic leukemia presenting with isolated extramedullary relapse after previous allogeneic hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , <b>2020</b> , 55, 1469-1472	4.4	4
111	Impact of donor type on long-term graft-versus-host disease-free/relapse-free survival for adult acute lymphoblastic leukemia in first remission. <i>Bone Marrow Transplantation</i> , <b>2021</b> , 56, 828-840	4.4	4
110	Practical informativeness of short tandem repeat loci for chimerism analysis in hematopoietic stem cell transplantation. <i>Clinica Chimica Acta</i> , <b>2017</b> , 468, 51-59	6.2	3
109	Suggestion of response evaluation criteria in patients with ocular adnexal mucosa-associated lymphoid tissue lymphoma (OAML). <i>Annals of Hematology</i> , <b>2015</b> , 94, 1185-93	3	3
108	Specific donor HLA allotypes as predictors of cytomegalovirus disease risk in acute myeloid leukemia. <i>Hla</i> , <b>2020</b> , 96, 445-455	1.9	3
107	Comparison of HLA-matched sibling and unrelated donor transplantation in adult patients with acquired severe aplastic anemia. <i>Bone Marrow Transplantation</i> , <b>2020</b> , 55, 1570-1579	4.4	3
106	Clinical Features and Survival of Patients With Follicular Lymphoma in Korea. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , <b>2016</b> , 16, 197-202	2	3
105	Similar outcomes of peripheral blood stem cells vs. bone marrow for human leukocyte antigen-matched unrelated donor transplantation in adult patients with acute myeloid leukemia using risk-adapted graft-versus-host disease prophylaxis. <i>European Journal of Haematology</i> , <b>2014</b> , 93, 19-28	3.8	3
104	Normal karyotype mosaicism in adult AML patients with adverse-risk and undefined karyotype: preliminary report of treatment outcomes after hematopoietic stem cell transplantation. <i>International Journal of Hematology</i> , <b>2013</b> , 97, 773-81	2.3	3
103	Impact of pre-transplant marrow blasts on survival of allogeneic stem cell transplantation in adult acute myeloid leukemia. <i>International Journal of Hematology</i> , <b>2013</b> , 97, 640-9	2.3	3
102	Characteristics and Survival Outcome Analysis of Extramedullary Involvement in Adult Patients With t(8;21) Acute Myeloid Leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , <b>2017</b> , 17, 38-45.e2	2	3

101	The impact of novel therapeutic agents before and after frontline autologous stem cell transplantation in patients with multiple myeloma. <i>Blood Research</i> , <b>2013</b> , 48, 198-205	1.4	3
100	Overcoming various comorbidities by G-CSF-primed unmanipulated BM SCT in adult patients with AML. <i>Bone Marrow Transplantation</i> , <b>2009</b> , 44, 345-51	4.4	3
99	Successful treatment with tandem consolidation using 90yttrium-ibritumomab tiuxetan (Zevalin) and high-dose therapy with autologous PBSCT in a patient with relapsed mantle cell lymphoma presenting as multiple lymphomatous polyposis. <i>Bone Marrow Transplantation</i> , <b>2012</b> , 47, 877-9	4.4	3
98	Hematopoietic Stem Cell Transplantation with Using Multinational Unrelated Donors for Acute Myelogenous Leukemia. <i>The Korean Journal of Hematology</i> , <b>2007</b> , 42, 98		3
97	Behenoyl cytarabine-associated reversible encephalopathy in a patient with acute myelogenous leukemia. <i>Journal of Korean Medical Science</i> , <b>1999</b> , 14, 89-92	4.7	3
96	Measurement of CD8+ and CD4+ T Cell Frequencies Specific for EBV LMP1 and LMP2a Using mRNA-Transfected DCs. <i>PLoS ONE</i> , <b>2015</b> , 10, e0127899	3.7	3
95	Prognostic impact of interim positron emission tomography in mantle cell lymphoma patients treated with frontline R-CHOP. <i>British Journal of Haematology</i> , <b>2020</b> , 188, 860-871	4.5	3
94	HLA-mismatched donor and high ferritin level showed poor clinical outcomes after allogeneic hematopoietic cell transplantation in patients with advanced myelofibrosis. <i>Therapeutic Advances in Hematology</i> , <b>2020</b> , 11, 2040620720936935	5.7	3
93	FDG PET/CT Findings of Castleman Disease Assessed by Histologic Subtypes and Compared with Laboratory Findings. <i>Diagnostics</i> , <b>2020</b> , 10,	3.8	3
92	The clinical, laboratory, and radiologic improvement due to siltuximab treatment in idiopathic multicentric CastlemanB disease. <i>Korean Journal of Internal Medicine</i> , <b>2021</b> , 36, 424-432	2.5	3
91	Incidence and risk factors of hepatic veno-occlusive disease/sinusoidal obstruction syndrome after allogeneic hematopoietic cell transplantation in adults with prophylactic ursodiol and intravenous heparin or prostaglandin E1. <i>Bone Marrow Transplantation</i> , <b>2021</b> , 56, 1603-1613	4.4	3
90	Low frequency of CD3CD4CD161 T cells correlates with the occurrence of infections in refractory/relapsed multiple myeloma patients receiving lenalidomide plus low-dose dexamethasone treatment. <i>Annals of Hematology</i> , <b>2018</b> , 97, 2163-2171	3	3
89	Comparable Outcomes After Alternative and Matched Sibling Donor Hematopoietic Stem Cell Transplantation and the Role of Molecular Measurable Residual Disease for Acute Myeloid Leukemia in Elderly Patients. <i>Transplantation and Cellular Therapy</i> , <b>2021</b> , 27, 774.e1-774.e12		3
88	Impact of an Additional Chromosome on the Clinical Outcomes of Hematopoietic Stem Cell Transplantation in Philadelphia Chromosome-Positive Acute Myeloid Leukemia in Adults. <i>Biology of Blood and Marrow Transplantation</i> , <b>2018</b> , 24, 1621-1628	4.7	2
87	Reactivation and dynamics of cytomegalovirus and Epstein-Barr virus after rabbit antithymocyte globulin and cyclosporine for aplastic anemia. <i>European Journal of Haematology</i> , <b>2019</b> , 103, 433-441	3.8	2
86	Immune Reconstitution Kinetics following Intentionally Induced Mixed Chimerism by Nonmyeloablative Transplantation. <i>PLoS ONE</i> , <b>2015</b> , 10, e0126318	3.7	2
85	Positron emission tomography of chronic panniculitis mimicking extranodal lymphoma. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 3250	9.5	2
84	The first case of acute lymphoblastic leukemia with the e19a2 BCR-ABL1 transcript: imatinib therapy followed by unrelated donor transplantation induces a durable molecular response. <i>Leukemia</i> , <b>2011</b> , 25, 366-7	10.7	2

83	Acute myeloid leukemia with MYC amplification in the homogeneous staining regions and double minutes. <i>Cancer Genetics and Cytogenetics</i> , <b>2009</b> , 192, 96-8		2
82	Protective effect of irradiated renal carcinoma expressing hepatitis B surface antigen against renal-cell carcinoma-mediated tumors. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , <b>2006</b> , 21, 211-6	3.9	2
81	Hepatic venoocclusive disease/sinusoidal obstruction syndrome with normal portal vein flow mimicking aggravated chronic hepatic GVHD following inotuzumab ozogamicin salvage therapy: a case report of pathologic-radiologic discrepancy.. <i>Therapeutic Advances in Hematology</i> , <b>2021</b> , 12, 20406207211066176	5.7	2
80	Intracranial relapse as a solitary mass of ocular adnexal lymphoma of the mucosa-associated lymphoid tissue type. <i>Korean Journal of Internal Medicine</i> , <b>2018</b> , 33, 224-227	2.5	2
79	Role of F-18 FDG PET/CT in non-conjunctival origin ocular adnexal mucosa-associated lymphoid tissue (MALT) lymphomas. <i>EJNMMI Research</i> , <b>2019</b> , 9, 99	3.6	2
78	Comparable Outcomes Between Unrelated and Haploidentical Stem Cell Transplantation in Adult Patients With Severe Aplastic Anemia. <i>Transplantation</i> , <b>2021</b> , 105, 1097-1105	1.8	2
77	Use of intrapulmonary administration of thrombin in hematological malignancy patients with alveolar haemorrhage: A case series. <i>Medicine (United States)</i> , <b>2020</b> , 99, e20284	1.8	2
76	Bone marrow T cells are superior to splenic T cells to induce chimeric conversion after non-myeloablative bone marrow transplantation. <i>Korean Journal of Internal Medicine</i> , <b>2009</b> , 24, 252-62	2.5	2
75	Mantle cell lymphoma with gastrointestinal involvement and the role of endoscopic examinations. <i>PLoS ONE</i> , <b>2020</b> , 15, e0239740	3.7	2
74	Enhancement of Graft-Versus-Host Disease Control Efficacy by Adoptive Transfer of Type 1 Regulatory T Cells in Bone Marrow Transplant Model. <i>Stem Cells and Development</i> , <b>2019</b> , 28, 129-140	4.4	2
73	Newly diagnosed and previously treated multicentric Castleman disease respond equally to siltuximab. <i>British Journal of Haematology</i> , <b>2021</b> , 192, e28-e31	4.5	2
72	Circulating CD3CD4CD161 Cells Are Associated with Early Complications after Autologous Stem Cell Transplantation in Multiple Myeloma. <i>BioMed Research International</i> , <b>2018</b> , 2018, 5097325	3	2
71	Efficacy and Safety of CT-P10 Versus Rituximab in Untreated Low-Tumor-Burden Follicular Lymphoma: Final Results of a Randomized Phase III Study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , <b>2021</b> ,	2	2
70	Risk factors predicting graft-versus-host disease and relapse-free survival after allogeneic hematopoietic stem cell transplantation in relapsed or refractory non-Hodgkin's lymphoma. <i>Annals of Hematology</i> , <b>2019</b> , 98, 1743-1753	3	1
69	Clinical Outcomes of Fludarabine and Melphalan With an 800 cGy Total Body Irradiation Conditioning Regimen in Patients With Refractory or Relapsed Aggressive Non-Hodgkin Lymphoma Undergoing Allogeneic Hematopoietic Stem Cell Transplantation. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , <b>2019</b> , 19, 345-355.e7	2	1
68	Non-myeloablative matched sibling stem cell transplantation with the optional reinforced stem cell infusion for patients with hemoglobinopathies. <i>European Journal of Haematology</i> , <b>2020</b> , 105, 387-398	3.8	1
67	Outcomes of Haploidentical Stem Cell Transplantation using Total Body Irradiation (600 cGy) and Fludarabine with Antithymocyte Globulin in Adult Patients with Severe Aplastic Anemia: A Prospective Phase II Study. <i>Biology of Blood and Marrow Transplantation</i> , <b>2020</b> , 26, 1906-1914	4.7	1
66	Poor prognosis in patients with diffuse large B cell lymphomas with bone marrow involvement possessing chromosomal abnormalities, despite aggressive treatment. <i>Annals of Hematology</i> , <b>2020</b> , 99, 557-570	3	1

65	Prognostic Prediction Model for Second Allogeneic Stem-Cell Transplantation in Patients With Relapsed Acute Myeloid Leukemia: Single-Center Report. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , <b>2018</b> , 18, e167-e182	2	1
64	A phase IV, randomized, multicenter, open-label trial comparing efficacy and systemic exposure for a standard weight-based dose versus a fixed dose of plerixafor in combination with G-CSF in patients with Non-Hodgkin lymphoma weighing $\geq 70$ kg. <i>Bone Marrow Transplantation</i> , <b>2019</b> , 54, 258-264	4.4	1
63	Effectiveness of Single-dose Rasburicase in Patients With Lymphoid Malignancies at a High Risk for Tumor Lysis Syndrome. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , <b>2017</b> , 17, 595-603	2	1
62	Successful Treatment of Pneumonia caused by <i>Aspergillus terreus</i> and Cytomegalovirus after Chemotherapy for Acute Myelogenous Leukemia. <i>Infection and Chemotherapy</i> , <b>2012</b> , 44, 26	3.9	1
61	Reduced-intensity conditioning regimen combined with low-dose total body irradiation in the treatment of myelodysplastic syndrome. <i>Acta Haematologica</i> , <b>2011</b> , 126, 21-9	2.7	1
60	Pre-transplant Disease Status is Important for an Improved Outcome of the Second Stem Cell Transplantation in the Myeloma Patients Receiving the First Autologous Stem Cell Transplantation. <i>The Korean Journal of Hematology</i> , <b>2006</b> , 41, 36		1
59	A Case of Acute Promyelocytic Leukemia after Iodine-131 Treatment for Thyroid Cancer. <i>The Korean Journal of Hematology</i> , <b>2006</b> , 41, 302		1
58	A Case of Fatal Multiple Cerebral Aspergillosis in a Patient with Acute Promyelocytic Leukemia during Complete Remission. <i>The Korean Journal of Hematology</i> , <b>2005</b> , 40, 167		1
57	Comparison of FDG PET/CT and Bone Marrow Biopsy Results in Patients with Diffuse Large B Cell Lymphoma with Subgroup Analysis of PET Radiomics. <i>Diagnostics</i> , <b>2022</b> , 12,	3.8	1
56	Comparison of the modified low-dose cytarabine and etoposide with decitabine therapy for elderly acute myeloid leukemia patients unfit for intensive chemotherapy. <i>Oncotarget</i> , <b>2018</b> , 9, 5823-5833	3.3	1
55	Response to blinatumomab or inotuzumab ozogamicin for isolated extramedullary relapse of adult acute lymphoblastic leukemia after allogeneic hematopoietic cell transplantation: a case study. <i>International Journal of Hematology</i> , <b>2021</b> , 1	2.3	1
54	Viruria in Adult Hemorrhagic Cystitis Patients Following Allogeneic Hematopoietic Stem Cell Transplantation and Implication of Antiviral Treatment. <i>The Korean Journal of Hematology</i> , <b>2007</b> , 42, 114		1
53	Clinical Characteristics and Treatment Outcomes in Children, Adolescents, and Young-adults with Hodgkin lymphoma: a KPHOG Lymphoma Working-party, Multicenter, Retrospective Study. <i>Journal of Korean Medical Science</i> , <b>2020</b> , 35, e393	4.7	1
52	Clinical manifestations of autoimmune disease-related non-Hodgkin lymphoma: a Korean single-center, retrospective clinical study. <i>Korean Journal of Internal Medicine</i> , <b>2016</b> , 31, 944-52	2.5	1
51	Efficacy and Safety of Micafungin for Prophylaxis of Invasive Fungal Infection in Hematopoietic Stem Cell Transplantation Recipients. <i>Infection and Chemotherapy</i> , <b>2010</b> , 42, 149	3.9	1
50	Two Cases of Gastric MALT Lymphoma Diagnosed at Long Last after Successful Eradication of <i>Helicobacter pylori</i> . <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , <b>2012</b> , 12, 265	0.4	1
49	Pattern of failure and optimal treatment strategy for primary gastric diffuse large B-cell lymphoma treated with R-CHOP chemotherapy. <i>PLoS ONE</i> , <b>2020</b> , 15, e0238807	3.7	1
48	Differentiation of soft-tissue lymphoma from undifferentiated sarcoma: apparent diffusion coefficient histogram analysis. <i>Acta Radiologica</i> , <b>2021</b> , 62, 1045-1051	2	1

47	Experiences of allogeneic hematopoietic cell transplantation following non-myeloablative conditioning regimen in severely comorbid patients with myelofibrosis: case series with a patient presenting with extensive extramedullary hematopoiesis. <i>Therapeutic Advances in Hematology</i> , <b>2020</b> , 11, 2040620720932038	5.7	1
46	Analysis of the response time to involved-field radiotherapy in primary gastrointestinal low-grade B-cell lymphoma. <i>Radiation Oncology</i> , <b>2020</b> , 15, 210	4.2	1
45	Prognostic values of D816V KIT mutation and peri-transplant CFBF-MYH11 MRD monitoring on acute myeloid leukemia with CFBF-MYH11. <i>Bone Marrow Transplantation</i> , <b>2021</b> , 56, 2682-2689	4.4	1
44	Excellent outcomes of hematopoietic stem cell transplantation with total nodal irradiation and antithymocyte globulin conditioning in severe aplastic anemia with advanced age and/or severe comorbidity. <i>Bone Marrow Transplantation</i> , <b>2020</b> , 55, 1447-1450	4.4	1
43	Prognostic Impacts of D816V Mutation and Peri-Transplant MRD Monitoring on Acute Myeloid Leukemia with. <i>Cancers</i> , <b>2021</b> , 13,	6.6	1
42	Comparison of Selection and Long-term Clinical Outcomes Between Chemotherapy and Radiotherapy as Primary Therapeutic Modality for Ocular Adnexal MALT Lymphoma. <i>EClinicalMedicine</i> , <b>2018</b> , 4-5, 32-42	11.3	1
41	A retrospective comparison of salvage intensive chemotherapy venetoclax-combined regimen in patients with relapsed/refractory acute myeloid leukemia (AML).. <i>Therapeutic Advances in Hematology</i> , <b>2022</b> , 13, 20406207221081637	5.7	1
40	Refractory follicular conjunctival lesions: overlook as just inflammation or not?. <i>British Journal of Ophthalmology</i> , <b>2019</b> , 103, 1660-1665	5.5	0
39	Long-Term Efficacy and Safety (27 months) of the Biosimilar CT-P10 in Patients with Low Tumor Burden Follicular Lymphoma. <i>Blood</i> , <b>2020</b> , 136, 27-28	2.2	0
38	Impact of Epstein-Barr Virus on Peripheral T-Cell Lymphoma Not Otherwise Specified and Angioimmunoblastic T-Cell Lymphoma.. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 797028	5.3	0
37	Stem Cell Therapy for GVHD. <i>Translational Medicine Research</i> , <b>2015</b> , 361-389		0
36	Natural-killer cell cytotoxicity as a diagnostic and prognostic marker for adult patients with secondary hemophagocytic lymphohistiocytosis: a prospective phase II observational study. <i>Therapeutic Advances in Hematology</i> , <b>2021</b> , 12, 20406207211020544	5.7	0
35	Low-dose thymoglobulin for prevention of chronic graft-versus-host disease in transplantation from an HLA-matched sibling donor. <i>American Journal of Hematology</i> , <b>2021</b> , 96, 1441-1449	7.1	0
34	Durable outcomes of double cord blood transplantation in adults with acute lymphoblastic leukemia: high-risk features for early and long-term mortality.. <i>Therapeutic Advances in Hematology</i> , <b>2022</b> , 13, 20406207221076762	5.7	0
33	Dosimetric comparison of helical tomotherapy and linac-based IMRT in whole abdomen radiotherapy. <i>Journal of the Korean Physical Society</i> , <b>2012</b> , 61, 1131-1136	0.6	
32	Effect of Extracorporeal Photopheresis on Steroid Resistant Acute GVHD Refractory to High Dose Steroid Treatment. <i>The Korean Journal of Hematology</i> , <b>2007</b> , 42, 325		
31	Practical Evaluation of Engraftment and Mixed Chimerism Using PCR Amplification of a Microsatellite in the Class II Eb Gene in Murine MHC-mismatched, Nonmyeloablative Bone Marrow Transplantation. <i>The Korean Journal of Hematology</i> , <b>2007</b> , 42, 91		
30	A Case of Infective Endocarditis associated with Microcytic Hypochromic Anemia. <i>The Korean Journal of Hematology</i> , <b>2005</b> , 40, 201		

29	Reversal of Marrow Fibrosis Following Imatinib Mesylate Therapy in a Patient with Chronic Myelogenous Leukemia Who Was Refractory to Interferon-- <i>The Korean Journal of Hematology</i> , <b>2005</b> , 40, 124	
28	A Phase 3 Trial of Thymoglobuline for Prevention of Chronic Gvhd in Transplantation from an HLA-Matched Sibling. <i>Blood</i> , <b>2020</b> , 136, 32-32	2.2
27	Effects of Delayed Treatment on Patients with Acute Myeloid Leukemia; Treatment Delay Matters in Younger Patients. <i>Blood</i> , <b>2020</b> , 136, 19-20	2.2
26	Haploidentical Versus Cord Blood Stem Cell Transplantation As the Second Transplant for Relapsed Acute Myeloid Leukemia Patients after the First Stem Cell Transplantation. <i>Blood</i> , <b>2021</b> , 138, 1849-1849	2.2
25	Superior Survival Outcome of Blinatumomab Compared to Mitoxantrone-Etoposide-Cytarabine Salvage for Adult Patients with Relapsed or Refractory B-Cell Precursor Acute Lymphoblastic Leukemia: A Propensity Score-Matched Cohort Analysis. <i>Blood</i> , <b>2021</b> , 138, 2309-2309	2.2
24	Comparison of Prognostic Impact between the European Leukemia Net (ELN) 2017 Risk Classification and Pre-Transplant WT1 expression in Patients Receiving Allogeneic Transplantation for Acute Myeloid Leukemia (AML). <i>Blood</i> , <b>2021</b> , 138, 3459-3459	2.2
23	Changes in choroidal vascular structure from vitreoretinal lymphoma and the intraocular cytokine level associated with clinical resolution after intravitreal methotrexate treatment. <i>PLoS ONE</i> , <b>2021</b> , 16, e0260469	3.7
22	The Effects of Mixed Chimerism Conducted by Natural Killer Cell Depletion with Non Myeloablation on Islet Allograft Rejection. <i>The Journal of Korean Diabetes Association</i> , <b>2006</b> , 30, 54	
21	Specific Donor Human Leukocyte Antigen (HLA) Allotypes and CMV IgG Serology Status Predict the Risk of Cytomegalovirus-Related Disease in Acute Myeloid Leukemia Patients Who Received Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , <b>2018</b> , 132, 2076-2076	2.2
20	Comparable Outcomes between Unrelated Donor (8/8 or 7/8 matched) and Haploidentical Donor for Allogeneic Stem Cell Transplantation in Adult Patients with Severe Aplastic Anemia. <i>Blood</i> , <b>2019</b> , 134, 4619-4619	2.2
19	Endoscopic Appearances with a High Probability of Positive Biopsy in Follow-up Endoscopy of Gastric Mucosa-associated Lymphoid Tissue Lymphoma. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , <b>2015</b> , 15, 117	0.4
18	Lymphoma Symptoms: Data from a Phase 3, International, Randomized, Open-Label, Multicenter Study in Patients with Previously Treated Mantle Cell Lymphoma (MCL) Treated with Ibrutinib Vs. Temsirolimus. <i>Blood</i> , <b>2015</b> , 126, 1542-1542	2.2
17	Low Frequency of CD161+CD4+ T Cells Correlate with the Occurrence of Infections in Refractory/Relapsed Multiple Myeloma Patients Receiving Lenalidomide Plus Low-Dose Dexamethasone Treatment. <i>Blood</i> , <b>2016</b> , 128, 5621-5621	2.2
16	HLA-Matched Sibling Stem Cell Transplantation Using Conditioning Regimen with Reduced Dose of Cyclophosphamide, ATG and Fludarabine in Patients with Severe Aplastic Anemia. <i>Blood</i> , <b>2008</b> , 112, 3296-3296	2.3
15	Incidence and Clinical Significance of Scoring System in Myelodysplastic Syndromes Including Hematological and Cytogenetic Profiles from a Single Institution. <i>Blood</i> , <b>2008</b> , 112, 5102-5102	2.2
14	Oral Beclomethasone Dipropionate for the Treatment of Steroid-refractory Gastrointestinal Acute Graft-versus-host Disease. <i>The Korean Journal of Hematology</i> , <b>2009</b> , 44, 304	
13	The Outcome of Unrelated Hematopoietic Stem Cell Transplants with Total Body Irradiation (800 cGy) and Cyclophosphamide (120 mg/kg) in Adult Patients with Severe Aplastic Anemia.. <i>Blood</i> , <b>2009</b> , 114, 3397-3397	2.2
12	Allogeneic Stem Cell Transplantation for Myelodysplastic Syndrome with a Reduced Intensity Conditioning Regimen Consisting of Intravenous Busulfan, Fludarabine, and 400 Cgy Total Body Irradiation.. <i>Blood</i> , <b>2009</b> , 114, 4327-4327	2.2

11	High Levels of B-Cell Activating Factor During the Peri-Transplant Period Are Associated with the Reduced Incidence of Acute Graft-Versus-Host Disease Following the Myeloablative Allogeneic Stem Cell Transplantation.. <i>Blood</i> , <b>2009</b> , 114, 2229-2229	2.2
10	Outcomes of a Prospective Phase II Study of Reduced-Intensity Stem Cell Transplantation for Acute Myeloid Leukemia with t(8;21)- In Comparison with Autologous and Myeloablative Allogeneic Stem Cell Transplantation.. <i>Blood</i> , <b>2010</b> , 116, 4559-4559	2.2
9	Positron emission tomography detection of synchronous colon cancer in a patient with chronic lymphocytic leukemia. <i>Korean Journal of Internal Medicine</i> , <b>2013</b> , 28, 500-3	2.5
8	Molecular and Cytogenetic Risk Stratification For Core-Binding Factor-Positive Adult AML With Analysis Of Post-Remission Treatment Outcomes Including Transplantation. <i>Blood</i> , <b>2013</b> , 122, 1301-1301 <sup>2</sup>	2.2
7	Role of follow-up endoscopic examination in treatment response assessment for patients with gastric diffuse large B cell lymphoma. <i>Scandinavian Journal of Gastroenterology</i> , <b>2016</b> , 51, 1111-7	2.4
6	Emerging Role of Consolidative Radiotherapy After Complete Remission Following R-CHOP Immunochemotherapy in Stage III-IV Diffuse Large B-Cell Lymphoma: A Single Institutional and Case-Matched Control Study. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 578865	5.3
5	Comparison of transplant-specific prognostic scoring systems in haploidentical transplantation for myelodysplastic syndrome. <i>European Journal of Haematology</i> , <b>2018</b> , 101, 200	3.8
4	Mantle cell lymphoma with gastrointestinal involvement and the role of endoscopic examinations <b>2020</b> , 15, e0239740	
3	Mantle cell lymphoma with gastrointestinal involvement and the role of endoscopic examinations <b>2020</b> , 15, e0239740	
2	Mantle cell lymphoma with gastrointestinal involvement and the role of endoscopic examinations <b>2020</b> , 15, e0239740	
1	Mantle cell lymphoma with gastrointestinal involvement and the role of endoscopic examinations <b>2020</b> , 15, e0239740	