Xiao Yang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4995421/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	METTL3 promote tumor proliferation of bladder cancer by accelerating pri-miR221/222 maturation in m6A-dependent manner. Molecular Cancer, 2019, 18, 110.	7.9	475
2	Circular RNA circ-ITCH inhibits bladder cancer progression by sponging miR-17/miR-224 and regulating p21, PTEN expression. Molecular Cancer, 2018, 17, 19.	7.9	395
3	Mechanism of RNA modification N6-methyladenosine in human cancer. Molecular Cancer, 2020, 19, 104.	7.9	184
4	CircRNA-Cdr1as Exerts Anti-Oncogenic Functions in Bladder Cancer by Sponging MicroRNA-135a. Cellular Physiology and Biochemistry, 2018, 46, 1606-1616.	1.1	126
5	ALKBH5 Inhibited Cell Proliferation and Sensitized Bladder Cancer Cells to Cisplatin by m6A-CK2α-Mediated Glycolysis. Molecular Therapy - Nucleic Acids, 2021, 23, 27-41.	2.3	102
6	The role of the HIFâ€1α/ALYREF/PKM2 axis in glycolysis and tumorigenesis of bladder cancer. Cancer Communications, 2021, 41, 560-575.	3.7	100
7	A lentiviral sponge for miRNA-21 diminishes aerobic glycolysis in bladder cancer T24 cells via the PTEN/PI3K/AKT/mTOR axis. Tumor Biology, 2015, 36, 383-391.	0.8	97
8	The impact of peritoneal dialysis-related peritonitis on mortality in peritoneal dialysis patients. BMC Nephrology, 2017, 18, 186.	0.8	90
9	Circular RNA Cdr1as sensitizes bladder cancer to cisplatin by upregulating APAF1 expression through miRâ€1270 inhibition. Molecular Oncology, 2019, 13, 1559-1576.	2.1	85
10	MicroRNA-218 Increases the Sensitivity of Bladder Cancer to Cisplatin by Targeting Glut1. Cellular Physiology and Biochemistry, 2017, 41, 921-932.	1.1	81
11	Peritoneal Dialysis in China: Meeting the Challenge of ChronicÂKidney Failure. American Journal of Kidney Diseases, 2015, 65, 147-151.	2.1	78
12	Aristolochic Acid I Induced Autophagy Extenuates Cell Apoptosis via ERK 1/2 Pathway in Renal Tubular Epithelial Cells. PLoS ONE, 2012, 7, e30312.	1.1	70
13	Epigenetic modulations of noncoding RNA: a novel dimension of Cancer biology. Molecular Cancer, 2020, 19, 64.	7.9	69
14	Prevalence and Risk Factors of Fluid Overload in Southern Chinese Continuous Ambulatory Peritoneal Dialysis Patients. PLoS ONE, 2013, 8, e53294.	1.1	65
15	Bardoxolone methyl (BARD) ameliorates aristolochic acid (AA)-induced acute kidney injury through Nrf2 pathway. Toxicology, 2014, 318, 22-31.	2.0	60
16	The Effect of Fluid Overload on Clinical Outcome in Southern Chinese Patients Undergoing Continuous Ambulatory Peritoneal Dialysis. Peritoneal Dialysis International, 2015, 35, 691-702.	1.1	60
17	M2b macrophages reduce early reperfusion injury after myocardial ischemia in mice: A predominant role of inhibiting apoptosis via A20. International Journal of Cardiology, 2017, 245, 228-235.	0.8	60
18	Elevated neutrophil to lymphocyte ratio predicts overall and cardiovascular mortality in maintenance peritoneal dialysis patients. International Urology and Nephrology, 2012, 44, 1521-1528.	0.6	55

#	Article	IF	CITATIONS
19	ALKBH5 promotes the proliferation of renal cell carcinoma by regulating AURKB expression in an m6A-dependent manner. Annals of Translational Medicine, 2020, 8, 646-646.	0.7	53
20	An Original Ferroptosis-Related Gene Signature Effectively Predicts the Prognosis and Clinical Status for Colorectal Cancer Patients. Frontiers in Oncology, 2021, 11, 711776.	1.3	49
21	MicroRNA-218 inhibits bladder cancer cell proliferation, migration, and invasion by targeting BMI-1. Tumor Biology, 2015, 36, 8015-8023.	0.8	47
22	Alkaline Phosphatase and Mortality in Patients on Peritoneal Dialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 771-778.	2.2	44
23	Clinical outcome and risk factors for mortality in Chinese patients with diabetes on peritoneal dialysis: A 5-year clinical cohort study. Diabetes Research and Clinical Practice, 2013, 100, 354-361.	1.1	41
24	The metastasis suppressor, NDRG1, inhibits "stemness―of colorectal cancer <i>via</i> down-regulation of nuclear β-catenin and CD44. Oncotarget, 2015, 6, 33893-33911.	0.8	40
25	<i>Escherichia Coli</i> Peritonitis in Peritoneal Dialysis: The Prevalence, Antibiotic Resistance and Clinical Outcomes in a South China Dialysis Center. Peritoneal Dialysis International, 2014, 34, 308-316.	1.1	39
26	Risk Factors for Early-Onset Peritonitis in Southern Chinese Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2016, 36, 640-646.	1.1	39
27	Morin attenuates pyroptosis of nucleus pulposus cells and ameliorates intervertebral disc degeneration via inhibition of the TXNIP/NLRP3/Caspase-1/IL-1β signaling pathway. Biochemical and Biophysical Research Communications, 2021, 559, 106-112.	1.0	39
28	ANRIL rs2383207 polymorphism and coronary artery disease (CAD) risk: a meta-analysis with observational studies. Cellular and Molecular Biology, 2016, 62, 6-10.	0.3	38
29	Serum Magnesium Levels and Hospitalization and Mortality in Incident Peritoneal Dialysis Patients: A Cohort Study. American Journal of Kidney Diseases, 2016, 68, 619-627.	2.1	37
30	Risk Factors for the First Episode of Peritonitis in Southern Chinese Continuous Ambulatory Peritoneal Dialysis Patients. PLoS ONE, 2014, 9, e107485.	1.1	37
31	High Glucose Concentrations in Peritoneal Dialysate are Associated with All-Cause and Cardiovascular Disease Mortality in Continuous Ambulatory Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2015, 35, 70-77.	1.1	36
32	RNF126 promotes homologous recombination via regulation of E2F1-mediated BRCA1 expression. Oncogene, 2016, 35, 1363-1372.	2.6	36
33	AngiotensinÂll upregulates Toll-like receptor 4 and enhances lipopolysaccharide-induced CD40 expression in rat peritoneal mesothelial cells. Inflammation Research, 2009, 58, 473-482.	1.6	32
34	Autologous fibroblasts induce fibrosis of the nucleus pulposus to maintain the stability of degenerative intervertebral discs. Bone Research, 2020, 8, 7.	5.4	32
35	Cloning, expression and characterisation of a type II cystatin from Schistosoma japonicum, which could regulate macrophage activation. Parasitology Research, 2014, 113, 3985-3992.	0.6	31
36	Functional Promoter -94 ins/del ATTG Polymorphism in NFKB1 Gene Is Associated with Bladder Cancer Risk in a Chinese Population. PLoS ONE, 2013, 8, e71604.	1.1	30

#	Article	IF	CITATIONS
37	Lipopolysaccharide (LPS)-induced autophagy is involved in the restriction of Escherichia coliin peritoneal mesothelial cells. BMC Microbiology, 2013, 13, 255.	1.3	29
38	Autophagy inhibitors promoted aristolochic acid I induced renal tubular epithelial cell apoptosis via mitochondrial pathway but alleviated nonapoptotic cell death in mouse acute aritolochic acid nephropathy model. Apoptosis: an International Journal on Programmed Cell Death, 2014, 19, 1215-1224.	2.2	29
39	Higher serum triglyceride to high-density lipoprotein cholesterol ratio was associated with increased cardiovascular mortality in female patients on peritoneal dialysis. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 749-755.	1.1	29
40	An increasing of red blood cell distribution width was associated with cardiovascular mortality in patients on peritoneal dialysis. International Journal of Cardiology, 2014, 176, 1379-1381.	0.8	28
41	Rosiglitazone, a Peroxisome Proliferator-Activated Receptor (PPAR)-Î ³ Agonist, Attenuates Inflammation Via NF-κB Inhibition in Lipopolysaccharide-Induced Peritonitis. Inflammation, 2015, 38, 2105-2115.	1.7	28
42	Bioimpedance Guided Fluid Management in Peritoneal Dialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2020, 15, 685-694.	2.2	28
43	Incidence and risk factors of peritoneal dialysis-related peritonitis in elderly patients: A retrospective clinical study. Peritoneal Dialysis International, 2020, 40, 26-33.	1.1	28
44	Increased invasiveness of osteosarcoma mesenchymal stem cells induced by bone-morphogenetic protein-2. In Vitro Cellular and Developmental Biology - Animal, 2013, 49, 270-278.	0.7	27
45	Urgent-start peritoneal dialysis for patients with end stage renal disease: a 10-year retrospective study. BMC Nephrology, 2019, 20, 238.	0.8	27
46	PFDN1, an indicator for colorectal cancer prognosis, enhances tumor cell proliferation and motility through cytoskeletal reorganization. Medical Oncology, 2015, 32, 264.	1.2	26
47	The Impact of Fluid Overload and Variation on Residual Renal Function in Peritoneal Dialysis Patient. PLoS ONE, 2016, 11, e0153115.	1.1	26
48	Clinical management of masses arising from the accessory parotid gland. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2011, 112, 290-297.	1.6	25
49	MiR-200c promotes bladder cancer cell migration and invasion by directly targeting RECK. OncoTargets and Therapy, 2016, Volume 9, 5091-5099.	1.0	25
50	Platelet index levels and cardiovascular mortality in incident peritoneal dialysis patients: a cohort study. Platelets, 2017, 28, 576-584.	1.1	25
51	N-myc downstream-regulated gene 1 inhibits the proliferation of colorectal cancer through emulative antagonizing NEDD4-mediated ubiquitylation of p21. Journal of Experimental and Clinical Cancer Research, 2019, 38, 490.	3.5	25
52	Malnutrition-inflammation score predicts long-term mortality in Chinese PD patients. Clinical Nephrology, 2013, 79, 477-483.	0.4	25
53	Clinical Outcome in Elderly Patients on Chronic Peritoneal Dialysis: A Retrospective Study from a Single Center in China. Peritoneal Dialysis International, 2014, 34, 299-307.	1.1	23
54	Association betweenNFKB1â^'94ins/del ATTG Promoter Polymorphism and Cancer Susceptibility: An Updated Meta-Analysis. International Journal of Genomics, 2014, 2014, 1-8.	0.8	23

#	Article	IF	CITATIONS
55	Imatinib attenuates cardiac fibrosis by inhibiting platelet-derived growth factor receptors activation in isoproterenol induced model. PLoS ONE, 2017, 12, e0178619.	1.1	23
56	Association of Pulmonary Hypertension with Mortality in Incident Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2015, 35, 537-544.	1.1	22
57	Mitochondrial dysfunction is involved in aristolochic acid l-induced apoptosis in renal proximal tubular epithelial cells. Human and Experimental Toxicology, 2020, 39, 673-682.	1.1	22
58	The effect of social support and coping style on depression in patients with continuous ambulatory peritoneal dialysis in southern China. International Urology and Nephrology, 2013, 45, 527-535.	0.6	21
59	Acinetobacter baumannii bacteraemia in patients with haematological malignancy: a multicentre retrospective study from the Infection Working Party of Jiangsu Society of Hematology. European Journal of Clinical Microbiology and Infectious Diseases, 2017, 36, 1073-1081.	1.3	21
60	Targeting protein kinase CK2 suppresses bladder cancer cell survival via the glucose metabolic pathway. Oncotarget, 2016, 7, 87361-87372.	0.8	21
61	<i>FAM83D</i> , a microtubule-associated protein, promotes tumor growth and progression of human gastric cancer. Oncotarget, 2017, 8, 74479-74493.	0.8	21
62	Organic anion transporter 1 (OAT1) involved in renal cell transport of aristolochic acid I. Human and Experimental Toxicology, 2012, 31, 759-770.	1.1	20
63	Perioperative treatments for resected upper tract urothelial carcinoma: a network meta-analysis. Oncotarget, 2017, 8, 3568-3580.	0.8	20
64	Overweight and high serum total cholesterol were risk factors for the outcome of IVF/ICSI cycles in PCOS patients and a PCOS-specific predictive model of live birth rate was established. Journal of Endocrinological Investigation, 2020, 43, 1221-1228.	1.8	19
65	Prevalence and risk factors of exit-site infection in incident peritoneal dialysis patients. Peritoneal Dialysis International, 2020, 40, 164-170.	1.1	19
66	NDRG1 regulates Filopodia-induced Colorectal Cancer invasiveness via modulating CDC42 activity. International Journal of Biological Sciences, 2021, 17, 1716-1730.	2.6	19
67	Peroxisome Proliferator-Activated Receptor-Gamma Is Expressed by Rat Peritoneal Mesothelial Cells: Its Potential Role in Peritoneal Cavity Local Defense. American Journal of Nephrology, 2006, 26, 602-611.	1.4	18
68	Management of a Rapidly Growing Peritoneal Dialysis Population at the First Affiliated Hospital of Sun Yat-Sen University. Peritoneal Dialysis International, 2014, 34, 31-34.	1.1	18
69	Prevalence and Prognosis of Coexisting Frailty and Cognitive Impairment in Patients on Continuous Ambulatory Peritoneal Dialysis. Scientific Reports, 2018, 8, 17305.	1.6	18
70	Serum magnesium and cardiovascular mortality in peritoneal dialysis patients: a 5-year prospective cohort study. British Journal of Nutrition, 2018, 120, 415-423.	1.2	18
71	CD40 is expressed on rat peritoneal mesothelial cells and upregulates ICAM-1 production. Nephrology Dialysis Transplantation, 2004, 19, 1378-1384.	0.4	17
72	Prevalence and Factors Associated with Hypomagnesemia in Southern Chinese Continuous Ambulatory Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2013, 33, 450-454.	1.1	17

#	Article	IF	CITATIONS
73	Glucose-Based Peritoneal Dialysis Fluids Downregulate Toll-Like Receptors and Trigger Hyporesponsiveness to Pathogen-Associated Molecular Patterns in Human Peritoneal Mesothelial Cells. Vaccine Journal, 2010, 17, 757-763.	3.2	16
74	<p>The β-galactoside α2,6-sialyltranferase 1 (ST6GAL1) inhibits the colorectal cancer metastasis by stabilizing intercellular adhesion molecule-1 via sialylation</p> . Cancer Management and Research, 2019, Volume 11, 6185-6199.	0.9	16
75	Pelvic peritoneum closure reduces postoperative complications of laparoscopic abdominoperineal resection: 6-year experience in single center. Surgical Endoscopy and Other Interventional Techniques, 2021, 35, 406-414.	1.3	16
76	The Effect of Automated versus Continuous Ambulatory Peritoneal Dialysis on Mortality Risk in China. Peritoneal Dialysis International, 2018, 38, 25-35.	1.1	15
77	Prognostic value of inflammation-based prognostic scores on outcome in patients undergoing continuous ambulatory peritoneal dialysis. BMC Nephrology, 2018, 19, 297.	0.8	15
78	ldentification of a potentially functional circRNA–miRNA–mRNA regulatory network for investigating pathogenesis and providing possible biomarkers of bladder cancer. Cancer Cell International, 2020, 20, 31.	1.8	15
79	Uric acid to high-density lipoprotein cholesterol ratio predicts cardiovascular mortality in patients on peritoneal dialysis. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 561-569.	1.1	15
80	Identification of hub genes associated with neutrophils infiltration in colorectal cancer. Journal of Cellular and Molecular Medicine, 2021, 25, 3371-3380.	1.6	15
81	Patient characteristics and risk factors of early and late death in incident peritoneal dialysis patients. Scientific Reports, 2016, 6, 32359.	1.6	14
82	Enzootic Angiostrongyliasis in Guangzhou, China, 2008–2010. American Journal of Tropical Medicine and Hygiene, 2012, 86, 846-849.	0.6	13
83	Nomogram for Predicting Cardiovascular Mortality in Incident Peritoneal Dialysis Patients: An Observational Study. Scientific Reports, 2017, 7, 13889.	1.6	13
84	N-myc downstream-regulated gene 1 promotes apoptosis in colorectal cancer via up-regulating death receptor 4. Oncotarget, 2017, 8, 82593-82608.	0.8	13
85	Lower Phase Angle Measured by Bioelectrical Impedance Analysis Is a Marker for Increased Mortality in Incident Continuous Ambulatory Peritoneal Dialysis Patients. , 2020, 30, 119-125.		13
86	<p>Acute Damage to the Sperm Quality and Spermatogenesis in Male Mice Exposed to Curcumin-Loaded Nanoparticles</p> . International Journal of Nanomedicine, 2020, Volume 15, 1853-1862.	3.3	13
87	Super-Enhancer Induced IL-20RA Promotes Proliferation/Metastasis and Immune Evasion in Colorectal Cancer. Frontiers in Oncology, 2021, 11, 724655.	1.3	13
88	Clinical Outcomes of Remote Peritoneal Dialysis Patients: A Retrospective Cohort Study from a Single Center in China. Blood Purification, 2016, 41, 100-107.	0.9	12
89	Baseline higher peritoneal transport had been associated with worse nutritional status of incident continuous ambulatory peritoneal dialysis patients in Southern China: a 1-year prospective study. British Journal of Nutrition, 2015, 114, 398-405.	1.2	11
90	Possible role of mitochondrial injury in Caulis <i>Aristolochia manshuriensis</i> -induced chronic aristolochic acid nephropathy. Drug and Chemical Toxicology, 2017, 40, 115-124.	1.2	11

#	Article	IF	CITATIONS
91	The predictive study of the relation between elevated low-density lipoprotein cholesterol to high-density lipoprotein cholesterol ratio and mortality in peritoneal dialysis. Lipids in Health and Disease, 2020, 19, 51.	1.2	11
92	PSMC5 Promotes Proliferation and Metastasis of Colorectal Cancer by Activating Epithelial–Mesenchymal Transition Signaling and Modulating Immune Infiltrating Cells. Frontiers in Cell and Developmental Biology, 2021, 9, 657917.	1.8	11
93	Patient-reported gastrointestinal symptoms in patients with peritoneal dialysis: the prevalence, influence factors and association with quality of life. BMC Nephrology, 2022, 23, 99.	0.8	11
94	DZNep promotes mouse bone defect healing via enhancing both osteogenesis and osteoclastogenesis. Stem Cell Research and Therapy, 2021, 12, 605.	2.4	11
95	Components of A Successful Peritoneal Dialysis Program. Seminars in Nephrology, 2017, 37, 10-16.	0.6	10
96	Association of Lean Body Mass Index and Peritoneal Protein Clearance in Peritoneal Dialysis Patients. Kidney and Blood Pressure Research, 2019, 44, 94-102.	0.9	10
97	Successfully managing a rapidly growing peritoneal dialysis program in Southern China. Chinese Medical Journal, 2011, 124, 2696-700.	0.9	10
98	Effect of 15d-PGJ ₂ on the Expression of CD40 and RANTES Induced by IFN-γ and TNF-α on Renal Tubular Epithelial Cells (HK-2). American Journal of Nephrology, 2006, 26, 356-362.	1.4	9
99	Type D personality, illness perception, social support and quality of life in continuous ambulatory peritoneal dialysis patients. Psychology, Health and Medicine, 2017, 22, 196-204.	1.3	9
100	Gender-specific associations of skeletal muscle mass and arterial stiffness among peritoneal dialysis patients. Scientific Reports, 2018, 8, 1351.	1.6	9
101	Elevated Serum Trimethylamine N-Oxide Levels Are Associated with Mortality in Male Patients on Peritoneal Dialysis. Blood Purification, 2021, 50, 837-847.	0.9	9
102	Altered tight junctions and fence function in NRK-52E cells induced by aristolochic acid. Human and Experimental Toxicology, 2012, 31, 32-41.	1,1	8
103	Endometriosis has no negative impact on outcomes of in vitro fertilisation in women with poor ovarian response. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 76-81.	1.1	8
104	Patient Survival and Technique Failure in Continuous Ambulatory Peritoneal Dialysis Patients with Prior Stroke. Peritoneal Dialysis International, 2016, 36, 308-314.	1.1	8
105	Very early withdrawal from treatment in patients starting peritoneal dialysis. Renal Failure, 2018, 40, 8-14.	0.8	8
106	Associations between serum mineral metabolism parameters and mortality in patients on peritoneal dialysis. Nephrology, 2019, 24, 1148-1156.	0.7	8
107	The Association between Serum Uric Acid and Appendicular Skeletal Muscle Mass and the Effect of Their Interaction on Mortality in Patients on Peritoneal Dialysis. Kidney and Blood Pressure Research, 2020, 45, 969-981.	0.9	8
108	Plasma fibrinogen and mortality in patients undergoing peritoneal dialysis: a prospective cohort study. BMC Nephrology, 2020, 21, 349.	0.8	8

#	Article	IF	CITATIONS
109	Burden of kidney disease among patients with peritoneal dialysis versus conventional in-centre haemodialysis: A randomised, non-inferiority trial. Peritoneal Dialysis International, 2022, 42, 246-258.	1.1	8
110	Metabolic Profiling of Bladder Cancer Patients' Serum Reveals Their Sensitivity to Neoadjuvant Chemotherapy. Metabolites, 2022, 12, 558.	1.3	8
111	Comparative proteomic analysis of differentially expressed proteins in an <i>in vitro</i> cellular carcinogenesis model of oral squamous cell carcinoma. Proteomics - Clinical Applications, 2009, 3, 322-337.	0.8	7
112	Higher alkaline phosphatase was associated with the short-term adverse outcomes of peritoneal dialysis-related peritonitis. Clinical Chemistry and Laboratory Medicine, 2015, 53, e113-6.	1.4	7
113	Lower plasma visceral protein concentrations are independently associated with higher mortality in patients on peritoneal dialysis. British Journal of Nutrition, 2015, 113, 627-633.	1.2	7
114	Patient-Doctor Contact Interval and Clinical Outcomes in Continuous Ambulatory Peritoneal Dialysis Patients. American Journal of Nephrology, 2017, 45, 346-352.	1.4	7
115	Number of Daily Peritoneal Dialysis Exchanges and Mortality Risk in a Chinese Population. Peritoneal Dialysis International, 2018, 38, 53-63.	1.1	7
116	Abnormal iron status is associated with an increased risk of mortality in patients on peritoneal dialysis. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 1148-1155.	1.1	7
117	Prognostic value and efficacy valuation of postoperative intravesical instillation in primary urothelial carcinomas of upper urinary tract. International Journal of Clinical and Experimental Medicine, 2014, 7, 4734-46.	1.3	7
118	CircZNF609 promotes bladder cancer progression and inhibits cisplatin sensitivity via miR-1200/CDC25B pathway. Cell Biology and Toxicology, 2023, 39, 1-18.	2.4	7
119	Low potassium disrupt intestinal barrier and result in bacterial translocation. Journal of Translational Medicine, 2022, 20, .	1.8	7
120	Decreased expression of S100A6 in oral squamous cell carcinoma. Oncology Reports, 2010, 24, 479-88.	1.2	6
121	Changes in Outcomes over Time among Incident Peritoneal Dialysis Patients in Southern China. Peritoneal Dialysis International, 2019, 39, 382-389.	1.1	6
122	<p>GJA1 is a Prognostic Biomarker and Correlated with Immune Infiltrates in Colorectal Cancer</p> . Cancer Management and Research, 2020, Volume 12, 11649-11661.	0.9	6
123	Ten-year survival of patients treated with peritoneal dialysis: A prospective observational cohort study. Peritoneal Dialysis International, 2020, 40, 573-580.	1.1	6
124	MicroRNA profiling of the intestine during hypothermic circulatory arrest in swine. World Journal of Gastroenterology, 2015, 21, 2183-2190.	1.4	6
125	Association between timing of peritoneal dialysis initiation and mortality in end-stage renal disease. Chronic Diseases and Translational Medicine, 2019, 5, 37-43.	0.9	5
126	Age Difference in the Association between Hyponatremia and Infection-Related Mortality in Peritoneal Dialysis Patients. Blood Purification, 2020, 49, 631-640.	0.9	5

#	Article	IF	CITATIONS
127	Serum lipoprotein(a) and risk of mortality in patients on peritoneal dialysis. Journal of Clinical Lipidology, 2020, 14, 252-259.	0.6	5
128	The Medial Border of Laparoscopic D3 Lymphadenectomy for Right Colon Cancer: Results from an Exploratory Pilot Study. Diseases of the Colon and Rectum, 2021, 64, 1286-1296.	0.7	5
129	Changes of antibiotic resistance over time among <i>Escherichia coli</i> peritonitis in Southern China. Peritoneal Dialysis International, 2022, 42, 218-222.	1.1	5
130	Prevalence of metabolic syndrome and its risk factors in patients with continuous ambulatory peritoneal dialysis in South China. Clinical Nephrology, 2013, 80, 114-120.	0.4	5
131	Osteoclastogenesis accompanying early osteoblastic differentiation of BMSCs promoted by mechanical stretch. Biomedical Reports, 2013, 1, 474-478.	0.9	4
132	Association of Serum Uric Acid with Arterial Stiffness in Peritoneal Dialysis Patients. Kidney and Blood Pressure Research, 2018, 43, 1451-1458.	0.9	4
133	Age differences in associations of serum alkaline phosphatase and mortality among peritoneal dialysis patients. Chinese Medical Journal, 2019, 132, 232-236.	0.9	4
134	The protective role of Nrf2 against aristolochic acid-induced renal tubular epithelial cell injury. Toxicology Mechanisms and Methods, 2020, 30, 580-589.	1.3	4
135	The negative impact of depressive symptoms on patient and technique survival in peritoneal dialysis: a prospective cohort study. International Urology and Nephrology, 2020, 52, 2393-2401.	0.6	4
136	Infection-related hospitalization after intensive immunosuppressive therapy among lupus nephritis and ANCA glomerulonephritis patients. Renal Failure, 2020, 42, 474-482.	0.8	4
137	Non-high-density lipoprotein cholesterol and mortality among peritoneal dialysis patients. Journal of Clinical Lipidology, 2021, 15, 732-742.	0.6	4
138	Sexual Effect of Platelet-to-Lymphocyte Ratio in Predicting Cardiovascular Mortality of Peritoneal Dialysis Patients. Mediators of Inflammation, 2022, 2022, 1-9.	1.4	4
139	Molecular cloning, expression, and characterization of a putative activation-associated secreted protein from Angiostrongylus cantonensis. Parasitology Research, 2013, 112, 781-788.	0.6	3
140	Long-Term Clinical Outcomes of Lupus Nephritis Patients Undergoing Peritoneal Dialysis: A Matched, Case-Control Study. Peritoneal Dialysis International, 2019, 39, 570-573.	1.1	3
141	Metabolic Syndrome and Mortality in Continuous Ambulatory Peritoneal Dialysis Patients: A 5-Year Prospective Cohort Study. Kidney and Blood Pressure Research, 2019, 44, 1026-1035.	0.9	3
142	Peritonitis Affects the Relationship Between Low-Density Lipoprotein Cholesterol and Cardiovascular Events in Peritoneal Dialysis Patients. Canadian Journal of Cardiology, 2020, 36, 92-99.	0.8	3
143	Roles of peritoneal clearance and residual kidney removal in control of uric acid in patients on peritoneal dialysis. BMC Nephrology, 2020, 21, 148.	0.8	3
144	Prevalence, risk factors and impact on outcomes of 30-day unexpected rehospitalization in incident peritoneal dialysis patients. BMC Nephrology, 2021, 22, 4.	0.8	3

#	Article	IF	CITATIONS
145	ZD1839 for the treatment of heavily pretreated non-small cell lung cancer. Journal of Clinical Oncology, 2004, 22, 7341-7341.	0.8	3
146	Early initiation of PD therapy in elderly patients is associated with increased risk of death. CKJ: Clinical Kidney Journal, 2021, 14, 1649-1656.	1.4	3
147	Association between serum chloride levels with mortality in incident peritoneal dialysis patients. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 624-631.	1.1	3
148	SFMBT1 facilitates colon cancer cell metastasis and drug resistance combined with HMG20A. Cell Death Discovery, 2022, 8, 263.	2.0	3
149	Inhibition of mTOR and HIF pathways diminishes chondro-osteogenesis and cell proliferation in chondroblastoma. Tumor Biology, 2013, 34, 3111-3119.	0.8	2
150	Gender impact on baseline peritoneal transport properties in incident peritoneal dialysis patients. International Urology and Nephrology, 2019, 51, 2055-2061.	0.6	2
151	Assessment of dialysis initiation by a fuzzy mathematics equation (ADIFE): a study protocol for a randomised controlled trial. BMJ Open, 2019, 9, e023162.	0.8	2
152	Higher Eosinophils Predict Death-Censored Technique Failure in Peritoneal Dialysis Patients. International Archives of Allergy and Immunology, 2020, 181, 765-773.	0.9	2
153	Risk Factors and Clinical Outcomes of Cognitive Impairment in Diabetic Patients Undergoing Peritoneal Dialysis. Kidney and Blood Pressure Research, 2021, 46, 531-540.	0.9	2
154	CircFAM114A2 Promotes Cisplatin Sensitivity via miR-222-3p/P27 and miR-146a-5p/P21 Cascades in Urothelial Carcinoma. Frontiers in Oncology, 2021, 11, 659166.	1.3	2
155	Effects of insulin-like growth factor binding protein 3 on cell growth and tumorigenesis in oral squamous cell carcinoma. Translational Cancer Research, 2019, 8, 1709-1717.	0.4	2
156	Improved survival and survival without bronchopulmonary dysplasia in very low birth weight infants after active perinatal care. Nigerian Journal of Clinical Practice, 2020, 23, 980.	0.2	2
157	Feasibility of Preserving No. 5 and No. 6 Lymph Nodes in Gastrectomy of Proximal Gastric Adenocarcinoma: A Retrospective Analysis of 395 Patients. Frontiers in Oncology, 2022, 12, 810509.	1.3	2
158	Association of Abnormal Iron Status with the Occurrence and Prognosis of Peritoneal Dialysis-Related Peritonitis: A Longitudinal Data-Based 10-Year Retrospective Study. Nutrients, 2022, 14, 1613.	1.7	2
159	Structured training curriculums for transanal total mesorectal excision in China: refinement is needed. Annals of Translational Medicine, 2022, 10, 489-489.	0.7	2
160	The incidence of pain and its association with quality of life in patients with peritoneal dialysis. Renal Failure, 2022, 44, 724-730.	0.8	2
161	Incidence and Risk Factors Associated with Technique Failure in the First Year of Peritoneal Dialysis: A Single Center Retrospective Cohort Study in Southern China. BMC Nephrology, 2022, 23, .	0.8	2
162	Effect of Sedative-Hypnotic Medicines on Mortality in Peritoneal Dialysis Patients with Sleep Disorders: A Retrospective Cohort Study. Blood Purification, 2018, 45, 95-101.	0.9	1

#	Article	IF	CITATIONS
163	Remote Patient Management for Emerging Geographical Areas. Contributions To Nephrology, 2019, 197, 143-153.	1.1	1
164	Serum Sodium Modifies the Association of Systolic Blood Pressure with Mortality in Peritoneal Dialysis Patients. Kidney and Blood Pressure Research, 2020, 45, 916-925.	0.9	1
165	Association of brachial-ankle pulse wave velocity with cognitive impairment in peritoneal dialysis patients. Renal Failure, 2021, 43, 934-941.	0.8	1
166	Risk factors and clinical outcomes of encapsulating peritoneal sclerosis: A case–control study from China. Peritoneal Dialysis International, 2021, , 089686082110292.	1.1	1
167	Identification of the circRNA-miRNA-mRNA Regulatory Network in Bladder Cancer by Bioinformatics Analysis. International Journal of Genomics, 2021, 2021, 1-22.	0.8	1
168	No need for an "expiry date" in chronic peritoneal dialysis to prevent encapsulating peritoneal sclerosis: comments from around the world. International Urology and Nephrology, 2010, 42, 241-2.	0.6	1
169	Risk factors of chylous ascites and its relationship with long-term prognosis in laparoscopic D3 lymphadenectomy for right colon cancer. Langenbeck's Archives of Surgery, 2022, 407, 2453-2462.	0.8	1
170	Adverse factors on nonenhanced abdominal CT for long-term continuous ambulatory peritoneal dialysis: a comparative study between patients who withdraw from and maintain long-term peritoneal dialysis. Abdominal Radiology, 2021, 46, 5277-5283.	1.0	0
171	ZD1839 for the treatment of heavily pretreated non-small cell lung cancer. Journal of Clinical Oncology, 2004, 22, 7341-7341.	0.8	0
172	Effects of CD38 gene on TLR4 and inflammatory cytokines and its mechanisms (835.10). FASEB Journal, 2014, 28, 835.10.	0.2	0
173	Association of Ratio of Apolipoprotein B to Apolipoprotein A1 With Survival in Peritoneal Dialysis. Frontiers in Nutrition, 2022, 9, 801979.	1.6	0
174	Camouflage orthodontic treatment combined with genioplasty distraction osteogenesis for skeletal class <scp>II</scp> relationship secondary to osteosarcoma excision surgery. Journal of Esthetic and Restorative Dentistry, 2022, , .	1.8	0