

Xiao Yang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4995421/xiao-yang-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165
papers

2,764
citations

27
h-index

46
g-index

185
ext. papers

3,572
ext. citations

4.7
avg, IF

5.22
L-index

#	Paper	IF	Citations
165	Circular RNA circ-ITCH inhibits bladder cancer progression by sponging miR-17/miR-224 and regulating p21, PTEN expression. <i>Molecular Cancer</i> , 2018 , 17, 19	42.1	313
164	METTL3 promote tumor proliferation of bladder cancer by accelerating pri-miR221/222 maturation in m6A-dependent manner. <i>Molecular Cancer</i> , 2019 , 18, 110	42.1	260
163	CircRNA-Cdr1as Exerts Anti-Oncogenic Functions in Bladder Cancer by Sponging MicroRNA-135a. <i>Cellular Physiology and Biochemistry</i> , 2018 , 46, 1606-1616	3.9	102
162	Mechanism of RNA modification N6-methyladenosine in human cancer. <i>Molecular Cancer</i> , 2020 , 19, 104	42.1	80
161	A lentiviral sponge for miRNA-21 diminishes aerobic glycolysis in bladder cancer T24 cells via the PTEN/PI3K/AKT/mTOR axis. <i>Tumor Biology</i> , 2015 , 36, 383-91	2.9	79
160	Aristolochic acid I induced autophagy extenuates cell apoptosis via ERK 1/2 pathway in renal tubular epithelial cells. <i>PLoS ONE</i> , 2012 , 7, e30312	3.7	65
159	Peritoneal dialysis in China: meeting the challenge of chronic kidney failure. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 147-51	7.4	61
158	MicroRNA-218 Increases the Sensitivity of Bladder Cancer to Cisplatin by Targeting Glut1. <i>Cellular Physiology and Biochemistry</i> , 2017 , 41, 921-932	3.9	57
157	Circular RNA Cdr1as sensitizes bladder cancer to cisplatin by upregulating APAF1 expression through miR-1270 inhibition. <i>Molecular Oncology</i> , 2019 , 13, 1559-1576	7.9	56
156	Bardoxolone methyl (BARD) ameliorates aristolochic acid (AA)-induced acute kidney injury through Nrf2 pathway. <i>Toxicology</i> , 2014 , 318, 22-31	4.4	54
155	The impact of peritoneal dialysis-related peritonitis on mortality in peritoneal dialysis patients. <i>BMC Nephrology</i> , 2017 , 18, 186	2.7	50
154	Prevalence and risk factors of fluid overload in Southern Chinese continuous ambulatory peritoneal dialysis patients. <i>PLoS ONE</i> , 2013 , 8, e53294	3.7	43
153	Epigenetic modulations of noncoding RNA: a novel dimension of Cancer biology. <i>Molecular Cancer</i> , 2020 , 19, 64	42.1	42
152	Elevated neutrophil to lymphocyte ratio predicts overall and cardiovascular mortality in maintenance peritoneal dialysis patients. <i>International Urology and Nephrology</i> , 2012 , 44, 1521-8	2.3	42
151	The Effect of Fluid Overload on Clinical Outcome in Southern Chinese Patients Undergoing Continuous Ambulatory Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2015 , 35, 691-702	2.8	40
150	MicroRNA-218 inhibits bladder cancer cell proliferation, migration, and invasion by targeting BMI-1. <i>Tumor Biology</i> , 2015 , 36, 8015-23	2.9	40
149	M2b macrophages reduce early reperfusion injury after myocardial ischemia in mice: A predominant role of inhibiting apoptosis via A20. <i>International Journal of Cardiology</i> , 2017 , 245, 228-235 ^{3.2}		36

148	Clinical outcome and risk factors for mortality in Chinese patients with diabetes on peritoneal dialysis: a 5-year clinical cohort study. <i>Diabetes Research and Clinical Practice</i> , 2013 , 100, 354-61	7.4	35
147	ALKBH5 Inhibited Cell Proliferation and Sensitized Bladder Cancer Cells to Cisplatin by m6A-CK2 β Mediated Glycolysis. <i>Molecular Therapy - Nucleic Acids</i> , 2021 , 23, 27-41	10.7	34
146	Alkaline phosphatase and mortality in patients on peritoneal dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 771-8	6.9	31
145	Serum Magnesium Levels and Hospitalization and Mortality in Incident Peritoneal Dialysis Patients: A Cohort Study. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 619-627	7.4	29
144	Escherichia coli Peritonitis in peritoneal dialysis: the prevalence, antibiotic resistance and clinical outcomes in a South China dialysis center. <i>Peritoneal Dialysis International</i> , 2014 , 34, 308-16	2.8	29
143	Angiotensin II upregulates Toll-like receptor 4 and enhances lipopolysaccharide-induced CD40 expression in rat peritoneal mesothelial cells. <i>Inflammation Research</i> , 2009 , 58, 473-82	7.2	29
142	The metastasis suppressor, NDRG1, inhibits "stemness" of colorectal cancer via down-regulation of nuclear β catenin and CD44. <i>Oncotarget</i> , 2015 , 6, 33893-911	3.3	29
141	Risk factors for the first episode of peritonitis in Southern Chinese continuous ambulatory peritoneal dialysis patients. <i>PLoS ONE</i> , 2014 , 9, e107485	3.7	28
140	Autophagy inhibitors promoted aristolochic acid I induced renal tubular epithelial cell apoptosis via mitochondrial pathway but alleviated nonapoptotic cell death in mouse acute aristolochic acid nephropathy model. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014 , 19, 1215-24	5.4	27
139	Functional promoter -94 ins/del ATTC polymorphism in NFKB1 gene is associated with bladder cancer risk in a Chinese population. <i>PLoS ONE</i> , 2013 , 8, e71604	3.7	27
138	Lipopolysaccharide (LPS)-induced autophagy is involved in the restriction of Escherichia coli in peritoneal mesothelial cells. <i>BMC Microbiology</i> , 2013 , 13, 255	4.5	26
137	RNF126 promotes homologous recombination via regulation of E2F1-mediated BRCA1 expression. <i>Oncogene</i> , 2016 , 35, 1363-72	9.2	25
136	Cloning, expression and characterisation of a type II cystatin from Schistosoma japonicum, which could regulate macrophage activation. <i>Parasitology Research</i> , 2014 , 113, 3985-92	2.4	25
135	An increasing of red blood cell distribution width was associated with cardiovascular mortality in patients on peritoneal dialysis. <i>International Journal of Cardiology</i> , 2014 , 176, 1379-81	3.2	25
134	Risk Factors for Early-Onset Peritonitis in Southern Chinese Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2016 , 36, 640-646	2.8	25
133	High glucose concentrations in peritoneal dialysate are associated with all-cause and cardiovascular disease mortality in continuous ambulatory peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2015 , 35, 70-7	2.8	24
132	Increased invasiveness of osteosarcoma mesenchymal stem cells induced by bone-morphogenetic protein-2. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2013 , 49, 270-8	2.6	24
131	Higher serum triglyceride to high-density lipoprotein cholesterol ratio was associated with increased cardiovascular mortality in female patients on peritoneal dialysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 749-55	4.5	23

130	Clinical management of masses arising from the accessory parotid gland. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011 , 112, 290-7		22
129	Association between NFKB1 -94ins/del ATG Promoter Polymorphism and Cancer Susceptibility: An Updated Meta-Analysis. <i>International Journal of Genomics</i> , 2014 , 2014, 612972	2.5	21
128	ALKBH5 promotes the proliferation of renal cell carcinoma by regulating AURKB expression in an mA-dependent manner. <i>Annals of Translational Medicine</i> , 2020 , 8, 646	3.2	19
127	Rosiglitazone, a Peroxisome Proliferator-Activated Receptor (PPAR)- γ Agonist, Attenuates Inflammation Via NF- κ B Inhibition in Lipopolysaccharide-Induced Peritonitis. <i>Inflammation</i> , 2015 , 38, 2105-15	5.1	19
126	Clinical outcomes in elderly patients on chronic peritoneal dialysis: a retrospective study from a single center in china. <i>Peritoneal Dialysis International</i> , 2014 , 34, 299-307	2.8	19
125	PFDN1, an indicator for colorectal cancer prognosis, enhances tumor cell proliferation and motility through cytoskeletal reorganization. <i>Medical Oncology</i> , 2015 , 32, 264	3.7	18
124	Organic anion transporter 1 (OAT1) involved in renal cell transport of aristolochic acid I. <i>Human and Experimental Toxicology</i> , 2012 , 31, 759-70	3.4	18
123	Peroxisome proliferator-activated receptor-gamma is expressed by rat peritoneal mesothelial cells: its potential role in peritoneal cavity local defense. <i>American Journal of Nephrology</i> , 2006 , 26, 602-11	4.6	18
122	Malnutrition-inflammation score predicts long-term mortality in Chinese PD patients. <i>Clinical Nephrology</i> , 2013 , 79, 477-83	2.1	18
121	MiR-200c promotes bladder cancer cell migration and invasion by directly targeting RECK. <i>OncoTargets and Therapy</i> , 2016 , 9, 5091-9	4.4	18
120	Association of Pulmonary Hypertension with Mortality in Incident Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2015 , 35, 537-44	2.8	17
119	The Impact of Fluid Overload and Variation on Residual Renal Function in Peritoneal Dialysis Patient. <i>PLoS ONE</i> , 2016 , 11, e0153115	3.7	17
118	The role of the HIF-1 α /ALYREF/PKM2 axis in glycolysis and tumorigenesis of bladder cancer. <i>Cancer Communications</i> , 2021 , 41, 560-575	9.4	17
117	Platelet index levels and cardiovascular mortality in incident peritoneal dialysis patients: a cohort study. <i>Platelets</i> , 2017 , 28, 576-584	3.6	16
116	CD40 is expressed on rat peritoneal mesothelial cells and upregulates ICAM-1 production. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 1378-84	4.3	16
115	Perioperative treatments for resected upper tract urothelial carcinoma: a network meta-analysis. <i>Oncotarget</i> , 2017 , 8, 3568-3580	3.3	16
114	Targeting protein kinase CK2 suppresses bladder cancer cell survival via the glucose metabolic pathway. <i>Oncotarget</i> , 2016 , 7, 87361-87372	3.3	16
113	Acinetobacter baumannii bacteraemia in patients with haematological malignancy: a multicentre retrospective study from the Infection Working Party of Jiangsu Society of Hematology. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2017 , 36, 1073-1081	5.3	15

112	Incidence and risk factors of peritoneal dialysis-related peritonitis in elderly patients: A retrospective clinical study. <i>Peritoneal Dialysis International</i> , 2020 , 40, 26-33	2.8	15
111	Imatinib attenuates cardiac fibrosis by inhibiting platelet-derived growth factor receptors activation in isoproterenol induced model. <i>PLoS ONE</i> , 2017 , 12, e0178619	3.7	15
110	Management of a rapidly growing peritoneal dialysis population at the First Affiliated Hospital of Sun Yat-sen University. <i>Peritoneal Dialysis International</i> , 2014 , 34 Suppl 2, S31-4	2.8	15
109	The effect of social support and coping style on depression in patients with continuous ambulatory peritoneal dialysis in southern China. <i>International Urology and Nephrology</i> , 2013 , 45, 527-35	2.3	15
108	Prevalence and factors associated with hypomagnesemia in Southern Chinese continuous ambulatory peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2013 , 33, 450-4	2.8	14
107	, a microtubule-associated protein, promotes tumor growth and progression of human gastric cancer. <i>Oncotarget</i> , 2017 , 8, 74479-74493	3.3	14
106	Serum magnesium and cardiovascular mortality in peritoneal dialysis patients: a 5-year prospective cohort study. <i>British Journal of Nutrition</i> , 2018 , 120, 415-423	3.6	13
105	Glucose-based peritoneal dialysis fluids downregulate toll-like receptors and trigger hyporesponsiveness to pathogen-associated molecular patterns in human peritoneal mesothelial cells. <i>Vaccine Journal</i> , 2010 , 17, 757-63		13
104	Possible role of mitochondrial injury in <i>Caulis Aristolochia manshuriensis</i> -induced chronic aristolochic acid nephropathy. <i>Drug and Chemical Toxicology</i> , 2017 , 40, 115-124	2.3	11
103	Identification of a potentially functional circRNA-miRNA-mRNA regulatory network for investigating pathogenesis and providing possible biomarkers of bladder cancer. <i>Cancer Cell International</i> , 2020 , 20, 31	6.4	11
102	Autologous fibroblasts induce fibrosis of the nucleus pulposus to maintain the stability of degenerative intervertebral discs. <i>Bone Research</i> , 2020 , 8, 7	13.3	11
101	Clinical Outcomes of Remote Peritoneal Dialysis Patients: A Retrospective Cohort Study from a Single Center in China. <i>Blood Purification</i> , 2016 , 41, 100-7	3.1	11
100	N-myc downstream-regulated gene 1 inhibits the proliferation of colorectal cancer through emulative antagonizing NEDD4-mediated ubiquitylation of p21. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 490	12.8	11
99	The β -galactoside α ,6-sialyltransferase 1 (ST6GAL1) inhibits the colorectal cancer metastasis by stabilizing intercellular adhesion molecule-1 via sialylation. <i>Cancer Management and Research</i> , 2019 , 11, 6185-6199	3.6	10
98	Enzootic angiostrongyliasis in Guangzhou, China, 2008-2010. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012 , 86, 846-9	3.2	10
97	Nomogram for Predicting Cardiovascular Mortality in Incident Peritoneal Dialysis Patients: An Observational Study. <i>Scientific Reports</i> , 2017 , 7, 13889	4.9	9
96	Patient characteristics and risk factors of early and late death in incident peritoneal dialysis patients. <i>Scientific Reports</i> , 2016 , 6, 32359	4.9	9
95	Effect of 15d-PGJ2 on the expression of CD40 and RANTES induced by IFN-gamma and TNF-alpha on renal tubular epithelial cells (HK-2). <i>American Journal of Nephrology</i> , 2006 , 26, 356-62	4.6	9

94	Prevalence and Prognosis of Coexisting Frailty and Cognitive Impairment in Patients on Continuous Ambulatory Peritoneal Dialysis. <i>Scientific Reports</i> , 2018 , 8, 17305	4.9	9
93	The Effect of Automated Versus Continuous Ambulatory Peritoneal Dialysis on Mortality Risk In China. <i>Peritoneal Dialysis International</i> , 2018 , 38, S25-S35	2.8	9
92	Successfully managing a rapidly growing peritoneal dialysis program in Southern China. <i>Chinese Medical Journal</i> , 2011 , 124, 2696-700	2.9	9
91	Baseline higher peritoneal transport had been associated with worse nutritional status of incident continuous ambulatory peritoneal dialysis patients in Southern China: a 1-year prospective study. <i>British Journal of Nutrition</i> , 2015 , 114, 398-405	3.6	8
90	Altered tight junctions and fence function in NRK-52E cells induced by aristolochic acid. <i>Human and Experimental Toxicology</i> , 2012 , 31, 32-41	3.4	8
89	Mitochondrial dysfunction is involved in aristolochic acid I-induced apoptosis in renal proximal tubular epithelial cells. <i>Human and Experimental Toxicology</i> , 2020 , 39, 673-682	3.4	8
88	An Original Ferroptosis-Related Gene Signature Effectively Predicts the Prognosis and Clinical Status for Colorectal Cancer Patients. <i>Frontiers in Oncology</i> , 2021 , 11, 711776	5.3	8
87	Prognostic value of inflammation-based prognostic scores on outcome in patients undergoing continuous ambulatory peritoneal dialysis. <i>BMC Nephrology</i> , 2018 , 19, 297	2.7	8
86	Patient-Doctor Contact Interval and Clinical Outcomes in Continuous Ambulatory Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2017 , 45, 346-352	4.6	7
85	Lower plasma visceral protein concentrations are independently associated with higher mortality in patients on peritoneal dialysis. <i>British Journal of Nutrition</i> , 2015 , 113, 627-33	3.6	7
84	Bioimpedance Guided Fluid Management in Peritoneal Dialysis: A Randomized Controlled Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 685-694	6.9	7
83	Overweight and high serum total cholesterol were risk factors for the outcome of IVF/ICSI cycles in PCOS patients and a PCOS-specific predictive model of live birth rate was established. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 1221-1228	5.2	7
82	Prevalence and risk factors of exit-site infection in incident peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2020 , 40, 164-170	2.8	7
81	Patient Survival and Technique Failure in Continuous Ambulatory Peritoneal Dialysis Patients with Prior Stroke. <i>Peritoneal Dialysis International</i> , 2016 , 36, 308-14	2.8	7
80	Urgent-start peritoneal dialysis for patients with end stage renal disease: a 10-year retrospective study. <i>BMC Nephrology</i> , 2019 , 20, 238	2.7	7
79	Lower Phase Angle Measured by Bioelectrical Impedance Analysis Is a Marker for Increased Mortality in Incident Continuous Ambulatory Peritoneal Dialysis Patients. <i>Journal of Renal Nutrition</i> , 2020 , 30, 119-125	3	7
78	Morin attenuates pyroptosis of nucleus pulposus cells and ameliorates intervertebral disc degeneration via inhibition of the TXNIP/NLRP3/Caspase-1/IL-1 β signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 559, 106-112	3.4	7
77	Type D personality, illness perception, social support and quality of life in continuous ambulatory peritoneal dialysis patients. <i>Psychology, Health and Medicine</i> , 2017 , 22, 196-204	2.1	6

76	N-myc downstream-regulated gene 1 promotes apoptosis in colorectal cancer via up-regulating death receptor 4. <i>Oncotarget</i> , 2017 , 8, 82593-82608	3.3	6
75	Comparative proteomic analysis of differentially expressed proteins in an in vitro cellular carcinogenesis model of oral squamous cell carcinoma. <i>Proteomics - Clinical Applications</i> , 2009 , 3, 322-37 ^{3.1}		6
74	Prognostic value and efficacy valuation of postoperative intravesical instillation in primary urothelial carcinomas of upper urinary tract. <i>International Journal of Clinical and Experimental Medicine</i> , 2014 , 7, 4734-46		6
73	Acute Damage to the Sperm Quality and Spermatogenesis in Male Mice Exposed to Curcumin-Loaded Nanoparticles. <i>International Journal of Nanomedicine</i> , 2020 , 15, 1853-1862	7.3	6
72	Components of A Successful Peritoneal Dialysis Program. <i>Seminars in Nephrology</i> , 2017 , 37, 10-16	4.8	5
71	Changes in Outcomes over Time Among Incident Peritoneal Dialysis Patients in Southern China. <i>Peritoneal Dialysis International</i> , 2019 , 39, 382-389	2.8	5
70	Association of Lean Body Mass Index and Peritoneal Protein Clearance in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2019 , 44, 94-102	3.1	5
69	Association between timing of peritoneal dialysis initiation and mortality in end-stage renal disease. <i>Chronic Diseases and Translational Medicine</i> , 2019 , 5, 37-43	3.9	5
68	Higher alkaline phosphatase was associated with the short-term adverse outcomes of peritoneal dialysis-related peritonitis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, e113-6	5.9	5
67	Gender-specific associations of skeletal muscle mass and arterial stiffness among peritoneal dialysis patients. <i>Scientific Reports</i> , 2018 , 8, 1351	4.9	5
66	Endometriosis has no negative impact on outcomes of in vitro fertilisation in women with poor ovarian response. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123 Suppl 3, 76-81 ^{3.7}		5
65	MicroRNA profiling of the intestine during hypothermic circulatory arrest in swine. <i>World Journal of Gastroenterology</i> , 2015 , 21, 2183-90	5.6	5
64	Prevalence of metabolic syndrome and its risk factors in patients with continuous ambulatory peritoneal dialysis in South China. <i>Clinical Nephrology</i> , 2013 , 80, 114-20	2.1	5
63	Pelvic peritoneum closure reduces postoperative complications of laparoscopic abdominoperineal resection: 6-year experience in single center. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 406-414	5.2	5
62	Elevated Serum Trimethylamine N-Oxide Levels Are Associated with Mortality in Male Patients on Peritoneal Dialysis. <i>Blood Purification</i> , 2021 , 50, 837-847	3.1	5
61	Very early withdrawal from treatment in patients starting peritoneal dialysis. <i>Renal Failure</i> , 2018 , 40, 8-14	2.9	4
60	Osteoclastogenesis accompanying early osteoblastic differentiation of BMSCs promoted by mechanical stretch. <i>Biomedical Reports</i> , 2013 , 1, 474-478	1.8	4
59	Decreased expression of S100A6 in oral squamous cell carcinoma. <i>Oncology Reports</i> , 2010 , 24, 479-88	3.5	4

58	Plasma fibrinogen and mortality in patients undergoing peritoneal dialysis: a prospective cohort study. <i>BMC Nephrology</i> , 2020 , 21, 349	2.7	4
57	Super-Enhancer Induced IL-20RA Promotes Proliferation/Metastasis and Immune Evasion in Colorectal Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 724655	5.3	4
56	Number of Daily Peritoneal Dialysis Exchanges and Mortality Risk in a Chinese Population. <i>Peritoneal Dialysis International</i> , 2018 , 38, S53-S63	2.8	4
55	Association of Serum Uric Acid with Arterial Stiffness in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2018 , 43, 1451-1458	3.1	4
54	Patient-reported gastrointestinal symptoms in patients with peritoneal dialysis: the prevalence, influence factors and association with quality of life.. <i>BMC Nephrology</i> , 2022 , 23, 99	2.7	4
53	ANRIL rs2383207 polymorphism and coronary artery disease (CAD) risk: a meta-analysis with observational studies. <i>Cellular and Molecular Biology</i> , 2016 , 62, 6-10	1.1	4
52	Infection-related hospitalization after intensive immunosuppressive therapy among lupus nephritis and ANCA glomerulonephritis patients. <i>Renal Failure</i> , 2020 , 42, 474-482	2.9	3
51	The predictive study of the relation between elevated low-density lipoprotein cholesterol to high-density lipoprotein cholesterol ratio and mortality in peritoneal dialysis. <i>Lipids in Health and Disease</i> , 2020 , 19, 51	4.4	3
50	Serum lipoprotein(a) and risk of mortality in patients on peritoneal dialysis. <i>Journal of Clinical Lipidology</i> , 2020 , 14, 252-259	4.9	3
49	Molecular cloning, expression, and characterization of a putative activation-associated secreted protein from <i>Angiostrongylus cantonensis</i> . <i>Parasitology Research</i> , 2013 , 112, 781-8	2.4	3
48	ZD1839 for the treatment of heavily pretreated non-small cell lung cancer. <i>Journal of Clinical Oncology</i> , 2004 , 22, 7341-7341	2.2	3
47	The protective role of Nrf2 against aristolochic acid-induced renal tubular epithelial cell injury. <i>Toxicology Mechanisms and Methods</i> , 2020 , 30, 580-589	3.6	3
46	The Association between Serum Uric Acid and Appendicular Skeletal Muscle Mass and the Effect of Their Interaction on Mortality in Patients on Peritoneal Dialysis. <i>Kidney and Blood Pressure Research</i> , 2020 , 45, 969-981	3.1	3
45	Identification of hub genes associated with neutrophils infiltration in colorectal cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 3371-3380	5.6	3
44	Uric acid to high-density lipoprotein cholesterol ratio predicts cardiovascular mortality in patients on peritoneal dialysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 561-569	4.5	3
43	Metabolic Syndrome and Mortality in Continuous Ambulatory Peritoneal Dialysis Patients: A 5-Year Prospective Cohort Study. <i>Kidney and Blood Pressure Research</i> , 2019 , 44, 1026-1035	3.1	2
42	Ten-year survival of patients treated with peritoneal dialysis: A prospective observational cohort study. <i>Peritoneal Dialysis International</i> , 2020 , 40, 573-580	2.8	2
41	Age Difference in the Association between Hyponatremia and Infection-Related Mortality in Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2020 , 49, 631-640	3.1	2

40	Roles of peritoneal clearance and residual kidney removal in control of uric acid in patients on peritoneal dialysis. <i>BMC Nephrology</i> , 2020 , 21, 148	2.7	2
39	Inhibition of mTOR and HIF pathways diminishes chondro-osteogenesis and cell proliferation in chondroblastoma. <i>Tumor Biology</i> , 2013 , 34, 3111-9	2.9	2
38	GJA1 is a Prognostic Biomarker and Correlated with Immune Infiltrates in Colorectal Cancer. <i>Cancer Management and Research</i> , 2020 , 12, 11649-11661	3.6	2
37	The negative impact of depressive symptoms on patient and technique survival in peritoneal dialysis: a prospective cohort study. <i>International Urology and Nephrology</i> , 2020 , 52, 2393-2401	2.3	2
36	Associations between serum mineral metabolism parameters and mortality in patients on peritoneal dialysis. <i>Nephrology</i> , 2019 , 24, 1148-1156	2.2	2
35	Effect of Sedative-Hypnotic Medicines on Mortality in Peritoneal Dialysis Patients with Sleep Disorders: A Retrospective Cohort Study. <i>Blood Purification</i> , 2018 , 45, 95-101	3.1	1
34	Gender impact on baseline peritoneal transport properties in incident peritoneal dialysis patients. <i>International Urology and Nephrology</i> , 2019 , 51, 2055-2061	2.3	1
33	Sexual Effect of Platelet-to-Lymphocyte Ratio in Predicting Cardiovascular Mortality of Peritoneal Dialysis Patients.. <i>Mediators of Inflammation</i> , 2022 , 2022, 8760615	4.3	1
32	Effects of insulin-like growth factor binding protein 3 on cell growth and tumorigenesis in oral squamous cell carcinoma.. <i>Translational Cancer Research</i> , 2019 , 8, 1709-1717	0.3	1
31	Early initiation of PD therapy in elderly patients is associated with increased risk of death. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 1649-1656	4.5	1
30	Improved survival and survival without bronchopulmonary dysplasia in very low birth weight infants after active perinatal care. <i>Nigerian Journal of Clinical Practice</i> , 2020 , 23, 980-987	1	1
29	Peritonitis Affects the Relationship Between Low-Density Lipoprotein Cholesterol and Cardiovascular Events in Peritoneal Dialysis Patients. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 92-99	3.8	1
28	Abnormal iron status is associated with an increased risk of mortality in patients on peritoneal dialysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1148-1155	4.5	1
27	Non-high-density lipoprotein cholesterol and mortality among peritoneal dialysis patients. <i>Journal of Clinical Lipidology</i> , 2021 ,	4.9	1
26	Remote Patient Management for Emerging Geographical Areas. <i>Contributions To Nephrology</i> , 2019 , 197, 143-153	1.6	1
25	Prevalence, risk factors and impact on outcomes of 30-day unexpected rehospitalization in incident peritoneal dialysis patients. <i>BMC Nephrology</i> , 2021 , 22, 4	2.7	1
24	The Medial Border of Laparoscopic D3 Lymphadenectomy for Right Colon Cancer: Results from an Exploratory Pilot Study. <i>Diseases of the Colon and Rectum</i> , 2021 , 64, 1286-1296	3.1	1
23	Changes of antibiotic resistance over time among peritonitis in Southern China. <i>Peritoneal Dialysis International</i> , 2021 , 8968608211045272	2.8	1

22	Feasibility of Preserving No. 5 and No. 6 Lymph Nodes in Gastrectomy of Proximal Gastric Adenocarcinoma: A Retrospective Analysis of 395 Patients.. <i>Frontiers in Oncology</i> , 2022 , 12, 810509	5.3	1
21	Burden of kidney disease among patients with peritoneal dialysis versus conventional in-centre haemodialysis: A randomised, non-inferiority trial.. <i>Peritoneal Dialysis International</i> , 2022 , 8968608221088638	2.8	1
20	DZNep promotes mouse bone defect healing via enhancing both osteogenesis and osteoclastogenesis.. <i>Stem Cell Research and Therapy</i> , 2021 , 12, 605	8.3	1
19	Long-Term Clinical Outcomes of Lupus Nephritis Patients Undergoing Peritoneal Dialysis: A Matched, Case-Control Study. <i>Peritoneal Dialysis International</i> , 2019 , 39, 570-573	2.8	0
18	Identification of the circRNA-miRNA-mRNA Regulatory Network in Bladder Cancer by Bioinformatics Analysis. <i>International Journal of Genomics</i> , 2021 , 2021, 9935986	2.5	0
17	CircFAM114A2 Promotes Cisplatin Sensitivity miR-222-3p/P27 and miR-146a-5p/P21 Cascades in Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021 , 11, 659166	5.3	0
16	Serum Sodium Modifies the Association of Systolic Blood Pressure with Mortality in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2020 , 45, 916-925	3.1	0
15	Assessment of dialysis initiation by a fuzzy mathematics equation (ADIFE): a study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e023162	3	0
14	Age differences in associations of serum alkaline phosphatase and mortality among peritoneal dialysis patients. <i>Chinese Medical Journal</i> , 2019 , 132, 232-236	2.9	0
13	Association of brachial-ankle pulse wave velocity with cognitive impairment in peritoneal dialysis patients. <i>Renal Failure</i> , 2021 , 43, 934-941	2.9	0
12	NDRG1 regulates Filopodia-induced Colorectal Cancer invasiveness via modulating CDC42 activity. <i>International Journal of Biological Sciences</i> , 2021 , 17, 1716-1730	11.2	0
11	PSMC5 Promotes Proliferation and Metastasis of Colorectal Cancer by Activating Epithelial-Mesenchymal Transition Signaling and Modulating Immune Infiltrating Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 657917	5.7	0
10	Structured training curriculums for transanal total mesorectal excision in China: refinement is needed.. <i>Annals of Translational Medicine</i> , 2022 , 10, 489	3.2	0
9	The incidence of pain and its association with quality of life in patients with peritoneal dialysis.. <i>Renal Failure</i> , 2022 , 44, 724-730	2.9	0
8	CircZNF609 promotes bladder cancer progression and inhibits cisplatin sensitivity via miR-1200/CDC25B pathway.. <i>Cell Biology and Toxicology</i> , 2022 , 1	7.4	0
7	SFMBT1 facilitates colon cancer cell metastasis and drug resistance combined with HMG20A.. <i>Cell Death Discovery</i> , 2022 , 8, 263	6.9	0
6	Effects of CD38 gene on TLR4 and inflammatory cytokines and its mechanisms (835.10). <i>FASEB Journal</i> , 2014 , 28, 835.10	0.9	
5	Higher Eosinophils Predict Death-Censored Technique Failure in Peritoneal Dialysis Patients. <i>International Archives of Allergy and Immunology</i> , 2020 , 181, 765-773	3.7	

4	Risk factors and clinical outcomes of encapsulating peritoneal sclerosis: A case-control study from China. <i>Peritoneal Dialysis International</i> , 2021 , 8968608211029224	2.8
3	Risk Factors and Clinical Outcomes of Cognitive Impairment in Diabetic Patients Undergoing Peritoneal Dialysis. <i>Kidney and Blood Pressure Research</i> , 2021 , 46, 531-540	3.1
2	Adverse factors on nonenhanced abdominal CT for long-term continuous ambulatory peritoneal dialysis: a comparative study between patients who withdraw from and maintain long-term peritoneal dialysis. <i>Abdominal Radiology</i> , 2021 , 46, 5277-5283	3
1	Association of Ratio of Apolipoprotein B to Apolipoprotein A1 With Survival in Peritoneal Dialysis.. <i>Frontiers in Nutrition</i> , 2022 , 9, 801979	6.2