

Xiao Yang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4995421/xiao-yang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165
papers

2,764
citations

27
h-index

46
g-index

185
ext. papers

3,572
ext. citations

4.7
avg, IF

5.22
L-index

#	Paper	IF	Citations
165	Sexual Effect of Platelet-to-Lymphocyte Ratio in Predicting Cardiovascular Mortality of Peritoneal Dialysis Patients.. <i>Mediators of Inflammation</i> , 2022 , 2022, 8760615	4.3	1
164	Feasibility of Preserving No. 5 and No. 6 Lymph Nodes in Gastrectomy of Proximal Gastric Adenocarcinoma: A Retrospective Analysis of 395 Patients.. <i>Frontiers in Oncology</i> , 2022 , 12, 810509	5.3	1
163	Association of Ratio of Apolipoprotein B to Apolipoprotein A1 With Survival in Peritoneal Dialysis.. <i>Frontiers in Nutrition</i> , 2022 , 9, 801979	6.2	
162	Patient-reported gastrointestinal symptoms in patients with peritoneal dialysis: the prevalence, influence factors and association with quality of life.. <i>BMC Nephrology</i> , 2022 , 23, 99	2.7	4
161	Burden of kidney disease among patients with peritoneal dialysis versus conventional in-centre haemodialysis: A randomised, non-inferiority trial.. <i>Peritoneal Dialysis International</i> , 2022 , 8968608221088638	2.8	1
160	Structured training curriculums for transanal total mesorectal excision in China: refinement is needed.. <i>Annals of Translational Medicine</i> , 2022 , 10, 489	3.2	0
159	The incidence of pain and its association with quality of life in patients with peritoneal dialysis.. <i>Renal Failure</i> , 2022 , 44, 724-730	2.9	0
158	CircZNF609 promotes bladder cancer progression and inhibits cisplatin sensitivity via miR-1200/CDC25B pathway.. <i>Cell Biology and Toxicology</i> , 2022 , 1	7.4	0
157	SFMBT1 facilitates colon cancer cell metastasis and drug resistance combined with HMG20A.. <i>Cell Death Discovery</i> , 2022 , 8, 263	6.9	0
156	Identification of the circRNA-miRNA-mRNA Regulatory Network in Bladder Cancer by Bioinformatics Analysis. <i>International Journal of Genomics</i> , 2021 , 2021, 9935986	2.5	0
155	CircFAM114A2 Promotes Cisplatin Sensitivity miR-222-3p/P27 and miR-146a-5p/P21 Cascades in Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021 , 11, 659166	5.3	0
154	Early initiation of PD therapy in elderly patients is associated with increased risk of death. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 1649-1656	4.5	1
153	Identification of hub genes associated with neutrophils infiltration in colorectal cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 3371-3380	5.6	3
152	Abnormal iron status is associated with an increased risk of mortality in patients on peritoneal dialysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1148-1155	4.5	1
151	The role of the HIF-1 α /ALYREF/PKM2 axis in glycolysis and tumorigenesis of bladder cancer. <i>Cancer Communications</i> , 2021 , 41, 560-575	9.4	17
150	An Original Ferroptosis-Related Gene Signature Effectively Predicts the Prognosis and Clinical Status for Colorectal Cancer Patients. <i>Frontiers in Oncology</i> , 2021 , 11, 711776	5.3	8
149	Morin attenuates pyroptosis of nucleus pulposus cells and ameliorates intervertebral disc degeneration via inhibition of the TXNIP/NLRP3/Caspase-1/IL-1 β signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 559, 106-112	3.4	7

148	Super-Enhancer Induced IL-20RA Promotes Proliferation/Metastasis and Immune Evasion in Colorectal Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 724655	5.3	4
147	Risk factors and clinical outcomes of encapsulating peritoneal sclerosis: A case-control study from China. <i>Peritoneal Dialysis International</i> , 2021 , 8968608211029224	2.8	
146	Non-high-density lipoprotein cholesterol and mortality among peritoneal dialysis patients. <i>Journal of Clinical Lipidology</i> , 2021 ,	4.9	1
145	Pelvic peritoneum closure reduces postoperative complications of laparoscopic abdominoperineal resection: 6-year experience in single center. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 406-414	5.2	5
144	ALKBH5 Inhibited Cell Proliferation and Sensitized Bladder Cancer Cells to Cisplatin by m6A-CK2 β Mediated Glycolysis. <i>Molecular Therapy - Nucleic Acids</i> , 2021 , 23, 27-41	10.7	34
143	Uric acid to high-density lipoprotein cholesterol ratio predicts cardiovascular mortality in patients on peritoneal dialysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 561-569	4.5	3
142	Association of brachial-ankle pulse wave velocity with cognitive impairment in peritoneal dialysis patients. <i>Renal Failure</i> , 2021 , 43, 934-941	2.9	0
141	NDRG1 regulates Filopodia-induced Colorectal Cancer invasiveness via modulating CDC42 activity. <i>International Journal of Biological Sciences</i> , 2021 , 17, 1716-1730	11.2	0
140	Prevalence, risk factors and impact on outcomes of 30-day unexpected rehospitalization in incident peritoneal dialysis patients. <i>BMC Nephrology</i> , 2021 , 22, 4	2.7	1
139	Risk Factors and Clinical Outcomes of Cognitive Impairment in Diabetic Patients Undergoing Peritoneal Dialysis. <i>Kidney and Blood Pressure Research</i> , 2021 , 46, 531-540	3.1	
138	PSMC5 Promotes Proliferation and Metastasis of Colorectal Cancer by Activating Epithelial-Mesenchymal Transition Signaling and Modulating Immune Infiltrating Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 657917	5.7	0
137	The Medial Border of Laparoscopic D3 Lymphadenectomy for Right Colon Cancer: Results from an Exploratory Pilot Study. <i>Diseases of the Colon and Rectum</i> , 2021 , 64, 1286-1296	3.1	1
136	Adverse factors on nonenhanced abdominal CT for long-term continuous ambulatory peritoneal dialysis: a comparative study between patients who withdraw from and maintain long-term peritoneal dialysis. <i>Abdominal Radiology</i> , 2021 , 46, 5277-5283	3	
135	Changes of antibiotic resistance over time among peritonitis in Southern China. <i>Peritoneal Dialysis International</i> , 2021 , 8968608211045272	2.8	1
134	Elevated Serum Trimethylamine N-Oxide Levels Are Associated with Mortality in Male Patients on Peritoneal Dialysis. <i>Blood Purification</i> , 2021 , 50, 837-847	3.1	5
133	DZNep promotes mouse bone defect healing via enhancing both osteogenesis and osteoclastogenesis.. <i>Stem Cell Research and Therapy</i> , 2021 , 12, 605	8.3	1
132	Bioimpedance Guided Fluid Management in Peritoneal Dialysis: A Randomized Controlled Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 685-694	6.9	7
131	Infection-related hospitalization after intensive immunosuppressive therapy among lupus nephritis and ANCA glomerulonephritis patients. <i>Renal Failure</i> , 2020 , 42, 474-482	2.9	3

130	Ten-year survival of patients treated with peritoneal dialysis: A prospective observational cohort study. <i>Peritoneal Dialysis International</i> , 2020 , 40, 573-580	2.8	2
129	ALKBH5 promotes the proliferation of renal cell carcinoma by regulating AURKB expression in an mA-dependent manner. <i>Annals of Translational Medicine</i> , 2020 , 8, 646	3.2	19
128	Mechanism of RNA modification N6-methyladenosine in human cancer. <i>Molecular Cancer</i> , 2020 , 19, 104	42.1	80
127	The predictive study of the relation between elevated low-density lipoprotein cholesterol to high-density lipoprotein cholesterol ratio and mortality in peritoneal dialysis. <i>Lipids in Health and Disease</i> , 2020 , 19, 51	4.4	3
126	Epigenetic modulations of noncoding RNA: a novel dimension of Cancer biology. <i>Molecular Cancer</i> , 2020 , 19, 64	42.1	42
125	Overweight and high serum total cholesterol were risk factors for the outcome of IVF/ICSI cycles in PCOS patients and a PCOS-specific predictive model of live birth rate was established. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 1221-1228	5.2	7
124	Identification of a potentially functional circRNA-miRNA-mRNA regulatory network for investigating pathogenesis and providing possible biomarkers of bladder cancer. <i>Cancer Cell International</i> , 2020 , 20, 31	6.4	11
123	Incidence and risk factors of peritoneal dialysis-related peritonitis in elderly patients: A retrospective clinical study. <i>Peritoneal Dialysis International</i> , 2020 , 40, 26-33	2.8	15
122	Prevalence and risk factors of exit-site infection in incident peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2020 , 40, 164-170	2.8	7
121	Autologous fibroblasts induce fibrosis of the nucleus pulposus to maintain the stability of degenerative intervertebral discs. <i>Bone Research</i> , 2020 , 8, 7	13.3	11
120	Age Difference in the Association between Hyponatremia and Infection-Related Mortality in Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2020 , 49, 631-640	3.1	2
119	Serum lipoprotein(a) and risk of mortality in patients on peritoneal dialysis. <i>Journal of Clinical Lipidology</i> , 2020 , 14, 252-259	4.9	3
118	Roles of peritoneal clearance and residual kidney removal in control of uric acid in patients on peritoneal dialysis. <i>BMC Nephrology</i> , 2020 , 21, 148	2.7	2
117	Improved survival and survival without bronchopulmonary dysplasia in very low birth weight infants after active perinatal care. <i>Nigerian Journal of Clinical Practice</i> , 2020 , 23, 980-987	1	1
116	Lower Phase Angle Measured by Bioelectrical Impedance Analysis Is a Marker for Increased Mortality in Incident Continuous Ambulatory Peritoneal Dialysis Patients. <i>Journal of Renal Nutrition</i> , 2020 , 30, 119-125	3	7
115	Peritonitis Affects the Relationship Between Low-Density Lipoprotein Cholesterol and Cardiovascular Events in Peritoneal Dialysis Patients. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 92-99	3.8	1
114	Mitochondrial dysfunction is involved in aristolochic acid I-induced apoptosis in renal proximal tubular epithelial cells. <i>Human and Experimental Toxicology</i> , 2020 , 39, 673-682	3.4	8
113	Serum Sodium Modifies the Association of Systolic Blood Pressure with Mortality in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2020 , 45, 916-925	3.1	0

112	The protective role of Nrf2 against aristolochic acid-induced renal tubular epithelial cell injury. <i>Toxicology Mechanisms and Methods</i> , 2020 , 30, 580-589	3.6	3
111	The Association between Serum Uric Acid and Appendicular Skeletal Muscle Mass and the Effect of Their Interaction on Mortality in Patients on Peritoneal Dialysis. <i>Kidney and Blood Pressure Research</i> , 2020 , 45, 969-981	3.1	3
110	GJA1 is a Prognostic Biomarker and Correlated with Immune Infiltrates in Colorectal Cancer. <i>Cancer Management and Research</i> , 2020 , 12, 11649-11661	3.6	2
109	Higher Eosinophils Predict Death-Censored Technique Failure in Peritoneal Dialysis Patients. <i>International Archives of Allergy and Immunology</i> , 2020 , 181, 765-773	3.7	
108	The negative impact of depressive symptoms on patient and technique survival in peritoneal dialysis: a prospective cohort study. <i>International Urology and Nephrology</i> , 2020 , 52, 2393-2401	2.3	2
107	Plasma fibrinogen and mortality in patients undergoing peritoneal dialysis: a prospective cohort study. <i>BMC Nephrology</i> , 2020 , 21, 349	2.7	4
106	Acute Damage to the Sperm Quality and Spermatogenesis in Male Mice Exposed to Curcumin-Loaded Nanoparticles. <i>International Journal of Nanomedicine</i> , 2020 , 15, 1853-1862	7.3	6
105	Changes in Outcomes over Time Among Incident Peritoneal Dialysis Patients in Southern China. <i>Peritoneal Dialysis International</i> , 2019 , 39, 382-389	2.8	5
104	Metabolic Syndrome and Mortality in Continuous Ambulatory Peritoneal Dialysis Patients: A 5-Year Prospective Cohort Study. <i>Kidney and Blood Pressure Research</i> , 2019 , 44, 1026-1035	3.1	2
103	METTL3 promote tumor proliferation of bladder cancer by accelerating pri-miR221/222 maturation in m6A-dependent manner. <i>Molecular Cancer</i> , 2019 , 18, 110	42.1	260
102	Circular RNA Cdr1as sensitizes bladder cancer to cisplatin by upregulating APAF1 expression through miR-1270 inhibition. <i>Molecular Oncology</i> , 2019 , 13, 1559-1576	7.9	56
101	Association of Lean Body Mass Index and Peritoneal Protein Clearance in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2019 , 44, 94-102	3.1	5
100	Association between timing of peritoneal dialysis initiation and mortality in end-stage renal disease. <i>Chronic Diseases and Translational Medicine</i> , 2019 , 5, 37-43	3.9	5
99	Gender impact on baseline peritoneal transport properties in incident peritoneal dialysis patients. <i>International Urology and Nephrology</i> , 2019 , 51, 2055-2061	2.3	1
98	Urgent-start peritoneal dialysis for patients with end stage renal disease: a 10-year retrospective study. <i>BMC Nephrology</i> , 2019 , 20, 238	2.7	7
97	The EGalactoside β ,6-sialyltransferase 1 (ST6GAL1) inhibits the colorectal cancer metastasis by stabilizing intercellular adhesion molecule-1 via sialylation. <i>Cancer Management and Research</i> , 2019 , 11, 6185-6199	3.6	10
96	Long-Term Clinical Outcomes of Lupus Nephritis Patients Undergoing Peritoneal Dialysis: A Matched, Case-Control Study. <i>Peritoneal Dialysis International</i> , 2019 , 39, 570-573	2.8	0
95	Effects of insulin-like growth factor binding protein 3 on cell growth and tumorigenesis in oral squamous cell carcinoma.. <i>Translational Cancer Research</i> , 2019 , 8, 1709-1717	0.3	1

94	Assessment of dialysis initiation by a fuzzy mathematics equation (ADIFE): a study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e023162	3	0
93	Age differences in associations of serum alkaline phosphatase and mortality among peritoneal dialysis patients. <i>Chinese Medical Journal</i> , 2019 , 132, 232-236	2.9	0
92	Remote Patient Management for Emerging Geographical Areas. <i>Contributions To Nephrology</i> , 2019 , 197, 143-153	1.6	1
91	N-myc downstream-regulated gene 1 inhibits the proliferation of colorectal cancer through emulative antagonizing NEDD4-mediated ubiquitylation of p21. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 490	12.8	11
90	Associations between serum mineral metabolism parameters and mortality in patients on peritoneal dialysis. <i>Nephrology</i> , 2019 , 24, 1148-1156	2.2	2
89	Circular RNA circ-ITCH inhibits bladder cancer progression by sponging miR-17/miR-224 and regulating p21, PTEN expression. <i>Molecular Cancer</i> , 2018 , 17, 19	42.1	313
88	Gender-specific associations of skeletal muscle mass and arterial stiffness among peritoneal dialysis patients. <i>Scientific Reports</i> , 2018 , 8, 1351	4.9	5
87	Effect of Sedative-Hypnotic Medicines on Mortality in Peritoneal Dialysis Patients with Sleep Disorders: A Retrospective Cohort Study. <i>Blood Purification</i> , 2018 , 45, 95-101	3.1	1
86	Very early withdrawal from treatment in patients starting peritoneal dialysis. <i>Renal Failure</i> , 2018 , 40, 8-14	2.9	4
85	CircRNA-Cdr1as Exerts Anti-Oncogenic Functions in Bladder Cancer by Sponging MicroRNA-135a. <i>Cellular Physiology and Biochemistry</i> , 2018 , 46, 1606-1616	3.9	102
84	Serum magnesium and cardiovascular mortality in peritoneal dialysis patients: a 5-year prospective cohort study. <i>British Journal of Nutrition</i> , 2018 , 120, 415-423	3.6	13
83	Prevalence and Prognosis of Coexisting Frailty and Cognitive Impairment in Patients on Continuous Ambulatory Peritoneal Dialysis. <i>Scientific Reports</i> , 2018 , 8, 17305	4.9	9
82	The Effect of Automated Versus Continuous Ambulatory Peritoneal Dialysis on Mortality Risk In China. <i>Peritoneal Dialysis International</i> , 2018 , 38, S25-S35	2.8	9
81	Number of Daily Peritoneal Dialysis Exchanges and Mortality Risk in a Chinese Population. <i>Peritoneal Dialysis International</i> , 2018 , 38, S53-S63	2.8	4
80	Prognostic value of inflammation-based prognostic scores on outcome in patients undergoing continuous ambulatory peritoneal dialysis. <i>BMC Nephrology</i> , 2018 , 19, 297	2.7	8
79	Association of Serum Uric Acid with Arterial Stiffness in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2018 , 43, 1451-1458	3.1	4
78	Possible role of mitochondrial injury in Caulis Aristolochia manshuriensis-induced chronic aristolochic acid nephropathy. <i>Drug and Chemical Toxicology</i> , 2017 , 40, 115-124	2.3	11
77	Acinetobacter baumannii bacteraemia in patients with haematological malignancy: a multicentre retrospective study from the Infection Working Party of Jiangsu Society of Hematology. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2017 , 36, 1073-1081	5.3	15

76	Components of A Successful Peritoneal Dialysis Program. <i>Seminars in Nephrology</i> , 2017 , 37, 10-16	4.8	5
75	MicroRNA-218 Increases the Sensitivity of Bladder Cancer to Cisplatin by Targeting Glut1. <i>Cellular Physiology and Biochemistry</i> , 2017 , 41, 921-932	3.9	57
74	Patient-Doctor Contact Interval and Clinical Outcomes in Continuous Ambulatory Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2017 , 45, 346-352	4.6	7
73	Nomogram for Predicting Cardiovascular Mortality in Incident Peritoneal Dialysis Patients: An Observational Study. <i>Scientific Reports</i> , 2017 , 7, 13889	4.9	9
72	Imatinib attenuates cardiac fibrosis by inhibiting platelet-derived growth factor receptors activation in isoproterenol induced model. <i>PLoS ONE</i> , 2017 , 12, e0178619	3.7	15
71	M2b macrophages reduce early reperfusion injury after myocardial ischemia in mice: A predominant role of inhibiting apoptosis via A20. <i>International Journal of Cardiology</i> , 2017 , 245, 228-235 ^{3.2}	3.2	36
70	The impact of peritoneal dialysis-related peritonitis on mortality in peritoneal dialysis patients. <i>BMC Nephrology</i> , 2017 , 18, 186	2.7	50
69	Type D personality, illness perception, social support and quality of life in continuous ambulatory peritoneal dialysis patients. <i>Psychology, Health and Medicine</i> , 2017 , 22, 196-204	2.1	6
68	Platelet index levels and cardiovascular mortality in incident peritoneal dialysis patients: a cohort study. <i>Platelets</i> , 2017 , 28, 576-584	3.6	16
67	N-myc downstream-regulated gene 1 promotes apoptosis in colorectal cancer via up-regulating death receptor 4. <i>Oncotarget</i> , 2017 , 8, 82593-82608	3.3	6
66	Perioperative treatments for resected upper tract urothelial carcinoma: a network meta-analysis. <i>Oncotarget</i> , 2017 , 8, 3568-3580	3.3	16
65	, a microtubule-associated protein, promotes tumor growth and progression of human gastric cancer. <i>Oncotarget</i> , 2017 , 8, 74479-74493	3.3	14
64	RNF126 promotes homologous recombination via regulation of E2F1-mediated BRCA1 expression. <i>Oncogene</i> , 2016 , 35, 1363-72	9.2	25
63	Endometriosis has no negative impact on outcomes of in vitro fertilisation in women with poor ovarian response. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123 Suppl 3, 76-81 ^{3.7}	3.7	5
62	Patient characteristics and risk factors of early and late death in incident peritoneal dialysis patients. <i>Scientific Reports</i> , 2016 , 6, 32359	4.9	9
61	Serum Magnesium Levels and Hospitalization and Mortality in Incident Peritoneal Dialysis Patients: A Cohort Study. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 619-627	7.4	29
60	Patient Survival and Technique Failure in Continuous Ambulatory Peritoneal Dialysis Patients with Prior Stroke. <i>Peritoneal Dialysis International</i> , 2016 , 36, 308-14	2.8	7
59	The Impact of Fluid Overload and Variation on Residual Renal Function in Peritoneal Dialysis Patient. <i>PLoS ONE</i> , 2016 , 11, e0153115	3.7	17

58	Targeting protein kinase CK2 suppresses bladder cancer cell survival via the glucose metabolic pathway. <i>Oncotarget</i> , 2016 , 7, 87361-87372	3.3	16
57	MiR-200c promotes bladder cancer cell migration and invasion by directly targeting RECK. <i>OncoTargets and Therapy</i> , 2016 , 9, 5091-9	4.4	18
56	Clinical Outcomes of Remote Peritoneal Dialysis Patients: A Retrospective Cohort Study from a Single Center in China. <i>Blood Purification</i> , 2016 , 41, 100-7	3.1	11
55	Risk Factors for Early-Onset Peritonitis in Southern Chinese Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2016 , 36, 640-646	2.8	25
54	ANRIL rs2383207 polymorphism and coronary artery disease (CAD) risk: a meta-analysis with observational studies. <i>Cellular and Molecular Biology</i> , 2016 , 62, 6-10	1.1	4
53	A lentiviral sponge for miRNA-21 diminishes aerobic glycolysis in bladder cancer T24 cells via the PTEN/PI3K/AKT/mTOR axis. <i>Tumor Biology</i> , 2015 , 36, 383-91	2.9	79
52	High glucose concentrations in peritoneal dialysate are associated with all-cause and cardiovascular disease mortality in continuous ambulatory peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2015 , 35, 70-7	2.8	24
51	Higher alkaline phosphatase was associated with the short-term adverse outcomes of peritoneal dialysis-related peritonitis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, e113-6	5.9	5
50	Lower plasma visceral protein concentrations are independently associated with higher mortality in patients on peritoneal dialysis. <i>British Journal of Nutrition</i> , 2015 , 113, 627-33	3.6	7
49	The Effect of Fluid Overload on Clinical Outcome in Southern Chinese Patients Undergoing Continuous Ambulatory Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2015 , 35, 691-702	2.8	40
48	Association of Pulmonary Hypertension with Mortality in Incident Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2015 , 35, 537-44	2.8	17
47	PFDN1, an indicator for colorectal cancer prognosis, enhances tumor cell proliferation and motility through cytoskeletal reorganization. <i>Medical Oncology</i> , 2015 , 32, 264	3.7	18
46	Peritoneal dialysis in China: meeting the challenge of chronic kidney failure. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 147-51	7.4	61
45	Baseline higher peritoneal transport had been associated with worse nutritional status of incident continuous ambulatory peritoneal dialysis patients in Southern China: a 1-year prospective study. <i>British Journal of Nutrition</i> , 2015 , 114, 398-405	3.6	8
44	MicroRNA-218 inhibits bladder cancer cell proliferation, migration, and invasion by targeting BMI-1. <i>Tumor Biology</i> , 2015 , 36, 8015-23	2.9	40
43	Higher serum triglyceride to high-density lipoprotein cholesterol ratio was associated with increased cardiovascular mortality in female patients on peritoneal dialysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 749-55	4.5	23
42	Rosiglitazone, a Peroxisome Proliferator-Activated Receptor (PPAR)- γ Agonist, Attenuates Inflammation Via NF- κ B Inhibition in Lipopolysaccharide-Induced Peritonitis. <i>Inflammation</i> , 2015 , 38, 2105-15	5.1	19
41	The metastasis suppressor, NDRG1, inhibits "stemness" of colorectal cancer via down-regulation of nuclear β -catenin and CD44. <i>Oncotarget</i> , 2015 , 6, 33893-911	3.3	29

40	MicroRNA profiling of the intestine during hypothermic circulatory arrest in swine. <i>World Journal of Gastroenterology</i> , 2015 , 21, 2183-90	5.6	5
39	Cloning, expression and characterisation of a type II cystatin from <i>Schistosoma japonicum</i> , which could regulate macrophage activation. <i>Parasitology Research</i> , 2014 , 113, 3985-92	2.4	25
38	An increasing of red blood cell distribution width was associated with cardiovascular mortality in patients on peritoneal dialysis. <i>International Journal of Cardiology</i> , 2014 , 176, 1379-81	3.2	25
37	Autophagy inhibitors promoted aristolochic acid I induced renal tubular epithelial cell apoptosis via mitochondrial pathway but alleviated nonapoptotic cell death in mouse acute aristolochic acid nephropathy model. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014 , 19, 1215-24	5.4	27
36	Bardoxolone methyl (BARD) ameliorates aristolochic acid (AA)-induced acute kidney injury through Nrf2 pathway. <i>Toxicology</i> , 2014 , 318, 22-31	4.4	54
35	Clinical outcomes in elderly patients on chronic peritoneal dialysis: a retrospective study from a single center in china. <i>Peritoneal Dialysis International</i> , 2014 , 34, 299-307	2.8	19
34	Association between NFKB1 -94ins/del ATTG Promoter Polymorphism and Cancer Susceptibility: An Updated Meta-Analysis. <i>International Journal of Genomics</i> , 2014 , 2014, 612972	2.5	21
33	Management of a rapidly growing peritoneal dialysis population at the First Affiliated Hospital of Sun Yat-sen University. <i>Peritoneal Dialysis International</i> , 2014 , 34 Suppl 2, S31-4	2.8	15
32	Alkaline phosphatase and mortality in patients on peritoneal dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 771-8	6.9	31
31	Escherichia coli Peritonitis in peritoneal dialysis: the prevalence, antibiotic resistance and clinical outcomes in a South China dialysis center. <i>Peritoneal Dialysis International</i> , 2014 , 34, 308-16	2.8	29
30	Risk factors for the first episode of peritonitis in Southern Chinese continuous ambulatory peritoneal dialysis patients. <i>PLoS ONE</i> , 2014 , 9, e107485	3.7	28
29	Prognostic value and efficacy valuation of postoperative intravesical instillation in primary urothelial carcinomas of upper urinary tract. <i>International Journal of Clinical and Experimental Medicine</i> , 2014 , 7, 4734-46		6
28	Effects of CD38 gene on TLR4 and inflammatory cytokines and its mechanisms (835.10). <i>FASEB Journal</i> , 2014 , 28, 835.10	0.9	
27	Inhibition of mTOR and HIF pathways diminishes chondro-osteogenesis and cell proliferation in chondroblastoma. <i>Tumor Biology</i> , 2013 , 34, 3111-9	2.9	2
26	Increased invasiveness of osteosarcoma mesenchymal stem cells induced by bone-morphogenetic protein-2. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2013 , 49, 270-8	2.6	24
25	Lipopolysaccharide (LPS)-induced autophagy is involved in the restriction of Escherichia coli in peritoneal mesothelial cells. <i>BMC Microbiology</i> , 2013 , 13, 255	4.5	26
24	Molecular cloning, expression, and characterization of a putative activation-associated secreted protein from <i>Angiostrongylus cantonensis</i> . <i>Parasitology Research</i> , 2013 , 112, 781-8	2.4	3
23	Clinical outcome and risk factors for mortality in Chinese patients with diabetes on peritoneal dialysis: a 5-year clinical cohort study. <i>Diabetes Research and Clinical Practice</i> , 2013 , 100, 354-61	7.4	35

22	Osteoclastogenesis accompanying early osteoblastic differentiation of BMSCs promoted by mechanical stretch. <i>Biomedical Reports</i> , 2013 , 1, 474-478	1.8	4
21	The effect of social support and coping style on depression in patients with continuous ambulatory peritoneal dialysis in southern China. <i>International Urology and Nephrology</i> , 2013 , 45, 527-35	2.3	15
20	Prevalence and factors associated with hypomagnesemia in Southern Chinese continuous ambulatory peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2013 , 33, 450-4	2.8	14
19	Prevalence and risk factors of fluid overload in Southern Chinese continuous ambulatory peritoneal dialysis patients. <i>PLoS ONE</i> , 2013 , 8, e53294	3.7	43
18	Functional promoter -94 ins/del ATTG polymorphism in NFKB1 gene is associated with bladder cancer risk in a Chinese population. <i>PLoS ONE</i> , 2013 , 8, e71604	3.7	27
17	Malnutrition-inflammation score predicts long-term mortality in Chinese PD patients. <i>Clinical Nephrology</i> , 2013 , 79, 477-83	2.1	18
16	Prevalence of metabolic syndrome and its risk factors in patients with continuous ambulatory peritoneal dialysis in South China. <i>Clinical Nephrology</i> , 2013 , 80, 114-20	2.1	5
15	Elevated neutrophil to lymphocyte ratio predicts overall and cardiovascular mortality in maintenance peritoneal dialysis patients. <i>International Urology and Nephrology</i> , 2012 , 44, 1521-8	2.3	42
14	Aristolochic acid I induced autophagy extenuates cell apoptosis via ERK 1/2 pathway in renal tubular epithelial cells. <i>PLoS ONE</i> , 2012 , 7, e30312	3.7	65
13	Altered tight junctions and fence function in NRK-52E cells induced by aristolochic acid. <i>Human and Experimental Toxicology</i> , 2012 , 31, 32-41	3.4	8
12	Organic anion transporter 1 (OAT1) involved in renal cell transport of aristolochic acid I. <i>Human and Experimental Toxicology</i> , 2012 , 31, 759-70	3.4	18
11	Enzootic angiostrongyliasis in Guangzhou, China, 2008-2010. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012 , 86, 846-9	3.2	10
10	Clinical management of masses arising from the accessory parotid gland. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011 , 112, 290-7		22
9	Successfully managing a rapidly growing peritoneal dialysis program in Southern China. <i>Chinese Medical Journal</i> , 2011 , 124, 2696-700	2.9	9
8	Glucose-based peritoneal dialysis fluids downregulate toll-like receptors and trigger hyporesponsiveness to pathogen-associated molecular patterns in human peritoneal mesothelial cells. <i>Vaccine Journal</i> , 2010 , 17, 757-63		13
7	Decreased expression of S100A6 in oral squamous cell carcinoma. <i>Oncology Reports</i> , 2010 , 24, 479-88	3.5	4
6	Angiotensin II upregulates Toll-like receptor 4 and enhances lipopolysaccharide-induced CD40 expression in rat peritoneal mesothelial cells. <i>Inflammation Research</i> , 2009 , 58, 473-82	7.2	29
5	Comparative proteomic analysis of differentially expressed proteins in an in vitro cellular carcinogenesis model of oral squamous cell carcinoma. <i>Proteomics - Clinical Applications</i> , 2009 , 3, 322-37 ^{3.1}		6

4	Peroxisome proliferator-activated receptor-gamma is expressed by rat peritoneal mesothelial cells: its potential role in peritoneal cavity local defense. <i>American Journal of Nephrology</i> , 2006 , 26, 602-11	4.6	18
3	Effect of 15d-PGJ2 on the expression of CD40 and RANTES induced by IFN-gamma and TNF-alpha on renal tubular epithelial cells (HK-2). <i>American Journal of Nephrology</i> , 2006 , 26, 356-62	4.6	9
2	CD40 is expressed on rat peritoneal mesothelial cells and upregulates ICAM-1 production. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 1378-84	4.3	16
1	ZD1839 for the treatment of heavily pretreated non-small cell lung cancer. <i>Journal of Clinical Oncology</i> , 2004 , 22, 7341-7341	2.2	3