

Ulrike Muscha Steckelings

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4995683/publications.pdf>

Version: 2024-02-01

105
papers

6,068
citations

57631

44
h-index

71532

76
g-index

107
all docs

107
docs citations

107
times ranked

4737
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeting angiotensin type-2 receptors located on pressor neurons in the nucleus of the solitary tract to relieve hypertension in mice. <i>Cardiovascular Research</i> , 2022, 118, 883-896.	1.8	9
2	Angiotensin Receptors - Affinity and Beyond. <i>Clinical Science</i> , 2022, 136, 799-802.	1.8	2
3	C21 preserves endothelial function in the thoracic aorta from DIO mice: role for AT2, Mas and B2 receptors. <i>Clinical Science</i> , 2021, 135, 1145-1163.	1.8	8
4	The protective effect of Angiotensin AT2-receptor stimulation in Neuromyelitis optica spectrum disorder is independent of astrocyte-derived BDNF. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 53, 103033.	0.9	1
5	AT2R stimulation with C21 prevents arterial stiffening and endothelial dysfunction in the abdominal aorta from mice fed a high-fat diet. <i>Clinical Science</i> , 2021, 135, 2763-2780.	1.8	8
6	Angiotensin AT2 receptor-induced interleukin-10 attenuates neuromyelitis optica spectrum disorder-like pathology. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1187-1196.	1.4	9
7	The renin-angiotensin system in cutaneous hypertrophic scar and keloid formation. <i>Experimental Dermatology</i> , 2020, 29, 902-909.	1.4	31
8	The role of the renin-angiotensin system in skin physiology and pathophysiology. <i>Experimental Dermatology</i> , 2020, 29, 891-901.	1.4	27
9	The Renin-Angiotensin System in Hypertension, a Constantly Renewing Classic: Focus on the Angiotensin AT2-Receptor. <i>Canadian Journal of Cardiology</i> , 2020, 36, 683-693.	0.8	23
10	Correcting the imbalanced protective RAS in COVID-19 with angiotensin AT2-receptor agonists. <i>Clinical Science</i> , 2020, 134, 2987-3006.	1.8	35
11	Anti-fibrotic mechanisms of angiotensin AT ₂ -receptor stimulation. <i>Acta Physiologica</i> , 2019, 227, e13280.	1.8	38
12	The renin-angiotensin system: going beyond the classical paradigms. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019, 316, H958-H970.	1.5	218
13	Protective effects of the angiotensin II AT2 receptor agonist compound 21 in ischemic stroke: a nose-to-brain delivery approach. <i>Clinical Science</i> , 2018, 132, 581-593.	1.8	21
14	Identification of protein phosphatase involvement in the AT2 receptor-induced activation of endothelial nitric oxide synthase. <i>Clinical Science</i> , 2018, 132, 777-790.	1.8	35
15	Small-molecule AT2 receptor agonists. <i>Medicinal Research Reviews</i> , 2018, 38, 602-624.	5.0	28
16	Chronic administration of the angiotensin type 2 receptor agonist C21 improves insulin sensitivity in C57BL/6 mice. <i>Physiological Reports</i> , 2018, 6, e13824.	0.7	18
17	Neuroprotection via AT2 receptor agonists in ischemic stroke. <i>Clinical Science</i> , 2018, 132, 1055-1067.	1.8	34
18	The Selective Angiotensin II Type 2 Receptor Agonist, Compound 21, Attenuates the Progression of Lung Fibrosis and Pulmonary Hypertension in an Experimental Model of Bleomycin-Induced Lung Injury. <i>Frontiers in Physiology</i> , 2018, 9, 180.	1.3	53

#	ARTICLE	IF	CITATIONS
19	Protective Angiotensin Type 2 Receptors in the Brain and Hypertension. <i>Current Hypertension Reports</i> , 2017, 19, 46.	1.5	30
20	Evidence for Heterodimerization and Functional Interaction of the Angiotensin Type 2 Receptor and the Receptor MAS. <i>Hypertension</i> , 2017, 69, 1128-1135.	1.3	87
21	Angiotensin II Type 2 Receptor and Receptor Mas Are Colocalized and Functionally Interdependent in Obese Zucker Rat Kidney. <i>Hypertension</i> , 2017, 70, 831-838.	1.3	48
22	Centrally Mediated Cardiovascular Actions of the Angiotensin II Type 2 Receptor. <i>Trends in Endocrinology and Metabolism</i> , 2017, 28, 684-693.	3.1	30
23	The angiotensin type 2 receptor and the kidney. <i>Current Opinion in Nephrology and Hypertension</i> , 2017, 26, 36-42.	1.0	14
24	Post-stroke angiotensin II type 2 receptor activation provides long-term neuroprotection in aged rats. <i>PLoS ONE</i> , 2017, 12, e0180738.	1.1	19
25	Angiotensin AT2-receptor stimulation improves survival and neurological outcome after experimental stroke in mice. <i>Journal of Molecular Medicine</i> , 2016, 94, 957-966.	1.7	39
26	The angiotensin II type 2 receptor agonist Compound 21 is protective in experimental diabetes-associated atherosclerosis. <i>Diabetologia</i> , 2016, 59, 1778-1790.	2.9	38
27	OS 32-03 ANGIOTENSIN II TYPE 2 RECEPTOR AGONIST EXERTS SUSTAINED NEUROPROTECTIVE EFFECTS IN AGED RATS. <i>Journal of Hypertension</i> , 2016, 34, e390.	0.3	0
28	Compound 21, a selective agonist of angiotensin AT ₂ receptors, prevents endothelial inflammation and leukocyte adhesion <i>in vitro</i> and <i>in vivo</i> . <i>British Journal of Pharmacology</i> , 2016, 173, 729-740.	2.7	51
29	Combined Angiotensin Receptor Modulation in the Management of Cardio-Metabolic Disorders. <i>Drugs</i> , 2016, 76, 1-12.	4.9	34
30	Reporter mouse strain provides a novel look at angiotensin type-2 receptor distribution in the central nervous system. <i>Brain Structure and Function</i> , 2016, 221, 891-912.	1.2	89
31	Angiotensin type 2 receptors: blood pressure regulation and end organ damage. <i>Current Opinion in Pharmacology</i> , 2015, 21, 115-121.	1.7	70
32	Neuroprotective Mechanisms of the ACE2-Angiotensin-(1-7)-Mas Axis in Stroke. <i>Current Hypertension Reports</i> , 2015, 17, 3.	1.5	70
33	Angiotensin type 2 receptor (AT2R) and receptor Mas: a complex liaison. <i>Clinical Science</i> , 2015, 128, 227-234.	1.8	89
34	AT2R Agonist, Compound 21, Is Reno-Protective Against Type 1 Diabetic Nephropathy. <i>Hypertension</i> , 2015, 65, 1073-1081.	1.3	61
35	Direct angiotensin type 2 receptor (AT2R) stimulation attenuates T-cell and microglia activation and prevents demyelination in experimental autoimmune encephalomyelitis in mice. <i>Clinical Science</i> , 2015, 128, 95-109.	1.8	43
36	Activation of intracellular angiotensin AT2 receptors induces rapid cell death in human uterine leiomyosarcoma cells. <i>Clinical Science</i> , 2015, 128, 567-578.	1.8	12

#	ARTICLE	IF	CITATIONS
37	The Angiotensin AT ₂ Receptor. , 2015, , 1-9.		7
38	Stimulation of the Angiotensin II AT ₂ Receptor is Anti-inflammatory in Human Lipopolysaccharide-Activated Monocytic Cells. <i>Inflammation</i> , 2015, 38, 1690-1699.	1.7	22
39	Selective activation of angiotensin <sc>AT</sc>₂ receptors attenuates progression of pulmonary hypertension and inhibits cardiopulmonary fibrosis. <i>British Journal of Pharmacology</i> , 2015, 172, 2219-2231.	2.7	75
40	Angiotensin Type 2 Receptor Stimulation Ameliorates Left Ventricular Fibrosis and Dysfunction via Regulation of Tissue Inhibitor of Matrix Metalloproteinase 1/Matrix Metalloproteinase 9 Axis and Transforming Growth Factor β 1 in the Rat Heart. <i>Hypertension</i> , 2014, 63, e60-7.	1.3	72
41	Prevention of diabetic nephropathy by compound 21, selective agonist of angiotensin type 2 receptors, in Zucker diabetic fatty rats. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F1123-F1131.	1.3	48
42	Mortality and morbidity in different immunization protocols for experimental autoimmune myocarditis in rats. <i>Acta Physiologica</i> , 2014, 210, 889-898.	1.8	11
43	Angiotensin Type 2 Receptor Stimulation Increases Renal Function in Female, but Not Male, Spontaneously Hypertensive Rats. <i>Hypertension</i> , 2014, 64, 378-383.	1.3	49
44	AT ₂ Receptor and Tissue Injury: Therapeutic Implications. <i>Current Hypertension Reports</i> , 2014, 16, 416.	1.5	101
45	AT ₂ Receptors Targeting Cardiac Protection Post-Myocardial Infarction. <i>Current Hypertension Reports</i> , 2014, 16, 441.	1.5	17
46	The angiotensin type 2 receptor agonist Compound 21 elicits cerebroprotection in endothelin-1 induced ischemic stroke. <i>Neuropharmacology</i> , 2014, 81, 134-141.	2.0	60
47	Protective arms of the renin-angiotensin system in neurological disease. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013, 40, 580-588.	0.9	75
48	Comment on "protective arms of the renin-angiotensin system in neurological disease" Reply. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013, 40, 838-839.	0.9	2
49	AT ₂ -receptor stimulation enhances axonal plasticity after spinal cord injury by upregulating BDNF expression. <i>Neurobiology of Disease</i> , 2013, 51, 177-191.	2.1	81
50	Perspective: A tale of two receptors. <i>Nature</i> , 2013, 493, S9-S9.	13.7	16
51	Impact of AT ₂ -receptor stimulation on vascular biology, kidney function, and blood pressure. <i>Integrated Blood Pressure Control</i> , 2013, 6, 153.	0.4	58
52	Direct Stimulation of Angiotensin II Type 2 Receptor Enhances Spatial Memory. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 248-255.	2.4	87
53	New therapeutic pathways in the RAS. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2012, 13, 505-508.	1.0	32
54	Direct Angiotensin II Type 2 Receptor Stimulation in <i>N</i> -Nitro-Arginine-Methyl Ester-Induced Hypertension. <i>Hypertension</i> , 2012, 59, 485-492.	1.3	92

#	ARTICLE	IF	CITATIONS
55	AT2 receptor agonists. <i>Current Opinion in Nephrology and Hypertension</i> , 2012, 21, 142-146.	1.0	86
56	Sex-Specific Influence of Angiotensin Type 2 Receptor Stimulation on Renal Function. <i>Hypertension</i> , 2012, 59, 409-414.	1.3	95
57	931 INHIBITION OF MICROGLIA ACTIVATION AND MIGRATION BY DIRECT AT2-RECEPTOR STIMULATION. <i>Journal of Hypertension</i> , 2012, 30, e269.	0.3	2
58	398 EVIDENCE OF A DIRECT MAS-AT2 RECEPTOR DIMERIZATION. <i>Journal of Hypertension</i> , 2012, 30, e117.	0.3	5
59	Impact of the AT2 Receptor Agonist C21 on Blood Pressure and Beyond. <i>Current Hypertension Reports</i> , 2012, 14, 403-409.	1.5	41
60	Angiotensin II type 2 receptor agonists – where should they be applied?. <i>Expert Opinion on Investigational Drugs</i> , 2012, 21, 763-766.	1.9	24
61	Direct Angiotensin II Type 2 Receptor Stimulation Ameliorates Insulin Resistance in Type 2 Diabetes Mice with PPAR γ Activation. <i>PLoS ONE</i> , 2012, 7, e48387.	1.1	64
62	Key advances in antihypertensive treatment. <i>Nature Reviews Cardiology</i> , 2012, 9, 276-285.	6.1	44
63	Emerging drugs which target the renin-angiotensin-aldosterone system. <i>Expert Opinion on Emerging Drugs</i> , 2011, 16, 619-630.	1.0	26
64	Non-peptide AT2-receptor agonists. <i>Current Opinion in Pharmacology</i> , 2011, 11, 187-192.	1.7	96
65	Prevention and Intervention Studies with Telmisartan, Ramipril and Their Combination in Different Rat Stroke Models. <i>PLoS ONE</i> , 2011, 6, e23646.	1.1	28
66	Mast cell-derived TNF- α and histamine modify IL-6 and IL-8 expression and release from cutaneous tumor cells. <i>Experimental Dermatology</i> , 2011, 20, 1020-1022.	1.4	13
67	The angiotensin AT2 receptor in left ventricular hypertrophy. <i>Journal of Hypertension</i> , 2010, 28, S50-S55.	0.3	36
68	Ethanol-induced downregulation of the angiotensin AT2 receptor in murine fibroblasts is mediated by PARP-1. <i>Alcohol</i> , 2010, 44, 495-506.	0.8	10
69	The past, present and future of angiotensin II type 2 receptor stimulation. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2010, 11, 67-73.	1.0	83
70	Identification of Noncytotoxic and IL-10-Producing CD8+AT2R+ T Cell Population in Response to Ischemic Heart Injury. <i>Journal of Immunology</i> , 2010, 185, 6286-6293.	0.4	91
71	Direct Angiotensin II Type 2 Receptor Stimulation Acts Anti-Inflammatory Through Epoxyeicosatrienoic Acid and Inhibition of Nuclear Factor κ B. <i>Hypertension</i> , 2010, 55, 924-931.	1.3	182
72	Adapter proteins and promoter regulation of the angiotensin AT2 receptor – implications for cardiac pathophysiology. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2010, 11, 7-17.	1.0	37

#	ARTICLE	IF	CITATIONS
73	The angiotensin AT2 receptor in inflammation. <i>Drug News and Perspectives</i> , 2010, 23, 104.	1.9	46
74	Angiotensin Receptors and Autophagy. <i>Hypertension</i> , 2009, 53, 898-899.	1.3	5
75	The Renin-Angiotensin System in the Eye. <i>Frontiers in Diabetes</i> , 2009, , 142-157.	0.4	2
76	Poly(ADP-ribose) polymerase-1 (PARP-1) transcriptionally regulates angiotensin AT2 receptor (AT2R) and AT2R binding protein (ATBP) genes. <i>Biochemical Pharmacology</i> , 2009, 77, 1795-1805.	2.0	29
77	Cardiac c-kit+AT2+ Cell Population is Increased in Response to Ischemic Injury and Supports Cardiomyocyte Performance. <i>Stem Cells</i> , 2009, 27, 2488-2497.	1.4	63
78	The evolving story of the RAAS in hypertension, diabetes and CV disease – moving from macrovascular to microvascular targets. <i>Fundamental and Clinical Pharmacology</i> , 2009, 23, 693-703.	1.0	75
79	Transition from atherosclerosis to aortic aneurysm in humans coincides with an increased expression of RAS components. <i>Atherosclerosis</i> , 2009, 205, 396-403.	0.4	50
80	The ONTARGET Trial Programme: Facts and Lessons. <i>Current Hypertension Reviews</i> , 2009, 5, 202-209.	0.5	0
81	Highlights from International Congress. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2008, 15, 91-104.	1.0	0
82	Angiotensin II Type 2 Receptor Stimulation. <i>Circulation</i> , 2008, 118, 2523-2532.	1.6	250
83	The β -lactam antibiotic, ceftriaxone, dramatically improves survival, increases glutamate uptake and induces neurotrophins in stroke. <i>Journal of Hypertension</i> , 2008, 26, 2426-2435.	0.3	101
84	Angiotensin in the Kidney: A Key to Understanding Hypertension?. <i>Cell Metabolism</i> , 2007, 5, 7-8.	7.2	6
85	Angiotensin receptor blockers and cerebral protection in stroke. <i>Journal of Hypertension</i> , 2006, 24, S115-S121.	0.3	53
86	Stimulation of AT2 receptors. , 2006, , 31-46.		1
87	Regulationsmechanismen des Renin-Angiotensin-Systems im kardiovaskulären System. , 2006, , 377-407.		0
88	Differential expression of angiotensin receptors in human cutaneous wound healing. <i>British Journal of Dermatology</i> , 2005, 153, 887-893.	1.4	69
89	The AT2 receptor – A matter of love and hate. <i>Peptides</i> , 2005, 26, 1401-1409.	1.2	224
90	HYDRA: possible determinants of unsatisfactory hypertension control in German primary care patients. <i>Blood Pressure</i> , 2004, 13, 80-88.	0.7	26

#	ARTICLE	IF	CITATIONS
91	Human skin: source of and target organ for angiotensin II. <i>Experimental Dermatology</i> , 2004, 13, 148-154.	1.4	137
92	Genetic kininogen deficiency contributes to aortic aneurysm formation but not to atherosclerosis. <i>Physiological Genomics</i> , 2004, 19, 41-49.	1.0	35
93	Mast Cell-Fibroblast Interactions: Human Mast Cells as Source and Inducers of Fibroblast and Epithelial Growth Factors. <i>Journal of Investigative Dermatology</i> , 2002, 118, 391-395.	0.3	108
94	A Long-Term Coculture Model for the Study of Mast Cell-Keratinocyte Interactions. <i>Journal of Investigative Dermatology</i> , 2002, 119, 411-415.	0.3	21
95	Angiotensin-converting Enzyme Inhibitors as Inducers of Adverse Cutaneous Reactions. <i>Acta Dermato-Venereologica</i> , 2001, 81, 321-325.	0.6	71
96	Altered Expression of Mast Cell Chymase and Tryptase and of c-Kit in Human Cutaneous Scar Tissue. <i>Journal of Investigative Dermatology</i> , 2000, 114, 51-55.	0.3	44
97	Mast cells and their mediators in cutaneous wound healing ? active participants or innocent bystanders?. <i>Experimental Dermatology</i> , 1999, 8, 1-16.	1.4	226
98	Repression of c- fos and c- jun gene expression is not part of AT 2 receptor coupled signal transduction. <i>Journal of Molecular Medicine</i> , 1998, 76, 202-207.	1.7	16
99	The angiotensin II AT2 receptor inhibits proliferation and promotes differentiation in PC12W cells. <i>Molecular and Cellular Endocrinology</i> , 1996, 122, 59-67.	1.6	215
100	Angiotensin II Stimulates Proliferation of Primary Human Keratinocytes via a Non-AT1, Non-AT2Angiotensin Receptor. <i>Biochemical and Biophysical Research Communications</i> , 1996, 229, 329-333.	1.0	53
101	The renin-angiotensin-system in the skin. Evidence for its presence and possible functional implications. <i>Experimental Dermatology</i> , 1995, 4, 329-334.	1.4	11
102	The angiotensin AT2-receptor mediates inhibition of cell proliferation in coronary endothelial cells.. <i>Journal of Clinical Investigation</i> , 1995, 95, 651-657.	3.9	820
103	Complex Physiological and Biochemical Action of Aldosterone in Toad Urinary Bladder and Mammalian Renal Collecting Duct Cells. <i>Kidney and Blood Pressure Research</i> , 1987, 10, 297-310.	0.9	5
104	Methylation of cytosolic proteins may be a possible biochemical pathway of early aldosterone action in cultured renal collecting duct cells. <i>Differentiation</i> , 1987, 36, 23-34.	1.0	12
105	Angiotensin AT2 Receptor Stimulation Alleviates Collagen-Induced Arthritis by Upregulation of Regulatory T Cell Numbers. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	4