

Andrew Paul Shinn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4997484/publications.pdf>

Version: 2024-02-01

84
papers

2,118
citations

201575

27
h-index

276775

41
g-index

85
all docs

85
docs citations

85
times ranked

1628
citing authors

#	ARTICLE	IF	CITATIONS
1	Unveiling associations between ciliate parasites and bacterial microbiomes under warm-water fish farm conditions – a review. <i>Reviews in Aquaculture</i> , 2021, 13, 1097-1118.	4.6	10
2	Geographical distribution of <i>Gyrodactylus salaris</i> Malmberg, 1957 (Monogenea, Gyrodactylidae). <i>Parasites and Vectors</i> , 2021, 14, 34.	1.0	7
3	<i>Gyrodactylus molweni</i> sp. n. (Monogenea: Gyrodactylidae) from <i>Chelon richardsonii</i> (Smith, 1846) (Mugilidae) from Table Bay, South Africa. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021, 15, 87-94.	0.6	6
4	Description of <i>Tresuncinidactylus wilmienae</i> gen. et sp. n. (Monogenea: Gyrodactylidae), from the gills of the bulldog, <i>Marcusenius macrolepidotus</i> (Peters) from Lake Kariba, Zimbabwe. <i>Folia Parasitologica</i> , 2021, 68, .	0.7	5
5	Description of <i>Citharodactylus gagei</i> n. gen. et n. sp. (Monogenea: Gyrodactylidae) from the moon fish, <i>Citharinus citharus</i> (Geoffroy Saint-Hilaire), from Lake Turkana. <i>Parasitology Research</i> , 2017, 116, 281-292.	0.6	8
6	To each his own: no evidence of gyrodactylid parasite host switches from invasive poeciliid fishes to <i>Goodea atripinnis</i> Jordan (Cyprinodontiformes: Goodeidae), the most dominant endemic freshwater goodeid fish in the Mexican Highlands. <i>Parasites and Vectors</i> , 2016, 9, 604.	1.0	19
7	Predicting the Potential for Natural Recovery of Atlantic Salmon (<i>Salmo salar</i> L.) Populations following the Introduction of <i>Gyrodactylus salaris</i> Malmberg, 1957 (Monogenea). <i>PLoS ONE</i> , 2016, 11, e0169168.	1.1	7
8	Enteric neuromodulators and mucus discharge in a fish infected with the intestinal helminth <i>Pomphorhynchus laevis</i> . <i>Parasites and Vectors</i> , 2015, 8, 359.	1.0	21
9	Histopathology and the inflammatory response of European perch, <i>Perca fluviatilis</i> muscle infected with <i>Eustrongylides</i> sp. (Nematoda). <i>Parasites and Vectors</i> , 2015, 8, 227.	1.0	36
10	Reservoir hosts for <i>Gyrodactylus salaris</i> may play a more significant role in epidemics than previously thought. <i>Parasites and Vectors</i> , 2014, 7, 576.	1.0	13
11	<i>Omanicotyle heterospina</i> n. gen. et n. comb. (Monogenea: Microcotylidae) from the gills of <i>Argyrops spinifer</i> (Forsskål) (Teleostei: Sparidae) from the Sea of Oman. <i>Parasites and Vectors</i> , 2013, 6, 170.	1.0	14
12	Epibiotic macrofauna on common minke whales, <i>Balaenoptera acutorostrata</i> Lacépède, 1804, in Icelandic waters. <i>Parasites and Vectors</i> , 2013, 6, 105.	1.0	21
13	Introduction and spread of non-native parasites with <i>Silurus glanis</i> L. (Teleostei: Siluridae) in UK fisheries. <i>Journal of Helminthology</i> , 2012, 86, 510-513.	0.4	7
14	Larval gryporhynchid tapeworms (Cestoda: Cyclophyllidea) of British freshwater fish, with a description of the pathology caused by <i>Paradilepis scolecina</i> . <i>Journal of Helminthology</i> , 2012, 86, 1-9.	0.4	4
15	An assessment of the use of drug and non-drug interventions in the treatment of <i>Ichthyophthirius multifiliis</i> Fouquet, 1876, a protozoan parasite of freshwater fish. <i>Parasitology</i> , 2012, 139, 149-190.	0.7	63
16	Proliferative cell nuclear antigen (PCNA) expression in the intestine of <i>Salmo trutta trutta</i> naturally infected with an acanthocephalan. <i>Parasites and Vectors</i> , 2012, 5, 198.	1.0	49
17	Innate immune defence mechanisms of tench, <i>Tinca tinca</i> (L.), naturally infected with the tapeworm <i>Monobothrium wageneri</i> . <i>Parasite Immunology</i> , 2012, 34, 511-519.	0.7	16
18	The potential utility of the leopard pleco (<i>Glyptoperichthys gibbiceps</i>) as a biological control of the ciliate protozoan <i>Ichthyophthirius multifiliis</i> . <i>Pest Management Science</i> , 2012, 68, 557-563.	1.7	8

#	ARTICLE	IF	CITATIONS
19	Review of climate change impacts on marine aquaculture in the UK and Ireland. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2012, 22, 389-421.	0.9	134
20	Development of a light microscopy stain for the sclerites of <i>Gyrodactylus</i> von Nordmann, 1832 (Monogenea) and related genera. <i>Parasitology Research</i> , 2012, 110, 1639-1648.	0.6	16
21	Confirmation of the hosts involved in the life cycle of an acanthocephalan parasite of <i>Anguilla anguilla</i> (L.) from Lake Piediluco and its effect on the reproductive potential of its amphipod intermediate host. <i>Parasitology Research</i> , 2012, 110, 2137-2143.	0.6	8
22	Morphological and molecular characterisation of <i>Gyrodactylus salmonis</i> (Platyhelminthes,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td Veterinary Parasitology, 2012, 186, 289-300.	0.7	18
23	Effects of long duration, low dose bronopol exposure on the control of <i>Ichthyophthirius multifiliis</i> (Ciliophora), parasitising rainbow trout (<i>Oncorhynchus mykiss</i> Walbaum). <i>Veterinary Parasitology</i> , 2012, 186, 237-244.	0.7	20
24	The anti-protozoal activity of bronopol on the key life-stages of <i>Ichthyophthirius multifiliis</i> Fouquet, 1876 (Ciliophora). <i>Veterinary Parasitology</i> , 2012, 186, 229-236.	0.7	29
25	In vitro assessment of the chemotherapeutic action of a specific hydrogen peroxide, peracetic, acetic, and peroctanoic acid-based formulation against the free-living stages of <i>Ichthyophthirius multifiliis</i> (Ciliophora). <i>Parasitology Research</i> , 2012, 110, 1029-1032.	0.6	19
26	Description of the free-swimming juvenile stages of <i>Lernaecera branchialis</i> (Pennellidae), using traditional light and confocal microscopy methods. <i>Aquatic Biology</i> , 2012, 14, 153-163.	0.5	4
27	Use of laser scanning confocal microscopy for morphological taxonomy and the potential for digital type specimens (e-types). <i>Aquatic Biology</i> , 2012, 14, 165-173.	0.5	8
28	The Use of ASM Feature Extraction and Machine Learning for the Discrimination of Members of the Fish Ectoparasite Genus <i>Gyrodactylus</i> . <i>Lecture Notes in Computer Science</i> , 2012, , 256-263.	1.0	1
29	<i>Gyrodactylus longipes</i> n. sp. (Monogenea: Gyrodactylidae) from farmed gilthead seabream (<i>Sparus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Td	0.6	16
30	Multi-stage classification of <i>Gyrodactylus</i> species using machine learning and feature selection techniques. , 2011, , .		5
31	A modular, mechanical rotary device for the cleaning of commercial-scale, circular tanks used in aquaculture. <i>Aquaculture</i> , 2011, 317, 16-19.	1.7	6
32	Applied epidemiology with examples from UK aquaculture. <i>Aquaculture Research</i> , 2011, 42, 21-27.	0.9	10
33	<i>Gyrodactylus salinae</i> n. sp. (Platyhelminthes: Monogenea) infecting the south European toothcarp <i>Aphanius fasciatus</i> (Valenciennes) (Teleostei, Cyprinodontidae) from a hypersaline environment in Italy. <i>Parasites and Vectors</i> , 2011, 4, 100.	1.0	33
34	Histological damage and inflammatory response elicited by <i>Monobothrium wagneri</i> (Cestoda) in the intestine of <i>Tinca tinca</i> (Cyprinidae). <i>Parasites and Vectors</i> , 2011, 4, 225.	1.0	34
35	<i>leredactylus rivuli</i> gen. et sp. nov. (Monogenea, Gyrodactylidae) from <i>Rivulus hartii</i> (Cyprinodontiformes, Rivulidae) in Trinidad. <i>Acta Parasitologica</i> , 2011, 56, .	0.4	19
36	Description of three new species of <i>Gyrodactylus</i> von Nordmann, 1832 (Monogenea) parasitising <i>Oreochromis niloticus niloticus</i> (L.) and <i>O. mossambicus</i> (Peters) (Cichlidae). <i>Acta Parasitologica</i> , 2011, 56, .	0.4	31

#	ARTICLE	IF	CITATIONS
37	The effect of octopaminergic compounds on the behaviour and transmission of <i>Gyrodactylus</i> . <i>Parasites and Vectors</i> , 2011, 4, 207.	1.0	13
38	Myxosporean hyperparasites of gill monogeneans are basal to the Multivalvulida. <i>Parasites and Vectors</i> , 2011, 4, 220.	1.0	19
39	An infection of <i>Gyrodactylus anguillae</i> Ergens, 1960 (Monogenea) associated with the mortality of glass eels (<i>Anguilla anguilla</i> L.) on the north-western Mediterranean Sea board of Spain. <i>Veterinary Parasitology</i> , 2011, 180, 323-331.	0.7	10
40	The Accidental Transfer of <i>Gyrodactylus</i> (Monogenea) during Short Duration Fish Transportation. <i>Fish Pathology</i> , 2011, 46, 71-79.	0.4	8
41	<i>Gyrodactylids</i> (Gyrodactylidae, Monogenea) infecting <i>Oreochromis niloticus niloticus</i> (L.) and <i>O. mossambicus</i> (Peters) (Cichlidae): A pan-global survey. <i>Acta Parasitologica</i> , 2010, 55, .	0.4	28
42	Multi-centre testing and validation of current protocols for the identification of <i>Gyrodactylus salaris</i> (Monogenea). <i>International Journal for Parasitology</i> , 2010, 40, 1455-1467.	1.3	21
43	The response of intestinal mucous cells to the presence of enteric helminths: their distribution, histochemistry and fine structure. <i>Journal of Fish Diseases</i> , 2010, 33, 481-488.	0.9	35
44	<i>Gyrodactylus jarocho</i> sp. nov. and <i>Gyrodactylus xalapensis</i> sp. nov. (Platyhelminthes: Monogenea) from Mexican poeciliids (Teleostei: Cyprinodontiformes), with comments on the known gyrodactylid fauna infecting poeciliid fish. <i>Zootaxa</i> , 2010, 2509, .	0.2	20
45	<i>Gyrodactylus eyipayipi</i> sp. n. (Monogenea: Gyrodactylidae) from <i>Syngnathus acus</i> (Syngnathidae) from South Africa. <i>Folia Parasitologica</i> , 2010, 57, 11-15.	0.7	20
46	The description of <i>Gyrodactylus corleonis</i> sp. n. and <i>G. neretum</i> sp. n. (Platyhelminthes: Monogenea) with comments on other gyrodactylids parasitising pipefish (Pisces: Syngnathidae). <i>Folia Parasitologica</i> , 2010, 57, 17-30.	0.7	14
47	Mechanical control of <i>Ichthyophthirius multifiliis</i> Fouquet, 1876 (Ciliophora) in a rainbow trout hatchery. <i>Aquacultural Engineering</i> , 2009, 41, 152-157.	1.4	23
48	<i>Myxobolus albi</i> n. sp. (Myxozoa) from the Gills of the Common Goby <i>Pomatoschistus microps</i> KrÅyner (Teleostei: Gobiidae). <i>Journal of Eukaryotic Microbiology</i> , 2009, 56, 421-427.	0.8	17
49	The first report of <i>Gyrodactylus salaris</i> Malmberg, 1957 (Platyhelminthes, Monogenea) on Italian cultured stocks of rainbow trout (<i>Oncorhynchus mykiss</i> Walbaum). <i>Veterinary Parasitology</i> , 2009, 165, 290-297.	0.7	36
50	Treatment of gyrodactylid infections in fish. <i>Diseases of Aquatic Organisms</i> , 2009, 86, 65-75.	0.5	69
51	<i>Gyrodactylus orechhia</i> sp. n. (Monogenea: Gyrodactylidae) from farmed populations of gilthead seabream (<i>Sparus aurata</i>) in the Adriatic Sea. <i>Folia Parasitologica</i> , 2009, 56, 21-28.	0.7	20
52	GyroDb: gyrodactylid monogeneans on the web. <i>Trends in Parasitology</i> , 2008, 24, 109-111.	1.5	37
53	A Review of the Biology of the Parasitic Copepod <i>Lernaeocera branchialis</i> (L., 1767) (Copepoda: Tj ETQq1 1 0.784314 rgBT /Overlock 1.4 29	1.4	29
54	Host-based identification is not supported by morphometrics in natural populations of <i>Gyrodactylus salaris</i> and <i>G. thymalli</i> (Platyhelminthes, Monogenea). <i>Parasitology</i> , 2007, 134, 2041-2052.	0.7	13

#	ARTICLE	IF	CITATIONS
55	The role of rodlet cells in the inflammatory response in <i>Phoxinus phoxinus</i> brains infected with <i>Diplostomum</i> . <i>Fish and Shellfish Immunology</i> , 2007, 23, 300-304.	1.6	30
56	HISTOPATHOLOGY AND ULTRASTRUCTURE OF <i>PLATICHTHYS FLESUS</i> NATURALLY INFECTED WITH <i>ANISAKIS SIMPLEX</i> S.L. LARVAE (NEMATODA: ANISAKIDAE). <i>Journal of Parasitology</i> , 2007, 93, 1416-1423.	0.3	31
57	Selected pathological, immunohistochemical and ultrastructural changes associated with an infection by <i>Diphyllbothrium dendriticum</i> (Nitzsch, 1824) (Cestoda) plerocercoids in <i>Coregonus lavaretus</i> (L.) (Coregonidae). <i>Journal of Fish Diseases</i> , 2007, 30, 471-482.	0.9	19
58	Gill histopathology of cultured European sea bass, <i>Dicentrarchus labrax</i> (L.), infected with <i>Diplectanum aequans</i> (Wagener 1857) Diesing 1958 (Diplectanidae: Monogenea). <i>Parasitology Research</i> , 2007, 100, 707-713.	0.6	58
59	A revised description of <i>Gyrodactylus cichlidarum</i> Paperna, 1968 (Gyrodactylidae) from the Nile tilapia, <i>Oreochromis niloticus niloticus</i> (Cichlidae), and its synonymy with <i>G. niloticus</i> Cone, Arthur et Bondad-Reantaso, 1995. <i>Folia Parasitologica</i> , 2007, 54, 129-140.	0.7	37
60	A comparative immunohistochemical study on a galanin-like peptide in the neuroendocrine system of the alimentary canal of three species of siluriform catfishes. <i>Journal of Fish Biology</i> , 2006, 68, 86-100.	0.7	7
61	A comparative study of the egg morphology in four species of <i>Eubothrium</i> (Cestoda: Pseudophyllidea) with comments on their early development. <i>Invertebrate Biology</i> , 2006, 125, 1-8.	0.3	3
62	Changes in the neuromodulators of the diffuse endocrine system of the alimentary canal of farmed rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum), naturally infected with <i>Eubothrium crassum</i> (Cestoda). <i>Journal of Fish Diseases</i> , 2005, 28, 703-711.	0.9	43
63	<i>Gyrodactylus thlapin</i> . sp. (Monogenea) from <i>Pseudocrenilabrus philander philander</i> (Weber) (Cichlidae) in the Okavango Delta, Botswana. <i>Systematic Parasitology</i> , 2005, 60, 165-173.	0.5	33
64	Morphometric analysis of four species of <i>Eubothrium</i> (Cestoda: Pseudophyllidea) parasites of salmonid fish: An interspecific and intraspecific comparison. <i>Parasitology International</i> , 2005, 54, 207-214.	0.6	10
65	Genetic characterization of populations of the ectoparasitic caligid, <i>Lepeophtheirus salmonis</i> (Kroyer) Tj ETQq1 1 0.784314 rBT /Ovelde 13	0.9	13
66	Nominal species of the genus <i>Gyrodactylus</i> von Nordmann 1832 (Monogenea: Gyrodactylidae), with a list of principal host species. <i>Systematic Parasitology</i> , 2004, 59, 1-27.	0.5	124
67	Two nematodes, <i>Dentinema trichomycteri</i> n. g., n. sp. (Cosmocercidae) and <i>Procammallanus chimusensis</i> Freitas & Ibañez, 1968 (Camallanidae), from catfishes <i>Trichomycterus</i> spp. (Pisces) in Colombia. <i>Systematic Parasitology</i> , 2004, 59, 189-197.	0.5	4
68	The presence of a galanin-like peptide in the gut neuroendocrine system of <i>Lampetra fluviatilis</i> and <i>Acipenser transmontanus</i> : an immunohistochemical study. <i>Tissue and Cell</i> , 2004, 36, 283-292.	1.0	7
69	The use of morphometric characters to discriminate specimens of laboratory-reared and wild populations of <i>Gyrodactylus salaris</i> and <i>G. thymalli</i> (Monogenea). <i>Folia Parasitologica</i> , 2004, 51, 239-252.	0.7	97
70	Chaetotaxy applied to Norwegian <i>Gyrodactylus salaris</i> Malmberg, 1957 (Monogenea) clades and related species from salmonids. <i>Folia Parasitologica</i> , 2004, 51, 253-261.	0.7	4
71	<i>Gyrodactylus quadratidigitus</i> n. sp. (Monogenea: Gyrodactylidae), a parasite of the leopard-spotted goby <i>Thorogobius ephippiatus</i> (Lowe) from the south-western coast of the UK. <i>Systematic Parasitology</i> , 2003, 55, 151-157.	0.5	8
72	ITS rDNA sequences of <i>Pomphorhynchus laevis</i> (Zoega in Møller, 1776) and <i>P. lucyi</i> Williams & Rogers, 1984 (Acanthocephala: Palaeacanthocephala). <i>Systematic Parasitology</i> , 2003, 56, 141-145.	0.5	40

#	ARTICLE	IF	CITATIONS
73	Host specificity and geographical distribution of <i>Eubothrium</i> in European salmonid fish. <i>Journal of Helminthology</i> , 2003, 77, 255-262.	0.4	17
74	Efficacy of selected oral chemotherapeutants against <i>Ichthyophthirius multifiliis</i> (Ciliophora): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 55, 17-22.	0.5	25
75	Comments on the mechanism of attachment in species of the monogenean genus <i>Gyrodactylus</i> . <i>Invertebrate Biology</i> , 2003, 122, 1-11.	0.3	18
76	Phylogenetic and antigenic characterization of new fish nodavirus isolates from Europe and Asia. <i>Virus Research</i> , 2001, 75, 59-67.	1.1	94
77	Morphometric discrimination of <i>Gyrodactylus salaris</i> Malmberg (Monogenea) from species of <i>Gyrodactylus</i> parasitising British salmonids using novel parameters. <i>Journal of Fish Diseases</i> , 2001, 24, 83-97.	0.9	28
78	Bacillary necrosis in farmed <i>Pangasius hypophthalmus</i> (Sauvage) from the Mekong Delta, Vietnam. <i>Journal of Fish Diseases</i> , 2001, 24, 509-513.	0.9	63
79	<i>Gyrodactylus sommervillae</i> n. sp. (Monogenea) from <i>Abramis brama</i> (L.) and <i>Rutilus rutilus</i> (L.) (Cyprinidae) in Oxfordshire, UK. <i>Systematic Parasitology</i> , 1999, 43, 59-63.	0.5	2
80	Chaetotaxy of members of the Gyrodactylidae (Monogenea), with comments upon their systematic relationships with the Monopisthocotylea and Polyopisthocotylea. <i>Systematic Parasitology</i> , 1998, 39, 81-94.	0.5	5
81	Argentophilic structures as a diagnostic criterion for the discrimination of species of the genus <i>Gyrodactylus</i> von Nordmann (Monogenea). <i>Systematic Parasitology</i> , 1997, 37, 47-57.	0.5	15
82	Multivariate analyses of morphometrical features from <i>Gyrodactylus</i> spp. (Monogenea) parasitising British salmonids: Light microscope based studies. <i>Systematic Parasitology</i> , 1996, 33, 115-125.	0.5	33
83	A study of the composition of the sclerites of <i>Gyrodactylus Nordmann, 1832</i> (Monogenea) using X-ray elemental analysis. <i>International Journal for Parasitology</i> , 1995, 25, 797-805.	1.3	18
84	An SEM study of the haptoral sclerites of the genus <i>Gyrodactylus Nordmann, 1832</i> (Monogenea) following extraction by digestion and sonication techniques. <i>Systematic Parasitology</i> , 1993, 25, 135-144.	0.5	40