

# Hazi Mohammad Azamathulla

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4998536/publications.pdf>

Version: 2024-02-01

90  
papers

3,118  
citations

117453

34  
h-index

182168

51  
g-index

92  
all docs

92  
docs citations

92  
times ranked

1788  
citing authors

#	ARTICLE	IF	CITATIONS
1	Multivariate modeling of agricultural river water abstraction via novel integrated-wavelet methods in various climatic conditions. <i>Environment, Development and Sustainability</i> , 2022, 24, 4845-4871.	2.7	10
2	Mathematical simulation of air-water flow along Ski Jump Jet. <i>Water Science and Technology: Water Supply</i> , 2022, 22, 2093-2105.	1.0	0
3	Hydraulic transients for a pipe line network of treated effluent rising main using SAP 2R. <i>Water Science and Technology: Water Supply</i> , 2022, 22, 1293-1305.	1.0	0
4	Development of a new wavelet-based hybrid model to forecast multi-scalar SPEI drought index (case) Tj ETQq0 0 0 ggBT /Overlock 10 Tf	1.3	16
5	Assessment of groundwater quality and human health risk associated with chromium exposure in the industrial area of Ranipet, Tamil Nadu, India. <i>Journal of Water Sanitation and Hygiene for Development</i> , 2022, 12, 58-67.	0.7	17
6	Partitioning strategy for investigating the prediction capability of bed load transport under varied hydraulic conditions: Application of robust GWO-kernel-based ELM approach. <i>Flow Measurement and Instrumentation</i> , 2022, 84, 102136.	1.0	6
7	Comparing Combined 1D/2D and 2D Hydraulic Simulations Using High-Resolution Topographic Data: Examples from Sri Lanka's Lower Kelani River Basin. <i>Hydrology</i> , 2022, 9, 39.	1.3	10
8	Evaluation of Future Streamflow in the Upper Part of the Nilwala River Basin (Sri Lanka) under Climate Change. <i>Hydrology</i> , 2022, 9, 48.	1.3	14
9	Prediction of Manning's coefficient of roughness for high-gradient streams using M5P. <i>Water Science and Technology: Water Supply</i> , 2022, 22, 2707-2720.	1.0	6
10	A Simplified Mathematical Formulation for Water Quality Index (WQI): A Case Study in the Kelani River Basin, Sri Lanka. <i>Fluids</i> , 2022, 7, 147.	0.8	10
11	Interpretation of Machine-Learning-Based (Black-box) Wind Pressure Predictions for Low-Rise Gable-Roofed Buildings Using Shapley Additive Explanations (SHAP). <i>Buildings</i> , 2022, 12, 734.	1.4	18
12	Influence of Crumb Rubber and Coconut Coir on Strength and Durability Characteristics of Interlocking Paving Blocks. <i>Buildings</i> , 2022, 12, 1001.	1.4	5
13	Scour at bridge piers in uniform and armored beds under steady and unsteady flow conditions using ANN-APSO and ANN-GA algorithms. <i>ISH Journal of Hydraulic Engineering</i> , 2021, 27, 220-228.	1.1	8
14	A comparative study of wavelet and empirical mode decomposition-based GPR models for river discharge relationship modeling at consecutive hydrometric stations. <i>Water Science and Technology: Water Supply</i> , 2021, 21, 3080-3098.	1.0	12
15	The Role of Place of Delivery in Preventing Neonatal and Infant Mortality Rate in India. <i>Geographies</i> , 2021, 1, 47-62.	0.6	5
16	Discussion of "Gene-Expression Programming, Evolutionary Polynomial Regression, and Model Tree to Evaluate Local Scour Depth at Culvert Outlets" by Mohammad Najafzadeh and Ali Reza Kargar. <i>Journal of Pipeline Systems Engineering and Practice</i> , 2021, 12, 07021001.	0.9	12
17	Towards design of compound channels with minimum overall cost through grey wolf optimization algorithm. <i>Journal of Hydroinformatics</i> , 2021, 23, 985-999.	1.1	10
18	Physical and numerical modeling of performance of detention dams. <i>Journal of Hydrology</i> , 2020, 581, 121757.	2.3	26

#	ARTICLE	IF	CITATIONS
19	Reduction of time-dependent scour around piers using collars. <i>Ocean Engineering</i> , 2020, 213, 107692.	1.9	44
20	Classification of Hydraulic Jump in Rough Beds. <i>Water (Switzerland)</i> , 2020, 12, 2249.	1.2	15
21	Experimental investigation on effective scouring parameters downstream from stepped spillways. <i>Water Science and Technology: Water Supply</i> , 2020, 20, 1988-1998.	1.0	25
22	Control of bed scour downstream of ski-jump spillway by combination of six-legged concrete elements and riprap. <i>Ain Shams Engineering Journal</i> , 2020, 11, 1047-1059.	3.5	6
23	Efficiency of Trapezoidal Labyrinth Shaped stepped spillways. <i>Flow Measurement and Instrumentation</i> , 2020, 72, 101711.	1.0	47
24	Impact of climate variability on hydropower generation: A case study from Sri Lanka. <i>ISH Journal of Hydraulic Engineering</i> , 2020, 26, 301-309.	1.1	22
25	Bioengineering Materials for Environment Protection in a Changing Climate. <i>Advances in Materials Science and Engineering</i> , 2019, 2019, 1-2.	1.0	0
26	Prediction of discharge coefficient of combined weir-gate using ANN, ANFIS and SVM. <i>International Journal of Hydrology Science and Technology</i> , 2019, 9, 412.	0.2	17
27	Assessment of Dam Overtopping Reliability using SUFI Based Overtopping Threshold Curve. <i>Water Resources Management</i> , 2018, 32, 2369-2383.	1.9	22
28	Prediction of discharge coefficient of cylindrical weir-gate using GMDH-PSO. <i>ISH Journal of Hydraulic Engineering</i> , 2018, 24, 116-123.	1.1	44
29	ANFIS-based PCA to predict the longitudinal dispersion coefficient in rivers. <i>International Journal of Hydrology Science and Technology</i> , 2018, 8, 410.	0.2	20
30	Assessment of Stochastic Approaches in Prediction of Wave-Induced Pipeline Scour Depth. <i>Journal of Pipeline Systems Engineering and Practice</i> , 2018, 9, .	0.9	44
31	Prediction of scour caused by 2D horizontal jets using soft computing techniques. <i>Ain Shams Engineering Journal</i> , 2017, 8, 559-570.	3.5	21
32	Effect of Extraordinary Large Floods on at-site Flood Frequency. <i>Water Resources Management</i> , 2017, 31, 4187-4205.	1.9	14
33	Prediction of head loss on cascade weir using ANN and SVM. <i>ISH Journal of Hydraulic Engineering</i> , 2017, 23, 102-110.	1.1	43
34	Prediction of side weir discharge coefficient by support vector machine technique. <i>Water Science and Technology: Water Supply</i> , 2016, 16, 1002-1016.	1.0	100
35	GEP to predict characteristics of a hydraulic jump over a rough bed. <i>KSCE Journal of Civil Engineering</i> , 2016, 20, 3006-3011.	0.9	30
36	Neuro-Fuzzy GMDH to Predict the Scour Pile Groups due to Waves. <i>Journal of Computing in Civil Engineering</i> , 2015, 29, .	2.5	93

#	ARTICLE	IF	CITATIONS
37	Estimation of scour depth below free overfall spillways using multivariate adaptive regression splines and artificial neural networks. <i>Engineering Applications of Computational Fluid Mechanics</i> , 2015, 9, 291-300.	1.5	43
38	Application of Google earth to investigate the change of flood inundation area due to flood detention dam. <i>Earth Science Informatics</i> , 2015, 8, 627-638.	1.6	28
39	Discussion: Bridge pier scour prediction by gene expression programming. <i>Water Management</i> , 2014, 167, 368-369.	0.4	3
40	Comparison between linear genetic programming and M5 tree models to predict flow discharge in compound channels. <i>Neural Computing and Applications</i> , 2014, 24, 413-420.	3.2	46
41	Prediction of soil erodibility factor for Peninsular Malaysia soil series using ANN. <i>Neural Computing and Applications</i> , 2014, 24, 383-389.	3.2	26
42	Prediction of pipeline scour depth in clear-water and live-bed conditions using group method of data handling. <i>Neural Computing and Applications</i> , 2014, 24, 629-635.	3.2	58
43	Assessment of M5 model tree and classification and regression trees for prediction of scour depth below free overfall spillways. <i>Neural Computing and Applications</i> , 2014, 24, 357-366.	3.2	57
44	Development of GEP-based functional relationship for sediment transport in tropical rivers. <i>Neural Computing and Applications</i> , 2014, 24, 271-276.	3.2	38
45	Mathematical modeling of flow discharge over compound sharp-crested weirs. <i>Journal of Hydro-Environment Research</i> , 2014, 8, 194-199.	1.0	13
46	Scour below submerged skewed pipeline. <i>Journal of Hydrology</i> , 2014, 509, 615-620.	2.3	28
47	Estimation of dimension and time variation of local scour at short abutment. <i>International Journal of River Basin Management</i> , 2013, 11, 121-135.	1.5	35
48	Determination of optimum relaxation coefficient using finite difference method for groundwater flow. <i>Arabian Journal of Geosciences</i> , 2013, 6, 3409-3415.	0.6	7
49	Suspended sediment load prediction of river systems: GEP approach. <i>Arabian Journal of Geosciences</i> , 2013, 6, 3469-3480.	0.6	35
50	Soft computing for prediction of river pipeline scour depth. <i>Neural Computing and Applications</i> , 2013, 23, 2465-2469.	3.2	25
51	Group method of data handling to predict scour depth around bridge piers. <i>Neural Computing and Applications</i> , 2013, 23, 2107-2112.	3.2	56
52	Gene-expression programming to predict friction factor for Southern Italian rivers. <i>Neural Computing and Applications</i> , 2013, 23, 1421-1426.	3.2	30
53	A practical approach to formulate stage-discharge relationship in natural rivers. <i>Neural Computing and Applications</i> , 2013, 23, 873-880.	3.2	9
54	An expert system for predicting Manning's roughness coefficient in open channels by using gene expression programming. <i>Neural Computing and Applications</i> , 2013, 23, 1343-1349.	3.2	38

#	ARTICLE	IF	CITATIONS
55	COMPUTATION OF DISCHARGE THROUGH SIDE SLUICE GATE USING GENE-EXPRESSION PROGRAMMING. Irrigation and Drainage, 2013, 62, 115-119.	0.8	10
56	Local scouring around L-head groynes. Journal of Hydrology, 2013, 504, 125-131.	2.3	32
57	Estimation of Critical Velocity for Slurry Transport through Pipeline Using Adaptive Neuro-Fuzzy Interference System and Gene-Expression Programming. Journal of Pipeline Systems Engineering and Practice, 2013, 4, 131-137.	0.9	20
58	Use of Gene-Expression Programming to Estimate Manning's Roughness Coefficient for High Gradient Streams. Water Resources Management, 2013, 27, 715-729.	1.9	51
59	GMDH to predict scour depth around a pier in cohesive soils. Applied Ocean Research, 2013, 40, 35-41.	1.8	87
60	Discharge coefficient for compound sharp crested side weirs in subcritical flow conditions. Journal of Hydrology, 2013, 480, 162-166.	2.3	18
61	Numerical modeling of 3-D flow on porous broad crested weirs. Applied Mathematical Modelling, 2013, 37, 9324-9337.	2.2	31
62	Prediction of equilibrium scour time around long abutments. Water Management, 2013, 166, 394-401.	0.4	10
63	Gene-expression programming to predict scour at a bridge abutment. Journal of Hydroinformatics, 2012, 14, 324-331.	1.1	39
64	3D-SIMULATION OF FLOW OVER SUBMERGED WEIRS. International Journal of Modelling and Simulation, 2012, 32, .	2.3	6
65	Gene-expression programming for flip-bucket spillway scour. Water Science and Technology, 2012, 65, 1982-1987.	1.2	37
66	Gene-expression programming to predict pier scour depth using laboratory data. Journal of Hydroinformatics, 2012, 14, 628-645.	1.1	46
67	Bridge pier scour prediction by gene expression programming. Water Management, 2012, 165, 481-493.	0.4	19
68	Appraisal of soft computing techniques in prediction of total bed material load in tropical rivers. Journal of Earth System Science, 2012, 121, 125-133.	0.6	35
69	ANFIS-based approach for predicting sediment transport in clean sewer. Applied Soft Computing Journal, 2012, 12, 1227-1230.	4.1	133
70	ANFIS-Based Approach for Predicting the Scour Depth at Culvert Outlets. Journal of Pipeline Systems Engineering and Practice, 2011, 2, 35-40.	0.9	60
71	Prediction of total bed material load for rivers in Malaysia: A case study of Langat, Muda and Kurau Rivers. Environmental Fluid Mechanics, 2011, 11, 307-318.	0.7	27
72	Genetic Programming for Predicting Longitudinal Dispersion Coefficients in Streams. Water Resources Management, 2011, 25, 1537-1544.	1.9	103

#	ARTICLE	IF	CITATIONS
73	Gene-Expression Programming for the Development of a Stage-Discharge Curve of the Pahang River. <i>Water Resources Management</i> , 2011, 25, 2901-2916.	1.9	102
74	Flow pattern and hydraulic performance of the REDAC Gross Pollutant Trap. <i>Flow Measurement and Instrumentation</i> , 2011, 22, 215-224.	1.0	13
75	Support vector machine approach for longitudinal dispersion coefficients in natural streams. <i>Applied Soft Computing Journal</i> , 2011, 11, 2902-2905.	4.1	131
76	Predictive model-based for the critical submergence of horizontal intakes in open channel flows with different clearance bottoms using CART, ANN and linear regression approaches. <i>Expert Systems With Applications</i> , 2011, 38, 10114-10123.	4.4	25
77	Linear genetic programming to scour below submerged pipeline. <i>Ocean Engineering</i> , 2011, 38, 995-1000.	1.9	63
78	Gene-Expression Programming for Sediment Transport in Sewer Pipe Systems. <i>Journal of Pipeline Systems Engineering and Practice</i> , 2011, 2, 102-106.	0.9	83
79	ANFIS-based approach for the estimation of transverse mixing coefficient. <i>Water Science and Technology</i> , 2011, 63, 1004-1009.	1.2	21
80	Prediction of scour below submerged pipeline crossing a river using ANN. <i>Water Science and Technology</i> , 2011, 63, 2225-2230.	1.2	29
81	Hydraulics of stepped spillways with different numbers of steps. <i>Dams and Reservoirs</i> , 2010, 20, 131-136.	0.1	9
82	Gene expression programming for total bed material load estimation—a case study. <i>Science of the Total Environment</i> , 2010, 408, 5078-5085.	3.9	59
83	Machine Learning Approach to Predict Sediment Load – A Case Study. <i>Clean - Soil, Air, Water</i> , 2010, 38, 969-976.	0.7	62
84	Genetic Programming to Predict River Pipeline Scour. <i>Journal of Pipeline Systems Engineering and Practice</i> , 2010, 1, 127-132.	0.9	57
85	Linear genetic programming for prediction of circular pile scour. <i>Ocean Engineering</i> , 2009, 36, 985-991.	1.9	80
86	An ANFIS-based approach for predicting the bed load for moderately sized rivers. <i>Journal of Hydro-Environment Research</i> , 2009, 3, 35-44.	1.0	79
87	Comparison between genetic algorithm and linear programming approach for real time operation. <i>Journal of Hydro-Environment Research</i> , 2008, 2, 172-181.	1.0	102
88	Estimation of scour below spillways using neural networks. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2006, 44, 61-69.	0.7	66
89	SCOUR AT THE BASE OF FLIP-BUCKET SPILLWAYS. <i>ISH Journal of Hydraulic Engineering</i> , 2004, 10, 121-129.	1.1	6
90	Experimental and numerical study of flow at a 90 degree lateral turn-out with enhanced roughness coefficient and invert elevation changes. <i>Water Science and Technology: Water Supply</i> , 0, , .	1.0	0