

Mansour Shayegan

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/4999390/publications.pdf](https://exaly.com/author-pdf/4999390/publications.pdf)

Version: 2024-02-01

358
papers

12,031
citations

23697

58
h-index

45525

90
g-index

360
all docs

360
docs citations

360
times ranked

4159
citing authors

#	ARTICLE	IF	CITATIONS
1	Observation of a $\hat{\nu}=1/2$ fractional quantum Hall state in a double-layer electron system. Physical Review Letters, 1992, 68, 1379-1382.	7.9	375
2	Evidence for two-dimensional quantum Wigner crystal. Physical Review Letters, 1990, 65, 2189-2192.	7.9	329
3	Counterflow Measurements in Strongly Correlated GaAs Hole Bilayers: Evidence for Electron-Hole Pairing. Physical Review Letters, 2004, 93, 036802.	7.9	273
4	Valley Susceptibility of an Interacting Two-Dimensional Electron System. Physical Review Letters, 2006, 97, 186404.	7.9	261
5	Structural characterization of ion-implanted graphite. Physical Review B, 1982, 25, 4142-4156.	3.2	182
6	Observation of a reentrant insulating phase near the $1/3$ fractional quantum Hall liquid in a two-dimensional hole system. Physical Review Letters, 1992, 68, 1188-1191.	7.9	156
7	Wigner Crystallization and Metal-Insulator Transition of Two-Dimensional Holes in GaAs at $B=0$. Physical Review Letters, 1999, 82, 1744-1747.	7.9	156
8	Resistance Spikes at Transitions Between Quantum Hall Ferromagnets. , 2000, 290, 1546-1549.		148
9	Tunable Spin-Splitting and Spin-Resolved Ballistic Transport in GaAs/AlGaAs Two-Dimensional Holes. Physical Review Letters, 1998, 81, 1282-1285.	7.9	146
10	The Effect of Spin Splitting on the Metallic Behavior of a Two-Dimensional System. Science, 1999, 283, 2056-2058.	12.8	142
11	Fractional quantum Hall effect at $\hat{\nu}=2/3$ and $3/5$ in tilted magnetic fields. Physical Review B, 1992, 45, 3418-3425.	3.2	141
12	Valley Splitting of AlAs Two-Dimensional Electrons in a Perpendicular Magnetic Field. Physical Review Letters, 2002, 89, 226805.	7.9	138
13	Resistance fluctuations in narrow AlGaAs/GaAs heterostructures: Direct evidence of fractional charge in the fractional quantum hall effect. Physical Review Letters, 1989, 63, 1731-1734.	7.9	137
14	Universal Conductivity at the Quantum Hall Liquid to Insulator Transition. Physical Review Letters, 1995, 74, 4511-4514.	7.9	137
15	Aharonov-Bohm Oscillations with Spin: Evidence for Berry's Phase. Physical Review Letters, 2002, 88, 146801.	7.9	136
16	Noise characteristics of double-barrier resonant-tunneling structures below 10 kHz. Physical Review B, 1990, 41, 8388-8391.	3.2	129
17	Evidence for the Fractional Quantum Hall State at $\hat{\nu}=17$. Physical Review Letters, 1988, 61, 881-884.	7.9	126
18	Realization of a quasi-three-dimensional modulation-doped semiconductor structure. Applied Physics Letters, 1988, 53, 791-793.	3.4	123

#	ARTICLE	IF	CITATIONS
19	Low-frequency noise in the reentrant insulating phase around the $1/5$ fractional quantum Hall liquid. Physical Review Letters, 1991, 67, 1630-1633.	7.9	120
20	Giant Low Temperature Heat Capacity of GaAs Quantum Wells near Landau Level Filling $\nu=1$. Physical Review Letters, 1996, 76, 4584-4587.	7.9	118
21	Parallel Magnetic Field Induced Transition in Transport in the Dilute Two-Dimensional Hole System in GaAs. Physical Review Letters, 2000, 84, 4421-4424.	7.9	117
22	Signatures of a Novel Fermi Liquid in a Two-Dimensional Composite Particle Metal. Physical Review Letters, 1994, 73, 3270-3273.	7.9	116
23	Origin of the $\nu=1/2$ fractional quantum Hall state in wide single quantum wells. Physical Review Letters, 1994, 72, 3405-3408.	7.9	115
24	Topographic Mapping of the Quantum Hall Liquid Using a Few-Electron Bubble. Science, 2000, 289, 90-94.	12.8	109
25	Two-dimensional electrons occupying multiple valleys in AlAs. Physica Status Solidi (B): Basic Research, 2006, 243, 3629-3642.	1.6	109
26	Highly Anisotropic g-Factor of Two-Dimensional Hole Systems. Physical Review Letters, 2000, 85, 4574-4577.	7.9	100
27	Missing integral quantum Hall effect in a wide single quantum well. Physical Review B, 1991, 44, 5947-5950.	3.2	99
28	In-Plane Magnetic Field-Induced Spin Polarization and Transition to Insulating Behavior in Two-Dimensional Hole Systems. Physical Review Letters, 2001, 86, 2858-2861.	7.9	99
29	High-magnetic-field electronic phase transition in graphite observed by magnetoresistance anomaly. Physical Review B, 1982, 25, 5478-5485.	3.2	97
30	Evidence for Charge-Flux Duality near the Quantum Hall Liquid-to-Insulator Transition. Science, 1996, 274, 589-592.	12.8	96
31	Spin Susceptibility of Two-Dimensional Electrons in Narrow AlAs Quantum Wells. Physical Review Letters, 2004, 92, 226401.	7.9	93
32	Fractional quantum Hall effect in very-low-density GaAs/Al _x Ga _{1-x} As heterostructures. Physical Review B, 1990, 41, 8449-8460.	3.2	92
33	Magnetoplasma effects in a quasi-three-dimensional electron gas. Physical Review B, 1989, 39, 1426-1429.	3.2	91
34	Phonon Emission from a 2D Electron Gas: Evidence of Transition to the Hydrodynamic Regime. Physical Review Letters, 1996, 77, 1143-1146.	7.9	91
35	Apparent metallic behavior at $B=0$ of a two-dimensional electron system in AlAs. Physical Review B, 1998, 57, R15068-R15071.	3.2	88
36	A Different View of the Quantum Hall Plateau-to-Plateau Transitions. Physical Review Letters, 1997, 79, 479-482.	7.9	87

#	ARTICLE	IF	CITATIONS
37	Observation of Quantum Fluctuations of Charge on a Quantum Dot. Physical Review Letters, 1999, 82, 161-164.	7.9	87
38	NMR Determination of 2D Electron Spin Polarization at $\nu=1/2$. Physical Review Letters, 2000, 84, 354-357.	7.9	84
39	Evidence for a Bilayer Quantum Wigner Solid. Physical Review Letters, 1996, 77, 1813-1816.	7.9	82
40	Low-temperature, in situ tunable, uniaxial stress measurements in semiconductors using a piezoelectric actuator. Applied Physics Letters, 2003, 83, 5235-5237.	3.4	81
41	Magnetic Anisotropy in Quantum Hall Ferromagnets. Physical Review Letters, 1998, 81, 2328-2331.	7.9	80
42	Ultra-high-quality two-dimensional electron systems. Nature Materials, 2021, 20, 632-637.	28.1	76
43	Resonant tunneling in submicron double-barrier heterostructures. Applied Physics Letters, 1991, 58, 747-749.	3.4	75
44	Critical exponent in the fractional quantum Hall effect. Surface Science, 1990, 229, 13-15.	2.0	74
45	Resistance fluctuations in the integral- and fractional-quantum-Hall-effect regimes. Physical Review B, 1991, 44, 12933-12944.	3.2	72
46	Effect of substrate temperature on migration of Si in planar-doped GaAs. Applied Physics Letters, 1988, 53, 2504-2506.	3.4	71
47	Anisotropic Magnetoresistance of Two-Dimensional Holes in GaAs. Physical Review Letters, 2000, 84, 5592-5595.	7.9	71
48	Imaging of Coulomb-Driven Quantum Hall Edge States. Physical Review Letters, 2011, 107, 176809.	7.9	70
49	Valley Polarization and Susceptibility of Composite Fermions around a Filling Factor $\nu=3/2$. Physical Review Letters, 2007, 98, 266404.	7.9	67
50	Growth of low-density two-dimensional electron system with very high mobility by molecular beam epitaxy. Applied Physics Letters, 1988, 52, 1086-1088.	3.4	65
51	Observation of Quantum Hall "Valley Skyrmions". Physical Review Letters, 2005, 95, 066809.	7.9	65
52	Spin orientation of holes in quantum wells. Semiconductor Science and Technology, 2008, 23, 114017.	2.0	63
53	Universality of the Hall effect in a magnetic-field-localized two-dimensional electron system. Physical Review Letters, 1993, 70, 647-650.	7.9	62
54	Microwave Conductivity Resonance of Two-Dimensional Hole System. Physical Review Letters, 1997, 79, 1353-1356.	7.9	62

#	ARTICLE	IF	CITATIONS
55	Voltage tunable quantum well infrared detector. Applied Physics Letters, 1989, 55, 2417-2419.	3.4	61
56	Mobility anisotropy of two-dimensional hole systems in (311)A GaAs/AlxGa1-xAs heterojunctions. Journal of Applied Physics, 1994, 76, 1980-1982.	2.5	60
57	Enhanced electron mobility and high order fractional quantum Hall states in AlAs quantum wells. Applied Physics Letters, 2002, 80, 1583-1585.	3.4	60
58	Quantized conductance in an AlAs two-dimensional electron system quantum point contact. Physical Review B, 2006, 74, .	3.2	60
59	What Determines the Fermi Wave Vector of Composite Fermions?. Physical Review Letters, 2014, 113, 196801.	7.9	59
60	Collapse of the fractional quantum Hall effect in an electron system with large layer thickness. Physical Review Letters, 1990, 65, 2916-2919.	7.9	57
61	Effect of Landau-level mixing on quantum-liquid and solid states of two-dimensional hole systems. Physical Review B, 1992, 46, 13639-13642.	3.2	57
62	Magnetic Field Symmetry Properties of the Capacitance Tensor of a Two-Dimensional Electron System. Physical Review Letters, 1994, 73, 146-149.	7.9	57
63	Hall resistance of the reentrant insulating phase around the 1/5 fractional quantum Hall liquid. Physical Review Letters, 1993, 70, 2321-2324.	7.9	56
64	Spin susceptibility and effective mass of two-dimensional electrons in Mg . Physical Review B, 2008, 78, .	3.2	56
65	Transference of transport anisotropy to composite fermions. Nature Physics, 2010, 6, 621-624.	16.8	53
66	Observation of a metastable precursor for adsorption of oxygen on Si(111) and the activation energy for chemisorption. Physical Review B, 1988, 37, 10432-10435.	3.2	51
67	Observation of magnetic focusing in two-dimensional hole systems. Applied Physics Letters, 1992, 61, 1652-1654.	3.4	51
68	High-quality two-dimensional electron system confined in an AlAs quantum well. Applied Physics Letters, 1993, 62, 3120-3122.	3.4	50
69	Collective cyclotron resonance in a quasi-three-dimensional electron gas. Physical Review B, 1989, 40, 12020-12023.	3.2	49
70	Use of superlattices to realize inverted GaAs/AlGaAs heterojunctions with low-temperature mobility of $2 \times 10^6 \text{ cm}^2/\text{Vs}$. Applied Physics Letters, 1989, 54, 840-842.	3.4	49
71	Anomalous temperature dependence of the correlated $\nu=1$ quantum Hall effect in bilayer electron systems. Physical Review B, 1994, 50, 17725-17728.	3.2	49
72	Microwave resonance and weak pinning in two-dimensional hole systems at high magnetic fields. Physical Review B, 2000, 61, 10905-10909.	3.2	49

#	ARTICLE	IF	CITATIONS
73	New Phase Transition between Partially and Fully Polarized Quantum Hall States with Charge and Spin Gaps at $\nu=23$. Physical Review Letters, 2001, 87, 136801.	7.9	49
74	Correlated states of an electron system in a wide quantum well. Physical Review Letters, 1992, 69, 3551-3554.	7.9	48
75	Experimental evidence for finite-width edge channels in integer and fractional quantum Hall effects. Physical Review B, 1993, 48, 8161-8165.	3.2	47
76	Laterally Modulated 2D Electron System in the Extreme Quantum Limit. Physical Review Letters, 2004, 92, 036802.	7.9	47
77	Composite Fermions with Tunable Fermi Contour Anisotropy. Physical Review Letters, 2013, 110, 206801.	7.9	47
78	Magnetic-field-induced localization in narrow-gap semiconductors $\text{Hg}_{1-x}\text{Cd}_x\text{Te}$ and InSb . Physical Review B, 1988, 38, 5585-5602.	3.2	46
79	Heat-capacity study of two-dimensional electrons in $\text{GaAs}/\text{Al}_x\text{Ga}_{1-x}\text{As}$ multiple-quantum-well structures in high magnetic fields: Spin-split Landau levels. Physical Review B, 1992, 45, 4384-4389.	3.2	46
80	Wigner crystal versus Hall insulator. Physical Review B, 1994, 50, 17662-17665.	3.2	46
81	Anisotropic transport of two-dimensional holes in high Landau levels. Physica E: Low-Dimensional Systems and Nanostructures, 2000, 6, 40-42.	2.8	46
82	Magnetostriction of bismuth in quantizing magnetic fields. Physical Review B, 1982, 26, 2552-2559.	3.2	45
83	Secondary-ion mass spectrometry study of the migration of Si in planar δ -doped GaAs and $\text{Al}_{0.25}\text{Ga}_{0.75}\text{As}$. Applied Physics Letters, 1989, 55, 1445-1447.	3.4	45
84	Critical Behavior of Nuclear-Spin Diffusion in $\text{GaAs}/\text{AlGaAs}$ Heterostructures near Landau Level Filling $\nu=1$. Physical Review Letters, 1997, 79, 1718-1721.	7.9	45
85	Dependence of Spin Susceptibility of a Two-Dimensional Electron System on the Valley Degree of Freedom. Physical Review Letters, 2004, 92, 246804.	7.9	45
86	Evidence for a quantum Hall nematic state in parallel magnetic fields. Physical Review B, 2013, 88, .	7.9	45
87	Observation of Impurity Cyclotron Resonance in $\text{Hg}_{1-x}\text{Cd}_x\text{Te}$. Physical Review Letters, 1986, 56, 968-971.	7.9	43
88	One-component to two-component transition of the $\nu=2/3$ fractional quantum Hall effect in a wide quantum well induced by an in-plane magnetic field. Physical Review B, 1997, 56, R7092-R7095.	3.2	43
89	On the nature of the Hall insulator. Solid State Communications, 1997, 102, 817-821.	1.9	43
90	Commensurability Oscillations of Composite Fermions Induced by the Periodic Potential of a Wigner Crystal. Physical Review Letters, 2016, 117, 096601.	7.9	41

#	ARTICLE	IF	CITATIONS
91	Subband structure of a nearly free, uniform-density, dilute electron system in a wide quantum well. Physical Review B, 1989, 39, 10464-10466.	3.2	40
92	Transport in transverse magnetic fields in resonant tunneling structures. Physical Review B, 1990, 42, 1374-1380.	3.2	40
93	Anomalous spin polarization of GaAs two-dimensional hole systems. Physical Review B, 2005, 72, .	3.2	40
94	Precursor Adsorption of Oxygen on Ni(111) and the Activation Energy for Chemisorption. Physical Review Letters, 1984, 53, 1578-1581.	7.9	39
95	Electron states of a wide quantum well in a tilted magnetic field. Physical Review B, 1989, 40, 3476-3479.	3.2	39
96	Current-voltage discontinuities in high-quality two-dimensional electron systems at low Landau-level filling factors. Physical Review B, 1989, 40, 6432-6435.	3.2	39
97	Spinâ€“valley phase diagram of the two-dimensional metalâ€“insulator transition. Nature Physics, 2007, 3, 388-391.	16.8	39
98	Quantitative determination of many-body-induced interlayer charge transfer in bilayer electron systems via Shubnikovâ€“de Haas measurements. Physical Review B, 1995, 52, R11611-R11614.	3.2	38
99	Anomalous Magneto-Oscillations in Two-Dimensional Systems. Physical Review Letters, 2000, 84, 713-716.	7.9	38
100	Evidence for Developing Fractional Quantum Hall States at Even Denominator $1 < \nu < 2$ and $1 < \nu < 4$ Fillings in Asymmetric Wide Quantum Wells. Physical Review Letters, 2009, 103, 256802.	7.9	38
101	High quality electron system with variable electron layer thickness in a parabolic quantum well. Applied Physics Letters, 1989, 55, 1430-1432.	3.4	37
102	Observation of composite-fermion thermopower at half-filled Landau levels. Physical Review B, 1994, 50, 4969-4972.	3.2	37
103	Heat Capacity Evidence for the Suppression of Skyrmions at Large Zeeman Energy. Physical Review Letters, 1999, 82, 2764-2767.	7.9	37
104	Magnetotunneling in double-barrier heterostructures. Physical Review B, 1989, 40, 9829-9833.	3.2	36
105	Formation of interfaces between In and Au and GaAs(100) studied with soft-x-ray photoemission spectroscopy. Physical Review B, 1992, 45, 1273-1283.	3.2	36
106	Magnetoâ€“optical absorption in a twoâ€“dimensional electron grid. Applied Physics Letters, 1992, 60, 1510-1512.	3.4	35
107	Resistance oscillation in wide single quantum wells subject to in-plane magnetic fields. Physical Review B, 1997, 56, 1029-1032.	3.2	35
108	Ballistic Electron Transport in AlAs Quantum Wells. Physical Review Letters, 2004, 93, 246603.	7.9	35

#	ARTICLE	IF	CITATIONS
109	Phase diagrams for the stability of the $\nu = 1/2$ quantum Hall effect in electron systems confined to symmetric, wide GaAs quantum wells. Physical Review B, 2013, 88, .	3.2	35
110	Spontaneous Interlayer Charge Transfer near the Magnetic Quantum Limit. Physical Review Letters, 1997, 79, 2722-2725.	7.9	34
111	Semicircle: An exact relation in the integer and fractional quantum Hall effect. Europhysics Letters, 1999, 46, 775-779.	2.1	34
112	Density dependence of valley polarization energy for composite fermions. Physical Review B, 2009, 80, .	3.2	34
113	Fermi contour anisotropy of GaAs electron-flux composite fermions in parallel magnetic fields. Physical Review B, 2014, 89, .	3.2	34
114	Electron correlation effects on the magnetic-field-induced metal-insulator transition in Hg _{0.79} Cd _{0.21} Te. Physical Review B, 1985, 31, 6123-6126.	3.2	33
115	Microwave resonances in low-filling insulating phase of two-dimensional electron system. Solid State Communications, 1997, 104, 167-171.	1.9	32
116	NMR Investigation of How Free Composite Fermions Are at $\nu = 12$. Physical Review Letters, 2002, 89, 246804.	7.9	32
117	Anomalous Hall Effect below the Magnetic-Field-Induced Metal-Insulator Transition in Narrow-Gap Semiconductors. Physical Review Letters, 1986, 57, 1056-1059.	7.9	31
118	Thermopower of composite fermions. Physical Review B, 1995, 52, R8621-R8624.	3.2	31
119	Correlated States of Electrons in Wide Quantum Wells at Low Fillings: The Role of Charge Distribution Symmetry. Physical Review Letters, 2009, 103, 046805.	7.9	31
120	Ferromagnetic Fractional Quantum Hall States in a Valley-Degenerate Two-Dimensional Electron System. Physical Review Letters, 2010, 104, 016805.	7.9	31
121	Spin polarization of composite fermions and particle-hole symmetry breaking. Physical Review B, 2014, 90, .	3.2	31
122	Anomalous cyclotron-resonance line splitting of two-dimensional holes in (311)Al _x Ga _{1-x} As/GaAs heterojunctions. Physical Review B, 1993, 47, 4076-4079.	3.2	30
123	Optimally designed potentials for control of electron-wave scattering in semiconductor nanodevices. Physical Review B, 1994, 49, 11100-11110.	3.2	30
124	Magnetic-field-induced localization in InSb and Hg _{0.79} Cd _{0.21} Te. Physical Review B, 1985, 32, 6952-6955.	3.2	29
125	Large skyrmions in an Al _{0.13} Ga _{0.87} As quantum well. Physical Review B, 2000, 61, 4469-4472.	3.2	29
126	Negative differential Rashba effect in two-dimensional hole systems. Applied Physics Letters, 2004, 85, 3151-3153.	3.4	29

#	ARTICLE	IF	CITATIONS
127	Commensurability Oscillations of Hole-Flux Composite Fermions. Physical Review Letters, 2012, 109, 236401.	7.9	29
128	Anomalous Robustness of the $\nu = 1/2$ Quantum Hall State near a Sharp Phase Boundary. Physical Review Letters, 2011, 107, 176805.	7.9	28
129	Observation of spontaneous ferromagnetism in a two-dimensional electron system. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 32244-32250.	7.2	28
130	Magnetonrotons in quasi-three-dimensional electron systems. Physical Review Letters, 1991, 67, 3428-3431.	7.9	27
131	Giant low-temperature piezoresistance effect in AlAs two-dimensional electrons. Applied Physics Letters, 2004, 85, 3766-3768.	3.4	27
132	Fractional Quantum Hall Effect at $\nu = 1/2$ Hole Systems Confined to GaAs Quantum Wells. Physical Review Letters, 2014, 112, 046804.	7.9	27
133	Transference of Fermi Contour Anisotropy to Composite Fermions. Physical Review Letters, 2017, 119, 016402.	7.9	27
134	Precursor adsorption of CO on Ni(111) near 5 K and the activation energy for chemisorption. Surface Science, 1985, 154, L239-L246.	2.0	26
135	Optical evidence for the impurity band nature of the metal-insulator transition in GaAs. Solid State Communications, 1988, 66, 23-27.	1.9	26
136	Resonant tunneling of two-dimensional electrons into one-dimensional subbands of a quantum wire. Applied Physics Letters, 1991, 58, 1440-1442.	3.4	26
137	Quantum interference in two independently tunable parallel point contacts. Physical Review B, 1991, 44, 13497-13503.	3.2	26
138	Spin susceptibility of interacting two-dimensional electrons with anisotropic effective mass. Physical Review B, 2007, 76, .	3.2	26
139	Composite fermion valley polarization energies: Evidence for particle-hole asymmetry. Physical Review B, 2010, 81, .	3.2	26
140	Fractional Quantum Hall Effect and Wigner Crystal of Interacting Composite Fermions. Physical Review Letters, 2014, 113, 246803.	7.9	26
141	Even-denominator fractional quantum Hall effect at a Landau level crossing. Physical Review B, 2014, 89, .	3.2	26
142	Thermoelectric properties of a dilute graphite donor intercalation compound. Physics Letters, Section A: General, Atomic and Solid State Physics, 1981, 84, 387-389.	2.2	25
143	Two-dimensional electron system with extremely low disorder. Applied Physics Letters, 1988, 53, 2080-2082.	3.4	25
144	Novel superlattice in a selectively doped wide parabolic quantum well with a modulated potential. Applied Physics Letters, 1990, 57, 2130-2132.	3.4	25

#	ARTICLE	IF	CITATIONS
145	Nature of the extended states in the fractional quantum Hall effect. Physical Review Letters, 1990, 65, 907-910.	7.9	25
146	Thermopower in the Re-entrant Insulating Phase of a Two-Dimensional Hole System. Europhysics Letters, 1994, 25, 613-618.	2.1	24
147	Charge transfer at double-layer to single-layer transition in double-quantum-well systems. Physical Review B, 1995, 52, 14817-14824.	3.2	24
148	Anomalous spin splitting of two-dimensional electrons in an AlAs quantum well. Physical Review B, 1999, 59, R12743-R12746.	3.2	24
149	Cyclotron effective mass in wide parabolic quantum wells. Physical Review B, 1990, 42, 9732-9735.	3.2	23
150	Many-electron excitons and Fermi-edge singularities in wide, parabolic (Al,Ga)As quantum wells. Physical Review B, 1992, 45, 8408-8412.	3.2	23
151	Spin-orbit interaction and transport in GaAs two-dimensional holes. Semiconductor Science and Technology, 2009, 24, 064002.	2.0	23
152	Contrast between spin and valley degrees of freedom. Physical Review B, 2010, 81, .	3.2	23
153	Fractional Quantum Hall Effect at High Fillings in a Two-Subband Electron System. Physical Review Letters, 2010, 105, 246805.	7.9	23
154	Ballistic transport of (001) GaAs two-dimensional holes through a strain-induced lateral superlattice. Physical Review B, 2012, 85, .	3.2	23
155	Thermal and Quantum Melting Phase Diagrams for a Magnetic-Field-Induced Wigner Solid. Physical Review Letters, 2020, 125, 036601.	7.9	23
156	Magnetic properties of CoCl ₂ -intercalated graphite. Synthetic Metals, 1983, 8, 35-42.	4.0	22
157	Experimental study of $f_{xx}(T)$ for quasiparticle charge determination in the fractional quantum Hall effect. Physical Review B, 1994, 49, 7400-7407.	3.2	22
158	Composite Fermions with a Warped Fermi Contour. Physical Review Letters, 2015, 114, 176805.	7.9	22
159	Fractional quantum Hall states at and. Surface Science, 1990, 229, 10-12.	2.0	21
160	Quantum Hall effect in a triple-layer electron system. Physical Review B, 1992, 46, 9776-9779.	3.2	21
161	Coulomb drag near the metal-insulator transition in two dimensions. Physical Review B, 2005, 71, .	3.2	21
162	Tuning of the spin-orbit interaction in two-dimensional GaAs holes via strain. Physical Review B, 2007, 75, .	3.2	21

#	ARTICLE	IF	CITATIONS
163	Direct Observation of Composite Fermions and Their Fully-Spin-Polarized Fermi Sea near $\nu = 5/2$. Physical Review Letters, 2018, 120, 256601.	7.9	21
164	Low-temperature heat capacity of magnetic graphite intercalation compounds. Physical Review B, 1983, 28, 4799-4809.	3.2	20
165	Migration of Si IN $\hat{\Gamma}$ -doped GaAs and Al Ga1 $\hat{\alpha}$ As: Effect of substrate temperature. Surface Science, 1990, 228, 255-259.	2.0	20
166	Probing the Melting of a Two-Dimensional Quantum Wigner Crystal via its Screening Efficiency. Physical Review Letters, 2019, 122, 116601.	7.9	20
167	Electronic structure of graphite-alkali metal compounds. Synthetic Metals, 1980, 2, 321-329.	4.0	19
168	Initial stages of the reaction of oxygen with Si(1 0 0). Solid State Communications, 1991, 77, 735-738.	1.9	19
169	Correlated bilayer electron states. Semiconductor Science and Technology, 1996, 11, 1539-1545.	2.0	19
170	In-Plane Magnetodrag between Dilute Two-Dimensional Systems. Physical Review Letters, 2003, 90, 226801.	7.9	19
171	Strong Aharonov-Bohm oscillations in GaAs two-dimensional holes. Applied Physics Letters, 2007, 90, 152104.	3.4	19
172	Evolution of the $\nu = 7/2$ Fractional Quantum Hall State in Two-Subband Systems. Physical Review Letters, 2011, 107, 266802.	7.9	19
173	Anisotropic Fermi contour of (001) GaAs holes in parallel magnetic fields. Physical Review B, 2012, 86, .	3.2	19
174	Geometric Resonance of Composite Fermions Near the $\nu = 1/2$ Quantum Hall State. Physical Review Letters, 2015, 114, 236406.	7.9	19
175	Fractional quantum Hall effect in a high-mobility GaAs/AlxGa1-xAs multiple quantum well heterostructure. Applied Physics Letters, 1989, 54, 27-29.	3.4	18
176	Silicon migration during the molecular beam epitaxy of δ -doped GaAs and Al0.25Ga0.75As. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1990, 8, 2009-2011.	2.2	18
177	Electronic lifetimes in excited state Landau levels. Semiconductor Science and Technology, 1994, 9, 700-703.	2.0	18
178	Transverse magnetic focusing and the dispersion of GaAs 2D holes at (311)A heterojunctions. Surface Science, 1994, 305, 348-352.	2.0	18
179	Observation of an abrupt double-to-single-layer transition in a double-quantum-well structure. Surface Science, 1994, 305, 405-407.	2.0	18
180	Layer-depopulation- and magnetic-field-induced resistance oscillations in a triple-layer electron system. Physical Review B, 1995, 52, R5511-R5514.	3.2	18

#	ARTICLE	IF	CITATIONS
181	Novel cleaved edge overgrowth structures for tunneling into one- and two-dimensional electron systems. Solid-State Electronics, 1996, 40, 233-236.	1.4	18
182	Critical Resistance in the AlAs Quantum Hall Ferromagnet. Physical Review Letters, 2003, 91, 216802.	7.9	18
183	Observation of Reentrant Integer Quantum Hall States in the Lowest Landau Level. Physical Review Letters, 2012, 109, 036801.	7.9	18
184	Microwave spectroscopic observation of distinct electron solid phases in wide quantum wells. Nature Communications, 2014, 5, 4154.	13.0	18
185	Splitting of the Fermi Contour of Quasi-2D Electrons in Parallel Magnetic Fields. Physical Review Letters, 2015, 114, 236404.	7.9	18
186	Negative longitudinal magnetoresistance in gallium arsenide quantum wells. Nature Communications, 2019, 10, 287.	13.0	18
187	Working principles of doping-well structures for high-mobility two-dimensional electron systems. Physical Review Materials, 2020, 4, .	2.5	18
188	Interaction of electrons with interface phonons in GaAs/AlAs and GaAs/AlGaAs heterostructures. Semiconductor Science and Technology, 1992, 7, B116-B119.	2.0	17
189	Charge transport in a low-disorder, low-density one-dimensional electron system. Physical Review B, 1994, 49, 16441-16458.	3.2	17
190	Magneto-optics of two-dimensional hole systems in the extreme quantum limit. Physical Review B, 1994, 49, 14054-14057.	3.2	17
191	Spin-Dependent Resistivity at Transitions between Integer Quantum Hall States. Physical Review Letters, 2005, 94, 176402.	7.9	17
192	Stability of the $\nu = \frac{q}{2\pi}$ fractional quantum Hall states. Physical Review B, 2011, 84, .	7.9	17
193	High-magnetic-field thermal-conductivity measurements in graphite intercalation compounds. Physical Review B, 1982, 26, 3338-3346.	3.2	16
194	Surface resonant tunneling transistor: A new negative transconductance device. Applied Physics Letters, 1994, 64, 610-612.	3.4	16
195	Observation of a giant dielectric constant in the re-entrant insulating phase of two-dimensional electrons. Solid State Communications, 1995, 95, 619-623.	1.9	16
196	Anomalous Thermopower in the Metalliclike Phase of a 2D Hole System. Physical Review Letters, 2000, 85, 4369-4372.	7.9	16
197	Bloch ferromagnetism of composite fermions. Nature Physics, 2021, 17, 48-52.	16.8	16
198	Design rules for modulation-doped AlAs quantum wells. Physical Review Materials, 2017, 1, .	2.5	16

#	ARTICLE	IF	CITATIONS
199	Two-dimensional electron system in an AlAs quantum well with mobility exceeding 2×10^6 cm ² /Vs. Nature Reviews Physics, 2022, 4, 212-213.	2.5	16
200	Wigner crystals in flat band 2D electron systems. Nature Reviews Physics, 2022, 4, 212-213.	26.9	16
201	Galvanomagnetic properties of lead telluride quantum wells. Applied Physics Letters, 1986, 48, 928-930.	3.4	15
202	Effective mass suppression in a ferromagnetic two-dimensional electron liquid. Physical Review B, 2009, 79, .	3.2	15
203	Effective mass and spin susceptibility of dilute two-dimensional holes in GaAs. Physical Review B, 2011, 84, .	3.2	15
204	Geometric Resonance of Composite Fermions near Bilayer Quantum Hall States. Physical Review Letters, 2016, 117, 246801.	7.9	15
205	Spin-splitting in GaAs two-dimensional holes. Physica E: Low-Dimensional Systems and Nanostructures, 2001, 9, 31-39.	2.8	14
206	Pinning Modes and Interlayer Correlation in High-Magnetic-Field Bilayer Wigner Solids. Physical Review Letters, 2007, 99, 136804.	7.9	14
207	Anisotropic Fermi contour of (001) GaAs electrons in parallel magnetic fields. Physical Review B, 2013, 88, .	3.2	14
208	Quantum Hall effect in tilted magnetic fields. Physical Review B, 2015, 91, .	3.2	14
209	Observation of fractional quantum Hall effect in an InAs quantum well. Physical Review B, 2017, 96, .	3.2	14
210	Spontaneous Valley Polarization of Itinerant Electrons. Physical Review Letters, 2021, 127, 116601.	7.9	14
211	Surface segregation and the Al problem in GaAs quantum wells. Physical Review Materials, 2018, 2, .	2.5	14
212	Magnetic-field induced metal-insulator transition in InSb and Hg _{0.79} Cd _{0.21} Te at very low temperatures. Solid State Communications, 1986, 60, 817-820.	1.9	13
213	Far infrared emission from hot quasi-one-dimensional quantum wires in GaAs. Applied Physics Letters, 1995, 67, 1564-1566.	3.4	13
214	Interlayer charge transfer in double-quantum-well systems. Physical Review B, 1997, 55, 9294-9297.	3.2	13
215	Ballistic transport in a two-subband two-dimensional electron system. Physical Review B, 1998, 58, 1138-1141.	3.2	13
216	Spin polarization of two-dimensional electrons in GaAs quantum wells around Landau level filling $\nu = 1$ from NMR measurements of gallium nuclei. Physical Review B, 2001, 64, .	3.2	13

#	ARTICLE	IF	CITATIONS
217	Interaction and disorder in bilayer counterflow transport at filling-factor one. <i>Physical Review B</i> , 2005, 72, .	3.2	13
218	Spin and charge distribution symmetry dependence of stripe phases in two-dimensional electron systems confined to wide quantum wells. <i>Physical Review B</i> , 2013, 87, .	3.2	13
219	Reorientation of the Stripe Phase of 2D Electrons by a Minute Density Modulation. <i>Physical Review Letters</i> , 2016, 117, 076803.	7.9	13
220	Unconventional Anisotropic Even-Denominator Fractional Quantum Hall State in a System with Mass Anisotropy. <i>Physical Review Letters</i> , 2018, 121, 256601.	7.9	13
221	Magnetostriction and deformation potentials in graphite. <i>Journal of Physics C: Solid State Physics</i> , 1981, 14, 3541-3546.	1.5	12
222	Low-temperature adsorption of oxygen on Si(111). <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1990, 8, 2743-2746.	2.2	12
223	Oscillations in the thermal conductivity of a GaAs/Al _x Ga _{1-x} As heterostructure in the fractional quantum Hall regime. <i>Physical Review B</i> , 1992, 46, 7240-7243.	3.2	12
224	Probing the subband structure of a wide electron system in a parabolic quantum well via capacitance-voltage measurements. <i>Physical Review B</i> , 1993, 47, 4056-4059.	3.2	12
225	Realization of an Interacting Two-Valley AlAs Bilayer System. <i>Physical Review Letters</i> , 2004, 92, 186404.	7.9	12
226	Interplay between quantum well width and interface roughness for electron transport mobility in GaAs quantum wells. <i>Applied Physics Letters</i> , 2016, 109, .	3.4	12
227	Fractional Quantum Hall Effect Energy Gaps: Role of Electron Layer Thickness. <i>Physical Review Letters</i> , 2021, 127, 056801.	7.9	12
228	Record-quality GaAs two-dimensional hole systems. <i>Physical Review Materials</i> , 2022, 6, .	2.5	12
229	Anisotropic Two-Dimensional Disordered Wigner Solid. <i>Physical Review Letters</i> , 2022, 129, .	7.9	12
230	Anomalies in the thermal conductivity and thermopower in CoCl ₂ -intercalated graphite at the magnetic phase transition. <i>Physical Review B</i> , 1983, 27, 2558-2561.	3.2	11
231	One-component to two-component transitions of fractional quantum Hall states in a wide quantum well. <i>Surface Science</i> , 1994, 305, 13-17.	2.0	11
232	RF resonance in two-dimensional electron transport in the Wigner solid regime. <i>Solid State Communications</i> , 1995, 96, 379-382.	1.9	11
233	Spin-resolved commensurability oscillations. <i>Physical Review B</i> , 1999, 60, 13776-13779.	3.2	11
234	FLATLAND ELECTRONS IN HIGH MAGNETIC FIELDS. , 2006, , 31-60.		11

#	ARTICLE	IF	CITATIONS
235	High-mobility AlAs quantum wells with out-of-plane valley occupation. Applied Physics Letters, 2006, 89, 172118.	3.4	11
236	Parallel magnetic-field tuning of valley splitting in AlAs two-dimensional electrons. Physical Review B, 2008, 78, .	3.2	11
237	Strain-Induced Fermi Contour Anisotropy of GaAs 2D holes. Physical Review Letters, 2008, 100, 096803.	7.9	11
238	Microwave spectroscopy of the low-filling-factor bilayer electron solid in a wide quantum well. Nature Communications, 2015, 6, 7071.	13.0	11
239	Anisotropic composite fermions and fractional quantum Hall effect. Physical Review B, 2016, 93, .	3.2	11
240	Realization of a Valley Superlattice. Physical Review Letters, 2018, 121, 036802.	7.9	11
241	Guidingâ€centerâ€drift resonance of twoâ€dimensional electrons in a gridâ€gate superlattice potential. Applied Physics Letters, 1991, 58, 2945-2947.	3.4	10
242	Two-level random switching in the reentrant insulating phase around the $\nu=1/5$ fractional quantum Hall liquid. Physical Review B, 1993, 47, 9933-9936.	3.2	10
243	Gate tuned transition to the insulating phase of one-dimensional electrons in high magnetic fields. Surface Science, 1994, 305, 629-632.	2.0	10
244	High field transport in an edge overgrown lateral superlattice. Applied Physics Letters, 1995, 66, 323-325.	3.4	10
245	Magnetic-Field-Induced Triple-Layer to Bilayer Transition. Physical Review Letters, 1998, 81, 693-696.	7.9	10
246	NMR study of large skyrmions in Al _{0.13} Ga _{0.87} As quantum wells. Physical Review B, 2007, 76, .	3.2	10
247	Dependence of Effective Mass on Spin and Valley Degrees of Freedom. Physical Review Letters, 2008, 101, 146405.	7.9	10
248	Giant frictional drag in strongly interacting bilayers near filling factor one. Physical Review B, 2009, 79, .	3.2	10
249	Multicomponent fractional quantum Hall states with subband and spin degrees of freedom. Physical Review B, 2015, 92, .	3.2	10
250	Observation of an Anisotropic Wigner Crystal. Physical Review Letters, 2016, 117, 106802.	7.9	10
251	Collective cyclotron resonance of an inhomogeneous electron gas. Physical Review B, 1992, 46, 1823-1826.	3.2	9
252	Studies of the reentrant insulating phase around the FQH liquid: I - V curves, noise, RF bias. Surface Science, 1992, 263, 44-48.	2.0	9

#	ARTICLE	IF	CITATIONS
253	In-plane magnetic-field-induced metal-insulator transition in (311)AGaAs two-dimensional hole systems probed by thermopower. Physical Review B, 2007, 76, .	3.2	9
254	Density and strain dependence of $\frac{1}{2}$ -energy gap in a valley-degenerate AlAs quantum well. Physical Review B, 2010, 81, .	3.2	9
255	Unequal layer densities in bilayer Wigner crystal at high magnetic fields. Physical Review B, 2012, 85, .	3.2	9
256	Signatures of an annular Fermi sea. Physical Review B, 2017, 95, .	3.2	9
257	Geometric resonance of four-flux composite fermions. Physical Review B, 2019, 100, .	3.2	9
258	Precise Experimental Test of the Luttinger Theorem and Particle-Hole Symmetry for a Strongly Correlated Fermionic System. Physical Review Letters, 2020, 125, 046601.	7.9	9
259	TRANSITIONS BETWEEN FRACTIONAL QUANTUM HALL STATES. Modern Physics Letters B, 1991, 05, 479-490.	1.9	8
260	Quasiparticle charge of FQH liquid from resistance fluctuation measurements. Surface Science, 1992, 263, 72-75.	2.0	8
261	Quantum reflection and transmission of ballistic two-dimensional electrons by a potential barrier. Applied Physics Letters, 1994, 65, 1154-1156.	3.4	8
262	Grating-induced cyclotron-resonance anomaly in GaAs/AlxGa1-xAs heterostructures. Physical Review B, 1995, 51, 13174-13180.	3.2	8
263	Study of universality at integer quantum Hall transitions. Journal of Physics Condensed Matter, 2000, 12, 5343-5360.	1.8	8
264	Dependence of Persistent Gaps at Landau Level Crossings on Relative Spin. Physical Review Letters, 2006, 97, 116803.	7.9	8
265	QUANTUM HALL EFFECT IN A MULTI-VALLEY TWO-DIMENSIONAL ELECTRON SYSTEM. International Journal of Modern Physics B, 2007, 21, 1388-1397.	2.0	8
266	Reentrant $\frac{1}{2}$ -Quantum Hall State in a Two-Dimensional Hole System. Physical Review Letters, 2011, 107, 176810.	7.9	8
267	Correlated States of 2D Electrons near the Landau Level Filling $\frac{1}{2}$. Physical Review Letters, 2022, 128, 026802.	7.9	8
268	Magnetotransport in a wide parabolic quantum well. Surface Science, 1990, 229, 83-87.	2.0	7
269	Interband spectroscopy of a quasi-three-dimensional electron gas in wide parabolic (Al,Ga)As quantum wells. Physical Review B, 1993, 48, 15103-15111.	3.2	7
270	Electron temperature in low-dimensional wires using thermal noise measurements. Applied Physics Letters, 1995, 67, 386-388.	3.4	7

#	ARTICLE	IF	CITATIONS
271	Case for the Magnetic-Field-Induced Two-Dimensional Wigner Crystal. , 0, , 343-384.		7
272	Anomalous giant Rashba spin splitting in two-dimensional hole systems. Physica E: Low-Dimensional Systems and Nanostructures, 2002, 12, 428-431.	2.8	7
273	A hybrid Al _{0.10} Ga _{0.90} As/AlAs bilayer electron system with tunable g-factor. Applied Physics Letters, 2004, 84, 3837-3839.	3.4	7
274	Determination of Fermi contour and spin polarization of $\nu = 1/2$ composite fermions via ballistic commensurability measurements. Physical Review B, 2014, 90, .	3.2	7
275	Unusual Landau level pinning and correlated $\nu = 1/2$ Hall effect in hole systems confined to wide GaAs quantum wells. Physical Review B, 2015, 92, .	3.2	7
276	Tuning of Fermi contour anisotropy in GaAs (001) 2D holes via strain. Applied Physics Letters, 2017, 110, .	3.4	7
277	Interaction-induced interlayer charge transfer in the extreme quantum limit. Physical Review B, 2017, 96, .	3.2	7
278	Spatial Mapping of Local Density Variations in Two-dimensional Electron Systems Using Scanning Photoluminescence. Nano Letters, 2019, 19, 1908-1913.	9.3	7
279	Spin Reversal of a Quantum Hall Ferromagnet at a Landau Level Crossing. Physical Review Letters, 2020, 125, 067404.	7.9	7
280	Shubnikov-de Haas measurements in alkali-metal-graphite intercalation compounds. Physical Review B, 1982, 25, 4157-4166.	3.2	6
281	Ultrahigh-vacuum cryostat and sample manipulator for operation between 5 and 800 K. Review of Scientific Instruments, 1985, 56, 1799-1803.	1.3	6
282	Novel surface gate structure to induce sharp potential barriers in two-dimensional electron systems. Applied Physics Letters, 1994, 65, 2320-2322.	3.4	6
283	Confinement symmetry, mobility anisotropy, and metallic behavior in (311)A GaAs two-dimensional holes. Physical Review B, 2000, 62, 15375-15378.	3.2	6
284	Dephasing time of two-dimensional holes in GaAs open quantum dots: Magnetotransport measurements. Physical Review B, 2007, 75, .	3.2	6
285	Enhancement of valley susceptibility upon complete spin polarization. Physical Review B, 2008, 78, .	3.2	6
286	Microwave spectroscopic observation of a Wigner solid within the $\nu = 1/2$ fractional quantum Hall effect. Physical Review B, 2017, 95, .	3.2	6
287	Cyclotron Orbits of Composite Fermions in the Fractional Quantum Hall Regime. Physical Review Letters, 2018, 120, 016802.	7.9	6
288	MBE growth of two-dimensional electron system with extremely low disorder. Journal of Crystal Growth, 1989, 95, 250-252.	1.6	5

#	ARTICLE	IF	CITATIONS
289	Oscillatory density-of-states of Landau bands in a two-dimensional lateral surface superlattice. Solid State Communications, 1990, 75, 395-399.	1.9	5
290	Magnetotransport properties of double-layer systems in wide single quantum wells. Surface Science, 1992, 263, 152-156.	2.0	5
291	Inductive anomaly of two-dimensional electrons in the Wigner solid regime. Solid State Communications, 1996, 99, 255-259.	1.9	5
292	Observation of ballistic transport in the upper subband of a two-dimensional electron system. Physical Review B, 1996, 53, R4217-R4220.	3.2	5
293	Evidence for spin-orbit effects in an open ballistic quantum dot. Physica E: Low-Dimensional Systems and Nanostructures, 2002, 12, 833-836.	2.8	5
294	Charge neutral counterflow transport at filling factor 1 in GaAs hole bilayers. Solid State Communications, 2007, 144, 405-408.	1.9	5
295	High-quality quantum point contact in two-dimensional GaAs (311)A hole system. Applied Physics Letters, 2008, 93, .	3.4	5
296	Morphing of two-dimensional hole systems at $\nu = 1/2$ in parallel magnetic fields: Compressible, stripe, and fractional quantum Hall phases. Physical Review B, 2016, 94, .	3.2	5
297	Anomalous coupling between magnetic and nematic orders in quantum Hall systems. Physical Review B, 2018, 98, .	3.2	5
298	Competition between fractional quantum Hall liquid and Wigner solid at small fillings: Role of layer thickness and Landau level mixing. Physical Review Research, 2021, 3, .	3.6	5
299	Magnetoplasma effects in a quasi-three-dimensional electron gas. Surface Science, 1990, 229, 515-518.	2.0	4
300	Fabrication of quasi-three-dimensional electron systems and superlattices in wide parabolic wells. Journal of Crystal Growth, 1991, 111, 366-370.	1.6	4
301	Time-resolved photoluminescence of a two-dimensional hole system in the extreme quantum limit. Physical Review B, 1995, 51, 13876-13879.	3.2	4
302	Incompressible, metallic and insulating states of two-dimensional systems: Recent experiments. Solid State Communications, 1997, 102, 155-163.	1.9	4
303	Tunable $B=0$ spin-splitting and its effect on the metallic behavior of GaAs two-dimensional holes. Physica E: Low-Dimensional Systems and Nanostructures, 2000, 6, 284-287.	2.8	4
304	High-mobility electrons in modulation-doped AlAs quantum wells. Physica E: Low-Dimensional Systems and Nanostructures, 2002, 13, 646-648.	2.8	4
305	Magnetism and pseudo-magnetism in quantum Hall systems. Physica E: Low-Dimensional Systems and Nanostructures, 2003, 20, 123-132.	2.8	4
306	Frictional drag between dilute two-dimensional hole systems. Physica E: Low-Dimensional Systems and Nanostructures, 2004, 22, 300-303.	2.8	4

#	ARTICLE	IF	CITATIONS
307	Orbital effect, subband depopulation, and conductance fluctuations in ballistic quantum dots under a tilted magnetic field. <i>Physical Review B</i> , 2005, 71, .	3.2	4
308	On the hall resistivity of $n\text{-HgCdTe}$. <i>Solid State Communications</i> , 1987, 63, 575-576.	1.9	3
309	Quantum interference in two independently tunable parallel quantum point contacts. <i>Superlattices and Microstructures</i> , 1992, 11, 223-227.	3.1	3
310	Mode softening in the far-infrared excitation of quantum-wire arrays. <i>Physical Review B</i> , 1993, 48, 5249-5255.	3.2	3
311	Shukla et al.Reply:. <i>Physical Review Letters</i> , 1999, 82, 3724-3724.	7.9	3
312	Hysteretic resistance spikes at transitions between quantum Hall ferromagnets in AlAs 2D electrons. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002, 12, 36-38.	2.8	3
313	Parallel magnetic-field-induced conductance fluctuations in one- and two-subband ballistic quantum dots. <i>Physical Review B</i> , 2003, 68, .	3.2	3
314	Spin-dependent resistivity and quantum Hall ferromagnetism in two-dimensional electrons confined to AlAs quantum wells. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2006, 34, 89-92.	2.8	3
315	Valley susceptibility of interacting electrons and composite fermions. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2008, 40, 986-989.	2.8	3
316	Search for composite fermions at filling factor $5/2$: Role of Landau level and subband index. <i>Physical Review B</i> , 2017, 95, .	3.2	3
317	Summary Abstract: Precursor adsorption of oxygen on Si(111) at low temperatures. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1988, 6, 798-800.	2.2	2
318	Elastic scattering of low-energy electrons from oxygen-covered Si surfaces. <i>Physical Review B</i> , 1991, 43, 9365-9368.	3.2	2
319	Anomalous Shubnikovâ€“de Haas oscillations in two-dimensional systems. <i>Physica B: Condensed Matter</i> , 2001, 298, 13-17.	2.7	2
320	Multiple interacting bilayer electron system: Magnetotransport and heat capacity measurements. <i>Physical Review B</i> , 2003, 68, .	3.2	2
321	COUNTERFLOW MEASUREMENTS IN GaAs HOLE BILAYERS: POSSIBLE EVIDENCE FOR EXCITONIC CONDENSATION. <i>International Journal of Modern Physics B</i> , 2004, 18, 3685-3692.	2.0	2
322	Zeeman splitting of interacting two-dimensional electrons with two effective masses. <i>Solid State Communications</i> , 2006, 140, 285-288.	1.9	2
323	Bilayer counterflow transport at filling factor 1 in the strong interacting regime. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2006, 34, 11-15.	2.8	2
324	Temperature dependence of piezoresistance of composite Fermions with a valley degree of freedom. <i>Solid State Communications</i> , 2010, 150, 1165-1168.	1.9	2

#	ARTICLE	IF	CITATIONS
325	Critical filling factor for the formation of a quantum Wigner crystal screened by a nearby layer. Physical Review B, 2018, 98, .	3.2	2
326	Wigner solid pinning modes tuned by fractional quantum Hall states of a nearby layer. Science Advances, 2019, 5, eaao2848.	10.5	2
327	Composite fermion mass: Experimental measurements in ultrahigh quality two-dimensional electron systems. Physical Review B, 2022, 106, .	3.2	2
328	Comment on "Heat capacity of a condensed electron system in the dilute metal $\text{Hg}_{0.8}\text{Cd}_{0.2}\text{Te}$ ". Physical Review Letters, 1987, 58, 428-428.	7.9	1
329	Collective excitations in a quasi-3-dimensional electron system. Physica B: Condensed Matter, 1993, 184, 100-105.	2.7	1
330	Giant heat capacity and nuclear-spin diffusion in GaAs/AlGaAs heterostructures near $\nu=1$. Physica E: Low-Dimensional Systems and Nanostructures, 1997, 1, 36-41.	2.8	1
331	Interaction-induced interlayer charge transfer at high magnetic fields. Physica E: Low-Dimensional Systems and Nanostructures, 1997, 1, 172-175.	2.8	1
332	Effective mass measurement in two-dimensional hole gas in strained $\text{Si}_{1-x}\text{Ge}_x/\text{Si}(100)$ modulation doped heterostructures. Thin Solid Films, 1998, 321, 51-54.	1.9	1
333	Highly anisotropic commensurability oscillations in two-dimensional holes at the GaAs/AlGaAs A interface. Physica E: Low-Dimensional Systems and Nanostructures, 2000, 6, 453-456.	2.8	1
334	Evidence for universal conductance fluctuations in an open quantum dot under a strictly parallel magnetic field. Physica E: Low-Dimensional Systems and Nanostructures, 2003, 17, 154-155.	2.8	1
335	Insulating behavior of dilute two-dimensional holes in GaAs under an in-plane magnetic field. Physical Review B, 2004, 70, .	3.2	1
336	Thermopower evidence for Wigner crystallization in the insulating phase of two-dimensional GaAs bilayer hole systems. Physica E: Low-Dimensional Systems and Nanostructures, 2006, 34, 120-123.	2.8	1
337	Wigner solids of wide quantum wells near Landau filling $\nu=1$. Physical Review B, 2018, 98, .	3.2	1
338	The quantized Hall insulator. Annalen Der Physik, 1999, 511, 603-608.	2.4	1
339	19. Raman scattering from HOPG implanted with various ions. Carbon, 1982, 20, 126-127.	10.4	0
340	Magneto-rotons in wide parabolic quantum wells. Surface Science, 1992, 263, 451-456.	2.0	0
341	Fractional quantum Hall effect in multilayer electron systems. Physica B: Condensed Matter, 1993, 184, 43-50.	2.7	0
342	Ballistic transport in the upper subband of a two-dimensional electron system. Physica B: Condensed Matter, 1996, 227, 69-73.	2.7	0

#	ARTICLE	IF	CITATIONS
343	Spin-resolved ballistic transport of GaAs two-dimensional holes. <i>Microelectronic Engineering</i> , 1999, 47, 77-79.	2.4	0
344	The effect of Zeeman energy on heat capacity of GaAs/AlGaAs heterostructures near $\hat{l}/2=1$. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2000, 6, 52-55.	2.8	0
345	Highly anisotropic Zeeman splitting of two-dimensional hole systems. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2001, 10, 62-66.	2.8	0
346	QUANTUM HALL EFFECT IN AIAs 2D ELECTRON SYSTEMS. <i>International Journal of Modern Physics B</i> , 2002, 16, 2917-2922.	2.0	0
347	Measurements of the effective g-factor in dilute GaAs 2D electrons. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002, 12, 420-423.	2.8	0
348	Aharonovâ€™Bohm oscillations measured in GaAs two-dimensional holes: observation of Berry's phase. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002, 12, 758-761.	2.8	0
349	Manifestation of Berryâ€™s phase in Aharonovâ€™Bohm oscillations in a 2D system with spinâ€™orbit interaction. <i>Microelectronic Engineering</i> , 2002, 63, 211-216.	2.4	0
350	Interacting GaAs bilayer hole systems with layer density imbalance. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2004, 22, 32-35.	2.8	0
351	Coulomb drag experiments in low density 2D hole bilayers. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2006, 34, 63-68.	2.8	0
352	Stability of charged impurities in a coupled single electron transistor and antidot system. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2006, 34, 187-190.	2.8	0
353	Heterostructure design to achieve high quality, high density GaAs 2D electron system with g-factor tending to zero. <i>Applied Physics Letters</i> , 2020, 117, 022102.	3.4	0
354	Local signatures of electron-electron scattering in an electronic cavity. <i>Physical Review Research</i> , 2021, 3, .	3.6	0
355	Melting phase diagram of bubble phases in high Landau levels. <i>Physical Review B</i> , 2021, 104, .	3.2	0
356	QUANTUM HALL EFFECT IN AIAs 2D ELECTRON SYSTEMS. , 2002, , .		0
357	COUNTERFLOW MEASUREMENTS IN GaAs HOLE BILAYERS: POSSIBLE EVIDENCE FOR EXCITONIC CONDENSATION. , 2005, , .		0
358	Probing Composite Fermions Near Half-Filled Landau Levels. , 2020, , 133-181.		0