Mehdi Maham

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4999459/publications.pdf

Version: 2024-02-01

44 papers 2,005 citations

279798 23 h-index 243625 44 g-index

44 all docs

44 docs citations

times ranked

44

2262 citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Polydopamine-coated magnetic Spirulina nanocomposite for efficient magnetic dispersive solid-phase extraction of aflatoxins in pistachio. Food Chemistry, 2022, 377, 131967. | 8.2 | 23 |
| 2 | Thermal-assisted synthesis of gold nanoparticles using aqueous extract of Helicteres isora L. fruit: Characterization and antioxidant activity. Chemical Physics Letters, 2022, 793, 139483. | 2.6 | 2 |
| 3 | Polymer surfaces adorning ligand-coordinated palladium for hydrogenation reactions. Molecular Catalysis, 2020, 494, 111129. | 2.0 | 2 |
| 4 | Rapid and sensitive extraction of aflatoxins by Fe3O4/zeolite nanocomposite adsorbent in rice samples. Microchemical Journal, 2020, 158, 105206. | 4.5 | 25 |
| 5 | Facile synthesis of Ag/ZrO2 nanocomposite as a recyclable catalyst for the treatment of environmental pollutants. Composites Part B: Engineering, 2020, 185, 107783. | 12.0 | 42 |
| 6 | Synthesised magnetic nanoâ€zeolite as a mycotoxins binder to reduce the toxicity of aflatoxins, zearalenone, ochratoxin A, and deoxynivalenol in barley. IET Nanobiotechnology, 2020, 14, 623-627. | 3.8 | 9 |
| 7 | Oneâ€pot green synthesis of Cu/bone nanocomposite and its catalytic activity in the synthesis of 1â€substituted 1 <i>H</i> â€1,2,3,4â€tetrazoles and reduction of hazardous pollutants. Applied Organometallic Chemistry, 2019, 33, e5097. | 3.5 | 12 |
| 8 | Benign-by-design nature-inspired nanosystems in biofuels production and catalytic applications. Renewable and Sustainable Energy Reviews, 2019, 112, 195-252. | 16.4 | 76 |
| 9 | Corn-like stationary phase for solid phase microextraction prepared by electro-assisted deposition of sol-gel/silica nanoparticles composite. Microchemical Journal, 2019, 147, 914-920. | 4.5 | 4 |
| 10 | Chemically Deposited Sol–Gel Film on Porous TiO2 Nanotube Arrays as an Efficient and Unbreakable Solid-Phase Microextraction Fiber. Chromatographia, 2018, 81, 639-647. | 1.3 | 7 |
| 11 | Biosynthesis of the palladium/sodium borosilicate nanocomposite using Euphorbia milii extract and evaluation of its catalytic activity in the reduction of chromium(VI), nitro compounds and organic dyes. Materials Research Bulletin, 2018, 102, 24-35. | 5.2 | 129 |
| 12 | Pre-concentration and Extraction of Aflatoxins from Rice Using Air-Assisted Dispersive Liquid–Liquid Microextraction. Food Analytical Methods, 2018, 11, 2816-2821. | 2.6 | 12 |
| 13 | Biosynthesis, characterization and catalytic activity of the Pd/bentonite nanocomposite for base- and ligand-free oxidative hydroxylation of phenylboronic acid and reduction of chromium (VI) and nitro compounds. Microporous and Mesoporous Materials, 2018, 271, 128-137. | 4.4 | 39 |
| 14 | Green Synthesis of Palladium/Titanium Dioxide Nanoparticles and their Application for the Reduction of Methyl Orange, Congo Red and Rhodamine B in Aqueous Medium. Combinatorial Chemistry and High Throughput Screening, 2018, 20, 787-795. | 1.1 | 9 |
| 15 | Solidâ€phase microextraction of methadone in urine samples by electrochemically coâ€deposited sol–gel/Cu nanocomposite fiber. Biomedical Chromatography, 2017, 31, e3926. | 1.7 | 9 |
| 16 | Biosynthesis of Ag/reduced graphene oxide/Fe3O4 using Lotus garcinii leaf extract and its application as a recyclable nanocatalyst for the reduction of 4-nitrophenol and organic dyes. Journal of Colloid and Interface Science, 2017, 497, 33-42. | 9.4 | 120 |
| 17 | In situ green synthesis of Cu nanoparticles supported on natural Natrolite zeolite for the reduction of 4â€nitrophenol, congo red and methylene blue. IET Nanobiotechnology, 2017, 11, 538-545. | 3.8 | 29 |
| 18 | Extraction of Sulfathiazole from Urine Samples Using Biosynthesized Magnetic Nanoparticles. Iranian Journal of Pharmaceutical Research, 2017, 16, 462-470. | 0.5 | 15 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Simultaneous determination of trace amounts of anti-hypertensive drugs in urine using magnetic mixed hemimicelles solid-phase extraction combined with HPLC-UV. Journal of Analytical Chemistry, 2016, 71, 302-309. | 0.9 | 10 |
| 20 | Aqueous extract from seeds of Silybum marianum L. as a green material for preparation of the Cu/Fe3O4 nanoparticles: A magnetically recoverable and reusable catalyst for the reduction of nitroarenes. Journal of Colloid and Interface Science, 2016, 469, 93-98. | 9.4 | 114 |
| 21 | Barberry fruit extract assisted in situ green synthesis of Cu nanoparticles supported on a reduced graphene oxide–Fe ₃ O ₄ nanocomposite as a magnetically separable and reusable catalyst for the O-arylation of phenols with aryl halides under ligand-free conditions. RSC Advances. 2015. 5. 64769-64780. | 3.6 | 121 |
| 22 | Green synthesis of CuO nanoparticles by aqueous extract of Gundelia tournefortii and evaluation of their catalytic activity for the synthesis of N -monosubstituted ureas and reduction of 4-nitrophenol. Journal of Colloid and Interface Science, 2015, 455, 245-253. | 9.4 | 137 |
| 23 | Preparation of palladium nanoparticles using Euphorbia thymifolia L. leaf extract and evaluation of catalytic activity in the ligand-free Stille and Hiyama cross-coupling reactions in water. New Journal of Chemistry, 2015, 39, 4745-4752. | 2.8 | 101 |
| 24 | Euphorbia helioscopia Linn as a green source for synthesis of silver nanoparticles and their optical and catalytic properties. Journal of Colloid and Interface Science, 2015, 450, 374-380. | 9.4 | 92 |
| 25 | Tamarix gallica leaf extract mediated novel route for green synthesis of CuO nanoparticles and their application for N-arylation of nitrogen-containing heterocycles under ligand-free conditions. RSC Advances, 2015, 5, 40628-40635. | 3.6 | 107 |
| 26 | Facile and surfactant-free synthesis of Pd nanoparticles by the extract of the fruits of Piper longum and their catalytic performance for the Sonogashira coupling reaction in water under ligand- and copper-free conditions. RSC Advances, 2015, 5, 2562-2567. | 3.6 | 69 |
| 27 | A validated dispersive liquid-liquid microextraction method for extraction of ochratoxin A from raisin samples. Journal of Food Science and Technology, 2015, 52, 2440-2445. | 2.8 | 16 |
| 28 | Synthesis of Au/Pd bimetallic nanoparticles and their application in the Suzuki coupling reaction. Journal of Industrial and Engineering Chemistry, 2015, 21, 746-748. | 5.8 | 85 |
| 29 | Green synthesis of palladium nanoparticles using Hippophae rhamnoides Linn leaf extract and their catalytic activity for the Suzuki–Miyaura coupling in water. Journal of Molecular Catalysis A, 2015, 396, 297-303. | 4.8 | 231 |
| 30 | An Eco-friendly N-formylation of Amines Using Nano Cerium Oxide as a Recyclable Catalyst Under Solvent-free and Ultrasound Irradiation Conditions at Room Temperature. Letters in Organic Chemistry, 2014, 11, 49-54. | 0.5 | 16 |
| 31 | Copper-Catalyzed N-Arylation of Sulfonamides with Boronic Acids in Water under Ligand-Free and Aerobic Conditions. Synlett, 2014, 25, 505-508. | 1.8 | 51 |
| 32 | Synthesis of Thiotetrazoles and Arylaminotetrazoles Using Rutile Tio ₂ nanoparticles as a heterogeneous and reusable catalyst. Journal of Chemical Research, 2014, 38, 502-506. | 1.3 | 9 |
| 33 | Copper Complex-catalysed C–N Coupling Reaction of Aryl Iodides with Nitrogen-containing Heterocycles. Journal of Chemical Research, 2014, 38, 128-129. | 1.3 | 2 |
| 34 | Green synthesis of water-dispersable palladium nanoparticles and their catalytic application in the ligand- and copper-free Sonogashira coupling reaction under aerobic conditions. Journal of Molecular Catalysis A, 2014, 391, 83-87. | 4.8 | 81 |
| 35 | Palladium on nano-magnetite: a magnetically reusable catalyst in the ligand- and copper-free Sonogashira and Stille cross-coupling reactions. RSC Advances, 2014, 4, 19731. | 3.6 | 50 |
| 36 | Copper lodide Nanoparticles-Catalysed Cyanation of Aryl Halides Using Non-Toxic K4[Fe(CN)6] in the Presence of 1,2-Bis(5-Tetrazolyl)Benzene as an Efficient Ligand. Journal of Chemical Research, 2014, 38, 291-294. | 1.3 | 6 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | New Oxazole Ligand for the Copper-catalyzed Cyanation of Aryl Halides with K ₄ [Fe(CN) ₆]. Letters in Organic Chemistry, 2014, 11, 136-140. | 0.5 | 10 |
| 38 | Perfluorinated Resin-sulfonic Acid (Nafion-H): An Efficient, Environment Friendly and Recyclable Heterogeneous Catalyst for the One-pot Synthesis of 1,8-dioxo-octahydroxanthenes. Letters in Organic Chemistry, 2014, 11, 317-320. | 0.5 | 2 |
| 39 | Evaluation of Dispersive Liquid–Liquid Microextraction–HPLC–UV for Determination of Deoxynivalenol (DON) in Wheat Flour. Food Analytical Methods, 2013, 6, 176-180. | 2.6 | 27 |
| 40 | Novel Binary Solvents-Dispersive Liquid—Liquid Microextraction (BS-DLLME) Method for Determination of Patulin in Apple Juice Using High-Performance Liquid Chromatography. Food Analytical Methods, 2013, 6, 761-766. | 2.6 | 39 |
| 41 | Nano Cerium Oxide as a Recyclable Catalyst for the Synthesis of N-Monosubstituted Ureas with the Aid of Acetaldoxime as an effective Water Surrogate. Journal of Chemical Research, 2013, 37, 623-625. | 1.3 | 9 |
| 42 | K ₄ [Fe(CN) ₆] as Non-Toxic Source of Cyanide for the Cyanation of Aryl Halides using Pd-Beta Zeolite as a Heterogeneous Catalyst. Journal of Chemical Research, 2013, 37, 620-622. | 1.3 | 9 |
| 43 | Extraction and Determination of Cyproheptadine in Human Urine by DLLME-HPLC Method. Iranian Journal of Pharmaceutical Research, 2013, 12, 311-8. | 0.5 | 18 |
| 44 | Optimal extraction method of phenolics from the root of Euphorbia condylocarpa. Chemistry of Natural Compounds, 2011, 47, 434-435. | 0.8 | 29 |