

List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4999680/se-joo-kim-publications-by-citations.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94 papers	1,965 citations	25 h-index	40 g-index
98 ext. papers	2,328 ext. citations	4.2 avg, IF	4.79 L-index

#	Paper	IF	Citations
94	The relationship between online game addiction and aggression, self-control and narcissistic personality traits. <i>European Psychiatry</i> , <b>2008</b> , 23, 212-8	6	401
93	T187. ALTERED DNA METHYLATION OF THE OXYTOCIN RECEPTOR GENE IS ASSOCIATED WITH SUSCEPTIBILITY TO PSYCHOSIS AND ANHEDONIA-ASOCIALITY IN FEMALES: EPIGENETIC EVIDENCE IN RECENT-ONSET SCHIZOPHRENIA AND ULTRA-HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S188-S188	1.3	78
92	A randomized controlled study of sequentially applied repetitive transcranial magnetic stimulation in obsessive-compulsive disorder. <i>Journal of Clinical Psychiatry</i> , <b>2009</b> , 70, 1645-51	4.6	66
91	Impact of depression on work productivity and its improvement after outpatient treatment with antidepressants. <i>Value in Health</i> , <b>2011</b> , 14, 475-82	3.3	60
90	Obsessive-compulsive disorder, factor-analyzed symptom dimensions and serotonin transporter polymorphism. <i>Neuropsychobiology</i> , <b>2005</b> , 52, 176-82	4	51
89	A study of novel bilateral thermal capsulotomy with focused ultrasound for treatment-refractory obsessive-compulsive disorder: 2-year follow-up. <i>Journal of Psychiatry and Neuroscience</i> , <b>2018</b> , 43, 327-337	4.5	50
88	An association study of catechol-O-methyltransferase and monoamine oxidase A polymorphisms and personality traits in Koreans. <i>Neuroscience Letters</i> , <b>2006</b> , 401, 154-8	3.3	48
87	Relationships between chronotypes and affective temperaments in healthy young adults. <i>Journal of Affective Disorders</i> , <b>2015</b> , 175, 256-9	6.6	45
86	Standardization of the Korean version of Mini-Mental Adjustment to Cancer (K-Mini-MAC) scale: factor structure, reliability and validity. <i>Psycho-Oncology</i> , <b>2008</b> , 17, 592-7	3.9	45
85	Abnormalities of emotional awareness and perception in patients with obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , <b>2012</b> , 141, 286-93	6.6	44
84	Multidimensional measures of impulsivity in obsessive-compulsive disorder: cannot wait and stop. <i>PLoS ONE</i> , <b>2014</b> , 9, e111739	3.7	43
83	Treatment of Major Depressive Disorder via Magnetic Resonance-Guided Focused Ultrasound Surgery. <i>Biological Psychiatry</i> , <b>2018</b> , 83, e17-e18	7.9	37
82	Prenatal maternal depression is associated with low birth weight through shorter gestational age in term infants in Korea. <i>Early Human Development</i> , <b>2014</b> , 90, 15-20	2.2	33
81	Circadian preference and trait impulsivity, sensation-seeking and response inhibition in healthy young adults. <i>Chronobiology International</i> , <b>2015</b> , 32, 235-41	3.6	30
80	Further evidence of a dissociation between decision-making under ambiguity and decision-making under risk in obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , <b>2015</b> , 176, 118-24	6.6	30
79	Alexithymia and perfectionism traits are associated with suicidal risk in patients with obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , <b>2016</b> , 192, 50-5	6.6	30
78	Temperament and character in subjects with obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , <b>2009</b> , 50, 567-72	7.3	30

77	Temperament and character in individuals at ultra-high risk for psychosis and with first-episode schizophrenia: associations with psychopathology, psychosocial functioning, and aspects of psychological health. <i>Comprehensive Psychiatry</i> , <b>2013</b> , 54, 1161-8	7.3	29
76	FKBP5 polymorphisms as vulnerability to anxiety and depression in patients with advanced gastric cancer: a controlled and prospective study. <i>Psychoneuroendocrinology</i> , <b>2012</b> , 37, 1569-76	5	29
75	The association of 5-HTTLPR and DRD4 VNTR polymorphisms with affective temperamental traits in healthy volunteers. <i>Journal of Affective Disorders</i> , <b>2008</b> , 109, 157-63	6.6	29
74	MRP1 polymorphisms associated with citalopram response in patients with major depression. <i>Journal of Clinical Psychopharmacology</i> , <b>2010</b> , 30, 116-25	1.7	28
73	Reduced binding potential of GABA-A/benzodiazepine receptors in individuals at ultra-high risk for psychosis: an [18F]-fluorofluminazenil positron emission tomography study. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 548-57	1.3	26
72	Apolipoprotein E gene polymorphism, alcohol use, and their interactions in combat-related posttraumatic stress disorder. <i>Depression and Anxiety</i> , <b>2013</b> , 30, 1194-201	8.4	26
71	Association of DRD4 and COMT polymorphisms with anger and forgiveness traits in healthy volunteers. <i>Neuroscience Letters</i> , <b>2008</b> , 430, 252-7	3.3	26
70	Influence of BDNF and COMT polymorphisms on emotional decision making. <i>Neuropharmacology</i> , <b>2010</b> , 58, 1109-13	5.5	25
69	Multidimensional impulsivity as a mediator of early life stress and alcohol dependence. <i>Scientific Reports</i> , <b>2018</b> , 8, 4104	4.9	24
68	Catechol-O-methyltransferase Val158Met polymorphism in relation to aggressive schizophrenia in a Korean population. <i>European Neuropsychopharmacology</i> , <b>2008</b> , 18, 820-5	1.2	24
67	Allele-specific DNA methylation level of FKBP5 is associated with post-traumatic stress disorder. <i>Psychoneuroendocrinology</i> , <b>2019</b> , 103, 1-7	5	22
66	Extending a structural model of somatization to South Koreans: Cultural values, somatization tendency, and the presentation of depressive symptoms. <i>Journal of Affective Disorders</i> , <b>2015</b> , 176, 151-4 <sup>6.6</sup>	6.6	21
65	Genetic influence of COMT and BDNF gene polymorphisms on resilience in healthy college students. <i>Neuropsychobiology</i> , <b>2013</b> , 68, 174-80	4	21
64	Interaction effects between COMT and BDNF polymorphisms on boredom susceptibility of sensation seeking traits. <i>Psychiatry Research</i> , <b>2010</b> , 178, 132-6	9.9	21
63	Serotonin transporter gene polymorphism and personality traits in a Korean population. <i>Neuropsychobiology</i> , <b>2005</b> , 51, 243-7	4	21
62	Serotonin transporter gene polymorphism associated with short-term treatment response to venlafaxine. <i>Neuropsychobiology</i> , <b>2010</b> , 62, 198-206	4	20
61	Interaction between serotonin transporter promoter and dopamine receptor D4 polymorphisms on decision making. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2009</b> , 33, 1217-22	5.5	20
60	Lack of association between polymorphisms of the dopamine receptor D4 and dopamine transporter genes and personality traits in a Korean population. <i>Yonsei Medical Journal</i> , <b>2006</b> , 47, 787-92 <sup>3</sup>		20

59	Reliability and validity of the Korean version of Obsessive-Compulsive Inventory-Revised in a non-clinical sample. <i>Yonsei Medical Journal</i> , <b>2008</b> , 49, 909-16	3	19
58	Perception bias of disgust in ambiguous facial expressions in obsessive-compulsive disorder. <i>Psychiatry Research</i> , <b>2010</b> , 178, 126-31	9.9	18
57	Initial depressive episodes affect the risk of suicide attempts in Korean patients with bipolar disorder. <i>Yonsei Medical Journal</i> , <b>2010</b> , 51, 641-7	3	17
56	Distinct functional connectivity of limbic network in the washing type obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2014</b> , 53, 149-55	5.5	16
55	The effect of trauma and PTSD on telomere length: An exploratory study in people exposed to combat trauma. <i>Scientific Reports</i> , <b>2017</b> , 7, 4375	4.9	16
54	Association of DRD4 and COMT polymorphisms with disgust sensitivity in healthy volunteers. <i>Neuropsychobiology</i> , <b>2010</b> , 61, 105-12	4	16
53	Prestimulus top-down reflection of obsessive-compulsive disorder in EEG frontal theta and occipital alpha oscillations. <i>Neuroscience Letters</i> , <b>2011</b> , 496, 181-5	3.3	15
52	The genetic studies of obsessive-compulsive disorder and its future directions. <i>Yonsei Medical Journal</i> , <b>2006</b> , 47, 443-54	3	15
51	Reduced DNA Methylation of the Oxytocin Receptor Gene Is Associated With Anhedonia-Asociality in Women With Recent-Onset Schizophrenia and Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, 1279-1290	1.3	14
50	Social network types among older Korean adults: Associations with subjective health. <i>Social Science and Medicine</i> , <b>2017</b> , 173, 88-95	5.1	12
49	Reduced DNA methylation of the oxytocin receptor gene is associated with obsessive-compulsive disorder. <i>Clinical Epigenetics</i> , <b>2020</b> , 12, 101	7.7	12
48	Body image, sexual function and depression in Korean patients with breast cancer: modification by 5-HTT polymorphism. <i>Supportive Care in Cancer</i> , <b>2012</b> , 20, 2177-82	3.9	12
47	Disturbed retrieval network and prospective memory decline in postpartum women. <i>Scientific Reports</i> , <b>2018</b> , 8, 5476	4.9	11
46	Association of the Brain-derived Neurotrophic Factor Gene and Clinical Features of Bipolar Disorder in Korea. <i>Clinical Psychopharmacology and Neuroscience</i> , <b>2012</b> , 10, 163-7	3.4	11
45	Telomere length in alcohol dependence: A role for impulsive choice and childhood maltreatment. <i>Psychoneuroendocrinology</i> , <b>2017</b> , 83, 72-78	5	10
44	Design and Methods of the Mood Disorder Cohort Research Consortium (MDCRC) Study. <i>Psychiatry Investigation</i> , <b>2017</b> , 14, 100-106	3.1	10
43	Oxytocin receptor gene polymorphisms exert a modulating effect on the onset age in patients with obsessive-compulsive disorder. <i>Psychoneuroendocrinology</i> , <b>2017</b> , 86, 45-52	5	10
42	Association of a 5-HT1Dbeta receptor gene polymorphism with obsessive-compulsive disorder in Korean male subjects. <i>Neuropsychobiology</i> , <b>2009</b> , 59, 96-9	4	10

41	Different hemispheric specializations for pitch and audioverbal working memory. <i>NeuroReport</i> , <b>2008</b> , 19, 99-103	1.7	10
40	The Potential Usefulness of Magnetic Resonance Guided Focused Ultrasound for Obsessive Compulsive Disorders. <i>Journal of Korean Neurosurgical Society</i> , <b>2018</b> , 61, 427-433	2.3	10
39	Psychometric analysis of the Korean version of the Disgust Scale-Revised. <i>Comprehensive Psychiatry</i> , <b>2012</b> , 53, 648-55	7.3	9
38	Proxy and patients ratings on quality of life in patients with schizophrenia and bipolar disorder in Korea. <i>Quality of Life Research</i> , <b>2010</b> , 19, 521-9	3.7	9
37	A Validation Study of the Korean-Version of the Dimensional Obsessive-Compulsive Scale. <i>Journal of Korean Neuropsychiatric Association</i> , <b>2013</b> , 52, 130	0.4	8
36	Association between the Catechol-O-Methyltransferase (COMT) Val <sup>158</sup> Met Polymorphism and Alexithymia in Patients with Obsessive-Compulsive Disorder. <i>Yonsei Medical Journal</i> , <b>2016</b> , 57, 721-7	3	8
35	Liquid chromatography/mass spectrometry-based plasma metabolic profiling study of escitalopram in subjects with major depressive disorder. <i>Journal of Mass Spectrometry</i> , <b>2018</b> , 53, 385-399	2.2	7
34	Alpha amplitude and phase locking in obsessive-compulsive disorder during working memory. <i>International Journal of Psychophysiology</i> , <b>2012</b> , 83, 1-7	2.9	7
33	Review of Cohort Studies for Mood Disorders. <i>Psychiatry Investigation</i> , <b>2016</b> , 13, 265-76	3.1	7
32	Altered resting-state functional connectivity in patients with obsessive-compulsive disorder: A magnetoencephalography study. <i>International Journal of Psychophysiology</i> , <b>2018</b> , 123, 80-87	2.9	6
31	Common variants of HTR3 genes are associated with obsessive-compulsive disorder and its phenotypic expression. <i>Scientific Reports</i> , <b>2016</b> , 6, 32564	4.9	6
30	Lack of Association between Oxytocin Receptor (OXTR) Gene Polymorphisms and Alexithymia: Evidence From Patients with Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , <b>2015</b> , 10, e0143168	3.7	6
29	Associations between polymorphisms in the NR1D1 gene encoding for nuclear receptor REV-ERB $\beta$ and circadian typologies. <i>Chronobiology International</i> , <b>2015</b> , 32, 568-72	3.6	5
28	Is it useful to use the Korean version of the mood disorder questionnaire for assessing bipolar spectrum disorder among Korean college students?. <i>Asia-Pacific Psychiatry</i> , <b>2014</b> , 6, 170-8	3.2	5
27	Prevalence of bipolar spectrum disorder in Korean college students according to the K-MDQ. <i>Neuropsychiatric Disease and Treatment</i> , <b>2013</b> , 9, 869-74	3.1	5
26	The effects of serotonin transporter promoter and monoamine oxidase A gene polymorphisms on trait emotional intelligence. <i>Neuropsychobiology</i> , <b>2011</b> , 64, 224-30	4	5
25	Potential optimization of focused ultrasound capsulotomy for obsessive compulsive disorder. <i>Brain</i> , <b>2021</b> ,	11.2	5
24	Changes of motor cortical excitability and response inhibition in patients with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , <b>2019</b> , 44, 261-268	4.5	4

23	Oxytocin receptor gene variants are associated with emotion recognition and resilience, but not with false-belief reasoning performance in healthy young Korean volunteers. <i>CNS Neuroscience and Therapeutics</i> , <b>2019</b> , 25, 519-526	6.8	4
22	Characteristics of Autonomic Activity and Reactivity During Rest and Emotional Processing and Their Clinical Correlations in Somatic Symptom Disorder. <i>Psychosomatic Medicine</i> , <b>2018</b> , 80, 690-697	3.7	4
21	Bilateral thermal capsulotomy with magnetic resonance-guided focused ultrasound for patients with treatment-resistant depression: A proof-of-concept study. <i>Bipolar Disorders</i> , <b>2020</b> , 22, 771-774	3.8	3
20	Association between glutamate transporter gene polymorphisms and obsessive-compulsive disorder/trait empathy in a Korean population. <i>PLoS ONE</i> , <b>2018</b> , 13, e0190593	3.7	3
19	Metacognitive beliefs predict early response to pharmacological treatment in patients with obsessive-compulsive disorder. <i>Psychopharmacology</i> , <b>2020</b> , 237, 3489-3496	4.7	3
18	Impact of the COVID-19 pandemic on mental health service use among psychiatric outpatients in a tertiary hospital. <i>Journal of Affective Disorders</i> , <b>2021</b> , 290, 279-283	6.6	3
17	Association of opioid receptor gene polymorphisms with drinking severity and impulsivity related to alcohol use disorder in a Korean population. <i>CNS Neuroscience and Therapeutics</i> , <b>2020</b> , 26, 30-38	6.8	3
16	Influence of dopamine-related genes on craving, impulsivity, and aggressiveness in Korean males with alcohol use disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2021</b> , 271, 865-872	5.1	2
15	Clozapine generates obsessive compulsive disorder-like behavior in mice. <i>Molecular Brain</i> , <b>2020</b> , 13, 84	4.5	2
14	Reevaluation of patients with bipolar disorder on manic episode: improving the diagnosing of mixed episode. <i>Journal of Nervous and Mental Disease</i> , <b>2013</b> , 201, 686-90	1.8	2
13	Possible Association of the Ubiquitin-Specific Peptidase 46 Gene (USP46) with Affective Temperamental Traits in Healthy Korean Volunteers. <i>Psychiatry Investigation</i> , <b>2019</b> , 16, 87-92	3.1	2
12	Similarities of Aspects of Biological Rhythms between Major Depression and Bipolar II Disorder Compared to Bipolar I Disorder: A Finding from the Early-Onset Mood Disorder Cohort. <i>Psychiatry Investigation</i> , <b>2019</b> , 16, 829-835	3.1	2
11	Deactivation of anterior cingulate cortex during virtual social interaction in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , <b>2020</b> , 304, 111154	2.9	2
10	Bipolar II disorder has the highest prevalence of seasonal affective disorder in early-onset mood disorders: Results from a prospective observational cohort study. <i>Depression and Anxiety</i> , <b>2021</b> , 38, 661-670	8.4	2
9	Association of PPM1G methylation with risk-taking in alcohol use disorder. <i>Scientific Reports</i> , <b>2020</b> , 10, 5490	4.9	1
8	Dysfunctional Metacognitive Beliefs in Patients With Obsessive-Compulsive Disorder and Pattern of Their Changes Following a 3-Month Treatment. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 628985	5	1
7	Use of serotonin reuptake inhibitors and risk of subsequent bone loss in a nationwide population-based cohort study. <i>Scientific Reports</i> , <b>2021</b> , 11, 13461	4.9	1
6	The Bodily Panic Symptoms and Predisposing Stressors in Korean Patients with Panic Disorder. <i>Journal of Korean Neuropsychiatric Association</i> , <b>2019</b> , 58, 339	0.4	0

5	Alterations of cellular aging markers in obsessive-compulsive disorder: mitochondrial DNA copy number and telomere length. <i>Journal of Psychiatry and Neuroscience</i> , <b>2021</b> , 46, E451-E458	4.5	o
4	A nationwide nested case-control study of new-onset obsessive-compulsive disorder following antipsychotics use in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , <b>2021</b> , 144, 589-598	6.5	o
3	Genetic association of FKBP5 with trait resilience in Korean male patients with alcohol use disorder. <i>Scientific Reports</i> , <b>2021</b> , 11, 18454	4.9	o
2	Pharmacological Treatment Strategies for Acute Bipolar Depression. <i>Journal of Korean Neuropsychiatric Association</i> , <b>2018</b> , 57, 287	0.4	
1	Possible Association of Polymorphisms in Ubiquitin Specific Peptidase 46 Gene With Post-traumatic Stress Disorder. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 663647	5	