

Bengt Glimelius

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5000661/publications.pdf>

Version: 2024-02-01

321
papers

29,492
citations

14614

66
h-index

5364

164
g-index

324
all docs

324
docs citations

324
times ranked

25812
citing authors

#	ARTICLE	IF	CITATIONS
1	Preoperative Radiotherapy Combined with Total Mesorectal Excision for Resectable Rectal Cancer. <i>New England Journal of Medicine</i> , 2001, 345, 638-646.	13.9	3,840
2	A pathology atlas of the human cancer transcriptome. <i>Science</i> , 2017, 357, .	6.0	2,570
3	Improved Survival with Preoperative Radiotherapy in Resectable Rectal Cancer. <i>New England Journal of Medicine</i> , 1997, 336, 980-987.	13.9	2,420
4	ESMO Consensus Guidelines for management of patients with colon and rectal cancer. A personalized approach to clinical decision making. <i>Annals of Oncology</i> , 2012, 23, 2479-2516.	0.6	1,233
5	Perioperative FOLFOX4 chemotherapy and surgery versus surgery alone for resectable liver metastases from colorectal cancer (EORTC 40983): long-term results of a randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2013, 14, 1208-1215.	5.1	1,017
6	Rectal cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2013, 24, vi81-vi88.	0.6	833
7	Effect of Chemoradiotherapy vs Chemotherapy on Survival in Patients With Locally Advanced Pancreatic Cancer Controlled After 4 Months of Gemcitabine With or Without Erlotinib. <i>JAMA - Journal of the American Medical Association</i> , 2016, 315, 1844.	3.8	801
8	Short-course radiotherapy followed by chemotherapy before total mesorectal excision (TME) versus preoperative chemoradiotherapy, TME, and optional adjuvant chemotherapy in locally advanced rectal cancer (RAPIDO): a randomised, open-label, phase 3 trial. <i>Lancet Oncology</i> , The, 2021, 22, 29-42.	5.1	739
9	Randomized comparison between chemotherapy plus best supportive care with best supportive care in advanced gastric cancer. <i>Annals of Oncology</i> , 1997, 8, 163-168.	0.6	735
10	Chemotherapy improves survival and quality of life in advanced pancreatic and biliary cancer. <i>Annals of Oncology</i> , 1996, 7, 593-600.	0.6	696
11	Preoperative or postoperative irradiation in adenocarcinoma of the rectum. <i>Diseases of the Colon and Rectum</i> , 1993, 36, 564-572.	0.7	482
12	Phase III Trial of Cetuximab With Continuous or Intermittent Fluorouracil, Leucovorin, and Oxaliplatin (Nordic FLOX) Versus FLOX Alone in First-Line Treatment of Metastatic Colorectal Cancer: The NORDIC-VII Study. <i>Journal of Clinical Oncology</i> , 2012, 30, 1755-1762.	0.8	482
13	Optimal fractionation of preoperative radiotherapy and timing to surgery for rectal cancer (Stockholm III): a multicentre, randomised, non-blinded, phase 3, non-inferiority trial. <i>Lancet Oncology</i> , The, 2017, 18, 336-346.	5.1	447
14	Preoperative irradiation affects functional results after surgery for rectal cancer. <i>Diseases of the Colon and Rectum</i> , 1998, 41, 543-549.	0.7	419
15	Randomized Phase III Study Comparing Preoperative Radiotherapy With Chemoradiotherapy in Nonresectable Rectal Cancer. <i>Journal of Clinical Oncology</i> , 2008, 26, 3687-3694.	0.8	412
16	Multicenter Randomized Phase II Clinical Trial Comparing Neoadjuvant Oxaliplatin, Capecitabine, and Preoperative Radiotherapy With or Without Cetuximab Followed by Total Mesorectal Excision in Patients With High-Risk Rectal Cancer (EXPERT-C). <i>Journal of Clinical Oncology</i> , 2012, 30, 1620-1627.	0.8	357
17	EURECCA colorectal: Multidisciplinary management: European consensus conference colon & rectum. <i>European Journal of Cancer</i> , 2014, 50, 1.e1-1.e34.	1.3	349
18	Treatment of colorectal cancer in older patients: International Society of Geriatric Oncology (SIOG) consensus recommendations 2013. <i>Annals of Oncology</i> , 2015, 26, 463-476.	0.6	327

#	ARTICLE	IF	CITATIONS
19	Adjuvant chemotherapy for rectal cancer patients treated with preoperative (chemo)radiotherapy and total mesorectal excision: a Dutch Colorectal Cancer Group (DCCG) randomized phase III trial. <i>Annals of Oncology</i> , 2015, 26, 696-701.	0.6	302
20	Multidisciplinary Rectal Cancer Management: 2nd European Rectal Cancer Consensus Conference (EURECA-CC2). <i>Radiotherapy and Oncology</i> , 2009, 92, 148-163.	0.3	275
21	Risk of recurrence in patients with colon cancer stage II and III: A systematic review and meta-analysis of recent literature. <i>Acta Oncologica</i> , 2015, 54, 5-16.	0.8	270
22	Short-course radiotherapy followed by neo-adjuvant chemotherapy in locally advanced rectal cancer – the RAPIDO trial. <i>BMC Cancer</i> , 2013, 13, 279.	1.1	237
23	Interim analysis of the Stockholm III trial of preoperative radiotherapy regimens for rectal cancer. <i>British Journal of Surgery</i> , 2010, 97, 580-587.	0.1	233
24	Short-course preoperative radiotherapy with delayed surgery in rectal cancer – A retrospective study. <i>Radiotherapy and Oncology</i> , 2008, 87, 343-349.	0.3	199
25	Late adverse effects of radiation therapy for rectal cancer – a systematic overview. <i>Acta Oncologica</i> , 2007, 46, 504-516.	0.8	195
26	Late adverse effects of short-course preoperative radiotherapy in rectal cancer. <i>British Journal of Surgery</i> , 2006, 93, 1519-1525.	0.1	193
27	The Impact of Positive Resection Margins on Survival and Recurrence Following Resection and Adjuvant Chemotherapy for Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgery</i> , 2019, 269, 520-529.	2.1	189
28	A genome-wide association study of Hodgkin's lymphoma identifies new susceptibility loci at 2p16.1 (REL), 8q24.21 and 10p14 (GATA3). <i>Nature Genetics</i> , 2010, 42, 1126-1130.	9.4	177
29	Evaluation of Cancer Stem Cell Markers CD133, CD44, CD24: Association with AKT Isoforms and Radiation Resistance in Colon Cancer Cells. <i>PLoS ONE</i> , 2014, 9, e94621.	1.1	177
30	Tumour regression in the randomized Stockholm III Trial of radiotherapy regimens for rectal cancer. <i>British Journal of Surgery</i> , 2015, 102, 972-978.	0.1	173
31	Changing strategy for rectal cancer is associated with improved outcome. <i>British Journal of Surgery</i> , 2003, 86, 379-384.	0.1	158
32	Short-term preoperative radiotherapy results in down-staging of rectal cancer: a study of 1316 patients. <i>Radiotherapy and Oncology</i> , 1997, 43, 133-137.	0.3	152
33	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 1233-1238.	9.4	147
34	Cost-effectiveness of palliative chemotherapy in advanced gastrointestinal cancer. <i>Annals of Oncology</i> , 1995, 6, 267-274.	0.6	141
35	Quality of life during chemotherapy in patients with symptomatic advanced colorectal cancer. <i>Cancer</i> , 1994, 73, 556-562.	2.0	133
36	3 versus 6 months of adjuvant oxaliplatin-fluoropyrimidine combination therapy for colorectal cancer (SCOT): an international, randomised, phase 3, non-inferiority trial. <i>Lancet Oncology</i> , The, 2018, 19, 562-578.	5.1	133

#	ARTICLE	IF	CITATIONS
37	Compliance and tolerability of short-course radiotherapy followed by preoperative chemotherapy and surgery for high-risk rectal cancer – Results of the international randomized RAPIDO-trial. <i>Radiotherapy and Oncology</i> , 2020, 147, 75-83.	0.3	132
38	Clinical trial enrollment, patient characteristics, and survival differences in prospectively registered metastatic colorectal cancer patients. <i>Cancer</i> , 2009, 115, 4679-4687.	2.0	128
39	Recurrence Risk After Up-to-Date Colon Cancer Staging, Surgery, and Pathology: Analysis of the Entire Swedish Population. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 1016-1025.	0.7	127
40	Cytoreductive surgery and intraperitoneal chemotherapy versus systemic chemotherapy for colorectal peritoneal metastases: A randomised trial. <i>European Journal of Cancer</i> , 2016, 53, 155-162.	1.3	123
41	Comparison between MRI and pathology in the assessment of tumour regression grade in rectal cancer. <i>British Journal of Cancer</i> , 2017, 117, 1478-1485.	2.9	118
42	Prediction of irinotecan and 5-fluorouracil toxicity and response in patients with advanced colorectal cancer. <i>Pharmacogenomics Journal</i> , 2011, 11, 61-71.	0.9	108
43	Postoperative chemotherapy in patients with rectal cancer receiving preoperative radio(chemo)therapy: A meta-analysis of randomized trials comparing surgery± fluoropyrimidine and surgery± fluoropyrimidine± oxaliplatin. <i>European Journal of Surgical Oncology</i> , 2015, 41, 713-723.	0.5	106
44	Surgical treatment and survival from colorectal cancer in Denmark, England, Norway, and Sweden: a population-based study. <i>Lancet Oncology</i> , The, 2019, 20, 74-87.	5.1	98
45	Is England closing the international gap in cancer survival?. <i>British Journal of Cancer</i> , 2015, 113, 848-860.	2.9	97
46	Maternal and perinatal risk factors for childhood brain tumors (Sweden). <i>Cancer Causes and Control</i> , 1996, 7, 437-448.	0.8	96
47	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	2.6	96
48	Adjuvant chemotherapy in colorectal cancer: A joint analysis of randomised trials by the Nordic Gastrointestinal Tumour Adjuvant Therapy Group. <i>Acta Oncologica</i> , 2005, 44, 904-912.	0.8	94
49	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	5.8	94
50	Local recurrences after surgical treatment for rectal carcinoma. <i>Acta Chirurgica Scandinavica</i> , 1984, 150, 331-5.	0.2	94
51	Tumour regression after radiotherapy for rectal cancer – Results from the randomised Stockholm III trial. <i>Radiotherapy and Oncology</i> , 2019, 135, 178-186.	0.3	93
52	The “good”, the “bad”, and the “ugly” rectal cancers. <i>Acta Oncologica</i> , 2008, 47, 5-8.	0.8	91
53	Population-based data from the Swedish Colon Cancer Registry. <i>British Journal of Surgery</i> , 2013, 100, 1100-1107.	0.1	91
54	High BRAF Mutation Frequency and Marked Survival Differences in Subgroups According to KRAS/BRAF Mutation Status and Tumor Tissue Availability in a Prospective Population-Based Metastatic Colorectal Cancer Cohort. <i>PLoS ONE</i> , 2015, 10, e0131046.	1.1	91

#	ARTICLE	IF	CITATIONS
55	Late Patient-Reported Toxicity After Preoperative Radiotherapy or Chemoradiotherapy in Nonresectable Rectal Cancer: Results From a Randomized Phase III Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, 1017-1024.	0.4	87
56	Rectal cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2010, 21, v82-v86.	0.6	86
57	Implementation of pencil kernel and depth penetration algorithms for treatment planning of proton beams. <i>Physics in Medicine and Biology</i> , 2000, 45, 9-27.	1.6	84
58	Short-course radiotherapy followed by chemotherapy before TME in locally advanced rectal cancer: The randomized RAPIDO trial.. <i>Journal of Clinical Oncology</i> , 2020, 38, 4006-4006.	0.8	84
59	Individual Psychosocial Support for Breast Cancer Patients. <i>Cancer Nursing</i> , 2007, 30, E10-E19.	0.7	83
60	Number of patients potentially eligible for proton therapy. <i>Acta OncolÃ³gica</i> , 2005, 44, 836-849.	0.8	80
61	Time trends, improvements and national auditing of rectal cancer management over an 18â€year period. <i>Colorectal Disease</i> , 2015, 17, O168-79.	0.7	80
62	Infiltration of eosinophils in Hodgkin's disease involved lymph nodes predicts prognosis. <i>Hematological Oncology</i> , 1993, 11, 187-193.	0.8	79
63	Multicenter Phase II Study of Nordic Fluorouracil and Folinic Acid Bolus Schedule Combined With Oxaliplatin As First-Line Treatment of Metastatic Colorectal Cancer. <i>Journal of Clinical Oncology</i> , 2004, 22, 31-38.	0.8	76
64	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017, 8, 14175.	5.8	75
65	Effects and moderators of psychosocial interventions on quality of life, and emotional and social function in patients with cancer: An individual patient data metaâ€analysis of 22 RCTs. <i>Psycho-Oncology</i> , 2018, 27, 1150-1161.	1.0	74
66	Detection of tumor-specific cytotoxic drug activityIN VITRO using the fluorometric microculture cytotoxicity assay and primary cultures of tumor cells from patients. <i>International Journal of Cancer</i> , 1994, 56, 715-720.	2.3	71
67	Persistent prevention of oxaliplatin-induced peripheral neuropathy using calmagafodipir (PledOx^{Â®}): a placebo-controlled randomised phase II study (PLIANT). <i>Acta OncolÃ³gica</i> , 2018, 57, 393-402.	0.8	69
68	Biochemical modulation of 5-fluorouracil: A randomized comparison of sequential methotrexate, 5-fluorouracil and leucovorin versus sequential 5-fluorouracil and leucovorin in patients with advanced symptomatic colorectal cancer. <i>Annals of Oncology</i> , 1993, 4, 235-240.	0.6	67
69	Patients with rectal cancer receiving adjuvant chemotherapy have an increased survival: a population-based longitudinal study. <i>Annals of Oncology</i> , 2013, 24, 160-165.	0.6	67
70	Age-dependent improvement in median and long-term survival in unselected population-based Nordic registries of patients with synchronous metastatic colorectal cancer. <i>Annals of Oncology</i> , 2013, 24, 2354-2360.	0.6	65
71	Should the Benefit of Adjuvant Chemotherapy in Colon Cancer Be Re-Evaluated?. <i>Journal of Clinical Oncology</i> , 2016, 34, 1297-1299.	0.8	65
72	Total circulating cell-free DNA as a prognostic biomarker in metastatic colorectal cancer before first-line oxaliplatin-based chemotherapy. <i>Annals of Oncology</i> , 2019, 30, 1088-1095.	0.6	65

#	ARTICLE	IF	CITATIONS
73	International expert consensus statement regarding radiotherapy treatment options for rectal cancer during the COVID 19 pandemic. <i>Radiotherapy and Oncology</i> , 2020, 148, 213-215.	0.3	65
74	PAN-EX: a pooled analysis of two trials of neoadjuvant chemotherapy followed by chemoradiotherapy in MRI-defined, locally advanced rectal cancer. <i>Annals of Oncology</i> , 2016, 27, 1557-1565.	0.6	64
75	Bolus injection (2â€“4min) versus short-term (10â€“20min) infusion of 5-fluorouracil in patients with advanced colorectal cancer: a prospective randomised trial. <i>European Journal of Cancer</i> , 1998, 34, 674-678.	1.3	63
76	EURECCA consensus conference highlights about rectal cancer clinical management: The radiation oncologistâ€™s expert review. <i>Radiotherapy and Oncology</i> , 2014, 110, 195-198.	0.3	61
77	Prognostic nomogram and score to predict overall survival in locally advanced untreated pancreatic cancer (PROLAP). <i>British Journal of Cancer</i> , 2016, 115, 281-289.	2.9	61
78	Comparison of chemoradiotherapy (CRT) and chemotherapy (CT) in patients with a locally advanced pancreatic cancer (LAPC) controlled after 4 months of gemcitabine with or without erlotinib: Final results of the international phase III LAP 07 study.. <i>Journal of Clinical Oncology</i> , 2013, 31, LBA4003-LBA4003.	0.8	61
79	Interleukin-6 and C-reactive protein as prognostic biomarkers in metastatic colorectal cancer. <i>Oncotarget</i> , 2016, 7, 75013-75022.	0.8	61
80	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. <i>Nature Communications</i> , 2015, 6, 5751.	5.8	58
81	Epstein-Barr Virus Distribution in Hodgkin's Disease in an Unselected Swedish Population. <i>Acta OncolÃ³gica</i> , 1999, 38, 425-429.	0.8	57
82	Rectal cancer: ESMO Clinical Recommendations for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2009, 20, iv54-iv56.	0.6	56
83	Guidelines for time-to-event end-point definitions in trials for pancreatic cancer. Results of the DATECAN initiative (Definition for the Assessment of Time-to-event End-points in CANcer trials). <i>European Journal of Cancer</i> , 2014, 50, 2983-2993.	1.3	56
84	Cetuximab in treatment of metastatic colorectal cancer: final survival analyses and extended RAS data from the NORDIC-VII study. <i>British Journal of Cancer</i> , 2017, 116, 1271-1278.	2.9	55
85	Final results of the EORTC Intergroup randomized phase III study 40983 [EPOC] evaluating the benefit of peri-operative FOLFOX4 chemotherapy for patients with potentially resectable colorectal cancer liver metastases. <i>Journal of Clinical Oncology</i> , 2007, 25, LBA5-LBA5.	0.8	54
86	Metastatic colorectal cancer: Current treatment and future options for improved survivalMedical approach â€“ present status. <i>Scandinavian Journal of Gastroenterology</i> , 2012, 47, 296-314.	0.6	53
87	Different functions of AKT1 and AKT2 in molecular pathways, cell migration and metabolism in colon cancer cells. <i>International Journal of Oncology</i> , 2017, 50, 5-14.	1.4	53
88	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016, 25, 1663-1676.	1.4	52
89	U-CAN: a prospective longitudinal collection of biomaterials and clinical information from adult cancer patients in Sweden. <i>Acta OncolÃ³gica</i> , 2018, 57, 187-194.	0.8	52
90	Survival endpoints in colorectal cancer and the effect of second primary other cancer on disease free survival. <i>BMC Cancer</i> , 2011, 11, 438.	1.1	51

#	ARTICLE	IF	CITATIONS
91	Neo-adjuvant radiotherapy in rectal cancer. <i>World Journal of Gastroenterology</i> , 2013, 19, 8489.	1.4	51
92	Consensus statement on mandatory measurements in pancreatic cancer trials (COMM-PACT) for systemic treatment of unresectable disease. <i>Lancet Oncology</i> , The, 2018, 19, e151-e160.	5.1	51
93	Health-related quality of life and distress in cancer patients: results from a large randomised study. <i>British Journal of Cancer</i> , 2008, 99, 1975-1983.	2.9	49
94	Window-of-opportunity trials to evaluate clinical activity of new molecular entities in oncology. <i>Annals of Oncology</i> , 2011, 22, 1717-1725.	0.6	49
95	Anal carcinoma – Survival and recurrence in a large cohort of patients treated according to Nordic guidelines. <i>Radiotherapy and Oncology</i> , 2014, 113, 352-358.	0.3	49
96	Lymphovascular and perineural invasion in stage II rectal cancer: a report from the Swedish colorectal cancer registry. <i>Acta Oncologica</i> , 2016, 55, 1418-1424.	0.8	49
97	Two countries – Two treatment strategies for rectal cancer. <i>Radiotherapy and Oncology</i> , 2016, 121, 357-363.	0.3	48
98	Prognostic significance of flow cytometry studies in B-cell non-hodgkin lymphoma. <i>Hematological Oncology</i> , 1990, 8, 1-12.	0.8	47
99	Prognostic role of carcinoembryonic antigen and carbohydrate antigen 19-9 in metastatic colorectal cancer: a BRAF-mutant subset with high CA 19-9 level and poor outcome. <i>British Journal of Cancer</i> , 2018, 118, 1609-1616.	2.9	47
100	TP53 Mutational Status and Cetuximab Benefit in Rectal Cancer: 5-Year Results of the EXPERT-C Trial. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	46
101	The potential for improved outcome in patients with hepatic metastases from colon cancer: a population-based study. <i>European Journal of Surgical Oncology</i> , 2004, 30, 834-841.	0.5	44
102	Optimal Time Intervals between Pre-Operative Radiotherapy or Chemoradiotherapy and Surgery in Rectal Cancer?. <i>Frontiers in Oncology</i> , 2014, 4, 50.	1.3	43
103	Risk of second primary cancer in patients treated with radiotherapy for rectal cancer. <i>British Journal of Surgery</i> , 2017, 104, 278-287.	0.1	43
104	Reduced-dose combination chemotherapy (S-1 plus oxaliplatin) versus full-dose monotherapy (S-1) in older vulnerable patients with metastatic colorectal cancer (NORDIC9): a randomised, open-label phase 2 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 376-388.	3.7	43
105	Extracellular matrices in multicellular spheroids of human glioma origin: Increased incorporation of proteoglycans and fibronectin as compared to monolayer cultures. <i>Apmis</i> , 1988, 96, 433-444.	0.9	41
106	A randomized, multicenter study comparing the efficacy and tolerability of tropisetron, a new 5-HT3 receptor antagonist, with a metoclopramide-containing antiemetic cocktail in the prevention of cisplatin-induced emesis. <i>Cancer</i> , 1994, 73, 445-454.	2.0	41
107	Lower treatment intensity and poorer survival in metastatic colorectal cancer patients who live alone. <i>British Journal of Cancer</i> , 2012, 107, 189-194.	2.9	41
108	A randomized phase III multicenter trial comparing irinotecan in combination with the Nordic bolus 5-FU and folinic acid schedule or the bolus/infused de Gramont schedule (Lv5FU2) in patients with metastatic colorectal cancer. <i>Annals of Oncology</i> , 2008, 19, 909-914.	0.6	40

#	ARTICLE	IF	CITATIONS
109	Consequences of a high incidence of microsatellite instability and <i>BRAF</i> mutated tumors: A population-based cohort of metastatic colorectal cancer patients. <i>Cancer Medicine</i> , 2019, 8, 3623-3635.	1.3	40
110	Administration of adjuvant chemotherapy for stage III colon cancer patients: An European population-based study. <i>International Journal of Cancer</i> , 2018, 142, 1480-1489.	2.3	39
111	[¹⁸ F] FDG PET in Gastric Non-Hodgkin's Lymphoma. <i>Acta Oncologica</i> , 1997, 36, 577-584.	0.8	38
112	Pregnancy and risk of non-Hodgkin's lymphoma: A prospective study. , 1997, 70, 155-158.		38
113	Multidisciplinary treatment of patients with rectal cancer: Development during the past decades and plans for the future. <i>Uppsala Journal of Medical Sciences</i> , 2012, 117, 225-236.	0.4	38
114	ABVD (8 cycles) versus BEACOPP (4 escalated cycles & 4 baseline) in stage III-IV high-risk Hodgkin lymphoma (HL): First results of EORTC 20012 Intergroup randomized phase III clinical trial.. <i>Journal of Clinical Oncology</i> , 2012, 30, 8002-8002.	0.8	38
115	Different Intravenous Administration Techniques for 5-Fluorouracil Pharmacokinetics and Pharmacodynamic Effects. <i>Acta Oncologica</i> , 1996, 35, 207-212.	0.8	36
116	Perioperative Radiotherapy in Rectal Cancer. <i>Acta Oncologica</i> , 1999, 38, 23-32.	0.8	36
117	Potential Gains Using High-Energy Protons for Therapy of Malignant Tumours. <i>Acta Oncologica</i> , 1999, 38, 137-145.	0.8	36
118	The effect of the UGT1A1*28 allele on survival after irinotecan-based chemotherapy: a collaborative meta-analysis. <i>Pharmacogenomics Journal</i> , 2014, 14, 424-431.	0.9	36
119	General Condition of Asymptomatic Patients with Advanced Colorectal Cancer Receiving Palliative Chemotherapy: A longitudinal study. <i>Acta Oncologica</i> , 1992, 31, 645-651.	0.8	35
120	Lack of correlation between EBV serology and presence of EBV in the Hodgkin and Reed-Sternberg cells of patients with Hodgkin's disease. , 1997, 72, 394-397.		35
121	The Swedish Council on Technology Assessment in Health Care (SBU) Systematic Overview of Chemotherapy Effects in Some Major Tumour Types - Summary and Conclusions. <i>Acta Oncologica</i> , 2001, 40, 135-154.	0.8	35
122	Microsatellite instability and mutations in BRAF and KRAS are significant predictors of disseminated disease in colon cancer. <i>BMC Cancer</i> , 2015, 15, 125.	1.1	35
123	CDX2: A Prognostic Marker in Metastatic Colorectal Cancer Defining a Better BRAF Mutated and a Worse KRAS Mutated Subgroup. <i>Frontiers in Oncology</i> , 2020, 10, 8.	1.3	35
124	Treatment of Hodgkin's Disease: The Swedish National Care Programme Experience. <i>Leukemia and Lymphoma</i> , 1996, 21, 71-78.	0.6	34
125	Non-melanoma skin cancer may be a marker of poor prognosis in patients with non-Hodgkin's lymphoma. , 2000, 85, 639-642.		34
126	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. <i>Cancer Research</i> , 2018, 78, 4086-4096.	0.4	34

#	ARTICLE	IF	CITATIONS
127	Analysis of <i>KRAS</i> , <i>NRAS</i> , <i>BRAF</i> , <i>PIK3CA</i> and <i>TP53</i> mutations in a large prospective series of locally advanced rectal cancer patients. <i>International Journal of Cancer</i> , 2020, 146, 94-102.	2.3	34
128	Metastatic colorectal cancer: Advances in the folate-fluoropyrimidine chemotherapy backbone. <i>Cancer Treatment Reviews</i> , 2021, 98, 102218.	3.4	33
129	Does exercise intensity matter for fatigue during (neo)adjuvant cancer treatment? The PhysCan randomized clinical trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 1144-1159.	1.3	32
130	Chemotherapy in Addition to Preoperative Radiotherapy in Locally Advanced Rectal Cancer – A Systematic Overview. <i>Reviews on Recent Clinical Trials</i> , 2008, 3, 204-211.	0.4	32
131	Current controversies in TNM for the radiological staging of rectal cancer and how to deal with them: results of a global online survey and multidisciplinary expert consensus. <i>European Radiology</i> , 2022, 32, 4991-5003.	2.3	32
132	Comparison of chemoradiotherapy (CRT) and chemotherapy (CT) in patients with a locally advanced pancreatic cancer (LAPC) controlled after 4 months of gemcitabine with or without erlotinib: Final results of the international phase III LAP 07 study.. <i>Journal of Clinical Oncology</i> , 2013, 31, LBA4003-LBA4003.	0.8	31
133	Lymphoma Incidence in a Swedish County During 1969–1987. <i>Acta Oncologica</i> , 1992, 31, 275-282.	0.8	30
134	Expression of dihydropyrimidine dehydrogenase (DPD) and hENT1 predicts survival in pancreatic cancer. <i>British Journal of Cancer</i> , 2018, 118, 947-954.	2.9	30
135	Survival-associated heterogeneity of marker-defined perivascular cells in colorectal cancer. <i>Oncotarget</i> , 0, 7, 41948-41958.	0.8	30
136	Somatic Ephrin Receptor Mutations Are Associated with Metastasis in Primary Colorectal Cancer. <i>Cancer Research</i> , 2017, 77, 1730-1740.	0.4	29
137	Consensus statement on essential patient characteristics in systemic treatment trials for metastatic colorectal cancer: Supported by the ARCAD Group. <i>European Journal of Cancer</i> , 2018, 100, 35-45.	1.3	29
138	Radiotherapy in rectal cancer. <i>British Medical Bulletin</i> , 2002, 64, 141-157.	2.7	28
139	Irinotecan combined with bolus 5-fluorouracil and folinic acid Nordic schedule as first-line therapy in advanced colorectal cancer. <i>Annals of Oncology</i> , 2002, 13, 1868-1873.	0.6	28
140	Genetic overlap between autoimmune diseases and non-Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , 2019, 43, 844-863.	0.6	28
141	Chemotherapy in the treatment of cancer of the pancreas. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 1998, 5, 235-241.	2.0	27
142	Integrated peripheral boost in preoperative radiotherapy for the locally most advanced non-resectable rectal cancer patients. <i>Acta Oncologica</i> , 2013, 52, 528-537.	0.8	27
143	On a prolonged interval between rectal cancer (chemo)radiotherapy and surgery. <i>Upsala Journal of Medical Sciences</i> , 2017, 122, 1-10.	0.4	27
144	EORTC liver metastases intergroup randomized phase III study 40983: Long-term survival results.. <i>Journal of Clinical Oncology</i> , 2012, 30, 3508-3508.	0.8	27

#	ARTICLE	IF	CITATIONS
145	High RBM3 expression is associated with an improved survival and oxaliplatin response in patients with metastatic colorectal cancer. <i>PLoS ONE</i> , 2017, 12, e0182512.	1.1	27
146	Is History of Squamous-Cell Skin Cancer a Marker of Poor Prognosis in Patients with Cancer?. <i>Annals of Internal Medicine</i> , 1999, 131, 655.	2.0	26
147	Benefit-Risk Assessment of Irinotecan in Advanced Colorectal Cancer. <i>Drug Safety</i> , 2005, 28, 417-433.	1.4	26
148	Patients suffering from both Hodgkin's disease and non-Hodgkin's lymphoma: A clinico-pathological and immuno-histochemical population-based study of 32 patients. , 1997, 71, 510-516.		25
149	Evaluation of Clinical Benefit of Chemotherapy in Patients with Upper Gastrointestinal Cancer. <i>Acta OncolÅ³gica</i> , 1998, 37, 651-659.	0.8	25
150	Recurrence Risk after Radical Colorectal Cancer Surgeryâ€”Less Than before, But How High Is It?. <i>Cancers</i> , 2020, 12, 3308.	1.7	25
151	The prognostic impact of the tumour stroma fraction: A machine learning-based analysis in 16 human solid tumour types. <i>EBioMedicine</i> , 2021, 65, 103269.	2.7	25
152	Impact of chemoradiotherapy (CRT) on local control and time without treatment in patients with locally advanced pancreatic cancer (LAPC) included in the international phase III LAP 07 study.. <i>Journal of Clinical Oncology</i> , 2014, 32, 4001-4001.	0.8	25
153	Prognostic role of the LCS6 KRAS variant in locally advanced rectal cancer: results of the EXPERT-C trial. <i>Annals of Oncology</i> , 2015, 26, 1936-1941.	0.6	24
154	The Swedish National Care Programme for Anal Carcinoma: Implementation and Overall Results. <i>Acta OncolÅ³gica</i> , 1998, 37, 25-32.	0.8	23
155	Therapy with Radiopharmaceuticals. <i>Acta OncolÅ³gica</i> , 2002, 41, 623-628.	0.8	23
156	Image analysis-derived metrics of histomorphological complexity predicts prognosis and treatment response in stage II-III colon cancer. <i>Scientific Reports</i> , 2016, 6, 36149.	1.6	23
157	Anxiety, Depression and Worry in Gastrointestinal Cancer Patients Attending Medical Follow-Up Control Visits. <i>Acta OncolÅ³gica</i> , 1996, 35, 411-416.	0.8	22
158	Prognostic relevance of serumâ€”markers in relation to histopathology, stage and initial symptoms in advanced lowâ€”grade nonâ€”Hodgkin lymphomas. <i>European Journal of Haematology</i> , 1988, 40, 289-298.	1.1	22
159	A window of opportunity phase II study of enzastaurin in chemo-naïve patients with asymptomatic metastatic colorectal cancer. <i>Annals of Oncology</i> , 2010, 21, 1020-1026.	0.6	22
160	Molecular characterization of a large unselected cohort of metastatic colorectal cancers in relation to primary tumor location, rare metastatic sites and prognosis. <i>Acta OncolÅ³gica</i> , 2020, 59, 417-426.	0.8	22
161	Ultraviolet Light and Non-Hodgkin's Lymphoma. <i>Acta OncolÅ³gica</i> , 1996, 35, 655-657.	0.8	21
162	Association of polygenic risk score with the risk of chronic lymphocytic leukemia and monoclonal B-cell lymphocytosis. <i>Blood</i> , 2018, 131, 2541-2551.	0.6	21

#	ARTICLE	IF	CITATIONS
163	A Comprehensive Evaluation of Associations Between Routinely Collected Staging Information and The Response to (Chemo)Radiotherapy in Rectal Cancer. <i>Cancers</i> , 2021, 13, 16.	1.7	21
164	ESPAC-4: A multicenter, international, open label randomized controlled phase III trial of adjuvant combination chemotherapy of gemcitabine (GEM) and capecitabine (CAP), versus monotherapy gemcitabine in patients with resected pancreatic ductal adenocarcinoma. <i>Pancreatology</i> , 2016, 16, S63.	0.5	20
165	Neoadjuvant Therapy in Rectal Cancer Patients With Clinical Stage II to III Across European Countries: Variations and Outcomes. <i>Clinical Colorectal Cancer</i> , 2018, 17, e129-e142.	1.0	20
166	ESPAC-4: A multicenter, international, open-label randomized controlled phase III trial of adjuvant combination chemotherapy of gemcitabine (GEM) and capecitabine (CAP) versus monotherapy gemcitabine in patients with resected pancreatic ductal adenocarcinoma: Five year follow-up.. <i>Journal of Clinical Oncology</i> , 2020, 38, 4516-4516.	0.8	20
167	3-month versus 6-month adjuvant chemotherapy for patients with high-risk stage II and III colorectal cancer: 3-year follow-up of the SCOT non-inferiority RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-88.	1.3	20
168	Quality of life and late toxicity after short-course radiotherapy followed by chemotherapy or chemoradiotherapy for locally advanced rectal cancer – The RAPIDO trial. <i>Radiotherapy and Oncology</i> , 2022, 171, 69-76.	0.3	20
169	Treatment of early and intermediate stages of supradiaphragmatic Hodgkin's disease: The Swedish National Care Programme Experience. <i>Annals of Oncology</i> , 1994, 5, 809-816.	0.6	19
170	Adjuvant chemotherapy in rectal cancer – an issue or a nonissue?. <i>Annals of Oncology</i> , 2010, 21, 1739-1741.	0.6	19
171	Preoperative treatment selection in rectal cancer: A population-based cohort study. <i>European Journal of Surgical Oncology</i> , 2014, 40, 1782-1788.	0.5	19
172	SCOT: a comparison of cost-effectiveness from a large randomised phase III trial of two durations of adjuvant Oxaliplatin combination chemotherapy for colorectal cancer. <i>British Journal of Cancer</i> , 2018, 119, 1332-1338.	2.9	19
173	Radiotherapy in Addition to Radical Surgery in Rectal Cancer. <i>Acta Oncologica</i> , 1995, 34, 565-570.	0.8	18
174	Radiation Therapy Through Activation of Stable Nuclides. <i>Acta Oncologica</i> , 2002, 41, 629-634.	0.8	18
175	Beyond the NCCN Risk Factors in Colon Cancer: An Evaluation in a Swedish Population-Based Cohort. <i>Annals of Surgical Oncology</i> , 2020, 27, 1036-1045.	0.7	18
176	Plasma YKL-40 in Patients with Metastatic Colorectal Cancer Treated with First Line Oxaliplatin-Based Regimen with or without Cetuximab: RESULTS from the NORDIC VII Study. <i>PLoS ONE</i> , 2014, 9, e87746.	1.1	18
177	A Comprehensive Cancer Care Project to Improve the Overall Situation of Patients Receiving Intensive Chemotherapy. <i>Journal of Psychosocial Oncology</i> , 1993, 11, 17-40.	0.6	17
178	A comprehensive evaluation of the role of genetic variation in follicular lymphoma survival. <i>BMC Medical Genetics</i> , 2014, 15, 113.	2.1	17
179	¹⁵ O-Water PET Study of the Effect of Imatinib, a Selective Platelet-Derived Growth Factor Receptor Inhibitor, Versus Anakinra, an IL-1R Antagonist, on Water-Perfusable Tissue Fraction in Colorectal Cancer Metastases. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1144-1149.	2.8	17
180	Postoperative complications in relation to overall treatment time in patients with rectal cancer receiving neoadjuvant radiotherapy. <i>British Journal of Surgery</i> , 2019, 106, 1248-1256.	0.1	16

#	ARTICLE	IF	CITATIONS
181	No excess long-term mortality in stage I-IIA Hodgkin lymphoma patients treated with ABVD and limited field radiotherapy. <i>British Journal of Haematology</i> , 2020, 188, 685-691.	1.2	16
182	Completeness and accuracy of the registration of recurrences in the Swedish Colorectal Cancer Registry (SCRCR) and an update of recurrence risk in colon cancer. <i>Acta Oncologica</i> , 2021, 60, 842-849.	0.8	16
183	A comparative study of proliferation-associated parameters in b-cell non-hodgkin lymphoma. <i>Hematological Oncology</i> , 2006, 9, 287-298.	0.8	15
184	Sequence variation in mature microRNA-608 and benefit from neo-adjuvant treatment in locally advanced rectal cancer patients. <i>Carcinogenesis</i> , 2016, 37, 852-857.	1.3	15
185	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. <i>Lupus Science and Medicine</i> , 2017, 4, e000187.	1.1	15
186	Two high-risk susceptibility loci at 6p25.3 and 14q32.13 for Waldenström macroglobulinemia. <i>Nature Communications</i> , 2018, 9, 4182.	5.8	15
187	Evaluation of the antibody response to the EBV proteome in EBV-associated classical Hodgkin lymphoma. <i>International Journal of Cancer</i> , 2020, 147, 608-618.	2.3	15
188	HENT1 tumor levels to predict survival of pancreatic ductal adenocarcinoma patients who received adjuvant gemcitabine and adjuvant 5FU on the ESPAC trials. <i>Journal of Clinical Oncology</i> , 2013, 31, 4006-4006.	0.8	15
189	KRAS-G12C Mutation in One Real-Life and Three Population-Based Nordic Cohorts of Metastatic Colorectal Cancer. <i>Frontiers in Oncology</i> , 2022, 12, 826073.	1.3	15
190	Improved Care of Patients with Small Cell Lung Cancer Nutritional and Quality of Life Aspects. <i>Acta Oncologica</i> , 1992, 31, 823-831.	0.8	14
191	Primarily asymptomatic low-grade non-Hodgkin lymphomas: Prediction of symptom-free survival and total survival. <i>European Journal of Haematology</i> , 1989, 43, 332-338.	1.1	14
192	Associations of defect mismatch repair genes with prognosis and heredity in sporadic colorectal cancer. <i>European Journal of Surgical Oncology</i> , 2017, 43, 311-321.	0.5	14
193	Adjuvant Chemotherapy in Elderly Colorectal Cancer Patients. <i>Cancers</i> , 2020, 12, 2289.	1.7	14
194	The Immune Landscape of Colorectal Cancer. <i>Cancers</i> , 2021, 13, 5545.	1.7	14
195	Swedish Cancer Society Radiation Therapy Research Investigation. <i>Acta Oncologica</i> , 2002, 41, 596-603.	0.8	13
196	Health-related quality of life in patients with metastatic colorectal cancer, association with systemic inflammatory response and RAS and BRAF mutation status. <i>European Journal of Cancer</i> , 2017, 81, 26-35.	1.3	13
197	What conclusions can be drawn from the Stockholm III rectal cancer trial in the era of watch and wait?. <i>Acta Oncologica</i> , 2017, 56, 1139-1142.	0.8	13
198	Randomized study comparing full dose monotherapy (S-1 followed by irinotecan) and reduced dose combination therapy (S-1/oxaliplatin followed by S-1/irinotecan) as initial therapy for older patients with metastatic colorectal cancer: NORDIC 9. <i>BMC Cancer</i> , 2017, 17, 548.	1.1	13

#	ARTICLE	IF	CITATIONS
199	Predicting mortality and adverse events in patients with advanced pancreatic cancer treated with palliative gemcitabine-based chemotherapy in a multicentre phase III randomized clinical trial: the APC-SAKK risk scores. <i>Therapeutic Advances in Medical Oncology</i> , 2019, 11, 175883591881835.	1.4	13
200	Prognostic Interactions between FAP+ Fibroblasts and CD8a+ T Cells in Colon Cancer. <i>Cancers</i> , 2020, 12, 3238.	1.7	13
201	Quality of Life in Vulnerable Older Patients with Metastatic Colorectal Cancer Receiving Palliative Chemotherapyâ€”The Randomized NORDIC9-Study. <i>Cancers</i> , 2021, 13, 2604.	1.7	13
202	Methyl-Gag, Ifosfamide, Methotrexate and Etoposide (Mime) as Salvage Therapy for Non-Hodgkin's Lymphomas Swedish national prospective study. <i>Acta OncolÃ³gica</i> , 1996, 35, 165-170.	0.8	12
203	Infradiaphragmatic Hodgkin's disease: the Swedish National Care Programme experience. <i>European Journal of Haematology</i> , 1997, 59, 31-37.	1.1	12
204	Quality of life and cost effectiveness in a randomized trial of patients with colorectal cancer and peritoneal metastases. <i>European Journal of Surgical Oncology</i> , 2018, 44, 983-990.	0.5	12
205	Adjuvant chemotherapy in rectal cancer: state of the art and future perspectives. <i>Current Opinion in Oncology</i> , 2020, 32, 377-383.	1.1	12
206	Diagnostics of Malignant Lymphomas with Ultrasound Guided 1.2 MM Biopsy-Gun. <i>Acta OncolÃ³gica</i> , 1994, 33, 33-37.	0.8	11
207	Selective sensitivity of solid tumors to suramin in primary cultures of tumor cells from patients. <i>International Journal of Cancer</i> , 1995, 63, 356-360.	2.3	11
208	Oncology in the Nordic Countries: The Role of Acta Oncologica?. <i>Acta OncolÃ³gica</i> , 2002, 41, 3-5.	0.8	11
209	Methylâ€“GAG, ifosfamide, methotrexate and etoposide (MIME) as salvage therapy for Hodgkin's disease: a prospective study. <i>European Journal of Haematology</i> , 1998, 60, 166-171.	1.1	11
210	Prognostic factors in patients with loco-regionally advanced gastric cancer. <i>World Journal of Surgical Oncology</i> , 2017, 15, 172.	0.8	11
211	Metastatic colorectal carcinomas with high SATB2 expression are associated with better prognosis and response to chemotherapy: a population-based Scandinavian study. <i>Acta OncolÃ³gica</i> , 2020, 59, 284-290.	0.8	11
212	Moderators of the effect of psychosocial interventions on fatigue in women with breast cancer and men with prostate cancer: Individual patient data metaâ€“analyses. <i>Psycho-Oncology</i> , 2020, 29, 1772-1785.	1.0	11
213	The 50-year anniversary of Acta Oncologica. <i>Acta OncolÃ³gica</i> , 2014, 53, 1-2.	0.8	10
214	Development of anxiety, depression and health-related quality of life in oncology patients without initial symptoms according to the Hospital Anxiety and Depression Scale â€“ a comparative study. <i>Acta OncolÃ³gica</i> , 2017, 56, 1094-1102.	0.8	10
215	Short- and long-term risks of cardiovascular disease following radiotherapy in rectal cancer in four randomized controlled trials and a population-based register. <i>Radiotherapy and Oncology</i> , 2018, 126, 424-430.	0.3	10
216	Treatment-related survival associations of claudin-2 expression in fibroblasts of colorectal cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 395-405.	1.4	10

#	ARTICLE	IF	CITATIONS
217	Preoperative radiotherapy or chemoradiotherapy in rectal cancer – Is survival improved? An update of the –Nordic–LARC study in non-resectable cancers. <i>Radiotherapy and Oncology</i> , 2018, 127, 392-395.	0.3	10
218	Determining the use of preoperative (chemo)radiotherapy in primary rectal cancer according to national and international guidelines. <i>Radiotherapy and Oncology</i> , 2019, 136, 106-112.	0.3	10
219	Neoadjuvant rectal (NAR) score: Value evaluating the efficacy of neoadjuvant therapy and prognostic significance after surgery?. <i>Radiotherapy and Oncology</i> , 2021, 157, 70-77.	0.3	10
220	Clinicopathological factors associated with tumour-specific mutation detection in plasma of patients with <sc><i>RAS</i></sc> –mutated or <sc><i>BRAF</i></sc> –mutated metastatic colorectal cancer. <i>International Journal of Cancer</i> , 2021, 149, 1385-1397.	2.3	10
221	What is most relevant in preoperative rectal cancer chemoradiotherapy – the chemotherapy, the radiation dose or the timing to surgery?. <i>Acta Oncol</i> ³ <i>gica</i> , 2016, 55, 1381-1385.	0.8	9
222	Intratumoural expression of deoxycytidylate deaminase or ribonucleotide reductase subunit M1 expression are not related to survival in patients with resected pancreatic cancer given adjuvant chemotherapy. <i>British Journal of Cancer</i> , 2018, 118, 1084-1088.	2.9	9
223	And they lived happily ever after – The marriage of Nordic Association for Clinical Physics and Acta Oncologica. <i>Acta Oncol</i> ³ <i>gica</i> , 2011, 50, 835-837.	0.8	8
224	Intact and cleaved plasma soluble urokinase receptor in patients with metastatic colorectal cancer treated with oxaliplatin with or without cetuximab. <i>International Journal of Cancer</i> , 2015, 137, 2470-2477.	2.3	8
225	Impact of pre-treatment patient-related selection parameters on outcome in rectal cancer. <i>European Journal of Surgical Oncology</i> , 2016, 42, 1667-1673.	0.5	8
226	Evaluation of the stage classification of anal cancer by the TNM 8th version versus the TNM 7th version. <i>Acta Oncol</i> ³ <i>gica</i> , 2020, 59, 1016-1023.	0.8	8
227	Prognostic role of tumour-infiltrating lymphocytes and macrophages in relation to MSI, CDX2 and BRAF status: a population-based study of metastatic colorectal cancer patients. <i>British Journal of Cancer</i> , 2022, 126, 48-56.	2.9	8
228	Sensitizing and Protective Substances in Radiation Therapy and Predictive Assays. <i>Acta Oncol</i> ³ <i>gica</i> , 2002, 41, 615-622.	0.8	7
229	50 years with Acta Oncologica. <i>Acta Oncol</i> ³ <i>gica</i> , 2013, 52, 1-2.	0.8	7
230	Effects and moderators of coping skills training on symptoms of depression and anxiety in patients with cancer: Aggregate data and individual patient data meta-analyses. <i>Clinical Psychology Review</i> , 2020, 80, 101882.	6.0	7
231	Predictive Value of Neutrophils Count for Local Tumor Control After Chemoradiotherapy in Patients With Locally Advanced Pancreatic Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 110, 1022-1031.	0.4	7
232	Panex: A pooled analysis of EXPERT and EXPERT-C, two trials of neoadjuvant chemotherapy (NACT) and chemoradiotherapy (CRT) in high-risk locally advanced rectal cancer (LARC).. <i>Journal of Clinical Oncology</i> , 2014, 32, 3575-3575.	0.8	7
233	TIMP-1 is under regulation of the EGF signaling axis and promotes an aggressive phenotype in <i>KRAS</i>-mutated colorectal cancer cells: A potential novel approach to the treatment of metastatic colorectal cancer. <i>Oncotarget</i> , 2016, 7, 59441-59457.	0.8	7
234	Survival Trends of Right- and Left-Sided Colon Cancer across Four Decades: A Norwegian Population-Based Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 342-351.	1.1	7

#	ARTICLE	IF	CITATIONS
235	The Value of Adjuvant Therapy after Radical Surgery for Colorectal Cancer. <i>Annals of Medicine</i> , 1992, 24, 9-14.	1.5	6
236	Is the benefit of oxaliplatin in rectal cancer clinically relevant?. <i>Lancet Oncology</i> , The, 2015, 16, 883-885.	5.1	6
237	Adjuvant chemotherapy for patients with rectal cancer – will the controversy be resolved?. <i>Acta Oncologica</i> , 2015, 54, 433-436.	0.8	6
238	Need for adjuvant chemotherapy after colon cancer surgery – has it decreased?. <i>Acta Oncologica</i> , 2017, 56, 629-633.	0.8	6
239	Genetically Determined Height and Risk of Non-hodgkin Lymphoma. <i>Frontiers in Oncology</i> , 2019, 9, 1539.	1.3	6
240	Accurate population-based model for individual prediction of colon cancer recurrence. <i>Acta Oncologica</i> , 2021, 60, 1241-1249.	0.8	6
241	Investigation of Relation of Radiation Therapy Quality With Toxicity and Survival in LAP07 Phase 3 Trial for Locally Advanced Pancreatic Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 110, 993-1002.	0.4	6
242	Limited, But Not Eliminated, Excess Long-Term Morbidity in Stage I-IIA Hodgkin Lymphoma Treated With Doxorubicin, Bleomycin, Vinblastine, and Dacarbazine and Limited-Field Radiotherapy. <i>Journal of Clinical Oncology</i> , 2022, 40, 1487-1496.	0.8	6
243	A clinical study of CA-50 as a tumour marker for monitoring of colorectal cancer. <i>Medical Oncology and Tumor Pharmacotherapy</i> , 1988, 5, 165-71.	1.0	6
244	Health-Related Quality of Life in Metastatic Colorectal Cancer Patients Treated with Curative Resection and/or Local Ablative Therapy or Systemic Therapy in the Finnish RAXO-Study. <i>Cancers</i> , 2022, 14, 1713.	1.7	6
245	Low-dose aspirin use and colorectal cancer survival in 32,195 patients – A national cohort study. <i>Cancer Medicine</i> , 2023, 12, 315-324.	1.3	6
246	Immunophenotype analysis of B-CLL lymphoma and immunocytoma. <i>Apmis</i> , 1989, 97, 1025-1032.	0.9	5
247	Detection of Biomarkers with Solid-Phase Proximity Ligation Assay in Patients with Colorectal Cancer. <i>Translational Oncology</i> , 2016, 9, 251-255.	1.7	5
248	Stage distribution utilizing magnetic resonance imaging in an unselected population of primary rectal cancers. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1858-1864.	0.5	5
249	Stroma-normalised vessel density predicts benefit from adjuvant fluorouracil-based chemotherapy in patients with stage II/III colon cancer. <i>British Journal of Cancer</i> , 2019, 121, 303-311.	2.9	5
250	The PARSC trial, a prospective study for the assessment of recurrence risk in stage II colon cancer (CC) patients using ColoPrint.. <i>Journal of Clinical Oncology</i> , 2012, 30, 678-678.	0.8	5
251	Toxicity and quality of life data from SCOT: An international phase III randomized (1:1) noninferiority trial comparing 3 vs 6 months of oxaliplatin-based adjuvant chemotherapy.. <i>Journal of Clinical Oncology</i> , 2015, 33, 3514-3514.	0.8	5
252	hENT1 Predicts Benefit from Gemcitabine in Pancreatic Cancer but Only with Low CDA mRNA. <i>Cancers</i> , 2021, 13, 5758.	1.7	5

#	ARTICLE	IF	CITATIONS
253	Radioimmunolocalization of Hepatic Metastases and Subcutaneous Xenografts from a Human Colonic Cancer: In the Nude Rat: Aspects of Tumour Implantation Site and Mode of Antibody Administration. <i>Acta Oncologica</i> , 1993, 32, 877-885.	0.8	4
254	Acta Oncologicaâ€™ Greater Attractiveness. <i>Acta Oncologica</i> , 2003, 42, 799-799.	0.8	4
255	A new volume of Acta Oncologica. <i>Acta Oncologica</i> , 2011, 50, 3-5.	0.8	4
256	Adjuvant chemotherapy for rectal cancer. <i>Lancet Oncology</i> , The, 2014, 15, e194-e195.	5.1	4
257	Does shared decision making exist in oncologic practice?. <i>Acta Oncologica</i> , 2016, 55, 125-128.	0.8	4
258	Mucinous rectal cancers: clinical features and prognosis in a population-based cohort. <i>BJS Open</i> , 2022, 6, .	0.7	4
259	Pre-chemotherapy nervousness as a marker for anticipatory nausea: A case of a non-causal predictor. <i>Psycho-Oncology</i> , 1993, 2, 33-41.	1.0	3
260	DNA CONTENT IN CARCINOMA OF THE RECTUM AND RECTOSIGMOID. <i>Acta Pathologica, Microbiologica, Et Immunologica Scandinavica Section A, Pathology</i> , 1985, 93A, 277-284.	0.3	3
261	Acta Oncologica and a new generation of scientists in oncology. <i>Acta Oncologica</i> , 2014, 53, 849-851.	0.8	3
262	More than 1000 new manuscripts in 2017. <i>Acta Oncologica</i> , 2018, 57, 174-175.	0.8	3
263	Forty-five years in oncology, 25 years with Acta Oncologica. <i>Acta Oncologica</i> , 2018, 57, 1593-1598.	0.8	3
264	Do we make progress in elderly patients with metastatic colorectal cancer?. <i>Acta Oncologica</i> , 2018, 57, 1422-1426.	0.8	3
265	<i>RAS</i> mutations in EXPERT-C, a randomized phase II trial of neoadjuvant capecitabine and oxaliplatin (CAPOX) and chemoradiotherapy (CRT) with or without cetuximab (C) in MRI-defined, high-risk rectal cancer (RC).. <i>Journal of Clinical Oncology</i> , 2014, 32, 489-489.	0.8	3
266	Radiotherapy regimens for rectal cancer: long-term outcomes and health-related quality of life in the Stockholm III trial. <i>BJS Open</i> , 2021, 5, .	0.7	3
267	Cytostatic Drug Therapy in Disseminated Colorectal Cancer. <i>Scandinavian Journal of Gastroenterology</i> , 1988, 23, 181-189.	0.6	2
268	Authors' reply: Late gastrointestinal disorders after rectal cancer surgery with and without preoperative radiation therapy (<i>Br J Surg</i> 2008; 95: 206â€“213). <i>British Journal of Surgery</i> , 2008, 95, 803-803.	0.1	2
269	Life of Pi. <i>Acta Oncologica</i> , 2011, 50, 1139-1141.	0.8	2
270	Any progress in pancreatic cancer?. <i>Acta Oncologica</i> , 2016, 55, 255-258.	0.8	2

#	ARTICLE	IF	CITATIONS
271	Tell all the good news as soon as possible. <i>Acta Oncologica</i> , 2016, 55, 1067-1068.	0.8	2
272	The PLIANT trial gives trustworthy data. <i>Acta Oncologica</i> , 2018, 57, 864-866.	0.8	2
273	Reporting of patient characteristics and stratification factors in phase 3 trials investigating first-line systemic treatment of metastatic colorectal cancer: A systematic review. <i>European Journal of Cancer</i> , 2018, 96, 115-124.	1.3	2
274	O-19 Feasibility of switching to S-1 upon other fluoropyrimidine-related cardiotoxicity during chemotherapy for solid tumors. <i>Annals of Oncology</i> , 2020, 31, 239.	0.6	2
275	TOSCA – a delicious Swedish almond cake, an Italian opera and an Italian trial with important new data. <i>Annals of Oncology</i> , 2021, 32, 6-8.	0.6	2
276	Interpreting the RAPIDO trial: factors to consider – Authors' reply. <i>Lancet Oncology</i> , The, 2021, 22, e90-e91.	5.1	2
277	Three Versus Six Months of Adjuvant Doublet Chemotherapy for Patients With Colorectal Cancer: A Multi-Country Cost-Effectiveness and Budget Impact Analysis. <i>Clinical Colorectal Cancer</i> , 2021, 20, 236-244.	1.0	2
278	Maintenance therapy with biweekly cetuximab (C) in the first-line treatment of metastatic colorectal cancer (mCRC): The NORDIC 7.5 study (NCT00660582), by the Nordic Colorectal Cancer Biomodulation Group. <i>Journal of Clinical Oncology</i> , 2012, 30, 3538-3538.	0.8	2
279	Comparison of ColoPrint risk classification with clinical risk in the prospective PARSC trial. <i>Journal of Clinical Oncology</i> , 2014, 32, 465-465.	0.8	2
280	Feasibility of switching to S-1 after other fluoropyrimidine-related cardiotoxicity during chemotherapy for solid tumors. <i>Journal of Clinical Oncology</i> , 2020, 38, 7037-7037.	0.8	2
281	RESPONSE: Re: Sun Exposure and Mortality From Melanoma. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1160-1161.	3.0	1
282	Adjuvant chemotherapy. <i>European Journal of Cancer</i> , Supplement, 2013, 11, 72-79.	2.2	1
283	What's new about <i>Acta Oncologica</i> for 2016?. <i>Acta Oncologica</i> , 2015, 54, 1703-1705.	0.8	1
284	What treatments should be skipped or intensified in localized rectal cancer?. <i>Future Oncology</i> , 2018, 14, 313-318.	1.1	1
285	NORDIC9: A randomized phase II trial comparing first-line palliative full-dose monotherapy (S-1) with reduced dose-combination therapy (SOx) in older and frail patients with metastatic colorectal cancer (mCRC). <i>Annals of Oncology</i> , 2018, 29, viii151.	0.6	1
286	Lessons learned from the maturation of a cancer drug: oxaliplatin in colorectal cancer. <i>Acta Oncologica</i> , 2019, 58, 395-397.	0.8	1
287	An audit of performance, interpretation, and influence of pretherapeutic MRI in rectal cancer: a Swedish population-based cohort study. <i>Acta Radiologica</i> , 2019, 60, 955-961.	0.5	1
288	Quality of life assessments in clinical practice using either the EORTC-QLQ-C30 or the SEIQOL-DW: a randomized study. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 58.	0.9	1

#	ARTICLE	IF	CITATIONS
289	Patients suffering from both Hodgkin's disease and non-Hodgkin's lymphoma: A clinico-pathological and immuno-histochemical population-based study of 32 patients. , 1997, 71, 510.		1
290	Quality of life during chemotherapy in patients with symptomatic advanced colorectal cancer. , 1994, 73, 556.		1
291	Prognostic impact of preoperative plasma tissue inhibitor of metalloproteinase 1 (pTIMP-1) in colorectal cancer (CRC) patients (Pts): A pooled analysis of 1,024 stage II/III pts.. Journal of Clinical Oncology, 2012, 30, 3576-3576.	0.8	1
292	International experts'™ panel for the development of guidelines for the definition of time to event endpoints in clinical trials (DATECAN project): Results for pancreatic cancer.. Journal of Clinical Oncology, 2012, 30, 4053-4053.	0.8	1
293	Comparison of ColoPrint risk classification with clinical risk in the prospective PARSC trial.. Journal of Clinical Oncology, 2014, 32, 3562-3562.	0.8	1
294	Prognosis model for overall survival in locally advanced unresectable pancreatic carcinoma: An ancillary study of the LAP 07 trial.. Journal of Clinical Oncology, 2015, 33, 235-235.	0.8	1
295	Prognostic effect of a single nucleotide polymorphism (SNP) in MIR608 in patients with high-risk locally advanced rectal cancer (LARC): Results of the EXPERT-C trial.. Journal of Clinical Oncology, 2015, 33, 581-581.	0.8	1
296	The PARSC trial, a prospective study for the assessment of recurrence risk in stage II colon cancer patients using ColoPrint.. Journal of Clinical Oncology, 2012, 30, TPS10632-TPS10632.	0.8	1
297	Prognosis model for overall survival in locally advanced pancreatic cancer (LAPC): An ancillary study of the LAP 07 trial.. Journal of Clinical Oncology, 2014, 32, 4024-4024.	0.8	1
298	Authors' reply: Radiological findings do not support lateral residual tumour as a major cause of local recurrence of rectal cancer (Br J Surg 2006; 93: 113-119). British Journal of Surgery, 2006, 93, 507-507.	0.1	0
299	Target Volume Definition in Rectal Cancer: What Is the Best Imaging Modality?. Current Colorectal Cancer Reports, 2013, 9, 116-125.	1.0	0
300	Reply to D.J. Sargent et al. Journal of Clinical Oncology, 2016, 34, 3713-3714.	0.8	0
301	Reply to C.F. Hess et al. Journal of Clinical Oncology, 2017, 35, 374-374.	0.8	0
302	How Long to Wait After Preoperative Radio(Chemo) Therapy to Perform Surgery?. , 2018, , 463-474.		0
303	ASO Author Reflections: Emerging Risk Factors in Colon Cancer—End of the Line for Clinomics?. Annals of Surgical Oncology, 2020, 27, 1046-1047.	0.7	0
304	Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. , 2021, 5, 200-217.		0
305	Pretreatment MRI in Primary Rectal Cancer as a Predictor for Oncological Outcomes After Surgery for Local Recurrence. Anticancer Research, 2021, 41, 2459-2465.	0.5	0
306	Risk of EBV-Positive Hodgkin Lymphoma Varies Over 30-Fold by HLA Class I Genotype and History of Infectious Mononucleosis.. Blood, 2009, 114, 269-269.	0.6	0

#	ARTICLE	IF	CITATIONS
307	Plasma concentrations of YKL-40 in chemo-naive patients with metastatic colorectal cancer treated with FLOX with or without cetuximab: Results from the NORDIC VII study.. <i>Journal of Clinical Oncology</i> , 2012, 30, 3548-3548.	0.8	0
308	The impact of TP53 mutation on high-risk rectal cancer patients treated within the EXPERT-C trial, a randomized phase II study of neoadjuvant oxaliplatin/capecitabine (CAPOX) and chemoradiation (CRT) with or without cetuximab.. <i>Journal of Clinical Oncology</i> , 2012, 30, e14088-e14088.	0.8	0
309	Plasma levels of TIMP-1 in chemo-naive patients with metastatic colorectal cancer treated with first-line FLOX with or without cetuximab: Results from the Nordic VII Study.. <i>Journal of Clinical Oncology</i> , 2013, 31, 392-392.	0.8	0
310	Plasma TIMP-1 in patients with metastatic colorectal cancer treated with first-line oxaliplatin-based therapy with or without cetuximab: Results from the Nordic VII study.. <i>Journal of Clinical Oncology</i> , 2013, 31, e14710-e14710.	0.8	0
311	Prognostic significance of tumor stromal and epithelial claudin 2 in metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2013, 31, 3597-3597.	0.8	0
312	Tumor perivascular PDGFBR as an independent prognostic factor in metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2013, 31, 3571-3571.	0.8	0
313	A Meta-Analysis Of Hodgkin Lymphoma Reveals 19p13.3 (TCF3) As a Novel Susceptibility Loc. <i>Blood</i> , 2013, 122, 626-626.	0.6	0
314	Relationship of RAS and TP53 predictive value for cetuximab (C) benefit: Results of the EXPERT-C trial.. <i>Journal of Clinical Oncology</i> , 2014, 32, 447-447.	0.8	0
315	Outcome after liver transplantation compared with chemotherapy in colorectal cancer patients with nonresectable liver-only disease.. <i>Journal of Clinical Oncology</i> , 2014, 32, 531-531.	0.8	0
316	FCÎ³RIIIa and FCÎ³RIIIa polymorphisms (SNPs) and cetuximab (C) benefit in the EXPERT-C trial.. <i>Journal of Clinical Oncology</i> , 2014, 32, 3573-3573.	0.8	0
317	Digitalized multiparametric analyses of tumor stroma for identification of low perivascular PDGFBR expression and low vessel density as independent prognosis markers for stage IV CRC.. <i>Journal of Clinical Oncology</i> , 2014, 32, e14525-e14525.	0.8	0
318	Benefit of EGFR-inhibition therapy for metastatic colorectal cancer patients with KRAS-mutated tumors and high plasma TIMP-1 level: Results from the NORDIC VII study.. <i>Journal of Clinical Oncology</i> , 2014, 32, 3590-3590.	0.8	0
319	C-reactive protein and interleukin-6 as markers of systemic inflammatory response and as prognostic factors for metastatic colorectal cancer. Data from the randomized phase III NORDIC-VII study.. <i>Journal of Clinical Oncology</i> , 2015, 33, 3548-3548.	0.8	0
320	Radiation therapy in upper GI tract tumours. <i>Acta Chirurgica Scandinavica Supplementum</i> , 1988, 541, 32-8.	0.1	0
321	Which rectal cancers are locally advanced?. <i>Oncology</i> , 2012, 26, 743, 746, 751-2.	0.4	0