

Anna R Giuliano

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5000716/anna-r-giuliano-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

225
papers

12,093
citations

50
h-index

105
g-index

237
ext. papers

13,800
ext. citations

7.5
avg, IF

5.85
L-index

#	Paper	IF	Citations
225	Prophylactic quadrivalent human papillomavirus (types 6, 11, 16, and 18) L1 virus-like particle vaccine in young women: a randomised double-blind placebo-controlled multicentre phase II efficacy trial. <i>Lancet Oncology, The</i> , 2005 , 6, 271-8	21.7	1185
224	A 9-valent HPV vaccine against infection and intraepithelial neoplasia in women. <i>New England Journal of Medicine</i> , 2015 , 372, 711-23	59.2	855
223	Efficacy of quadrivalent HPV vaccine against HPV Infection and disease in males. <i>New England Journal of Medicine</i> , 2011 , 364, 401-11	59.2	780
222	HPV vaccine against anal HPV infection and anal intraepithelial neoplasia. <i>New England Journal of Medicine</i> , 2011 , 365, 1576-85	59.2	651
221	Prevalence of HPV infection among men: A systematic review of the literature. <i>Journal of Infectious Diseases</i> , 2006 , 194, 1044-57	7	422
220	Incidence and clearance of genital human papillomavirus infection in men (HIM): a cohort study. <i>Lancet, The</i> , 2011 , 377, 932-40	40	336
219	Immunologic responses following administration of a vaccine targeting human papillomavirus Types 6, 11, 16, and 18. <i>Vaccine</i> , 2006 , 24, 5571-83	4.1	299
218	Updating the natural history of human papillomavirus and anogenital cancers. <i>Vaccine</i> , 2012 , 30 Suppl 5, F24-33	4.1	250
217	Epidemiology of human papillomavirus infection in men, cancers other than cervical and benign conditions. <i>Vaccine</i> , 2008 , 26 Suppl 10, K17-28	4.1	248
216	The human papillomavirus infection in men study: human papillomavirus prevalence and type distribution among men residing in Brazil, Mexico, and the United States. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2036-43	4	247
215	Incidence, prevalence, and clearance of type-specific human papillomavirus infections: The Young Women@ Health Study. <i>Journal of Infectious Diseases</i> , 2002 , 186, 462-9	7	218
214	Oral human papillomavirus in healthy individuals: a systematic review of the literature. <i>Sexually Transmitted Diseases</i> , 2010 , 37, 386-91	2.4	205
213	Final efficacy, immunogenicity, and safety analyses of a nine-valent human papillomavirus vaccine in women aged 16-26 years: a randomised, double-blind trial. <i>Lancet, The</i> , 2017 , 390, 2143-2159	40	203
212	Incidence and clearance of oral human papillomavirus infection in men: the HIM cohort study. <i>Lancet, The</i> , 2013 , 382, 877-87	40	197
211	EUROGIN 2014 roadmap: differences in human papillomavirus infection natural history, transmission and human papillomavirus-related cancer incidence by gender and anatomic site of infection. <i>International Journal of Cancer</i> , 2015 , 136, 2752-60	7.5	179
210	Age-specific prevalence of and risk factors for anal human papillomavirus (HPV) among men who have sex with women and men who have sex with men: the HPV in men (HIM) study. <i>Journal of Infectious Diseases</i> , 2011 , 203, 49-57	7	166
209	Missed clinical opportunities: provider recommendations for HPV vaccination for 11-12 year old girls are limited. <i>Vaccine</i> , 2011 , 29, 8634-41	4.1	148

208	Age-specific prevalence, incidence, and duration of human papillomavirus infections in a cohort of 290 US men. <i>Journal of Infectious Diseases</i> , 2008 , 198, 827-35	7	146
207	The optimal anatomic sites for sampling heterosexual men for human papillomavirus (HPV) detection: the HPV detection in men study. <i>Journal of Infectious Diseases</i> , 2007 , 196, 1146-52	7	142
206	The epidemiology of oral HPV infection among a multinational sample of healthy men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 172-82	4	139
205	Human papillomavirus prevalence and type distribution in male anogenital sites and semen. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1107-14	4	127
204	Attribution of 12 high-risk human papillomavirus genotypes to infection and cervical disease. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1997-2008	4	110
203	Clearance of oncogenic human papillomavirus (HPV) infection: effect of smoking (United States). <i>Cancer Causes and Control</i> , 2002 , 13, 839-46	2.8	106
202	Circumcision and sexual behavior: factors independently associated with human papillomavirus detection among men in the HIM study. <i>International Journal of Cancer</i> , 2009 , 124, 1251-7	7.5	104
201	Human papillomavirus infection in men attending a sexually transmitted disease clinic. <i>Journal of Infectious Diseases</i> , 2003 , 187, 1064-70	7	100
200	Factors associated with acquisition and clearance of human papillomavirus infection in a cohort of US men: a prospective study. <i>Journal of Infectious Diseases</i> , 2009 , 199, 362-71	7	98
199	Impact of baseline covariates on the immunogenicity of a quadrivalent (types 6, 11, 16, and 18) human papillomavirus virus-like-particle vaccine. <i>Journal of Infectious Diseases</i> , 2007 , 196, 1153-62	7	96
198	Risk factors for anogenital human papillomavirus infection in men. <i>Journal of Infectious Diseases</i> , 2007 , 196, 1137-45	7	95
197	Six-month incidence, persistence, and factors associated with persistence of anal human papillomavirus in men: the HPV in men study. <i>Journal of Infectious Diseases</i> , 2011 , 204, 1711-22	7	91
196	Condom use and other factors affecting penile human papillomavirus detection in men attending a sexually transmitted disease clinic. <i>Sexually Transmitted Diseases</i> , 2004 , 31, 601-7	2.4	91
195	Prevalence of and risk factors for anal human papillomavirus infection in heterosexual men. <i>Journal of Infectious Diseases</i> , 2008 , 197, 1676-84	7	83
194	Physicians' human papillomavirus vaccine recommendations, 2009 and 2011. <i>American Journal of Preventive Medicine</i> , 2014 , 46, 80-4	6.1	78
193	Epidemiology and pathology of HPV disease in males. <i>Gynecologic Oncology</i> , 2010 , 117, S15-9	4.9	77
192	External genital human papillomavirus prevalence and associated factors among heterosexual men on 5 continents. <i>Journal of Infectious Diseases</i> , 2011 , 203, 58-65	7	75
191	Immunogenicity of the quadrivalent human papillomavirus (type 6/11/16/18) vaccine in males 16 to 26 years old. <i>Vaccine Journal</i> , 2012 , 19, 261-7		74

190	Male circumcision and genital human papillomavirus: a systematic review and meta-analysis. <i>Sexually Transmitted Diseases</i> , 2012 , 39, 104-13	2.4	74
189	Genital HPV infection and related lesions in men. <i>Preventive Medicine</i> , 2011 , 53 Suppl 1, S36-41	4.3	73
188	Associations between male anogenital human papillomavirus infection and circumcision by anatomic site sampled and lifetime number of female sex partners. <i>Journal of Infectious Diseases</i> , 2009 , 199, 7-13	7	71
187	Prevention of invasive cervical cancer in the United States: past, present, and future. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1402-8	4	70
186	Predictors for cutaneous basal- and squamous-cell carcinoma among actinically damaged adults. <i>International Journal of Cancer</i> , 2001 , 95, 7-11	7.5	69
185	Prevalence of and risk factors for anal human papillomavirus infection in men who have sex with women: a cross-national study. <i>Journal of Infectious Diseases</i> , 2010 , 201, 1498-508	7	68
184	Multiple-type human papillomavirus infection in male anogenital sites: prevalence and associated factors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1077-83	4	67
183	Health beliefs and attitudes associated with HPV vaccine intention among young gay and bisexual men in the Southeastern United States. <i>Vaccine</i> , 2011 , 29, 8060-5	4.1	65
182	Isolation and characterization of a novel putative human polyomavirus. <i>Virology</i> , 2017 , 506, 45-54	3.6	60
181	Human papillomavirus (HPV) 6, 11, 16, and 18 seroprevalence is associated with sexual practice and age: results from the multinational HPV Infection in Men Study (HIM Study). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 990-1002	4	59
180	Case-control study of cutaneous human papillomaviruses in squamous cell carcinoma of the skin. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1303-13	4	58
179	Human papillomavirus vaccination in males. <i>Gynecologic Oncology</i> , 2007 , 107, S24-6	4.9	58
178	Incidence and human papillomavirus (HPV) type distribution of genital warts in a multinational cohort of men: the HPV in men study. <i>Journal of Infectious Diseases</i> , 2011 , 204, 1886-92	7	56
177	Quadrivalent Human Papillomavirus (HPV) Vaccine Induces HPV-Specific Antibodies in the Oral Cavity: Results From the Mid-Adult Male Vaccine Trial. <i>Journal of Infectious Diseases</i> , 2016 , 214, 1276-83 ⁷	7	55
176	Human papillomavirus virus (HPV) genotype- and age-specific analyses of external genital lesions among men in the HPV Infection in Men (HIM) Study. <i>Journal of Infectious Diseases</i> , 2015 , 211, 1060-7	7	50
175	Natural history of cutaneous human papillomavirus (HPV) infection in men: the HIM study. <i>PLoS ONE</i> , 2014 , 9, e104843	3.7	50
174	The prevalence of genital HPV and factors associated with oncogenic HPV among men having sex with men and men having sex with women and men: the HIM study. <i>Sexually Transmitted Diseases</i> , 2011 , 38, 932-40	2.4	49
173	Prevalent serum antibody is not a marker of immune protection against acquisition of oncogenic HPV16 in men. <i>Cancer Research</i> , 2012 , 72, 676-85	10.1	49

172	Case-control study of genus-beta human papillomaviruses in plucked eyebrow hairs and cutaneous squamous cell carcinoma. <i>International Journal of Cancer</i> , 2014 , 134, 2231-44	7.5	48
171	Long-term persistence of oral human papillomavirus type 16: the HPV Infection in Men (HIM) study. <i>Cancer Prevention Research</i> , 2015 , 8, 190-6	3.2	46
170	Genital Human Papillomavirus Infection Progression to External Genital Lesions: The HIM Study. <i>European Urology</i> , 2016 , 69, 166-73	10.2	44
169	Patterns and timing of sunlight exposure and risk of basal cell and squamous cell carcinomas of the skin—a case-control study. <i>BMC Cancer</i> , 2012 , 12, 417	4.8	42
168	Case-control study of cutaneous human papillomavirus infection in Basal cell carcinoma of the skin. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 1512-20	4.3	42
167	Seroprevalence of human papillomavirus (HPV) type 6 and 16 vary by anatomic site of HPV infection in men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1542-6	4	42
166	Prevalence and Concordance of Cutaneous Beta Human Papillomavirus Infection at Mucosal and Cutaneous Sites. <i>Journal of Infectious Diseases</i> , 2017 , 216, 92-96	7	41
165	Factors associated With Medicaid providers Recommendation of the HPV vaccine to low-income adolescent girls. <i>Journal of Adolescent Health</i> , 2014 , 54, 190-6	5.8	40
164	Pathophysiological basis of human papillomavirus in penile cancer: Key to prevention and delivery of more effective therapies. <i>Ca-A Cancer Journal for Clinicians</i> , 2016 , 66, 481-495	220.7	40
163	Human papillomavirus infection in head and neck cancer: the role of the secretory leukocyte protease inhibitor. <i>Oncology Reports</i> , 2013 , 29, 1962-8	3.5	39
162	Seroconversion Following Anal and Genital HPV Infection in Men:. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2015 , 1, 109-115	4.6	38
161	Smoking and human papillomavirus (HPV) infection in the HPV in Men (HIM) study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 102-10	4	38
160	Incidence, Duration, Persistence, and Factors Associated With High-risk Anal Human Papillomavirus Persistence Among HIV-negative Men Who Have Sex With Men: A Multinational Study. <i>Clinical Infectious Diseases</i> , 2016 , 62, 1367-1374	11.6	37
159	Missing the Target for Routine Human Papillomavirus Vaccination: Consistent and Strong Physician Recommendations Are Lacking for 11- to 12-Year-Old Males. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1435-1446	4	37
158	Immunogenicity and safety of Gardasil among mid-adult aged men (27-45 years)—The MAM Study. <i>Vaccine</i> , 2015 , 33, 5640-5646	4.1	36
157	Cutaneous human papillomavirus types detected on the surface of male external genital lesions: a case series within the HPV Infection in Men Study. <i>Journal of Clinical Virology</i> , 2013 , 58, 652-9	14.5	36
156	Alternative dosage schedules with HPV virus-like particle vaccines. <i>Expert Review of Vaccines</i> , 2014 , 13, 1027-38	5.2	36
155	Reliability of sample collection and laboratory testing for HPV detection in men. <i>Journal of Virological Methods</i> , 2008 , 149, 136-43	2.6	36

154	The case for a gender-neutral (universal) human papillomavirus vaccination policy in the United States: Point. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 805-8	4	36
153	Recurring infection with ecologically distinct HPV types can explain high prevalence and diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 13573-13578 ^{11.5}		36
152	Consistent condom use reduces the genital human papillomavirus burden among high-risk men: the HPV infection in men study. <i>Journal of Infectious Diseases</i> , 2013 , 208, 373-84	7	35
151	Quadrivalent HPV vaccine efficacy against disease related to vaccine and non-vaccine HPV types in males. <i>Vaccine</i> , 2013 , 31, 3849-55	4.1	33
150	The Role of Human Papilloma Virus in Penile Carcinogenesis and Preneoplastic Lesions: A Potential Target for Vaccination and Treatment Strategies. <i>Urologic Clinics of North America</i> , 2016 , 43, 419-425	2.9	33
149	Nine-valent HPV vaccine efficacy against related diseases and definitive therapy: comparison with historic placebo population. <i>Gynecologic Oncology</i> , 2019 , 154, 110-117	4.9	32
148	Relationship between human papillomavirus and penile cancer-implications for prevention and treatment. <i>Translational Andrology and Urology</i> , 2017 , 6, 791-802	2.3	32
147	Broad HPV distribution in the genital region of men from the HPV infection in men (HIM) study. <i>Virology</i> , 2013 , 443, 214-7	3.6	32
146	Male circumcision and the incidence and clearance of genital human papillomavirus (HPV) infection in men: the HPV Infection in men (HIM) cohort study. <i>BMC Infectious Diseases</i> , 2014 , 14, 75	4	31
145	Test-retest reliability of a sexual behavior interview for men residing in Brazil, Mexico, and the United States: the HPV in Men (HIM) Study. <i>American Journal of Epidemiology</i> , 2009 , 170, 965-74	3.8	31
144	Genital human papillomavirus (HPV) concordance in heterosexual couples. <i>Journal of Infectious Diseases</i> , 2012 , 206, 202-11	7	31
143	Correlates of human papillomavirus viral load with infection site in asymptomatic men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3573-6	4	31
142	Diversity of beta-papillomavirus at anogenital and oral anatomic sites of men: The HIM Study. <i>Virology</i> , 2016 , 495, 33-41	3.6	31
141	Hepatitis C Virus Screening Trends: Serial Cross-Sectional Analysis of the National Health Interview Survey Population, 2013-2015. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 503-513	4	30
140	Sexual behaviors and other risk factors for oral human papillomavirus infections in young women. <i>Sexually Transmitted Diseases</i> , 2014 , 41, 486-92	2.4	30
139	Ethnic and racial differences in HPV knowledge and vaccine intentions among men receiving HPV test results. <i>Vaccine</i> , 2011 , 29, 4013-8	4.1	30
138	Measures of cutaneous human papillomavirus infection in normal tissues as biomarkers of HPV in corresponding nonmelanoma skin cancers. <i>International Journal of Cancer</i> , 2008 , 123, 2337-42	7.5	29
137	Epidemiologic factors associated with seropositivity to human papillomavirus type 16 and 18 virus-like particles and risk of subsequent infection in men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 511-6	4	28

136	Incidence, clearance, and disease progression of genital human papillomavirus infection in heterosexual men. <i>Journal of Infectious Diseases</i> , 2014 , 210, 192-9	7	27
135	Safety and reactogenicity of a quadrivalent human papillomavirus (types 6, 11, 16, 18) L1 viral-like-particle vaccine in older adolescents and young adults. <i>Hum Vaccin</i> , 2011 , 7, 768-75		27
134	Evolutionary ecology of human papillomavirus: trade-offs, coexistence, and origins of high-risk and low-risk types. <i>Journal of Infectious Diseases</i> , 2012 , 205, 272-9	7	27
133	Provider factors associated with disparities in human papillomavirus vaccination among low-income 9- to 17-year-old girls. <i>Cancer</i> , 2013 , 119, 621-8	6.4	26
132	The role of monogamy and duration of heterosexual relationships in human papillomavirus transmission. <i>Journal of Infectious Diseases</i> , 2014 , 209, 1007-15	7	26
131	Physicians' human papillomavirus vaccine recommendations in the context of permissive guidelines for male patients: a national study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2126-35	4	26
130	Risk factors for cutaneous human papillomavirus seroreactivity among patients undergoing skin cancer screening in Florida. <i>Journal of Infectious Diseases</i> , 2010 , 201, 760-9	7	26
129	Human Papillomavirus Vaccination Rates in Young Cancer Survivors. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3582-3590	2.2	25
128	Case-control study of smoking and non-melanoma skin cancer. <i>Cancer Causes and Control</i> , 2012 , 23, 245-54	5.8	25
127	Race and prevalence of human papillomavirus infection among men residing in Brazil, Mexico and the United States. <i>International Journal of Cancer</i> , 2012 , 131, E282-91	7.5	25
126	Recurrent BRCA1 and BRCA2 mutations in Mexican women with breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 498-505	4	24
125	High HIV, HPV, and STI prevalence among young Western Cape, South African women: EVRI HIV prevention preparedness trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 68, 227-35 ^{3,1}		22
124	Male human papillomavirus prevalence and association with condom use in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , 2012 , 205, 1287-93	7	22
123	Risk factors for incident condyloma in a multinational cohort of men: the HIM study. <i>Journal of Infectious Diseases</i> , 2012 , 205, 789-93	7	22
122	Generation of a novel next-generation sequencing-based method for the isolation of new human papillomavirus types. <i>Virology</i> , 2018 , 520, 1-10	3.6	21
121	High genital prevalence of cutaneous human papillomavirus DNA on male genital skin: the HPV Infection in Men Study. <i>BMC Infectious Diseases</i> , 2014 , 14, 677	4	21
120	Clustering of human papillomavirus (HPV) types in the male genital tract: the HPV in men (HIM) study. <i>Journal of Infectious Diseases</i> , 2011 , 204, 1500-4	7	21
119	A prospective analysis of smoking and human papillomavirus infection among men in the HPV in Men Study. <i>International Journal of Cancer</i> , 2014 , 134, 2448-57	7.5	20

118	Association of Chlamydia trachomatis infection and herpes simplex virus type 2 serostatus with genital human papillomavirus infection in men: the HPV in men study. <i>Sexually Transmitted Diseases</i> , 2013 , 40, 508-15	2.4	20
117	Human Papillomavirus Vaccine Intentions Among Men Participating in a Human Papillomavirus Natural History Study Versus a Comparison Sample. <i>Sexually Transmitted Diseases</i> , 2010 , 37, 644-652	2.4	20
116	Impact of baseline covariates on the immunogenicity of the 9-valent HPV vaccine - A combined analysis of five phase III clinical trials. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2017 , 3, 105-115	4.6	19
115	Sunlight exposure and cutaneous human papillomavirus seroreactivity in basal cell and squamous cell carcinomas of the skin. <i>Journal of Infectious Diseases</i> , 2012 , 206, 399-406	7	19
114	Alcohol consumption and prevalence of human papillomavirus (HPV) infection among US men in the HPV in Men (HIM) study. <i>Sexually Transmitted Infections</i> , 2015 , 91, 61-7	2.8	18
113	Racial and ethnic disparities in the incidence of invasive cervical cancer in Florida. <i>Cancer</i> , 2009 , 115, 3996-4000	1.8	18
112	Comparison of anal HPV natural history among men by country of residence: Brazil, Mexico, and the United States. <i>Journal of Infection</i> , 2017 , 75, 35-47	18.9	17
111	The natural history of genital human papillomavirus among HIV-negative men having sex with men and men having sex with women. <i>Journal of Infectious Diseases</i> , 2015 , 212, 202-12	7	17
110	Quadrivalent human papillomavirus (HPV) types 6, 11, 16, 18 vaccine: for the prevention of genital warts in males. <i>Drugs</i> , 2011 , 71, 591-602	12.1	17
109	Human papillomavirus vaccine intentions among men participating in a human papillomavirus natural history study versus a comparison sample. <i>Sexually Transmitted Diseases</i> , 2010 , 37, 644-52	2.4	17
108	Sequential Acquisition of Anal Human Papillomavirus (HPV) Infection Following Genital Infection Among Men Who Have Sex With Women: The HPV Infection in Men (HIM) Study. <i>Journal of Infectious Diseases</i> , 2016 , 214, 1180-7	7	17
107	Concordance of human papillomavirus types detected on the surface and in the tissue of genital lesions in men. <i>Journal of Medical Virology</i> , 2013 , 85, 1561-6	19.7	16
106	HPV vaccination to prevent HIV infection: time for randomized controlled trials. <i>Sexually Transmitted Diseases</i> , 2011 , 38, 640-3	2.4	16
105	An analysis of HPV infection incidence and clearance by genotype and age in men: The HPV Infection in Men (HIM) Study. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2015 , 1, 126-135	4.6	15
104	An Examination of HPV16 Natural Immunity in Men Who Have Sex with Men (MSM) in the HPV in Men (HIM) Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 496-502	4	14
103	Prevalence of cutaneous viral infections in incident cutaneous squamous cell carcinoma detected among chronic lymphocytic leukemia and hematopoietic stem cell transplant patients. <i>Leukemia and Lymphoma</i> , 2018 , 59, 911-917	1.9	14
102	Monitoring the impact of HPV vaccine in males-Considerations and challenges. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2016 , 2, 106-111	4.6	14
101	The content and context of physicians' communication with males about human papillomavirus vaccination. <i>Human Vaccines and Immunotherapeutics</i> , 2016 , 12, 1511-8	4.4	14

100	Male circumcision and prevalence of genital human papillomavirus infection in men: a multinational study. <i>BMC Infectious Diseases</i> , 2013 , 13, 18	4	14
99	Seroprevalence and Associated Factors of 9-Valent Human Papillomavirus (HPV) Types among Men in the Multinational HIM Study. <i>PLoS ONE</i> , 2016 , 11, e0167173	3.7	14
98	Do Florida Medicaid providers/barrriers to HPV vaccination vary based on VFC program participation?. <i>Maternal and Child Health Journal</i> , 2013 , 17, 609-15	2.4	13
97	Comparison of the Natural History of Genital HPV Infection among Men by Country: Brazil, Mexico, and the United States. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1043-1052	4	12
96	Human Papillomavirus and Genital Disease in Men: What We Have Learned from the HIM Study. <i>Acta Cytologica</i> , 2019 , 63, 109-117	3	12
95	Concordance of Beta-papillomavirus across anogenital and oral anatomic sites of men: The HIM Study. <i>Virology</i> , 2017 , 510, 55-59	3.6	12
94	Racial differences in the incidence and clearance of human papilloma virus (HPV): the HPV in men (HIM) study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 1762-70	4	12
93	Acquisition, Persistence, and Clearance of Human Papillomavirus Infection Among Male Virgins Residing in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , 2018 , 217, 767-776	7	11
92	Impact of Serum Antibodies to HPV Serotypes 6, 11, 16, and 18 to Risks of Subsequent Genital HPV Infections in Men: The HIM Study. <i>Cancer Research</i> , 2016 , 76, 6066-6075	10.1	11
91	Men who purchase sex, who are they? An interurban comparison. <i>Journal of Urban Health</i> , 2013 , 90, 1166-80	5.80	11
90	HPV in female partners increases risk of incident HPV infection acquisition in heterosexual men in rural central Mexico. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1956-65	4	11
89	Seroprevalence of cutaneous human papillomaviruses (HPVs) among men in the multinational HPV Infection in Men study. <i>Journal of General Virology</i> , 2016 , 97, 3291-3301	4.9	11
88	Hepatitis C virus screening trends: A 2016 update of the National Health Interview Survey. <i>Cancer Epidemiology</i> , 2019 , 60, 112-120	2.8	10
87	Evaluation of HPV-16 and HPV-18 specific antibody measurements in saliva collected in oral rinses and merocel [®] sponges. <i>Vaccine</i> , 2018 , 36, 2705-2711	4.1	10
86	Performance of the quantitative food frequency questionnaire used in the Brazilian center of the prospective study Natural History of Human Papillomavirus Infection in Men: The HIM Study. <i>Journal of the American Dietetic Association</i> , 2011 , 111, 1045-51		10
85	HPV-6 Molecular Variants Association With the Development of Genital Warts in Men: The HIM Study. <i>Journal of Infectious Diseases</i> , 2017 , 215, 559-565	7	10
84	Dietary intake of selected nutrients and persistence of HPV infection in men. <i>International Journal of Cancer</i> , 2017 , 141, 757-765	7.5	9
83	Human Papillomavirus Genotype Detection in Oral Gargle Samples Among Men With Newly Diagnosed Oropharyngeal Squamous Cell Carcinoma. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2019 , 145, 460-466	3.9	9

82	Oral gargle-tumor biopsy human papillomavirus (HPV) agreement and associated factors among oropharyngeal squamous cell carcinoma (OPSCC) cases. <i>Oral Oncology</i> , 2019 , 92, 85-91	4.4	9
81	Salivary secretory leukocyte protease inhibitor (SLPI) and head and neck cancer: The Cancer Prevention Study II Nutrition Cohort. <i>Oral Oncology</i> , 2016 , 55, 1-5	4.4	9
80	Quantification of secretory leukocyte protease inhibitor (SLPI) in oral gargle specimens collected using mouthwash. <i>Journal of Immunological Methods</i> , 2013 , 400-401, 117-21	2.5	9
79	Human Immunodeficiency Virus Status Differentially Associated With Genital and Anal Human Papillomavirus Infection Among Chinese Men Who Have Sex With Men: A Cross-Sectional Survey. <i>Sexually Transmitted Diseases</i> , 2017 , 44, 656-662	2.4	9
78	Efficacy, immunogenicity, and safety of a quadrivalent HPV vaccine in men: results of an open-label, long-term extension of a randomised, placebo-controlled, phase 3 trial. <i>Lancet Infectious Diseases</i> , 2021 ,	25.5	9
77	HPV-11 variability, persistence and progression to genital warts in men: the HIM study. <i>Journal of General Virology</i> , 2017 , 98, 2339-2342	4.9	9
76	HPV16 E6 seropositivity among cancer-free men with oral, anal or genital HPV16 infection. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2016 , 2, 141-144	4.6	9
75	Human Papillomavirus (HPV) L1 Serum Antibodies and the Risk of Subsequent Oral HPV Acquisition in Men: The HIM Study. <i>Journal of Infectious Diseases</i> , 2016 , 214, 45-8	7	8
74	Country-specific HPV-related genital disease among men residing in Brazil, Mexico and The United States: The HIM study. <i>International Journal of Cancer</i> , 2017 , 140, 337-345	7.5	8
73	Human Papillomavirus Vaccination Prevalence Among Adults Aged 19-45 Years: An Analysis of the 2017 National Health Interview Survey. <i>American Journal of Preventive Medicine</i> , 2020 , 59, 837-849	6.1	8
72	Cutaneous Viral Infections Across 2 Anatomic Sites Among a Cohort of Patients Undergoing Skin Cancer Screening. <i>Journal of Infectious Diseases</i> , 2019 , 219, 711-722	7	8
71	Trends in Human Papillomavirus Vaccine Safety Concerns and Adverse Event Reporting in the United States. <i>JAMA Network Open</i> , 2021 , 4, e2124502	10.4	8
70	HPV-specific antibodies at the oral cavity up to 30 months after the start of vaccination with the quadrivalent HPV vaccine among mid-adult aged men. <i>Vaccine</i> , 2019 , 37, 2864-2869	4.1	7
69	The association between body mass index and anal canal human papillomavirus prevalence and persistence: the HIM study. <i>Human Vaccines and Immunotherapeutics</i> , 2019 , 15, 1911-1919	4.4	7
68	Oral and systemic HPV antibody kinetics post-vaccination among HIV-positive and HIV-negative men. <i>Vaccine</i> , 2019 , 37, 2502-2510	4.1	7
67	Adolescent sexual activity and cancer risk: physicians duty to inform?. <i>Current Medical Research and Opinion</i> , 2014 , 30, 1827-31	2.5	7
66	Prospective study of seroreactivity to JC virus T-antigen and risk of colorectal cancers and adenomas. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2591-6	4	7
65	Human papillomavirus type distribution among heterosexual couples. <i>Journal of Lower Genital Tract Disease</i> , 2012 , 16, 10-5	3.6	7

64	Human Papillomavirus Prevalence Among 88 Male Virgins Residing in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , 2016 , 214, 1188-91	7	7
63	Cutaneous beta human papillomaviruses and the development of male external genital lesions: A case-control study nested within the HIM Study. <i>Virology</i> , 2016 , 497, 314-322	3.6	7
62	Methylation of HPV 16 and EPB41L3 in oral gargles: Associations with oropharyngeal cancer detection and tumor characteristics. <i>International Journal of Cancer</i> , 2020 , 146, 1018-1030	7.5	7
61	Florida physicians reported use of AFIX-based strategies for human papillomavirus vaccination. <i>Preventive Medicine</i> , 2018 , 116, 143-149	4.3	7
60	Electronic medical record-verified hepatitis C virus screening in a large health system. <i>Cancer Medicine</i> , 2019 , 8, 4555-4564	4.8	6
59	Human papillomavirus vaccine intentions among males: a test of the Parallel Processing Model. <i>Journal of Health Psychology</i> , 2015 , 20, 427-37	3.1	6
58	Prevalence, incidence, and natural history of HPV infection in adult women ages 24 to 45 participating in a vaccine trial. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2020 , 10, 100202	4.6	6
57	IPVS statement on "Temporary HPV vaccine shortage: Implications globally to achieve equity". <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2020 , 9, 100195	4.6	6
56	Cervical HPV natural history among young Western Cape, South African women: The randomized control EVRI Trial. <i>Journal of Infection</i> , 2016 , 72, 60-9	18.9	6
55	Role of histological findings and pathologic diagnosis for detection of human papillomavirus infection in men. <i>Journal of Medical Virology</i> , 2015 , 87, 1777-87	19.7	6
54	Viruses in Skin Cancer (VIRUSCAN): Study Design and Baseline Characteristics of a Prospective Clinic-Based Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 39-48	4	6
53	Cutaneous viral infections associated with ultraviolet radiation exposure. <i>International Journal of Cancer</i> , 2021 , 148, 448-458	7.5	6
52	HPV SEROSTATUS PRE- AND POST-VACCINATION IN A RANDOMIZED PHASE II PREPAREDNESS TRIAL AMONG YOUNG WESTERN CAPE, SOUTH AFRICAN WOMEN: THE EVRI TRIAL. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2017 , 3, 50-56	4.6	5
51	Recurrence of Genital Infections With 9 Human Papillomavirus (HPV) Vaccine Types (6, 11, 16, 18, 31, 33, 45, 52, and 58) Among Men in the HPV Infection in Men (HIM) Study. <i>Journal of Infectious Diseases</i> , 2018 , 218, 1219-1227	7	5
50	HPV-beyond cervical cancer (online resource center). <i>American Journal of Medicine</i> , 2012 , 125, S1	2.4	5
49	Cognitive and emotional responses to human papillomavirus test results in men. <i>American Journal of Health Behavior</i> , 2012 , 36, 770-85	1.9	5
48	Factors Associated With Persistence and Clearance of High-Risk Oral Human Papillomavirus (HPV) Among Participants in the HPV Infection in Men (HIM) Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, e3227-e3234	11.6	5
47	HPV Population Profiling in Healthy Men by Next-Generation Deep Sequencing Coupled with HPV-QUEST. <i>Viruses</i> , 2016 , 8,	6.2	5

46	Oral HPV prevalence assessment by Linear Array vs. SPF PCR-DEIA-LiPA system in the HPV Infection in Men (HIM) study. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2020 , 9, 100199	4.6	4
45	An environmental scan to examine stakeholder perspectives on human papillomavirus vaccination: A mixed methods study. <i>Vaccine</i> , 2019 , 37, 187-194	4.1	4
44	Human papillomavirus vaccine administration among Medicaid providers who consistently recommended vaccination. <i>Sexually Transmitted Diseases</i> , 2014 , 41, 24-8	2.4	4
43	Behavioral and sociodemographic risk factors for serological and DNA evidence of HPV6, 11, 16, 18 infections. <i>Cancer Epidemiology</i> , 2012 , 36, e183-9	2.8	4
42	Test-retest reliability and predictors of unreliable reporting for a sexual behavior questionnaire for U.S. men. <i>Archives of Sexual Behavior</i> , 2010 , 39, 1343-52	3.5	4
41	Oral human papillomavirus prevalence and type distribution by country (Brazil, Mexico and the United States) and age among HPV infection in men study participants. <i>International Journal of Cancer</i> , 2020 , 146, 3026-3033	7.5	4
40	Excess HPV-related head and neck cancer in the world trade center health program general responder cohort. <i>International Journal of Cancer</i> , 2019 , 145, 1504-1509	7.5	4
39	Untangling the dynamics of persistence and colonization in microbial communities. <i>ISME Journal</i> , 2019 , 13, 2998-3010	11.9	3
38	HPV-related information sharing and factors associated with U.S. men's disclosure of an HPV test result to their female sexual partners. <i>Sexually Transmitted Infections</i> , 2012 , 88, 171-6	2.8	3
37	Seroprevalence of Cutaneous Human Papillomaviruses and the Risk of External Genital Lesions in Men: A Nested Case-Control Study. <i>PLoS ONE</i> , 2016 , 11, e0167174	3.7	3
36	Incidence of external genital lesions related to human papillomavirus among Mexican men. A cohort study. <i>Salud Publica De Mexico</i> , 2018 , 60, 633-644	1.7	3
35	Cutaneous Human Papillomaviruses and the Risk of Keratinocyte Carcinomas. <i>Cancer Research</i> , 2021 , 81, 4628-4638	10.1	3
34	Genital Wart Recurrence Among Men Residing in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , 2019 , 219, 703-710	7	3
33	COVID-19 vaccine behaviors and intentions among a national sample of United States adults ages 18-45.. <i>Preventive Medicine</i> , 2022 , 107038	4.3	3
32	Variants in immune-related genes and genital HPV 16 persistence in men. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2019 , 7, 11-14	4.6	2
31	Age-related variation in sexual behaviours among heterosexual men residing in Brazil, Mexico and the USA. <i>Journal of Family Planning and Reproductive Health Care</i> , 2014 , 40, 261-9		2
30	Long-term impact of HPV vaccination and COVID-19 pandemic on oropharyngeal cancer incidence and burden among men in the USA: A modeling study.. <i>The Lancet Regional Health Americas</i> , 2021 , 8, 100143		2
29	Immunogenicity and safety of the human papillomavirus vaccine in young survivors of cancer in the USA: a single-arm, open-label, phase 2, non-inferiority trial. <i>The Lancet Child and Adolescent Health</i> , 2021 ,	14.5	2

28	Design of a Phase III efficacy, immunogenicity, and safety study of 9-valent human papillomavirus vaccine in prevention of oral persistent infection in men. <i>Contemporary Clinical Trials</i> , 2021 , 106592	2.3	2
27	Current and future vaccine clinical research with the licensed 2-, 4-, and 9-valent VLP HPV vaccines: What's ongoing, what's needed?. <i>Preventive Medicine</i> , 2021 , 144, 106321	4.3	2
26	Association between Human Polyomaviruses and Keratinocyte Carcinomas: A Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1761-1764	4	2
25	New directions in penile cancer. <i>Lancet Oncology</i> , 2019 , 20, 16-17	21.7	2
24	Cutaneous HPV and alpha-mucosal 9-valent HPV sero-status associations. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2017 , 4, 54-57	4.6	1
23	Quadrivalent human papillomavirus (HPV) types 6, 11, 16, 18 vaccine for the prevention of genital warts in males: profile report. <i>Drugs in R and D</i> , 2012 , 12, 235-8	3.4	1
22	The Epidemiology and Control of Human Papillomavirus Infection and Clinical Disease 2013 , 315-352		1
21	Oral human papillomavirus (HPV) and associated factors among healthy populations: The design of the PROGRESS (PREvalence of Oral hpv infection, a Global aSSessment) study. <i>Contemporary Clinical Trials</i> , 2021 , 106630	2.3	1
20	Prevalence and incidence of anal human papillomavirus infection in Mexican men: Need for universal prevention policies. <i>Salud Publica De Mexico</i> , 2018 , 60, 645-652	1.7	1
19	Using the Electronic Health Record to Characterize the Hepatitis C Virus Care Cascade. <i>Public Health Reports</i> , 2021 , 333549211005812	2.5	1
18	T Cell Receptor Repertoires Acquired Routine Pap Testing May Help Refine Cervical Cancer and Precancer Risk Estimates. <i>Frontiers in Immunology</i> , 2021 , 12, 624230	8.4	1
17	Sequential acquisition of human papillomavirus infection between genital and oral anatomic sites in males. <i>International Journal of Cancer</i> , 2021 , 149, 1483-1494	7.5	1
16	Oral secretory leukocyte protease inhibitor (SLPI): Associations with oropharyngeal cancer and treatment outcome. <i>PLoS ONE</i> , 2021 , 16, e0254161	3.7	1
15	Diversity of human papillomavirus in the anal canal of HIV-positive and HIV-negative men. <i>Journal of Infection</i> , 2021 , 82, 112-116	18.9	1
14	Sex Work and High-Risk Anal Human Papillomavirus Infection Among Transgender Women: The Condesa Study.. <i>Transgender Health</i> , 2021 , 6, 315-324	4	1
13	Anogenital HPV Infection, Seroprevalence, and Risk Factors for HPV Seropositivity Among Sexually Active Men Enrolled in a Global HPV Vaccine Trial. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	1
12	Initiation of three complementary international studies investigating prevalence of oral HPV infection, burden of HPV-related head and neck disease, and efficacy of 9-valent HPV vaccination against oral HPV persistent infection. <i>Contemporary Clinical Trials</i> , 2021 , 115, 106629	2.3	0
11	Increasing HPV Vaccination Coverage on Preventing Oropharyngeal Cancer: A Cost-Effectiveness Analysis.. <i>Tumour Virus Research</i> , 2021 , 13, 200234		0

10	There's just not enough time: a mixed methods pilot study of hepatitis C virus screening among baby boomers in primary care. <i>BMC Family Practice</i> , 2020 , 21, 248	2.6	○
9	Seroprevalence of Chlamydia trachomatis, herpes simplex 2, Epstein-Barr virus, hepatitis C and associated factors among a cohort of men ages 18-70 years from three countries. <i>PLoS ONE</i> , 2021 , 16, e0253005	3.7	○
8	Prevalence and persistence of HPV-16 molecular variants in the anal canal of men: The HIM study.. <i>Journal of Clinical Virology</i> , 2022 , 149, 105128	14.5	○
7	Differences in Factors Associated With High- and Low-Risk Oral Human Papillomavirus Genotypes in Men. <i>Journal of Infectious Diseases</i> , 2021 , 223, 2099-2107	7	
6	Hepatitis C Virus Screening : Factors Associated With Test Completion in a Large Academic Health Care System. <i>Public Health Reports</i> , 2021 , 333549211054085	2.5	
5	Impact of Global HPV Vaccination for Male Genital Disease 2016 , 31-36		
4	Human Papillomavirus Infection and Related Diseases Among Men 2020 , 179-194		
3	The Role of External Genital Lesions in Human Immunodeficiency Virus Seroconversion Among Men Participating in a Multinational Study. <i>Sexually Transmitted Diseases</i> , 2022 , 49, 55-58	2.4	
2	Increases in HPV-16/18 antibody avidity and HPV-specific memory B-cell response in mid-adult aged men post-dose three of the quadrivalent HPV vaccine. <i>Vaccine</i> , 2021 , 39, 5295-5301	4.1	
1	Factors Associated with Screening Baby Boomers for Hepatitis C Virus Infection Among Primary Care Providers: a Retrospective Analysis. <i>Journal of General Internal Medicine</i> , 2021 , 36, 3584-3586	4	