
Innocenzo G Casella

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5001292/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A multi-walled carbon nanotubes/cellulose acetate composite electrode (MWCNT/CA) as sensing probe for the amperometric determination of some catecholamines. Sensors and Actuators B: Chemical, 2018, 255, 3533-3540.	7.8	21
2	Electrochemical Performance of Binary Ni-Co Particles Deposited on Graphene Oxide/Polyvinyl alcohol Substrate in Alkaline Medium. Electrochimica Acta, 2018, 261, 104-112.	5.2	9
3	Electrochemical and spectroscopic investigation of a binary Ni-Co oxide active material deposited on graphene/polyvinyl alcohol composite substrate. Journal of Electroanalytical Chemistry, 2017, 791, 117-123.	3.8	6
4	Use of an electrochemical room temperature ionic liquid-based microprobe for measurements in gaseous atmospheres. Sensors and Actuators B: Chemical, 2017, 240, 239-247.	7.8	13
5	Pulsed electrochemical deposition of nickel oxides on multi-walled carbon nanotubes from EDTA alkaline solutions: a SEM, XPS, and voltammetric characterization. Journal of Solid State Electrochemistry, 2016, 20, 3383-3391.	2.5	6
6	Pulsed electrodeposition of palladium nano-particles on coated multi-walled carbon nanotubes/nafion composite substrates: Electrocatalytic oxidation of hydrazine and propranolol in acid conditions. Sensors and Actuators B: Chemical, 2016, 237, 400-407.	7.8	34
7	Determination of some βâ€Blockers by Electrochemical Detection on Polycrstalline Gold Electrode after Solid Phase Extraction (SPE). Electroanalysis, 2016, 28, 1060-1067.	2.9	11
8	Electrocatalytic oxidation and flow detection analysis of semicarbazide at based IrOx chemically modified electrodes. Sensors and Actuators B: Chemical, 2015, 209, 25-31.	7.8	16
9	Anodic electrodeposition of iridium oxide particles on glassy carbon surfaces and their electrochemical/SEM/XPS characterization. Journal of Electroanalytical Chemistry, 2015, 736, 147-152.	3.8	37
10	Amperometric Sniffer for Volatile Amines Based on Paper‣upported Room Temperature Ionic Liquids Enabling Rapid Assessment of Fish Spoilage. Electroanalysis, 2014, 26, 1966-1974.	2.9	13
11	A Nonâ€Enzymatic Carbohydrate Sensor Based on Multiwalled Carbon Nanotubes Modified with Adsorbed Active Gold Particles. Electroanalysis, 2014, 26, 988-995.	2.9	9
12	Highly dispersed rhodium particles on multi-walled carbon nanotubes for the electrochemical reduction of nitrate and nitrite ions in acid medium. Electrochimica Acta, 2014, 138, 447-453.	5.2	21
13	Pulsed electrodeposition of nickel/palladium globular particles from an alkaline gluconate bath. An electrochemical, XPS and SEM investigation. Journal of Electroanalytical Chemistry, 2013, 692, 80-86.	3.8	32
14	Development of a Liquid Chromatography/Amperometric Detection Method for the Determination of Multiresidue Sulfonamide Antibiotics in Meatâ€Based Baby Foods. Electroanalysis, 2012, 24, 2125-2133.	2.9	15
15	Cobalt oxide electrodeposition on various electrode substrates from alkaline medium containing Co–gluconate complexes: a comparative voltammetric study. Journal of Solid State Electrochemistry, 2012, 16, 3739-3746.	2.5	10
16	Electrocatalytic Oxidation of Some Hydrazine Compounds at Glassy Carbon Electrode Modified with Coâ€Gluconate Complex. Electroanalysis, 2012, 24, 752-758.	2.9	16
17	Chromatographic separations and liquid phase extraction/concentration of some polyphenolic compounds: a comparison between reverse phase and cation-exchange chromatography. Analytical Methods, 2011, 3, 575.	2.7	4
18	Anodic electrodeposition of cobalt oxides from an alkaline bath containing Co-gluconate complexes on glassy carbon. An electroanalytical investigation. Electrochimica Acta, 2011, 56, 7536-7540.	5.2	18

#	Article	IF	CITATIONS
19	Electrodeposition of silver particles from alkaline aqueous solutions and their electrocatalytic activity for the reduction of nitrate, bromate and chlorite ions. Electrochimica Acta, 2010, 55, 6462-6468.	5.2	19
20	Electrooxidation of aliphatic alcohols on palladium oxide catalyst prepared by pulsed electrodeposition technique. Electrochimica Acta, 2009, 54, 3866-3871.	5.2	16
21	Determination of Tetracycline Residues by Liquid Chromatography Coupled with Electrochemical Detection and Solid Phase Extraction. Journal of Agricultural and Food Chemistry, 2009, 57, 8735-8741.	5.2	29
22	Determination of aliphatic amines by cationâ€exchange chromatography with suppressed conductivity detection after solid phase extraction*. Journal of Separation Science, 2008, 31, 3718-3726.	2.5	21
23	Pulsed Electrodeposition of Palladium Thin-Film from Alkaline Solutions Containing Pd(II)–Cyanide Complexes: An Electrochemical and XPS Investigation. Journal of the Electrochemical Society, 2008, 155, D723.	2.9	15
24	The Electrochemical Reduction of Nitrophenols on Silver Globular Particles Electrodeposited under Pulsed Potential Conditions. Journal of the Electrochemical Society, 2007, 154, D697.	2.9	52
25	Electrocatalytic reduction of chlorophenoxy acids at palladium-modified glassy carbon electrodes. Electrochimica Acta, 2007, 52, 7028-7034.	5.2	31
26	Rhodium-modified gold polycrystalline surface as anode material in alkaline medium: An electrochemical and XPS investigation. Journal of Electroanalytical Chemistry, 2007, 606, 24-32.	3.8	15
27	Characterization of bismuth adatom-modified palladium electrodes. Electrochimica Acta, 2006, 52, 649-657.	5.2	66
28	Determination of acrylamide and acrylic acid by isocratic liquid chromatography with pulsed electrochemical detection. Journal of Chromatography A, 2006, 1107, 198-203.	3.7	50
29	An electrochemical and XPS study of the electrodeposited binary Pd–Sn catalyst: The electroreduction of nitrate ions in acid medium. Journal of Electroanalytical Chemistry, 2006, 588, 147-154.	3.8	68
30	Electrochemical deposition of nickel and nickel–thallium composite oxides films from EDTA alkaline solutions. Journal of Electroanalytical Chemistry, 2005, 578, 55-62.	3.8	24
31	Determination of aliphatic aldehydes by liquid chromatography with pulsed amperometric detection. Journal of Chromatography A, 2005, 1063, 129-135.	3.7	11
32	Electrochemical and spectroscopic characterization of a tungsten electrode as a sensitive amperometric sensor of small inorganic ions. Electrochimica Acta, 2005, 50, 4146-4154.	5.2	40
33	Electrochemical Codeposition and Spectroscopic Characterization of Cu-Tl Oxide Films Prepared in Aqueous Basic Solutions. Journal of the Electrochemical Society, 2004, 151, C392.	2.9	1
34	Oxidation of sugar acids on polycrystalline platinum and gold electrodes modified with adsorbed bismuth oxide adlayers. Journal of Electroanalytical Chemistry, 2004, 561, 103-111.	3.8	18
35	Electrochemical reduction of NO3â^' and NO2â^' on a composite copper thallium electrode in alkaline solutions. Journal of Electroanalytical Chemistry, 2004, 568, 183-188.	3.8	53
36	Quantitative Analysis of Acrolein in Heated Vegetable Oils by Liquid Chromatography with Pulsed Electrochemical Detection. Journal of Agricultural and Food Chemistry, 2004, 52, 5816-5821.	5.2	24

INNOCENZO G CASELLA

#	Article	IF	CITATIONS
37	Carbohydrate and alditol analysis by high-performance anion-exchange chromatography coupled with electrochemical detection at a cobalt-modified electrode. Analytical and Bioanalytical Chemistry, 2003, 376, 673-679.	3.7	13
38	Isocratic ion chromatographic determination of underivatized amino acids by electrochemical detection. Analytica Chimica Acta, 2003, 478, 179-189.	5.4	40
39	Electrodeposition and Characterization of Nickel-Copper Alloy Films as Electrode Material in Alkaline Media. Journal of the Electrochemical Society, 2002, 149, B465.	2.9	39
40	Amperometric detection of sulfur-containing compounds in alkaline media. Analyst, The, 2002, 127, 647-652.	3.5	33
41	Determination of Aliphatic Organic Acids by High-Performance Liquid Chromatography with Pulsed Electrochemical Detection. Journal of Agricultural and Food Chemistry, 2002, 50, 23-28.	5.2	48
42	Electrodeposition of cobalt oxide films from carbonate solutions containing Co(II)–tartrate complexes. Journal of Electroanalytical Chemistry, 2002, 520, 119-125.	3.8	149
43	Study of the electrochemical deposition and properties of cobalt oxide species in citrate alkaline solutions. Journal of Electroanalytical Chemistry, 2002, 534, 31-38.	3.8	253
44	Electrocatalysis and Detection of Carbohydrates byAnion-Exchange Chromatography at a Gold Substrate Electrode Modified with Nickel Cyanide Ions. Electroanalysis, 2001, 13, 549-554.	2.9	27
45	Determination of electroactive organic acids by anion-exchange chromatography using a copper modified electrode. Journal of Chromatography A, 2001, 912, 223-233.	3.7	42
46	An Electrochemical and XPS Study of Ag–Pb Binary Alloys incorporated in Nafion® Coatings. Journal of Applied Electrochemistry, 2001, 31, 481-488.	2.9	10
47	Determination of histamine by high-pH anion-exchange chromatography with electrochemical detection. Food Chemistry, 2001, 73, 367-372.	8.2	23
48	Amperometric determination of underivatized amino acids at a nickel-modified gold electrode by anion-exchange chromatography. Journal of Chromatography A, 2000, 878, 57-67.	3.7	49
49	Sulfide measurements by flow injection analysis and ion chromatography with electrochemical detection. Analytica Chimica Acta, 2000, 409, 27-34.	5.4	48
50	Electrochemical and XPS Characterization of Composite Modified Electrodes Obtained by Nickel Deposition on Noble Metals. Analytical Chemistry, 2000, 72, 2969-2975.	6.5	42
51	Voltammetric and XPS investigations of nickel hydroxide electrochemically dispersed on gold surface electrodes. Journal of Electroanalytical Chemistry, 1999, 462, 202-210.	3.8	159
52	Anodic electrodeposition of conducting cobalt oxyhydroxide films on a gold surface. XPS study and electrochemical behaviour in neutral and alkaline solution. Journal of Electroanalytical Chemistry, 1999, 476, 54-63.	3.8	90
53	Electrocatalytic oxidation of oxalic acid on palladium-based modified glassy carbon electrode in acidic medium. Electrochimica Acta, 1999, 44, 3353-3360.	5.2	40
54	Electrochemical preparation of a composite gold–cobalt electrode and its electrocatalytic activity in alkaline medium. Electrochimica Acta, 1999, 45, 1113-1120.	5.2	54

INNOCENZO G CASELLA

#	Article	IF	CITATIONS
55	Electrocatalysis and amperometric detection of alditols and sugars at a gold–nickel composite electrode in anion-exchange chromatography. Analytica Chimica Acta, 1999, 398, 153-160.	5.4	21
56	Liquid chromatography with electrocatalytic detection of oxalic acid by a palladium-based glassy carbon electrode. Journal of Chromatography A, 1999, 833, 75-82.	3.7	21
57	Study of sugar acids separation by high-performance anion-exchange chromatography–pulsed amperometric detection using alkaline eluents spiked with Ba2+, Sr2+, or Ca2+ as acetate or nitrate salts. Journal of Chromatography A, 1999, 848, 71-81.	3.7	19
58	Determination of Maltitol, Isomaltitol, and Lactitol by High-pH Anion-Exchange Chromatography with Pulsed Amperometric Detection. Journal of Agricultural and Food Chemistry, 1999, 47, 157-163.	5.2	27
59	Applications of a copper-modified gold electrode for amperometric detection of polar aliphatic compounds by anion-exchange chromatography. Journal of Chromatography A, 1998, 814, 63-70.	3.7	21
60	Electrooxidation of Aliphatic Amines and Their Amperometric Detection in Flow Injection and Liquid Chromatography at a Nickel-Based Glassy Carbon Electrode. Electroanalysis, 1998, 10, 1005-1009.	2.9	28
61	Electrooxidation of thiocyanate on the copper-modified gold electrode and its amperometric determination by ion chromatography. Analyst, The, 1998, 123, 1359-1363.	3.5	18
62	Effect of Ca(II), Sr(II), and Ba(II) on the Pulsed Amperometric Detection of Alditols and Carbohydrates at a Gold Electrode in Alkaline Solutions. Analytical Chemistry, 1997, 69, 4849-4855.	6.5	17
63	Voltammetric behavior and ion chromatographic detection of nitrite at a dispersed platinum glassy carbon electrode. Electroanalysis, 1997, 9, 596-601.	2.9	34
64	Electrocatalysis of ascorbic acid on the glassy carbon electrode chemically modified with polyaniline films. Electroanalysis, 1997, 9, 1381-1386.	2.9	96
65	Anion-exchange chromatography with electrochemical detection of alditols and sugars at a Cu2O–carbon composite electrode. Journal of Chromatography A, 1997, 773, 115-121.	3.7	21
66	Catalytic oxidation and flow detection of hydrazine compounds at a nafion/ruthenium(III) chemically modified electrode. Analytica Chimica Acta, 1997, 354, 333-341.	5.4	57
67	Highly-dispersed copper microparticles on the active gold substrate as an amperometric sensor for glucose. Analytica Chimica Acta, 1997, 357, 63-71.	5.4	61
68	Colloidal gold supported onto glassy carbon substrates as an amperometric sensor for carbohydrates in flow injection and liquid chromatography. Analyst, The, 1996, 121, 249.	3.5	38
69	Electrooxidation of ascorbic acid on the dispersed platinum glassy carbon electrode and its amperometric determination in flow injection analysis. Electroanalysis, 1996, 8, 128-134.	2.9	19
70	XPS, SEM and electrochemical characterization of a platinum-based glassy carbon modified electrode. Electrocatalytic oxidation of ethanol in acidic medium. Electroanalysis, 1996, 8, 447-453.	2.9	28
71	Copper dispersed into polyaniline films as an amperometric sensor in alkaline solutions of amino acids and polyhydric compounds. Analytica Chimica Acta, 1996, 335, 217-225.	5.4	111
72	Platinum/glassy carbon electrode as detector for liquid chromatographic determination of hydroxyl-containing compounds. Analytica Chimica Acta, 1995, 311, 37-46.	5.4	11

#	Article	IF	CITATIONS
73	Sulfite oxidation at a platinum glassy carbon electrode. Determination of sulfite by ion exclusion chromatography with amperometric detection. Analytica Chimica Acta, 1995, 311, 199-210.	5.4	49
74	Study of a cobalt-based surface modified glassy carbon electrode: Electrocatalytic oxidation of sugars and alditols. Electroanalysis, 1995, 7, 305-311.	2.9	55
75	Activation of carbon fibres by negative d.c. corona discharge at ambient pressure and temperature. Journal of Electron Spectroscopy and Related Phenomena, 1994, 70, 1-9.	1.7	15

Fourier transform infra-red spectroscopic study of thermal degradation in poly(ether ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 Td

77	Electrocatalytic oxidation and liquid chromatographic detection of aliphatic alcohols at a nickel-based glassy carbon modified electrode. Analytical Chemistry, 1993, 65, 3143-3150.	6.5	155
78	Fourier transform infrared spectroscopic study of thermal degradation in films of poly(etheretherketone). Thermochimica Acta, 1992, 211, 209-228.	2.7	50
79	XPS/XAES study of carbon fibres during thermal annealing under UHV conditions. Carbon, 1992, 30, 521-526.	10.3	129
80	XPS investigation of ultra-high-vacuum storage effects on carbon fibre surfaces. Carbon, 1992, 30, 527-531.	10.3	76
81	Cobalt-based glassy carbon chemically modified electrode for constant-potential amperometric detection of carbohydrates in flow-injection analysis and liquid chromatography. Analytica Chimica Acta, 1992, 270, 161-171.	5.4	68
82	Study of a nickel-catalysed glassy carbon electrode for detection of carbohydrates in liquid chromatography and flow injection analysis. Analytica Chimica Acta, 1991, 248, 117-125.	5.4	75
83	Chemically modified electrode for the detection of carbohydrates. Analytica Chimica Acta, 1991, 243, 61-63.	5.4	35
84	A comparison of some asymmetrical line shapes for XPS data analysis. Journal of Electron Spectroscopy and Related Phenomena, 1989, 49, 247-261.	1.7	31