

Chan, Kw

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5002980/publications.pdf>

Version: 2024-02-01

85
papers

1,418
citations

304743

22
h-index

414414

32
g-index

85
all docs

85
docs citations

85
times ranked

1808
citing authors

#	ARTICLE	IF	CITATIONS
1	Persistent negative symptoms in first-episode schizophrenia: A prospective three-year follow-up study. <i>Schizophrenia Research</i> , 2011, 133, 22-28.	2.0	109
2	Aerobic exercise and yoga improve neurocognitive function in women with early psychosis. <i>NPJ Schizophrenia</i> , 2015, 1, 15047.	3.6	84
3	Optimal duration of an early intervention programme for first-episode psychosis: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2015, 206, 492-500.	2.8	63
4	Association of an Early Intervention Service for Psychosis With Suicide Rate Among Patients With First-Episode Schizophrenia-Spectrum Disorders. <i>JAMA Psychiatry</i> , 2018, 75, 458.	11.0	57
5	The relationships of suicidal ideation with symptoms, neurocognitive function, and psychological factors in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 157, 12-18.	2.0	46
6	Impact of avolition and cognitive impairment on functional outcome in first-episode schizophrenia-spectrum disorder: a prospective one-year follow-up study. <i>Schizophrenia Research</i> , 2016, 170, 318-321.	2.0	44
7	Predictors of Treatment-Resistant and Clozapine-Resistant Schizophrenia: A 12-Year Follow-up Study of First-Episode Schizophrenia-Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2021, 47, 485-494.	4.3	42
8	Early intervention and evaluation for adult-onset psychosis: the JCEP study rationale and design. <i>Microbial Biotechnology</i> , 2014, 8, 261-268.	1.7	38
9	Sustainability of treatment effect of a 3-year early intervention programme for first-episode psychosis. <i>British Journal of Psychiatry</i> , 2017, 211, 37-44.	2.8	35
10	The predictive power of expressed emotion and its components in relapse of schizophrenia: a meta-analysis and meta-regression. <i>Psychological Medicine</i> , 2021, 51, 365-375.	4.5	32
11	Patterns and predictors of trajectories for social and occupational functioning in patients presenting with first-episode non-affective psychosis: A three-year follow-up study. <i>Schizophrenia Research</i> , 2018, 197, 131-137.	2.0	31
12	Effort-based decision-making impairment in patients with clinically-stabilized first-episode psychosis and its relationship with amotivation and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2019, 29, 629-642.	0.7	31
13	Risk factors for antipsychotic medication non-adherence behaviors and attitudes in adult-onset psychosis. <i>Schizophrenia Research</i> , 2016, 174, 144-149.	2.0	30
14	Prediction of functional remission in first-episode psychosis: 12-month follow-up of the randomized-controlled trial on extended early intervention in Hong Kong. <i>Schizophrenia Research</i> , 2016, 173, 79-83.	2.0	29
15	Ten-year follow up of patients with first-episode schizophrenia spectrum disorder from an early intervention service: Predictors of clinical remission and functional recovery. <i>Schizophrenia Research</i> , 2019, 204, 65-71.	2.0	29
16	The impacts of COVID-19 outbreak on mental health in general population in different areas in China. <i>Psychological Medicine</i> , 2022, 52, 2651-2660.	4.5	29
17	Gender differences in correlates of cognition in first-episode psychosis. <i>Psychiatry Research</i> , 2019, 271, 412-420.	3.3	27
18	Prediction of self-stigma in early psychosis: 3-Year follow-up of the randomized-controlled trial on extended early intervention. <i>Schizophrenia Research</i> , 2018, 195, 463-468.	2.0	26

#	ARTICLE	IF	CITATIONS
19	Clinical and cognitive predictors of vocational outcome in first-episode schizophrenia: A prospective 3 year follow-up study. <i>Psychiatry Research</i> , 2014, 220, 834-839.	3.3	25
20	Rate and risk factors of depressive symptoms in Chinese patients presenting with first-episode non-affective psychosis in Hong Kong. <i>Schizophrenia Research</i> , 2015, 168, 99-105.	2.0	24
21	Premorbid, clinical and cognitive correlates of primary negative symptoms in first-episode psychosis. <i>Psychiatry Research</i> , 2016, 242, 144-149.	3.3	24
22	Perception of social support and psychotic symptoms among persons with schizophrenia: A strategy to lessen caregiver burden. <i>International Journal of Social Psychiatry</i> , 2019, 65, 548-557.	3.1	24
23	Prevalence and risk factors for violent behavior in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 914-922.	2.3	23
24	A population study of public stigma about psychosis and its contributing factors among Chinese population in Hong Kong. <i>International Journal of Social Psychiatry</i> , 2016, 62, 205-213.	3.1	23
25	Predicting first-episode psychosis patients who will never relapse over 10 years. <i>Psychological Medicine</i> , 2019, 49, 2206-2214.	4.5	22
26	A Low-Intensity Mindfulness-Based Intervention for Mood Symptoms in People with Early Psychosis: Development and Pilot Evaluation. <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, 550-560.	2.7	21
27	Relationship between neurocognitive function and clinical symptoms with self-stigma in patients with schizophrenia-spectrum disorders. <i>Journal of Mental Health</i> , 2019, 28, 583-588.	1.9	21
28	Prospective prediction of PTSD and depressive symptoms during social unrest and COVID-19 using a brief online tool. <i>Psychiatry Research</i> , 2021, 298, 113773.	3.3	21
29	Three-year clinical and functional outcome comparison between first-episode mania with psychotic features and first-episode schizophrenia. <i>Journal of Affective Disorders</i> , 2016, 200, 1-5.	4.1	17
30	Yoga reduces the brain's amplitude of low-frequency fluctuations in patients with early psychosis results of a randomized controlled trial. <i>Schizophrenia Research</i> , 2017, 184, 141-142.	2.0	17
31	The role of symptoms and insight in mediating cognition and functioning in first episode psychosis. <i>Schizophrenia Research</i> , 2019, 206, 251-256.	2.0	17
32	Relationship between diminished expression and cognitive impairment in first-episode schizophrenia: A prospective three-year follow-up study. <i>Schizophrenia Research</i> , 2014, 152, 146-151.	2.0	16
33	Self-perceived cognitive functioning and its relationship with objective performance in first-episode schizophrenia: The Subjective Cognitive Impairment Scale. <i>Comprehensive Psychiatry</i> , 2015, 56, 42-50.	3.1	16
34	Motivational impairment predicts functional remission in first-episode psychosis: 3-Year follow-up of the randomized controlled trial on extended early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1194-1201.	2.3	16
35	Cognitive behavioural family intervention for people diagnosed with severe mental illness and their families: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2020, 27, 128-139.	2.1	16
36	Ten-year trajectory and outcomes of negative symptoms of patients with first-episode schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2020, 220, 85-91.	2.0	16

#	ARTICLE	IF	CITATIONS
37	Newspaper coverage of mental illness in Hong Kong between 2002 and 2012: impact of introduction of a new Chinese name of psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 342-345.	1.7	15
38	Binding of SEP-363856 within TAAR1 and the 5HT1A receptor: implications for the design of novel antipsychotic drugs. <i>Molecular Psychiatry</i> , 2022, 27, 88-94.	7.9	15
39	Mortality and suicide in schizophrenia: 21-year follow-up in rural China. <i>BJPsych Open</i> , 2020, 6, e121.	0.7	14
40	The impact of social unrest and pandemic on mental health of young people in Hong Kong: The transdiagnostic role of event-based rumination. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 376-384.	2.3	14
41	Clinical and treatment-related determinants of subjective quality of life in patients with first-episode psychosis. <i>Psychiatry Research</i> , 2017, 249, 39-45.	3.3	13
42	Correlates of insight with symptomatology and executive function in patients with first-episode schizophrenia-spectrum disorder: A longitudinal perspective. <i>Psychiatry Research</i> , 2014, 216, 177-184.	3.3	12
43	Sociodemographic correlates of public stigma about mental illness: a population study on Hong Kong's Chinese population. <i>BMC Psychiatry</i> , 2021, 21, 274.	2.6	12
44	Long term effect of early intervention service on duration of untreated psychosis in youth and adult population in Hong Kong. <i>Microbial Biotechnology</i> , 2018, 12, 331-338.	1.7	11
45	Destigmatizing psychosis: Investigating the effectiveness of a school-based programme in Hong Kong secondary school students. <i>Microbial Biotechnology</i> , 2019, 13, 882-887.	1.7	11
46	Rates and predictors of disengagement of patients with first-episode psychosis from the early intervention service for psychosis service (EASY) covering 15 to 64 years of age in Hong Kong. <i>Microbial Biotechnology</i> , 2019, 13, 398-404.	1.7	11
47	The effect of media reporting of a homicide committed by a patient with schizophrenia on the public stigma and knowledge of psychosis among the general population of Hong Kong. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 43-50.	3.1	9
48	Ten-year employment patterns of patients with first-episode schizophrenia-spectrum disorders: comparison of early intervention and standard care services. <i>British Journal of Psychiatry</i> , 2020, 217, 491-497.	2.8	9
49	The 12-month prevalence of psychotic experiences and their association with clinical outcomes in Hong Kong: an epidemiological and a 2-year follow up studies. <i>Psychological Medicine</i> , 2021, 51, 2501-2508.	4.5	9
50	Effect of high-endurance exercise intervention on sleep-dependent procedural memory consolidation in individuals with schizophrenia: a randomized controlled trial. <i>Psychological Medicine</i> , 2023, 53, 1708-1720.	4.5	9
51	Perception towards relapse and its predictors in psychosis patients: A qualitative study. <i>Microbial Biotechnology</i> , 2018, 12, 856-862.	1.7	8
52	Risk perception in paranoia and anxiety: Two investigations across clinical and non-clinical populations. <i>Schizophrenia Research: Cognition</i> , 2020, 21, 100176.	1.3	8
53	Mindfulness meditation for Chinese patients with psychosis: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2021, 237, 103-114.	2.0	8
54	NICE guidance: why not clozapine for treatment-refractory bipolar disorder?. <i>Lancet Psychiatry</i> , 2016, 3, 502-503.	7.4	7

#	ARTICLE	IF	CITATIONS
55	Suicide Rates, Psychiatric Hospital Bed Numbers, and Unemployment Rates From 1999 to 2015: A Population-Based Study in Hong Kong. <i>American Journal of Psychiatry</i> , 2018, 175, 285-286.	7.2	5
56	Executive dysfunctions differentially predict amotivation in first-episode schizophrenia-spectrum disorder: a prospective 1-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 887-896.	3.2	5
57	Patterns and predictors of trajectories for subjective quality of life in patients with early psychosis: Three-year follow-up of the randomized controlled trial on extended early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 983-992.	2.3	5
58	Relationship of subjective quality of life with symptomatology, neurocognition and psychosocial functioning in first-episode psychosis: a structural equation modelling approach. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1561-1569.	3.2	5
59	Psychiatric beds and increased suicide rates in England. <i>Lancet Psychiatry</i> , 2016, 3, 604.	7.4	4
60	Quality of life and functioning in first-episode psychosis Chinese patients with different antipsychotic medications. <i>Microbial Biotechnology</i> , 2016, 10, 535-539.	1.7	4
61	Clinical and functional correlates of financially deprived women with first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 639-645.	1.7	4
62	Elucidating the relationship between internalized stigma, cognitive insight, illness severity, and functioning in patients with schizophrenia using a path analysis approach. <i>Journal of Mental Health</i> , 2022, 31, 29-38.	1.9	4
63	An epidemiological survey of mental disorders 5 years after the Lushan earthquake in Ya'an, China. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1263-1272.	3.1	4
64	Self-referential gaze perception of patients with schizophrenia and its relationship with symptomatology and cognitive functions. <i>Schizophrenia Research</i> , 2021, 228, 288-294.	2.0	4
65	Longitudinal relapse pattern of patients with first-episode schizophrenia-spectrum disorders and its predictors and outcomes: A 10-year follow-up study. <i>Asian Journal of Psychiatry</i> , 2022, 71, 103087.	2.0	4
66	Utility and Barriers to Clozapine Use. <i>Journal of Clinical Psychiatry</i> , 2022, 83, .	2.2	4
67	Chinese label for people at risk for psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 224-228.	1.7	3
68	The Royal Australian and New Zealand College of Psychiatrists guidelines: Acute inpatient care for schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 191-192.	2.3	3
69	Motivational coaching augmentation of exercise intervention for early psychotic disorders: A randomised controlled trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 1277-1286.	2.3	3
70	Explicit and implicit mentalization of patients with first-episode schizophrenia: a study of self-referential gaze perception with eye movement analysis using hidden Markov models. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	3.2	3
71	Effectiveness and optimal duration of early intervention treatment in adult-onset psychosis: a randomized clinical trial. <i>Psychological Medicine</i> , 2022, , 1-13.	4.5	3
72	Correlates and predictors of perceived stigma and self-stigma in Chinese patients with psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 1075-1084.	1.7	3

#	ARTICLE	IF	CITATIONS
73	Antipsychotic Treatment of Young Chinese Individuals From 2004 to 2015: A Population-Based Study in Hong Kong. <i>American Journal of Psychiatry</i> , 2016, 173, 939-940.	7.2	2
74	Integration of biological and psychological illness attributional belief in association with medication adherence behaviour: A path analysis. <i>Microbial Biotechnology</i> , 2021, 15, 1686-1695.	1.7	2
75	Relationship between subjective quality of life and perceptions of recovery orientation of treatment service in patients with schizophrenia and major depressive disorder. <i>Asian Journal of Psychiatry</i> , 2021, 57, 102578.	2.0	2
76	Stressful events as correlates of depressive and PTSD symptoms in Hong Kong women during social unrest and COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2022, 300, 263-268.	4.1	2
77	Incidence of hospitalization and its associated factors in first-episode psychosis in Hong Kong. <i>Microbial Biotechnology</i> , 2016, 10, 263-266.	1.7	1
78	Early intervention for incipient insanity: early notions from the 19th century English literature. <i>Microbial Biotechnology</i> , 2018, 12, 708-714.	1.7	1
79	Internalized stigma as an independent predictor of employment status in patients with schizophrenia. <i>Psychiatric Rehabilitation Journal</i> , 2021, 44, 299-302.	1.1	1
80	Dynamic Patterns of Symptoms and Functioning in Predicting Deliberate Self-harm in Patients with First-Episode Schizophrenia-Spectrum Disorders Over 3 Years. <i>Schizophrenia Bulletin</i> , 2022, 48, 1043-1052.	4.3	1
81	Lithium, suicide prevention and unipolar depression?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 844-844.	2.3	0
82	Spontaneous eye blink in patients with psychosis in perceptions of stimulus salience. <i>Schizophrenia Research</i> , 2019, 209, 275-277.	2.0	0
83	Investigation of motor self-monitoring deficits in schizophrenia with passivity experiences using a novel modified joint position matching paradigm. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 509-518.	3.2	0
84	Antipsychotic treatment in clinical high risk for psychosis: iatrogenesis related to dopamine supersensitivity psychosis?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 97-97.	2.3	0
85	Why does clozapine cause increased rebound psychosis and catatonia, compared to quetiapine?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 98-98.	2.3	0