

Paulo Gustavo Macedo de Almeida Mart

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5003241/publications.pdf>

Version: 2024-02-01

31
papers

254
citations

1040056

9
h-index

996975

15
g-index

31
all docs

31
docs citations

31
times ranked

377
citing authors

#	ARTICLE	IF	CITATIONS
1	Proportional hazard models associated with the survival of dairy goats reared in a tropical environment. <i>Small Ruminant Research</i> , 2020, 184, 106063.	1.2	7
2	Animal performance and nutritional characteristics of Piatã grass in integrated systems. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2020, 72, 1027-1033.	0.4	1
3	Performance and economic evaluation of feedlot cattle fed sugarcane tops. <i>Livestock Science</i> , 2019, 230, 103827.	1.6	3
4	Vaginal temperature as indicative of thermoregulatory response in Nellore heifers under different microclimatic conditions. <i>PLoS ONE</i> , 2019, 14, e0223190.	2.5	14
5	Genetic association between residual feed intake and carcass traits in a herd of Nellore beef cattle. <i>Livestock Science</i> , 2019, 225, 53-61.	1.6	5
6	Genetic evaluation for scrotal circumference in Guzerat cattle through different models. <i>Livestock Science</i> , 2019, 222, 1-6.	1.6	2
7	Genetic evaluation of bodyweight, scrotal circumference, and visual appraisal scores in <i>Bos indicus</i> cattle. <i>Animal Production Science</i> , 2018, 58, 1584.	1.3	10
8	Differences between sexes, muscles and aging times on the quality of meat from Wagyu – Angus cattle finished in feedlot. <i>Animal Production Science</i> , 2018, 58, 350.	1.3	3
9	Thermal comfort indices assessed in integrated production systems in the Brazilian savannah. <i>Agroforestry Systems</i> , 2018, 92, 1659-1672.	2.0	31
10	Genetic evaluation and selection response for growth in meat-type quail through random regression models using B-spline functions and Legendre polynomials. <i>Animal</i> , 2018, 12, 667-674.	3.3	8
11	Digestible methionine + cysteine: lysine ratios for growing meat-type quails. <i>Ciencia Rural</i> , 2018, 48, .	0.5	0
12	Genetic association between stayability, and productive and reproductive traits in Holstein cows. <i>Animal Production Science</i> , 2018, 58, 1788.	1.3	4
13	Genetic correlations between body weight, scrotal circumference and visual evaluation scores in <i>Bos indicus</i> cattle. <i>Animal Science Journal</i> , 2018, 89, 1223-1229.	1.4	10
14	Sugarcane tops as a substitute for sugarcane in high-concentrate diets for beef bulls. <i>Animal Production Science</i> , 2017, 57, 563.	1.3	2
15	Carcass traits and meat quality of quails from both sexes and eight distinct strains. <i>Animal Production Science</i> , 2017, 57, 2141.	1.3	4
16	Effects of storage temperature and repeated freeze-thaw cycles on stability of bovine plasma concentrations of haptoglobin and ceruloplasmin. <i>Journal of Veterinary Diagnostic Investigation</i> , 2017, 29, 738-740.	1.1	5
17	Effects of multiple oral administrations of fenbendazole on growth and fecal nematodes infection of early-weaned beef calves grazing perennial, warm-season or annual, cool-season grasses. <i>The Professional Animal Scientist</i> , 2017, 33, 432-439.	0.7	3
18	Economic and Productive Assessment of an Ordinary Small-Sized Dairy Enterprise in Southeast Brazil: A Multi-Year Study. <i>Journal of Agricultural Science</i> , 2017, 9, 143.	0.2	3

#	ARTICLE	IF	CITATIONS
19	Effects of hydroxychloride sources of copper, zinc, and manganese on measures of supplement intake, mineral status, and pre- and postweaning performance of beef calves. <i>Journal of Animal Science</i> , 2017, 95, 1739.	0.5	0
20	Sensitivity of breeding values for carcass traits of meat-type quail to changes in dietary (methionine + Tj ETQq0 0 0 rgBT /Overlock 10 463-475.	2.0	8
21	Evaluation of 2 sugarcane molasses feeding strategies on measures of growth and reproductive performance of replacement beef heifers. <i>The Professional Animal Scientist</i> , 2016, 32, 302-308.	0.7	0
22	Evaluation of carcass traits and meat characteristics of Guzerat-crossbred bulls. <i>Meat Science</i> , 2016, 112, 58-62.	5.5	7
23	Effects of roughage sources produced in a tropical environment on forage intake, and ruminal and microbial parameters1. <i>Journal of Animal Science</i> , 2015, 93, 2363-2374.	0.5	13
24	Performance of beef Guzerat and Guzerat-cross bulls during the feedlot, and carcass traits of Guzerat-cross groups. <i>Animal Production Science</i> , 2015, 55, 1303.	1.3	3
25	Intake, digestibility, performance, and carcass traits of rams provided with dehydrated passion fruit (<i>Passiflora edulis</i> f. <i>flavicarpa</i>) peel, as a substitute of Tifton 85 (<i>Cynodon</i> spp.). <i>Small Ruminant Research</i> , 2015, 129, 18-24.	1.2	10
26	Genotype—dietary (methionine+cystine):Lysine ratio interaction for body weight of meat-type quails using reaction norm models. <i>Livestock Science</i> , 2015, 182, 137-144.	1.6	12
27	Effects of trace mineral injections on measures of performance and trace mineral status of pre- and postweaned beef calves1. <i>Journal of Animal Science</i> , 2014, 92, 2630-2640.	0.5	47
28	Performance of Nellore heifers, forage mass, and structural and nutritional characteristics of <i>Brachiaria brizantha</i> grass in integrated production systems. <i>Tropical Animal Health and Production</i> , 2014, 46, 167-172.	1.4	27
29	Effects of supplemental dietary sodium bicarbonate on performance of lactating Holstein cows during the summer season in Brazil. <i>Livestock Science</i> , 2014, 169, 78-82.	1.6	1
30	Evaluation of beef cow and calf separation systems to improve reproductive performance of first-calf cows. <i>Livestock Science</i> , 2012, 150, 74-79.	1.6	11
31	MORPHO-PHYSIOLOGICAL RESPONSES OF BOS INDICUS, BOS TAURUS AND CROSSBRED WEANED HEIFERS TO SEASONAL VARIATIONS. <i>Scientia Agraria Paranaensis</i> , 0, , 186-192.	0.1	0