Chia-Lin Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/500340/publications.pdf

Version: 2024-02-01

1040056 888059 21 312 9 17 citations h-index g-index papers 21 21 21 2641 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	Induction of sestrin2 as an endogenous protective mechanism against amyloid beta-peptide neurotoxicity in primary cortical culture. Experimental Neurology, 2014, 253, 63-71.	4.1	60
2	Interferon gamma-induced protein 10 is associated with insulin resistance and incident diabetes in patients with nonalcoholic fatty liver disease. Scientific Reports, 2015, 5, 10096.	3.3	38
3	Prospective associations between environmental heavy metal exposure and renal outcomes in adults with chronic kidney disease. Nephrology, 2018, 23, 830-836.	1.6	35
4	Hydroxychloroquine Use and Risk of CKD in Patients with Rheumatoid Arthritis. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 702-709.	4.5	32
5	Migraine and subsequent chronic kidney disease risk: a nationwide population-based cohort study. BMJ Open, 2017, 7, e018483.	1.9	19
6	Stroke and Risks of Development and Progression of Kidney Diseases and End-Stage Renal Disease: A Nationwide Population-Based Cohort Study. PLoS ONE, 2016, 11, e0158533.	2.5	19
7	Long-term renal outcomes in patients with traumatic brain injury: A nationwide population-based cohort study. PLoS ONE, 2017, 12, e0171999.	2.5	16
8	Renal Tubular Epithelial TRPA1 Acts as An Oxidative Stress Sensor to Mediate Ischemia-Reperfusion-Induced Kidney Injury through MAPKs/NF-κB Signaling. International Journal of Molecular Sciences, 2021, 22, 2309.	4.1	15
9	Renal Tubular TRPA1 as a Risk Factor for Recovery of Renal Function from Acute Tubular Necrosis. Journal of Clinical Medicine, 2019, 8, 2187.	2.4	11
10	Tubular Peroxiredoxin 3 as a Predictor of Renal Recovery from Acute Tubular Necrosis in Patients with Chronic Kidney Disease. Scientific Reports, 2017, 7, 43589.	3.3	10
11	Association of early loss of primary functional patency of arteriovenous access with mortality in incident hemodialysis patients. Medicine (United States), 2018, 97, e11630.	1.0	10
12	Association of Statin Use With Mortality After Dialysis-Requiring Acute Kidney Injury: A Population-Based Cohort Study. Mayo Clinic Proceedings, 2018, 93, 1474-1483.	3.0	8
13	Increased chronic kidney disease development and progression in diabetic patients after appendectomy: a population-based cohort study. PeerJ, 2018, 6, e5019.	2.0	7
14	Comparing the controlled attenuation parameter using FibroScan and attenuation imaging with ultrasound as a novel measurement for liver steatosis. PLoS ONE, 2021, 16, e0254892.	2.5	7
15	Associations between the Duration of Dialysis, Endotoxemia, Monocyte Chemoattractant Protein-1, and the Effects of a Short-Dwell Exchange in Patients Requiring Continuous Ambulatory Peritoneal Dialysis. PLoS ONE, 2014, 9, e109558.	2.5	6
16	Targeting Uremic Toxins to Prevent Peripheral Vascular Complications in Chronic Kidney Disease. Toxins, 2020, 12, 808.	3.4	5
17	Association of vascular access flow with short-term and long-term mortality in chronic haemodialysis patients: a retrospective cohort study. BMJ Open, 2017, 7, e017035.	1.9	4
18	Hydroxychloroquine and risk of development of cancers: a nationwide population-based cohort study. Therapeutics and Clinical Risk Management, 2018, Volume 14, 1435-1443.	2.0	4

#	Article	IF	CITATIONS
19	Tubular transcriptional co-activator with PDZ-binding motif protects against ischemic acute kidney injury. Clinical Science, 2020, 134, 1593-1612.	4.3	4
20	Analysis of antiviral efficacy after switching from brand to generic entecavir in patients with treatment-na \tilde{A} ve chronic hepatitis B. BMC Gastroenterology, 2022, 22, 228.	2.0	1
21	Effect of Intragastric Botulinum Type A Injection Combined with a Low-Calorie High-Protein Diet in Adults with Overweight or Obesity. Journal of Clinical Medicine, 2022, 11, 3325.	2.4	1