

Hai-ying Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5003404/publications.pdf>

Version: 2024-02-01

78
papers

3,185
citations

126907

33
h-index

168389

53
g-index

78
all docs

78
docs citations

78
times ranked

3305
citing authors

#	ARTICLE	IF	CITATIONS
1	Structural modification of aluminum oxides for removing fluoride in water: crystal forms and metal ion doping. <i>Environmental Technology (United Kingdom)</i> , 2022, 43, 3248-3261.	2.2	8
2	Application of polypyrrole-based adsorbents in the removal of fluoride: a review. <i>RSC Advances</i> , 2022, 12, 3505-3517.	3.6	20
3	Fluoride remediation from on-site wastewater using optimized bauxite nanocomposite (Bx-Ce-La@500): Synthesis maximization, and mechanism of F ⁻ removal. <i>Journal of Hazardous Materials</i> , 2022, 430, 128401.	12.4	23
4	Synthesis and electrochemical behavior of monolayer-Ti ₃ C ₂ T _x for capacitive deionization. <i>Journal of Central South University</i> , 2022, 29, 359-372.	3.0	6
5	Carbon Nanoarchitectonics with Bi Nanoparticle Encapsulation for Improved Electrochemical Deionization Performance. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 13177-13185.	8.0	26
6	Defluorination mechanism related to the activity of hydroxyl groups: A combined density functional theory calculations and experimental study. <i>Chemical Engineering Journal</i> , 2022, 437, 135342.	12.7	3
7	Bismuth-titanium alloy nanoparticle@porous carbon composite as efficient and stable Cl-storage electrode for electrochemical desalination. <i>Separation and Purification Technology</i> , 2022, 296, 121375.	7.9	17
8	Fluoride removal from water using alumina and aluminum-based composites: A comprehensive review of progress. <i>Critical Reviews in Environmental Science and Technology</i> , 2021, 51, 2051-2085.	12.8	58
9	Preparation of MOFs and MOFs derived materials and their catalytic application in air pollution: A review. <i>Catalysis Today</i> , 2021, 375, 10-29.	4.4	134
10	Synthesis of hierarchical hollow MIL-53(Al)-NH ₂ as an adsorbent for removing fluoride: experimental and theoretical perspective. <i>Environmental Science and Pollution Research</i> , 2021, 28, 6886-6897.	5.3	31
11	Stabilization mechanism of arsenic-sulfide slag by density functional theory calculation of arsenic-sulfide clusters. <i>Journal of Hazardous Materials</i> , 2021, 410, 124567.	12.4	9
12	Simultaneous immobilization of Pb, Cd and As in soil by hybrid iron-, sulfate- and phosphate-based bio-nanocomposite: Effectiveness, long-term stability and bioavailability/bioaccessibility evaluation. <i>Chemosphere</i> , 2021, 266, 128960.	8.2	23
13	Experimental and modeling studies for adsorbing different species of fluoride using lanthanum-aluminum perovskite. <i>Chemosphere</i> , 2021, 263, 128089.	8.2	23
14	3D Cationic Polymeric Network Nanotrap for Efficient Collection of Perrhenate Anion from Wastewater. <i>Small</i> , 2021, 17, e2007994.	10.0	42
15	Defluorination by ion exchange of SO ₄ ²⁻ on alumina surface: Adsorption mechanism and kinetics. <i>Chemosphere</i> , 2021, 273, 129678.	8.2	20
16	Preparation of 2D carbon ribbon/Al ₂ O ₃ and nitrogen-doped carbon ribbon/Al ₂ O ₃ by using MOFs as precursors for removing high-fluoride water. <i>Transactions of Nonferrous Metals Society of China</i> , 2021, 31, 2174-2188.	4.2	25
17	Highly efficient fluoride removal from water using 2D metal-organic frameworks MIL-53(Al) with rich Al and O adsorptive centers. <i>Environmental Science and Ecotechnology</i> , 2021, 8, 100123.	13.5	14
18	Electrochemically-mediated capture and reduction of Cr(VI) by highly porous N-doped carbon spheres. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106067.	6.7	9

#	ARTICLE	IF	CITATIONS
19	Imidazolium-based cationic polymeric nanotraps for efficient removal of Cr(VI). Journal of Environmental Chemical Engineering, 2021, 9, 106357.	6.7	5
20	Removal of fluoride from wastewater solution using Ce-ALOOH with oxalic acid as modification. Journal of Hazardous Materials, 2020, 384, 121373.	12.4	86
21	MOFs-based coating derived Me-ZIF-67@CuOx materials as low-temperature NO-CO catalysts. Chemical Engineering Journal, 2020, 381, 122757.	12.7	40
22	Hierarchical Porous Carbon from the Synergistic "Pore-on-Pore" Strategy for Efficient Capacitive Deionization. ACS Sustainable Chemistry and Engineering, 2020, 8, 1129-1136.	6.7	49
23	In-situ synthesis of monodispersed Cu ₂ O heterostructure on porous carbon monolith for exceptional removal of gaseous Hg ⁰ . Applied Catalysis B: Environmental, 2020, 265, 118556.	20.2	32
24	Hydrothermal synthesis of chemically stable cross-linked poly-Schiff base for efficient Cr(VI) removal. Journal of Materials Science, 2020, 55, 3259-3278.	3.7	5
25	Synthesis of core-shell UiO-66-poly(m-phenylenediamine) composites for removal of hexavalent chromium. Environmental Science and Pollution Research, 2020, 27, 4115-4126.	5.3	16
26	Two-Dimensional Titanium Carbides (Ti ₃ C ₂ T _x) Functionalized by Poly(m-phenylenediamine) for Efficient Adsorption and Reduction of Hexavalent Chromium. International Journal of Environmental Research and Public Health, 2020, 17, 167.	2.6	49
27	A review on fluoride adsorption using modified bauxite: Surface modification and sorption mechanisms perspectives. Journal of Environmental Chemical Engineering, 2020, 8, 104532.	6.7	34
28	A Review of Battery Materials as CDI Electrodes for Desalination. Water (Switzerland), 2020, 12, 3030.	2.7	8
29	A newly synthesized highly stable Ag/N-carbon electrode for enhanced desalination by capacitive deionization. Environmental Science: Nano, 2020, 7, 3007-3019.	4.3	17
30	Preparation of magnetic Fe ₃ O ₄ @Cu/Ce microspheres for efficient catalytic oxidation co-adsorption of arsenic(III). Journal of Central South University, 2020, 27, 1176-1185.	3.0	7
31	Selective removal of Cl ⁻ and F ⁻ from complex solution via electrochemistry deionization with bismuth/reduced graphene oxide composite electrode. Chemosphere, 2020, 251, 126319.	8.2	41
32	Adsorption mechanism for removing different species of fluoride by designing of core-shell boehmite. Journal of Hazardous Materials, 2020, 394, 122555.	12.4	51
33	Macroscopic Poly Schiff Base-Coated Bacteria Cellulose with High Adsorption Performance. Polymers, 2020, 12, 714.	4.5	10
34	Enhanced chloride removal of phosphorus doping in carbon material for capacitive deionization: Experimental measurement and theoretical calculation. Science of the Total Environment, 2020, 720, 137637.	8.0	21
35	Porous and flexible membrane derived from ZIF-8-decorated hyphae for outstanding adsorption of Pb ²⁺ ion. Journal of Colloid and Interface Science, 2020, 565, 465-473.	9.4	41
36	Dynamic proteome responses to sequential reduction of Cr(VI) and adsorption of Pb(II) by Pannonibacter phragmitetus BB. Journal of Hazardous Materials, 2020, 386, 121988.	12.4	39

#	ARTICLE	IF	CITATIONS
37	Enhanced surface hydroxyl groups by using hydrogen peroxide on hollow tubular alumina for removing fluoride. <i>Microporous and Mesoporous Materials</i> , 2020, 297, 110051.	4.4	37
38	Facile and sustainable synthesis of slit-like microporous N-doped carbon with unexpected electrosorption performance. <i>Chemical Engineering Journal</i> , 2020, 396, 125249.	12.7	37
39	Preparation of stable and high-efficient poly(m-phenylenediamine)/reduced graphene oxide composites for hexavalent chromium removal. <i>Journal of Materials Science</i> , 2019, 54, 383-395.	3.7	41
40	Enhanced adsorption-coupled reduction of hexavalent chromium by 2D poly(m-phenylenediamine)-functionalized reduction graphene oxide. <i>Environmental Science and Pollution Research</i> , 2019, 26, 31099-31110.	5.3	23
41	Highly-dispersed Fe ₂ O ₃ @C electrode materials for Pb ²⁺ removal by capacitive deionization. <i>Carbon</i> , 2019, 153, 12-20.	10.3	56
42	Organic frameworks induce synthesis and growth mechanism of well-ordered dumbbell-shaped ZnO particles. <i>Materials Chemistry and Physics</i> , 2019, 232, 129-136.	4.0	10
43	Synergistic effect of nitrogen, sulfur-codoping on porous carbon nanosheets as highly efficient electrodes for capacitive deionization. <i>Journal of Colloid and Interface Science</i> , 2019, 550, 147-158.	9.4	43
44	Arsenic Behaviors and Pollution Control Technologies in Aqueous Solution. , 2019, , 29-120.		0
45	Simultaneous adsorption of As(III), Cd(II) and Pb(II) by hybrid bio-nanocomposites of nano hydroxy ferric phosphate and hydroxy ferric sulfate particles coating on <i>Aspergillus niger</i> . <i>Chemosphere</i> , 2019, 223, 551-559.	8.2	34
46	Enhanced activation of persulfate by nitric acid/annealing modified multi-walled carbon nanotubes via non-radical process. <i>Chemosphere</i> , 2019, 220, 514-522.	8.2	66
47	In-situ functionalization of poly(m-phenylenediamine) nanoparticles on bacterial cellulose for chromium removal. <i>Chemical Engineering Journal</i> , 2018, 344, 441-452.	12.7	61
48	Fungus hyphae-supported alumina: An efficient and reclaimable adsorbent for fluoride removal from water. <i>Journal of Colloid and Interface Science</i> , 2017, 496, 496-504.	9.4	53
49	Highly selective and sensitive polymers with fluorescent side groups for the detection of Hg ²⁺ ion. <i>Materials Chemistry and Physics</i> , 2017, 196, 262-269.	4.0	16
50	Biosynthesis of schwertmannite by <i>Acidithiobacillus ferrooxidans</i> and its application in arsenic immobilization in the contaminated soil. <i>Journal of Soils and Sediments</i> , 2016, 16, 2430-2438.	3.0	27
51	Facile synthesis of Fe ₃ O ₄ @Cu(OH) ₂ composites and their arsenic adsorption application. <i>Chemical Engineering Journal</i> , 2016, 299, 15-22.	12.7	108
52	Enhanced short-cut nitrification in an airlift reactor by CaCO ₃ attachment on biomass under high bicarbonate condition. <i>Biodegradation</i> , 2016, 27, 131-144.	3.0	9
53	Highly Flexible and Porous Nanoparticle-Loaded Films for Dye Removal by Graphene Oxide-Fungus Interaction. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 34638-34647.	8.0	63
54	Fluorescent silica nanoparticles and glass surfaces for the detection and removal of Pd(II) ions. <i>Journal of Materials Science</i> , 2016, 51, 8502-8515.	3.7	4

#	ARTICLE	IF	CITATIONS
55	Enhanced removal of Cd(II) and Pb(II) by composites of mesoporous carbon stabilized alumina. <i>Applied Surface Science</i> , 2016, 369, 215-223.	6.1	58
56	Single-step synthesis of magnetic chitosan composites and application for chromate (Cr(VI)) removal. <i>Journal of Central South University</i> , 2016, 23, 317-323.	3.0	27
57	Cu doped Fe ₃ O ₄ magnetic adsorbent for arsenic: synthesis, property, and sorption application. <i>RSC Advances</i> , 2015, 5, 50011-50018.	3.6	85
58	Nano-functionalized filamentous fungus hyphae with fast reversible macroscopic assembly & disassembly features. <i>Chemical Communications</i> , 2015, 51, 8524-8527.	4.1	26
59	Synthesis of Core-Shell Magnetic Fe ₃ O ₄ @poly(<i>m</i> -Phenylenediamine) Particles for Chromium Reduction and Adsorption. <i>Environmental Science & Technology</i> , 2015, 49, 5654-5662.	10.0	339
60	Partial nitrification in an air-lift reactor with long-term feeding of increasing ammonium concentrations. <i>Bioresource Technology</i> , 2015, 185, 134-142.	9.6	38
61	Sustainable synthesis of hollow Cu-loaded poly(<i>m</i> -phenylenediamine) particles and their application for arsenic removal. <i>RSC Advances</i> , 2015, 5, 29965-29974.	3.6	21
62	A Cu@m-phenylenediamine complex induced route to fabricate poly(<i>m</i> -phenylenediamine)/reduced graphene oxide hydrogel and its adsorption application. <i>Carbon</i> , 2015, 81, 748-757.	10.3	73
63	Sustainable synthesis of Penicillium-derived highly conductive carbon film as superior binder-free electrode of lithium ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2014, 18, 3209-3214.	2.5	11
64	Facile and large-scale synthesis of poly(<i>m</i> -phenylenediamine) nanobelts with high surface area and superior dye adsorption ability. <i>RSC Advances</i> , 2014, 4, 45244-45250.	3.6	28
65	High-yield synthesis of poly(<i>m</i> -phenylenediamine) hollow nanostructures by a diethanolamine-assisted method and their enhanced ability for Ag ⁺ adsorption. <i>New Journal of Chemistry</i> , 2014, 38, 3984-3991.	2.8	15
66	Preparation of a macroscopic, robust carbon-fiber monolith from filamentous fungi and its application in Li-S batteries. <i>Green Chemistry</i> , 2014, 16, 3926.	9.0	115
67	Synthesis of poly(<i>m</i> -phenylenediamine) with improved properties and superior prospect for Cr(VI) removal. <i>Transactions of Nonferrous Metals Society of China</i> , 2013, 23, 3490-3498.	4.2	13
68	High conversion synthesis of functional poly(<i>m</i> -phenylenediamine) nanoparticles by Cu-OH-assisted method and its superior ability toward Ag ⁺ adsorption. <i>Synthetic Metals</i> , 2013, 176, 78-85.	3.9	22
69	Graphene@poly(<i>m</i> -phenylenediamine) hydrogel fabricated by a facile post-synthesis assembly strategy. <i>Chemical Communications</i> , 2013, 49, 9974.	4.1	43
70	Effective adsorption of sulfate ions with poly(<i>m</i> -phenylenediamine) in aqueous solution and its adsorption mechanism. <i>Transactions of Nonferrous Metals Society of China</i> , 2013, 23, 243-252.	4.2	46
71	Controllable Synthesis of Hierarchical Porous Fe ₃ O ₄ Particles Mediated by Poly(diallyldimethylammonium chloride) and Their Application in Arsenic Removal. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 12449-12459.	8.0	195
72	Methanol-induced formation of 1D poly(<i>m</i> -phenylenediamine) by conventional chemical oxidative polymerization exhibiting superior Ag ⁺ adsorption ability. <i>RSC Advances</i> , 2013, 3, 8660.	3.6	14

#	ARTICLE	IF	CITATIONS
73	Adsorption of Cr(VI) using synthetic poly(m-phenylenediamine). Journal of Hazardous Materials, 2013, 260, 789-795.	12.4	94
74	Facile and large-scale synthesis of functional poly(m-phenylenediamine) nanoparticles by Cu ²⁺ -assisted method with superior ability for dye adsorption. Journal of Materials Chemistry, 2012, 22, 18244.	6.7	60
75	pH Manipulation: A Facile Method for Lowering Oxidation State and Keeping Good Yield of Poly(m-phenylenediamine) and Its Powerful Ag ⁺ Adsorption Ability. Langmuir, 2011, 27, 13729-13738.	3.5	69
76	Facile synthesis of one-dimensional self-assembly oligo(o-phenylenediamine) materials by ammonium persulfate in acidic solution. Materials Letters, 2010, 64, 1193-1196.	2.6	32
77	An effective and scale-up self-assembly route to prepare the rigid and smooth oligo(o-phenylenediamine) microfibers in acidic solution by NaClO ₂ . Materials Letters, 2010, 64, 2302-2305.	2.6	17
78	Removal of Cr(III) and Cr(VI) from aqueous solution by adsorption on sugarcane pulp residue. Central South University, 2009, 16, 101-107.	0.5	14