

Michelle Lawson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5003706/publications.pdf>

Version: 2024-02-01

45
papers

1,148
citations

567144

15
h-index

395590

33
g-index

54
all docs

54
docs citations

54
times ranked

1994
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Osteoclasts control reactivation of dormant myeloma cells by remodelling the endosteal niche. <i>Nature Communications</i> , 2015, 6, 8983. | 5.8 | 296 |
| 2 | Optimal bone strength and mineralization requires the type 2 iodothyronine deiodinase in osteoblasts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 7604-7609. | 3.3 | 123 |
| 3 | Differences between bisphosphonates in binding affinities for hydroxyapatite. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2010, 92B, 149-155. | 1.6 | 102 |
| 4 | Myeloma bone disease: pathogenesis, current treatments and future targets. <i>British Medical Bulletin</i> , 2014, 111, 117-138. | 2.7 | 61 |
| 5 | Targeted magnetic nanoparticle hyperthermia for the treatment of oral cancer. <i>Journal of Oral Pathology and Medicine</i> , 2019, 48, 803-809. | 1.4 | 57 |
| 6 | Mitotic quiescence, but not unique α -catenin marks the phenotype of bone metastasis-initiating cells in prostate cancer. <i>FASEB Journal</i> , 2015, 29, 3141-3150. | 0.2 | 48 |
| 7 | Inhibition of p38 β Mitogen-Activated Protein Kinase Prevents the Development of Osteolytic Bone Disease, Reduces Tumor Burden, and Increases Survival in Murine Models of Multiple Myeloma. <i>Cancer Research</i> , 2007, 67, 4572-4577. | 0.4 | 43 |
| 8 | A review of current murine models of multiple myeloma used to assess the efficacy of therapeutic agents on tumour growth and bone disease. <i>Bone</i> , 2015, 77, 57-68. | 1.4 | 38 |
| 9 | New agents in the Treatment of Myeloma Bone Disease. <i>Calcified Tissue International</i> , 2018, 102, 196-209. | 1.5 | 37 |
| 10 | NOD/SCID-GAMMA Mice Are an Ideal Strain to Assess the Efficacy of Therapeutic Agents Used in the Treatment of Myeloma Bone Disease. <i>PLoS ONE</i> , 2015, 10, e0119546. | 1.1 | 36 |
| 11 | Geranylgeranyl transferase type II inhibition prevents myeloma bone disease. <i>Biochemical and Biophysical Research Communications</i> , 2008, 377, 453-457. | 1.0 | 31 |
| 12 | Soluble Rank Ligand Produced by Myeloma Cells Causes Generalised Bone Loss in Multiple Myeloma. <i>PLoS ONE</i> , 2012, 7, e41127. | 1.1 | 28 |
| 13 | Preventing and Repairing Myeloma Bone Disease by Combining Conventional Antiresorptive Treatment With a Bone Anabolic Agent in Murine Models. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 783-796. | 3.1 | 22 |
| 14 | The Pharmacological Profile of a Novel Highly Potent Bisphosphonate, OX14 (1-Fluoro-2-(Imidazo-[1,2- <i>b</i>]Pyridin-3-yl)-Ethyl-Bisphosphonate). <i>Journal of Bone and Mineral Research</i> , 2017, 32, 1860-1869. | 3.1 | 19 |
| 15 | Targeting RANK/RANKL in the Treatment of Solid Tumours and Myeloma. <i>Current Pharmaceutical Design</i> , 2010, 16, 1272-1283. | 0.9 | 17 |
| 16 | The E3 ligase HUWE1 inhibition as a therapeutic strategy to target MYC in multiple myeloma. <i>Oncogene</i> , 2020, 39, 5001-5014. | 2.6 | 17 |
| 17 | TGF β 2 Inhibition Stimulates Collagen Maturation to Enhance Bone Repair and Fracture Resistance in a Murine Myeloma Model. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 2311-2326. | 3.1 | 14 |
| 18 | The P2RX7B splice variant modulates osteosarcoma cell behaviour and metastatic properties. <i>Journal of Bone Oncology</i> , 2021, 31, 100398. | 1.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Sostdc1: A soluble BMP and Wnt antagonist that is induced by the interaction between myeloma cells and osteoblast lineage cells. <i>Bone</i> , 2019, 122, 82-92. | 1.4 | 13 |
| 20 | Targeting Tumour-Initiating Cells with TRAIL Based Combination Therapy Ensures Complete and Lasting Eradication of Multiple Myeloma Tumours In Vivo. <i>PLoS ONE</i> , 2012, 7, e35830. | 1.1 | 13 |
| 21 | Development of reagents to study the turkey's immune response: Identification and molecular cloning of turkey CD4, CD8 \pm and CD28. <i>Developmental and Comparative Immunology</i> , 2009, 33, 540-546. | 1.0 | 12 |
| 22 | Osteolytica: An automated image analysis software package that rapidly measures cancer-induced osteolytic lesions in in vivo models with greater reproducibility compared to other commonly used methods. <i>Bone</i> , 2016, 83, 9-16. | 1.4 | 12 |
| 23 | Reovirus-induced cell-mediated immunity for the treatment of multiple myeloma within the resistant bone marrow niche. , 2021, 9, e001803. | | 12 |
| 24 | Multiple myelomaâ€”A painful disease of the bone marrow. <i>Seminars in Cell and Developmental Biology</i> , 2021, 112, 49-58. | 2.3 | 10 |
| 25 | Low-dose methotrexate in myeloproliferative neoplasm models. <i>Haematologica</i> , 2017, 102, e336-e339. | 1.7 | 9 |
| 26 | ARQ-197, a small-molecule inhibitor of c-Met, reduces tumour burden and prevents myeloma-induced bone disease in vivo. <i>PLoS ONE</i> , 2018, 13, e0199517. | 1.1 | 9 |
| 27 | Differential Painâ€”Related Behaviors and Bone Disease in Immunocompetent Mouse Models of Myeloma. <i>JBMR Plus</i> , 2020, 4, e10252. | 1.3 | 9 |
| 28 | JZL184, A Monoacylglycerol Lipase Inhibitor, Induces Bone Loss in a Multiple Myeloma Model of Immunocompetent Mice. <i>Calcified Tissue International</i> , 2020, 107, 72-85. | 1.5 | 9 |
| 29 | Bisphosphonate Therapy in the Treatment of Multiple Myeloma. <i>Current Pharmaceutical Design</i> , 2010, 16, 3028-3036. | 0.9 | 8 |
| 30 | Myeloma Bone Disease: The Osteoblast in the Spotlight. <i>Journal of Clinical Medicine</i> , 2021, 10, 3973. | 1.0 | 7 |
| 31 | The Use of Oncolytic Viruses in the Treatment of Multiple Myeloma. <i>Cancers</i> , 2021, 13, 5687. | 1.7 | 6 |
| 32 | Adhesion and Growth of Bone Marrow Stromal Cells on Modified Alginate Hydrogels. <i>Tissue Engineering</i> , 2004, 10, 1480-1491. | 4.9 | 3 |
| 33 | InÂ”vivo models used in studies of bone metastases. , 2022, , 35-53. | | 2 |
| 34 | In vivo models used in studies of bone metastases. , 2015, , 503-518. | | 1 |
| 35 | Antiresorptives. , 2016, , 17-36. | | 1 |
| 36 | Abstract 18: Evaluating the contribution of anti-myeloma immunity for the efficacy of oncolytic reovirus therapy. , 2017, , . | | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Myeloma-Specific Oncolytic Adenovirus Induces Significant Tumour Oncolysis In Vitro and In Vivo and Prevents Cell Line Regrowth. <i>Blood</i> , 2018, 132, 3213-3213. | 0.6 | 1 |
| 38 | Advances in murine models of breast cancer bone disease. , 0, , . | | 1 |
| 39 | Role of The Osteoclast in Cancer. , 2020, , 180-200. | | 1 |
| 40 | Soluble RANK ligand produced by myeloma cells contributes to generalised bone loss in multiple myeloma. <i>Bone</i> , 2009, 44, S162. | 1.4 | 0 |
| 41 | Targeting Free Light Chain (FLC) Secretion and the Unfolded Protein Response in Myeloma Cells Using Van, a Combination of Repurposed Drugs. <i>Experimental Hematology</i> , 2018, 64, S74-S75. | 0.2 | 0 |
| 42 | Biological relationship between bone and myeloma cells. , 2022, , 1005-1017. | | 0 |
| 43 | In vivo Models Used in Studies of Bone Metastases. , 2010, , 347-363. | | 0 |
| 44 | A novel antagonist of the canonical Wnt-signalling pathway, Sostdc1, is expressed in experimental models of myeloma and suppresses bone formation. <i>Bone Abstracts</i> , 0, , . | 0.0 | 0 |
| 45 | The pharmacological profile of a novel highly potent bisphosphonate, OX14 (1-fluoro-2-(imidazo-[1,2] Tj ETQq1 1 0.784314 rgBT /Overd zoledronate in the treatment of myeloma bone disease in JN3-NOD/SCID-[gamma] mice. <i>Bone Abstracts</i> , 0, , . | 0.0 | 0 |