
Maxime Léger

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5004059/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	G-computation, propensity score-based methods, and targeted maximum likelihood estimator for causal inference with different covariates sets: a comparative simulation study. Scientific Reports, 2020, 10, 9219.	3.3	36
2	Baclofen Self-Poisoning in the Era of Changing Indication: Multicentric Reports to a French Poison Control Centre. Alcohol and Alcoholism, 2017, 52, 665-670.	1.6	30
3	Postoperative quality of recovery measurements as endpoints in comparative anaesthesia studies: a systematic review. British Journal of Anaesthesia, 2021, 126, e210-e212.	3.4	21
4	Early quality of recovery according to QoR-15 score is associated with one-month postoperative complications after elective surgery. Journal of Clinical Anesthesia, 2022, 78, 110638.	1.6	19
5	G-computation and machine learning for estimating the causal effects of binary exposure statuses on binary outcomes. Scientific Reports, 2021, 11, 1435.	3.3	9
6	Early use of barbiturates is associated with increased mortality in traumatic brain injury patients from a propensity score-based analysis of a prospective cohort. PLoS ONE, 2022, 17, e0268013.	2.5	8
7	The effect of opioid-free anesthesia protocol on the early quality of recovery after major surgery (SOFA trial): study protocol for a prospective, monocentric, randomized, single-blinded trial. Trials, 2021, 22, 855.	1.6	7
8	Validation of an alternative French version of the Quality of Recovery-15 Score: the FQoR-15. British Journal of Anaesthesia, 2020, 125, e345-e347.	3.4	6
9	Methodological quality of multivariate prognostic models for intracranial haemorrhages in intensive care units: a systematic review. BMJ Open, 2021, 11, e047279.	1.9	6
10	ORI monitoring allows a reduction of time with hyperoxia in critically ill patients: the randomized control ORI2 study. Intensive Care Medicine, 2019, 45, 1661-1662.	8.2	4
11	Safety of changes in the use of noninvasive ventilation and high flow oxygen therapy on reintubation in a surgical intensive care unit: A retrospective cohort study. PLoS ONE, 2021, 16, e0249035.	2.5	3
12	Baclofen self-poisoning: Is renal replacement therapy efficient in patient with normal kidney function?. Anaesthesia, Critical Care & Pain Medicine, 2020, 39, 813-817.	1.4	2
13	Study protocol for a multicentre, 2×2 factorial, randomised, controlled trial evaluating the interest of intravenous iron and tranexamic acid to reduce blood transfusion in hip fracture patients (the) Tj ETQq1 1 0.	784 ₿ ∳4 rg	BT þ Øverlock
14	Causal inference in case of nearâ€violation of positivity: comparison of methods. Biometrical Journal, 2022, 64, 1389-1403.	1.0	2
15	Comparison of neonatal outcomes of cesarean sections performed under primary or secondary general anesthesia: a retrospective study. International Journal of Obstetric Anesthesia, 2022, 50, 103538.	0.4	2
16	Cognitive Aid for Anesthetic Preparation in An Emergency Situation: A Simulation-Based Study. Healthcare (Switzerland), 2021, 9, 1646.	2.0	1
17	A 78-Year-Old Woman With Diarrhea and Respiratory Failure. Chest, 2021, 159, e159-e162.	0.8	0
18	Restrictive transfusion targets the heart now! Insight from the REALITY study. Anaesthesia, Critical Care & Pain Medicine, 2021, 40, 100854.	1.4	0

#	Article	IF	CITATIONS
19	Serratus anterior block versus intrathecal morphine in pulmonary surgery: impact on respiratory outcomes and postoperative pain. Minerva Anestesiologica, 2020, 86, 786-787.	1.0	ο
20	Impact on Postoperative Pain and Recovery of a Regional Analgesia Strategy Based on the Surgical Approach for Lung Resection: A Prospective Observational Study. Journal of Clinical Medicine, 2022, 11, 1376.	2.4	0