
Sellam Karunanithi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5005039/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Occult breast primary malignancy presenting as isolated axillary lymph node metastasis — early detection of primary site by 18F-FDG PET/CT. Nuclear Medicine Review, 2016, 19, 5-7. | 0.3 | 4 |
| 2 | 18F-FDG PET/CT in a Seldom Case of Primary Duodenal Dermatofibrosarcoma Protuberans With Lung and Skeletal Metastases. Clinical Nuclear Medicine, 2015, 40, e140-e142. | 0.7 | 4 |
| 3 | Accurate Characterization of Skeletal Lesions in Tuberous Sclerosis Complex Using 99mTc MDP SPECT/CT. Clinical Nuclear Medicine, 2015, 40, e444-e445. | 0.7 | 1 |
| 4 | 99mTc-MDP SPECT/CT Demonstrating Extraosseous Periarticular Amyloid Deposits in Primary Systemic Amyloidosis Associated With Multiple Myeloma. Clinical Nuclear Medicine, 2015, 40, 189-190. | 0.7 | 2 |
| 5 | Importance of SPECT/CT in Detecting Multiple Hemangiomas on 99mTc-Labeled RBC Blood Pool Scintigraphy. Clinical Nuclear Medicine, 2015, 40, 345-346. | 0.7 | 9 |
| 6 | Accuracy of 68Ga DOTANOC PET/CT Imaging in Patients With Multiple Endocrine Neoplasia Syndromes. Clinical Nuclear Medicine, 2015, 40, e351-e356. | 0.7 | 23 |
| 7 | Spectrum of Physiologic and Pathologic Skeletal Muscle ¹⁸ F-FDG Uptake on PET/CT. American Journal of Roentgenology, 2015, 205, W141-W149. | 1.0 | 37 |
| 8 | An uncommon case showing three different pathologies on99mtechnetium-methylene diphosphonate bone scintigraphy. Indian Journal of Nuclear Medicine, 2015, 30, 80. | 0.1 | 0 |
| 9 | Synchronous thoracic and abdominal enteric duplication cysts: Accurate detection with ^{99m} Tc-pertechnetate scintigraphy. Indian Journal of Nuclear Medicine, 2015, 30, 59. | 0.1 | 13 |
| 10 | ¹⁸ F-FDG PET/CT imaging in a seldom case of primary malignant melanoma of duodenum. Indian Journal of Nuclear Medicine, 2015, 30, 89. | 0.1 | 5 |
| 11 | Gastrointestinal stromal tumour with unusual sites of metastasis: Accurate staging with 18F-FDG PET/CT. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2015, 34, 60-61. | 0.1 | 0 |
| 12 | Gastrointestinal stromal tumour with unusual sites of metastasis: Accurate staging with 18F-FDG PET/CT. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2015, 34, 60-61. | 0.0 | 0 |
| 13 | Potential role of ¹⁸ F-2-fluoro-2-deoxy-glucose positron emission tomography/computed tomography imaging in patients presenting with generalized lymphadenopathy. Indian Journal of Nuclear Medicine, 2015, 30, 31. | 0.1 | 3 |
| 14 | Characterization of parallel-hole collimator using Monte Carlo Simulation. Indian Journal of Nuclear Medicine, 2015, 30, 128. | 0.1 | 9 |
| 15 | Cold spot in the uniform Co-57 image may not necessarily be due to photomultiplier tube failure or variations in photomultiplier tube tuning: A technical note. Indian Journal of Nuclear Medicine, 2015, 30, 187. | 0.1 | 2 |
| 16 | Metastatic Neuroendocrine Tumour in a Renal Transplant Recipient: Dual-Tracer PET-CT with 18F-FDG and 68Ga-DOTANOC in This Rare Setting. Nuclear Medicine and Molecular Imaging, 2015, 49, 57-60. | 0.6 | 2 |
| 17 | Staging and Response of Sternal Histoplasmosis by 18F-FDG PET/CT. Clinical Nuclear Medicine, 2015, 40, 231-233. | 0.7 | 5 |
| 18 | Isolated Central Nervous System Relapse After 10ÂYears in a Case of Primary Testicular Lymphoma Detected on 18F-FDG PET/CT. Nuclear Medicine and Molecular Imaging, 2015, 49, 329-330. | 0.6 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The role of 18F fluorodeoxyglucose positron emission tomography (18F-FDG-PET) in children with rheumatic carditis and chronic rheumatic heart disease. Nuclear Medicine Review, 2015, 18, 25-28. | 0.3 | 7 |
| 20 | 18F-FDG-PET/CT in staging, recurrence detection and response evaluation of primary splenic lymphoma with eight years follow up. Nuclear Medicine Review, 2015, 18, 37-38. | 0.3 | 4 |
| 21 | Dystrophic calcification in muscles of legs in calcinosis, Raynaud's phenomenon, esophageal dysmotility, sclerodactyly, and telangiectasia syndrome: Accurate evaluation of the extent with ^{99m} Tc-methylene diphosphonate single photon emission computed tomography/computed tomography. | 0.1 | 1 |
| 22 | Perfusion-metabolism coupling in recurrent gliomas: a prospective validation study with 13N-ammonia and 18F-fluorodeoxyglucose PET/CT. Neuroradiology, 2014, 56, 893-902. | 1.1 | 10 |
| 23 | Malignant melanoma with cavitary pulmonary metastasis: Diagnostic dilemma resolved by FDG PET/CT guided biopsy. Indian Journal of Nuclear Medicine, 2014, 29, 196. | 0.1 | 4 |
| 24 | Asymptomatic cauda equina metastasis in a patient with nasopharyngeal carcinoma: Detection by ¹⁸ F-FDG PET/CT. Indian Journal of Nuclear Medicine, 2014, 29, 177. | 0.1 | 3 |
| 25 | Metastatic superscan on ^{99m} Tc-MDP bone scintigraphy in a case of carcinoma colon: Common finding but rare etiology. Indian Journal of Nuclear Medicine, 2014, 29, 158. | 0.1 | 5 |
| 26 | Horseshoe kidney mimicking cross-fused ectopia on ^{99m} Tc-EC renal dynamic scintigraphy. Indian Journal of Nuclear Medicine, 2014, 29, 117. | 0.1 | 4 |
| 27 | A case of dual ectopy thyroid along the thyroglossal tract demonstrated on 99mTc-Pertechnatate hybrid single photon emission computed tomography/computed tomography. Indian Journal of Nuclear Medicine, 2014, 29, 105. | 0.1 | 1 |
| 28 | Asymmetrically increased rib cage uptake on bone scintigraphy: Incidental detection of pleural mesothelioma on single photon emission computed tomography/computed tomography. Indian Journal of Nuclear Medicine, 2014, 29, 43. | 0.1 | 2 |
| 29 | Incremental value of single photon emission tomography/computed tomography in 3-phase bone scintigraphy of an accessory navicular bone. Indian Journal of Nuclear Medicine, 2014, 29, 191. | 0.1 | 5 |
| 30 | Prospective Comparison of 99mTc-GH SPECT/CT and 18F-FDOPA PET/CT for Detection of Recurrent Glioma. Clinical Nuclear Medicine, 2014, 39, e121-e128. | 0.7 | 18 |
| 31 | 18F-FDG PET/CT Imaging Features of Rosai Dorfman Disease. Clinical Nuclear Medicine, 2014, 39, 268-269. | 0.7 | 23 |
| 32 | 18F-Fluoride PET/CT for detection of bone metastasis in patients with renal cell carcinoma. Nuclear Medicine Communications, 2014, 35, 1247-1253. | 0.5 | 24 |
| 33 | 99mTc-Methylene diphosphonate SPECT/CT as the one-stop imaging modality for the diagnosis of osteoid osteoma. Nuclear Medicine Communications, 2014, 35, 876-883. | 0.5 | 39 |
| 34 | Iris Metastasis in a Patient With Small Cell Lung Cancer. Clinical Nuclear Medicine, 2014, 39, 554-555. | 0.7 | 5 |
| 35 | Lymphoma and Tuberculosis. Clinical Nuclear Medicine, 2014, 39, 736-737. | 0.7 | 5 |
| 36 | Diuretic 68Ga DOTANOC PET/CT in Imaging of Bladder Paraganglioma. Clinical Nuclear Medicine, 2014, 39, 915-916. | 0.7 | 5 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Use of 18F-FDG PET/CT Imaging for Evaluation of Patients With Primary Splenic Lymphoma. Clinical Nuclear Medicine, 2014, 39, 772-776. | 0.7 | 16 |
| 38 | Peptide Receptor Radionuclide Therapy With 177Lu DOTATATE in a Case of Recurrent Carotid Body Paraganglioma With Spinal Metastases. Clinical Nuclear Medicine, 2014, 39, 440-441. | 0.7 | 9 |
| 39 | Metastases to Hernial Sac Detected on 18F-FDG PET/CT. Clinical Nuclear Medicine, 2014, 39, 637-639. | 0.7 | 0 |
| 40 | 68Ga DOTANOC PET/CT Aiding in the Diagnosis of Von Hippel-Lindau Syndrome by Detecting Cerebellar Hemangioblastoma and Adrenal Pheochromocytoma. Clinical Nuclear Medicine, 2014, 39, 920-921. | 0.7 | 11 |
| 41 | Dual Tracer Functional Imaging of Gastroenteropancreatic Neuroendocrine Tumors Using 68Ga-DOTA-NOC PET-CT and 18F-FDG PET-CT. Clinical Nuclear Medicine, 2014, 39, e27-e34. | 0.7 | 60 |
| 42 | Recurrent malignant pheochromocytoma with unusual omental metastasis: ⁶⁸ Ga-DOTANOC PET/CT and ¹³¹ I-MIBG SPECT/CT scintigraphy findings. Indian Journal of Nuclear Medicine, 2014, 29, 286. | 0.1 | 3 |
| 43 | Evaluation of hepatobilliary systems in conjoined twins by ^{99m} Tc-mebrofenin. Indian Journal of Nuclear Medicine, 2014, 29, 199. | 0.1 | 0 |
| 44 | ¹⁸ F-FDG PET/CT in detection of sarcomatous degeneration of renal angiomyolipoma in setting of tuberous sclerosis. Indian Journal of Nuclear Medicine, 2014, 29, 280. | 0.1 | 2 |
| 45 | Carcinoma of unknown primary of neuroendocrine origin: Accurate detection of primary with68Ga-labelled [1, 4, 7, 10-tetraazacyclododecane-1, 4, 7, 10-tetraacetic acid]-1-Nal3-Octreotide positron emission tomography/computed tomography enterography. Indian Journal of Nuclear Medicine, 2014, 29, 122. | 0.1 | 5 |
| 46 | Asymptomatic Solitary Cerebral Metastasis From Papillary Carcinoma Thyroid. Clinical Nuclear Medicine, 2014, 39, 977-979. | 0.7 | 3 |
| 47 | Cervical and Thoracic Actinomycosis on 18F-FDG PET/CT. Clinical Nuclear Medicine, 2014, 39, 623-624. | 0.7 | 6 |
| 48 | Can 18F-FDOPA PET/CT predict survival in patients with suspected recurrent glioma? A prospective study. European Journal of Radiology, 2014, 83, 219-225. | 1.2 | 30 |
| 49 | Pineal gland involvement in Erdheim–Chester disease detected on 18F-FDG PET-CT imaging: a case report and review of literature. Clinical Imaging, 2014, 38, 367-371. | 0.8 | 9 |
| 50 | Nuclear Medicine Procedures inÂthe Diagnosis of NET. PET Clinics, 2014, 9, 1-9. | 1.5 | 3 |
| 51 | 18F-FDG PET/CT for diagnosis and treatment response evaluation in large vessel vasculitis. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 586-587. | 3.3 | 10 |
| 52 | Potential Role of ¹⁸ F-FDG PET/CT in Patients With Fungal Infections. American Journal of Roentgenology, 2014, 203, 180-189. | 1.0 | 78 |
| 53 | 68Ga-DOTATOC PET-CT in the localization of source of ectopic ACTH in patients with ectopic ACTH-dependent Cushing's syndrome. Clinical Imaging, 2014, 38, 208-211. | 0.8 | 28 |
| 54 | 68Ga DOTANOC PET/CT in Primary Neuroendocrine Tumor of the Breast. Clinical Nuclear Medicine, 2014, 39, 396-398. | 0.7 | 4 |

SELLAM KARUNANITHI

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Ciliary body metastasis in a patient with non-small cell lung carcinoma — incidental detection with 18F-FDG PET/CT. Nuclear Medicine Review, 2014, 17, 40-43. | 0.3 | 4 |
| 56 | 18F-FDG PET-CT for Detection of Recurrent Spinal Ependymoma. Nuclear Medicine and Molecular Imaging, 2013, 47, 63-64. | 0.6 | 4 |
| 57 | 18F-FDOPA PET/CT for detection of recurrence in patients with glioma: prospective comparison with 18F-FDG PET/CT. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 1025-1035. | 3.3 | 93 |
| 58 | Comparative diagnostic accuracy of contrast-enhanced MRI and 18F-FDOPA PET-CT in recurrent glioma. European Radiology, 2013, 23, 2628-2635. | 2.3 | 48 |
| 59 | 18F-FDG PET-CT-Negative Recurrent High-Grade Anaplastic Astrocytoma Detected by 18F-FDOPA PET-CT. Nuclear Medicine and Molecular Imaging, 2013, 47, 299-300. | 0.6 | 4 |
| 60 | Ovarian carcinoma producing parathyroid hormone-related protein causing hypercalcemia and metastatic calcification detected on ¹⁸ F-FDG PET-CT. Indian Journal of Nuclear Medicine, 2013, 28, 237. | 0.1 | 1 |
| 61 | 13N-Ammonia PET/CT for detection of recurrent glioma. Nuclear Medicine Communications, 2013, 34, 1046-1054. | 0.5 | 7 |
| 62 | SPECT-CT for characterization of extraosseous uptake of 99mTc-methylene diphosphonate on bone scintigraphy. Diagnostic and Interventional Radiology, 2013, 19, 405-10. | 0.7 | 24 |
| 63 | Comparative Accuracy of CT Attenuation-Corrected and Non–Attenuation-Corrected SPECT Myocardial Perfusion Imaging. Clinical Nuclear Medicine, 2012, 37, 332-338. | 0.7 | 42 |
| 64 | Metastatic Neuroendocrine Carcinoma Presenting as a "Superscan―on 68Ga-DOTANOC Somatostatin Receptor PET/CT. Clinical Nuclear Medicine, 2012, 37, 892-894. | 0.7 | 6 |
| 65 | Assessment of Therapy Response by FDG PET in Infection and Inflammation. PET Clinics, 2012, 7, 233-243. | 1.5 | 3 |
| 66 | Ectopic pituitary adenoma with empty sella in the setting of MEN-1 syndrome: detection with 68Ga-DOTANOC PET/CT. Japanese Journal of Radiology, 2012, 30, 783-786. | 1.0 | 13 |
| 67 | Primary penile lymphoma: 18f-fdg pet-CT for accurate staging and response monitoring. Diagnostic and Interventional Radiology, 2012, 19, 130-3. | 0.7 | 1 |
| 68 | 18F-FDG PET-CT in the diagnosis of tumor thrombus. Nuclear Medicine Communications, 2011, 32, 782-788. | 0.5 | 80 |
| 69 | Role of 68Ga-DOTATOC PET-CT in the diagnosis and staging of pancreatic neuroendocrine tumours. European Radiology, 2011, 21, 2408-2416. | 2.3 | 70 |