

Shoushun Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5005619/publications.pdf>

Version: 2024-02-01

80
papers

1,381
citations

430874

18
h-index

414414

32
g-index

80
all docs

80
docs citations

80
times ranked

1588
citing authors

#	ARTICLE	IF	CITATIONS
1	Flow-assisted visual tracking using event cameras. CAAI Transactions on Intelligence Technology, 2021, 6, 192-202.	8.1	6
2	Object tracking on event cameras with offline-online learning. CAAI Transactions on Intelligence Technology, 2020, 5, 165-171.	8.1	49
3	A Hamming Distance and Spearman Correlation Based Star Identification Algorithm. IEEE Transactions on Aerospace and Electronic Systems, 2019, 55, 17-30.	4.7	21
4	A Rotation-Invariant Additive Vector Sequence Based Star Pattern Recognition. IEEE Transactions on Aerospace and Electronic Systems, 2019, 55, 689-705.	4.7	15
5	A robust star identification algorithm with star shortlisting. Advances in Space Research, 2018, 61, 2647-2660.	2.6	12
6	A star shortlisting technique for a lost-in-space mode star tracker. , 2018, , .		0
7	A Motion Sensor with On-Chip Pixel Rendering Module for Optical Flow Gradient Extraction. , 2018, , .		6
8	A Star Pattern Recognition Technique Based on the Binary Pattern Formed from the FFT Coefficients. , 2018, , .		0
9	Event-Guided Structured Output Tracking of Fast-Moving Objects Using a CeleX Sensor. IEEE Transactions on Circuits and Systems for Video Technology, 2018, 28, 2413-2417.	8.3	14
10	The Design of Clocked-Comparator-Based Time-Interval Measurement Circuit for Pulse ToF Measurement. IEEE Sensors Journal, 2017, 17, 6699-6706.	4.7	4
11	Valley polarization in stacked MoS2 induced by circularly polarized light. Nano Research, 2017, 10, 1618-1626.	10.4	23
12	A Two-Step Prediction ADC Architecture for Integrated Low Power Image Sensors. IEEE Transactions on Circuits and Systems I: Regular Papers, 2017, 64, 50-60.	5.4	23
13	A spearman correlation based star pattern recognition. , 2017, , .		1
14	Live demonstration: A dynamic vision sensor with direct logarithmic output and full-frame picture-on-demand. , 2016, , .		5
15	A high accuracy star tracker using running sequential angular match technique. , 2016, , .		4
16	Dynamic resolution event-based temporal contrast vision sensor. , 2016, , .		6
17	Frequency-response-associated delay-dispersion issue in time-delay measuring sensors. , 2016, , .		2
18	A dual redundancy radiation-hardened Flip-Flop based on C-element in 65nm process. , 2016, , .		7

#	ARTICLE	IF	CITATIONS
19	A low power prediction SAR ADC integrated with DPCM data compression feature for WCE application. , 2016, , .		3
20	VELOX-II: Challenges of developing a 6U nanosatellite. , 2016, , .		6
21	Polarization-Based Angle Sensitive Pixels for Light Field Image Sensors With High Spatio-Angular Resolution. IEEE Sensors Journal, 2016, 16, 5183-5194.	4.7	10
22	Graphene homojunction: closed-edge bilayer graphene by pseudospin interaction. Nanoscale, 2016, 8, 9102-9106.	5.6	5
23	A Global-Shutter Centroiding Measurement CMOS Image Sensor With Star Region SNR Improvement for Star Trackers. IEEE Transactions on Circuits and Systems for Video Technology, 2016, 26, 1555-1562.	8.3	4
24	An Antivibration Time-Delay Integration CMOS Image Sensor With Online Deblurring Algorithm. IEEE Transactions on Circuits and Systems for Video Technology, 2016, 26, 1544-1554.	8.3	8
25	Object Localization and Size Measurement Using Networked Address Event Representation Imagers. IEEE Sensors Journal, 2016, 16, 2894-2895.	4.7	7
26	A high-resolution on-chip propagation delay measurement scheme. , 2015, , .		1
27	Dynamically reconfigurable silicon array of generalized integrate-and-fire neurons. , 2015, , .		7
28	A Low-Power Hybrid RO PUF With Improved Thermal Stability for Lightweight Applications. IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems, 2015, 34, 1143-1147.	2.7	96
29	A time delay integration CMOS image sensor with online deblurring algorithm. , 2015, , .		0
30	Gain-scheduled extended kalman filter for nanosatellite attitude determination system. IEEE Transactions on Aerospace and Electronic Systems, 2015, 51, 1017-1028.	4.7	44
31	Feedforward Categorization on AER Motion Events Using Cortex-Like Features in a Spiking Neural Network. IEEE Transactions on Neural Networks and Learning Systems, 2015, 26, 1963-1978.	11.3	160
32	CMOS Image Sensor Based Physical Unclonable Function for Coherent Sensor-Level Authentication. IEEE Transactions on Circuits and Systems I: Regular Papers, 2015, 62, 2629-2640.	5.4	65
33	An 8-stage time delay integration CMOS image sensor with on-chip polarization pixels. , 2015, , .		2
34	Stacking-Dependent Interlayer Coupling in Trilayer MoS ₂ with Broken Inversion Symmetry. Nano Letters, 2015, 15, 8155-8161.	9.1	141
35	A High Dynamic Range CMOS Image Sensor With Dual-Exposure Charge Subtraction Scheme. IEEE Sensors Journal, 2015, 15, 661-662.	4.7	15
36	A Cluster-Based Distributed Active Current Sensing Circuit for Hardware Trojan Detection. IEEE Transactions on Information Forensics and Security, 2014, 9, 2220-2231.	6.9	41

#	ARTICLE	IF	CITATIONS
37	Track-and-Tune Light Field Image Sensor. IEEE Sensors Journal, 2014, 14, 4372-4384.	4.7	9
38	A neuromorphic categorization system with Online Sequential Extreme Learning. , 2014, , .		0
39	Event-driven simulation of the tempotron spiking neuron. , 2014, , .		4
40	Bio-inspired categorization using event-driven feature extraction and spike-based learning. , 2014, , .		5
41	Low-power column-parallel ADC for CMOS image sensor by leveraging spatial likelihood in natural scene. , 2014, , .		4
42	A second-generation noise-immune motion detection image sensor for moving object tracking application. , 2014, , .		0
43	Design and characterization of radiation-tolerant CMOS 4T Active Pixel Sensors. , 2014, , .		2
44	CMOS image sensor based physical unclonable function for smart phone security applications. , 2014, , .		7
45	Incident light angle detection technique using polarization pixels. , 2014, , .		5
46	A dual-exposure in-pixel charge subtraction CTIA CMOS image sensor for centroid measurement in star trackers. , 2014, , .		2
47	An Autonomous Star Recognition Algorithm with Optimized Database. IEEE Transactions on Aerospace and Electronic Systems, 2013, 49, 1467-1475.	4.7	33
48	An adaptive integration time CMOS image sensor with multiple readout channels for star trackers. , 2013, , .		3
49	Linear angle sensitive pixels for 4D light field capture. , 2013, , .		7
50	Live demonstration: A high-speed-pass asynchronous motion detection sensor. , 2013, , .		1
51	A bio-inspired feedforward system for categorization of AER motion events. , 2013, , .		4
52	Cluster-based distributed active current timer for hardware Trojan detection. , 2013, , .		11
53	A High Speed Low Power CAM With a Parity Bit and Power-Gated ML Sensing. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2013, 21, 151-156.	3.1	38
54	An Adaptive Integration Time CMOS Image Sensor With Multiple Readout Channels. IEEE Sensors Journal, 2013, 13, 4931-4939.	4.7	9

#	ARTICLE	IF	CITATIONS
55	Live demonstration: A real-time moving object localization and extraction system. , 2012, , .		1
56	Live demonstration: A FSK-OOK ultra wideband impulse radio system with spontaneous clock and data recovery. , 2012, , .		6
57	A 64\$imes\$,64 CMOS Image Sensor With On-Chip Moving Object Detection and Localization. IEEE Transactions on Circuits and Systems for Video Technology, 2012, 22, 581-588.	8.3	35
58	A hybrid-readout and dynamic-resolution motion detection image sensor for object tracking. , 2012, , .		3
59	3D depth camera based human posture detection and recognition Using PCNN circuits and learning-based hierarchical classifier. , 2012, , .		11
60	A 64 \$imes\$ 64 Pixels UWB Wireless Temporal-Difference Digital Image Sensor. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2012, 20, 2232-2240.	3.1	38
61	A Time-Delay-Integration CMOS image sensor with pipelined charge transfer architecture. , 2012, , .		19
62	Efficient Feedforward Categorization of Objects and Human Postures with Address-Event Image Sensors. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2012, 34, 302-314.	13.9	93
63	A CMOS image sensor with on-chip motion detection and object localization. , 2011, , .		7
64	Design of a radiation tolerant CMOS image sensor. , 2011, , .		7
65	A CMOS Image Sensor With On-Chip Image Compression Based on Predictive Boundary Adaptation and Memoryless QTD Algorithm. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2011, 19, 538-547.	3.1	43
66	1-bit heuristic adaptive quantizer (HAQ) for on chip image compression in CMOS image sensors. , 2011, , .		0
67	Realtime feature extraction using MAX-like convolutional network for human posture recognition. , 2011, , .		6
68	A low-power CAM with efficient power and delay trade-off. , 2011, , .		10
69	A second generation 3D integrated feature-extracting image sensor. , 2011, , .		4
70	A 64×64 pixels UWB wireless temporal-difference digital image sensor. , 2010, , .		9
71	Low IR drop and low power parallel CAM design using gated power transistor technique. , 2010, , .		0
72	A biologically inspired system for human posture recognition. , 2009, , .		2

#	ARTICLE	IF	CITATIONS
73	A bio-inspired event-based size and position invariant human posture recognition algorithm. , 2009, , .		5
74	Live demonstration: A bio-inspired event-based size and position invariant human posture recognition algorithm. , 2009, , .		0
75	A size and position invariant event-based human posture recognition algorithm. , 2008, , .		2
76	Robust Intermediate Read-Out for Deep Submicron Technology CMOS Image Sensors. IEEE Sensors Journal, 2008, 8, 286-294.	4.7	21
77	Novel VLSI implementation of Peano-Hilbert curve address generator. , 2008, , .		1
78	FPGA Implementation of Image Compression using DPCM and FBAR. , 2007, , .		2
79	Arbitrated Time-to-First Spike CMOS Image Sensor With On-Chip Histogram Equalization. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2007, 15, 346-357.	3.1	81
80	A compact reconfigurable counter memory for spiking pixels. IEEE Electron Device Letters, 2006, 27, 255-257.	3.9	18